

ACKNOWLEDGEMENTS

I consider myself very fortunate to have worked under the able guidance of DR. S.T. NANDIBEWOR, READER, Department of Chemistry, Karnatak University, Dharwad. I feel short of words to express my deep sense of gratitude and appreciation to him for his valuable guidance, stimulating discussions and everlasting encouragement throughout the course of this investigation.

I am extremely thankful to DR. J.R. RAJU, Reader, Department of Chemistry, Karnatak University, Dharwad for his keen interest, inspiring guidance and valuable discussions, encouragement throughout the course of my research work.

I gratefully acknowledge the facilities provided by Karnatak University, Dharwad and for the award of a Research Studentship to me during the course of this work. I also thank Prof. E.S.Jayadevappa, Prof.V.V.Badiger, Prof. A.S.R.Murthy and Prof. M.Madaiah for their encouragement.

I would like to thank Sriyuths P.K.Hudedagaddi, M.I.Sambrani, Dr.S.A.Chimatadar, Dr.G.S.Gokavi for their kind help and encouragement.

I am indeed greatly indebted to Sriyuths P.T.Thomas, S.M. Tywar and Miss V.A.Amminabhavi, V.S.Gokak, S.R.Ganji for their invaluable help in the course of the preparation of this thesis.

Finally, as a research student at the Department of Chemistry, Karnatak University, Dharwad, I have received immense help and encouragement by the many staff and student members. I take this opportunity to thank all of them.

DHARWAD

DECEMBER 12 , 1988

K. Satejabanar.
(S. R. KAMPLI)