

# References

## REFERENCES

- Achyuthan, H., Richardmohan, D., Srinivasalu, S. and Selvaraj, K. (2002). Trace metals concentrations in the sediment cores of estuary and tidal zones between Chennai and Pondicherry, along the east coast of India. *Ind. J. Mar. Sci.*, **31** (2), 141-149.
- Ahmed, E. (1972). *Coastal geomorphology of India*. Orient Longman, New Delhi, 235 p.
- Ali, K. and Devaraju, T. C. (1990). A study of the rare ilmenite deposits around Mujjur, near Gadag, Karnataka State. *J. Geol. Soc. Ind.*, **35**, 91-98.
- Anbarasu, K. and Rajamanickam, G. V. (2002). Coastal erosion around Pondicherry and Ennore along the east coast of India. *J. Geol. Soc. Ind.*, **60**, 519-525.
- Angusamy, N. and Rajamanickam, G. V. (2000). Distribution of heavy mineral along the beach from Mandapam to Kanniyakumari, Tamil Nadu. *J. Geol. Soc. Ind.*, **56**, 199-211.
- , Loveson, V. J., and Rajamanickam, G V. (2004). Zircon and ilmenite from the beach placers of southern coast of Tamil Nadu, east coast of India. *J. Ind. J. Mar. Sci.*, **33**(2), 138-149.
- and Rajamanickam, G. V. (2000). Distribution of heavy minerals along the beach from Mandapam to Kanyakumari, Tamil Nadu. *J. Geol. Soc. Ind.*, **59**, 299-211.
- (1994). Grain size and petrography of Mesozoic rocks of Saurashtra Basin, Gujarat, Western India *J. Geol. Soc. Ind.*, **44**, 399-412.
- Behera, P. (2003). Heavy minerals in beach sands of Gopalpur and Paradeep along Orissa coastline, east cost of India. *Ind. J. Mar. Sci.*, **32** (2), 172-174.
- Chandramohan, P. and Narashimha Rao, V. (1984). Study of longshore current equation for currents in Vishakhapatnam beach. *Ind. J. Mar. Sci.*, **13**, 24-27...
- , Narshimha Rao, T.V., Panakala Rao, D. and Prabhakar Rao, B. (1984). Studies on near shore processes at Yarda Beach (South of Vishakhapatnam Harbour), east coast of India. *Ind. J. Mar. Sci.*, **13**: pp 164-167.

- Chakravarti, A. (1977). Ploymetallic composition of beach sands from the east coast of India. *J. Sed. Petrol.*, **47**, 634-641.
- Chouhan, O. S. (1990). Sedimentological parameters of beach sediments on the east coast of India. *J. Coastal Res.*, **6**(3), 573-583.
- (1992). Late Quaternary sedimentation in the eastern Bay of Bengal oceanography of the India Ocean. Ed. Desai, B.N., 479-486.
  - (1992 a). Laminae and grain-size measures in beach sediments, east coast beaches, India. *J.Coast. Res.*, **6**(1), 172-182.
  - (1992 b). Sediments dynamics at Puri and Konark Beaches, along the northeast Coast of India. *Ind. J. Mar. Sci.*; **21**, 201-206.
  - (1995). Monsoon-induced temporal changes in beach morphology and associated Sediment dynamics, central east coast of India. *J. Coast, Res.*, **11**(3), 776-787.
  - , Verma, V. K. and Prasad, C. (1988). Variation in mean grain size as indicator of beach sediment movement at Puri and Konark Beaches, Orissa. *J. Coastal Res.*, **4**(1), 27-35.
  - and Almeida, F. (1993). Influences of Holocene sea level, regional tectonics, and fluvial gravity and slope current induced sedimentation on the regional geomorphology of the Continental slope off northwestern India. *Mar. Geol.*, **112**: 313-328.
- Dhana Raju, R. (2002). Handbook of Placer Mineral Deposits. *J. Geol. Soc. Ind.*, **59**, 284 p.
- Duncan, J. R. and Kulm, L. D. (1970). Mineralogy, provenance and dispersal history of late Quaternary deep-sea in Cascedia basin and Balanco fracture zone of Oregon. *J. Sed. Petrol.*, **40**, 874-887.
- Duane, D. V. (1964). Significance of skewness in Recent sediments, wes-tern Palmlico Sound, North Carolina. *J. Sed. Petrol.*, **34**, 864-874.
- Eckelmann, F. D. & Kulp, J. L. (1956). The sedimentary origin and Henderson granites in western north Carolina. *Am. J. Sci.*, **254**, 288-315.
- Fairbridge, R. W. (1966). *Encyclopedia of Oceanography*, 116 p.
- Folk, R.L. and Ward, W. C. (1957). Brazos river bar: A study in the significance of grain size parameters. *J. Sed. Petrol.*, **29**, 3-36.
- Freidman, G.M. (1961). Distinction between dune, beach and river sand from their textural characteristics. *J. Sedi. Petro.* , **31**, 514-529.
- (1967). Dynamic processes and statistical parameter compared for size frequency distribution of beach and river sands. *J. Sedi. Petro.*, **37**, 327-354.

- Force, R. L. (1980). *Petrology of sedimentary rocks*. Austin, Texas, Hempllis, 170p.
- Freidman, G. M. and Johnson, K. G. (1982). *Exercises in Sedimentology*. John Wiely & Sons, New York, 208p.
- and Sanders, J. E. (1987). *Principle of Sedimentology*. John Wiley and Sons, New York, pp. 58-81.
- Gajapathi Rao., R. (2002). Controls on formation of beach sand deposits along Andhra Pradesh coast: a study on heavy mineral distribution pattern, size characteristics, some beneficiation problems and coastal zone management plan. *J. Geol. Soc. Ind.*, **60**, 472-473.
- Hesse, R., Vonred, V. and Fabricias, F. H. (1971). Holocene sedimentation in the Strait Otranto between the Adriatic and Ionion Seas (Mediterranean). *Mar. geol.*, **10**(5), 293-357.
- Jagganath Rao, M. Ramana, J. V., Venugopal, R. and Chandra Rao, M. (2005). Geochemistry and ore mineralogy of ilemenite from beach placers of the Vishakhapatnam-Bhimunipatman deposit, Andhra Pradesh. *J. Geol. Soc. Ind.*, **66**, 147-163.
- Karner, F. R. N. and Helgesan, J. O. (1970). Pterological significance of zircons variations in Tunk Lake granite, southeastern Maine. *J. Geol.*, **78**, 480-498.
- Kathal, P. K. (2002 a). Taxonomy, distribution patterns and ecology of Recent foraminifera of the east coast of India. *Neues Jahrbuch fur Geologie und Paläontologie*, **224**, pp.115-160, 6 pls.
- (2002 b). Distribution pattern and ecology of Recent foraminifera from the littoral sediments, eastern coast of India. *J. Geol. Soc. Ind.*, **60**(4), 239-254.
  - (2005). Sethusamudram Ship Canal Project: Oceanographical/Geological and Ecological Impact on Marine Life of Gulf of Mannar and Palk Bay, Southeastern Coast of India. *Curr. Sci.*, **89** (7), 1082-1083.
  - and Bhalla S. N. (1996). Intraspecific variation and palaeolatitudinal significance of *Rotorboides granulosum*- a less-known Recent foraminifera of tropical waters *Rev. de, Palaeobio.* (Switzerland), **15**(1), pp 79-85.
  - and Bhalla, S. N. (1998). Taxonomy and palaeolatitudinal significance of *Rotorboides granulosum*- A less known Recent foraminifera of tropical region: *J. Geol. Soc. Ind.* **51**(6): 799-802
- Kimura, J, Takaku, Y and Yoshioda, T (1995). Igenous rock analyses using ICP-MS with internal standardization, isobaric overlap correction and standard addition methods. *Sci. Rep, Fukushima Univ*, 56 1-12.

- Krumbien, W. C. and Pettijohn, F. J. (1938). *Manual of sedimentary petrography*, New York, Plenum, 549p.
- Krynine, P. D. (1946). The tourmaline group in sandstone. *J. Geol.*, **54**, 56-87.
- LaFond, E. C. (1957). Oceanographic studies in the Bay Bengal. *Proc. Ind. Acad. Sci.*, **XLVI**(1), sec. B, 1-46.
- LaFond, K. G. (1968). Studies of oceanic circulation in the Bay of Bengal. In: *Sym. Ind. Ocean, Bull.* **38**, 164-183.
  - and Prasad Rao, M. (1954). Beach erosion cycles near Waltair on Bay of Bengal. *Andhra Univ., Mem., Oceangr.* **1**, 63-77.
- Lakshmiapatiraju, A. and Rinivaa Rao, L. (1996). Heavy mineral concentration of the Vishakhapatnam-Konada Coast as evidenced by magnetic susceptibility and radioactivity *J. Geol. Soc. Ind.*, **47**, 717-724.
- Larsen, L. N. and Poldervart, A. (1957). Measurement and distribution of zircons in some granitic rocks of magmatic origin. *Mineralog. Mag.*, **31**, 544-564.
- Madhusudan Rao, C. and Murty, P. S. N. (1968). Studies of shelf sediments off the Madras coast in Indian Ocean. *Bull. Nat. Inst. Sci., Ind.*, **33**(1), 442-448.
- Manhadevan, C. and Sriramdas, A. (1948). Monazite in the Beach Sands of Shakha District. *Proc. Ind. Acad. Sci.*, **27**(4), sec. A, 275-278.
- Mascarenhas, A., Paropkari, A. L. and Murty, P. S. N. (1985). Geochemistry of sediments of the eastern continental shelf on India Mahasagar. *Bull Nat. Inst. Oceangr.*, **18**(1), 1-25.
- Milner, H. B. (1962). *Sedimentary Petrography*, vol. II, George Allen & Unwin Ltd., London, 715p.
- Mohan, P. M. (1995). Distribution of heavy mineral in Parangipettai (Porto Novo) Beach, Tamil Nadu. *J. Geol. Soc. Ind.*, **46**, 401-408.
- and Rajamanickam, G. V. (1998). Depositional environments: inferred from grain size along the coast of Tamil Nadu. *J. Geol. Soc. Ind.*, **52**, 95-102.
  - and Rajamanickam, G. V. (2001). Buried placer mineral deposits along the east coast between Chennai and Pondicherry. *J. Geol. Soc. Ind.*, **56**, 1-13.

- , Shephard, K. Angusamy, N. Suresh Gandhi, M. and Rajamanickam, G. V. (2000). Evolution of Quaternary sediment along the coast between Vedaranyam and Rameshwaram, Tamil Nadu. *J. Geol. Soc. Ind.*, **56**, 686-687.
- Mohana Rao, K. and Rao, T. C. S. (1994). Holocene sea levels of Vishakhapatnam Shelf, East Coast of India. *J. Geol. Soc. Ind.*, **44**, 85-689.
- Mohanty, A. K., Das, S.K., Van, K.V., Sengupta, D. and Saha, S. K. (2003). Radiogenic heavy minerals in the Chhatrapur beach placer deposit of Orissa, south-eastern coast of India. *J. Radioanalytical and Nuc. Chem.*, **258** (2).
- Morton, A. C. (1987). Influences of provenance and diagenesis on detrital garnet suites in Palaeocene Forties Sandstone Central North Sea. *J. Sed. Petrol.*, **57**, 1027-1032.
- (1944). Stability of detrital heavy mineral in Tertiary sandstones from North Sea basin. *Caly Min.*, **19**, 287-308.
- Murty, P. S. N. (1994). Distribution of calcium carbonate in the sediments of the Vishakhapatnam Shelf, central east coast of India. *J. Geol. Soc. Ind.*, **44**, 681-684.
- Murty, T. V. R., Mohana Rao, K., Malleshwara Rao, M. M., Laxinarayan, S. Murthy, K. S. R. (2007) Sediment size distribution of inner-shelf off Gopalpur, Orissa coastline EOF analysis. *J. Geol. Soc. Ind.* **69**, 45-65.
- Nambiar, A. R. (2000 a). Distribution of heavy minerals along the beach from Mandapam to Kanyakumari, Tamil Nadu. *J. Geol. Soc. Ind.*, **56**, 681-682.
- (2000 b). Evolution of Quaternary sediments along the coast between Vedaranniyam and Rameshwaram, Tamil Nadu *J. Geol. Soc. Ind.*, **56**, 685-686.
- Pascoe, E. H. A. (1964). *A manual of Geology of India and Burma. I-III*, Govt. of India Press, Calcutta, 1898p.
- Pattanshetti, S. S., Chouhan, O. S. and Sivakholundu K. M. (1993). Quantification of changes in seabed topography with special reference of Hansthal creek, Gulf of Katchch, India. *J. Coast. Res.*, **9**(4), 934-943.
- Pettojohn, F. J. (1956). *Manual of sedimentary rocks*, 2<sup>nd</sup> Ed., Harper & Row, 513p.
- Poldervart, A. (1956). Zircons in rocks. II *Igneous. Am. J. Sci.*, **254**, 521-554.

- Powers, M. C. (1953). A new roundness scale for sedimentary particles. *J. Sed. Petrol.*, **23**, 117-119.
- Prasada Rao R. and Mahadevan, C. (1968). Evolution of Vishakhapatnam beach: In Indian Ocean, *Bull Nat. Inst. Sci., Ind.*, **33**(1), 33-47.
- Purnachandra Rao, K. and Rao, A. T. (1993). Clay mineral distribution in Bhuminipatnam-Kalingapatman shelf sediments, east coast of India. *Ind. J. Mar. Sci.*, **22**, 37-40.
- Rajamanickam, G. V. and Gujar, A. R. (1997). Grain size studies on the nearshore sediments of Jaigad, Ambwah and Varvada Bays, Maharashtra, India. *J. Geol. Soc. Ind.*, **49**, 567-576.
- Rajasekhara Reddy, D., Prasad, V. S. S., and Malathi, V. (2002). Occurrence of kyanite in the nearshore sediments of north coast Andhra Pradesh and its implication. *J. Geol. Soc. Ind.*, **60**, 329-331.
- Rajasekhara Reddy, D., Prasad, V. S. S., Malathi, V., Reddy, K. S. N. and Varma, D. D. (2001). Economic potential of the heavy-minerals of the beaches between Baruva and Bavanapadu, Andhra Pradesh. *J. Geol. Soc. Ind.*, **57**, 443-449.
- Rajendra, A., De Sausa, S. N. and Reddy, C. V. G. (1981). Dissolved and particulate trace metals in the western Bay of Bengal. *Ind. J. Mar. Sic.*, **11**, 43-50.
- Raju, P., Khan, K. N., Raza, A. and Ramesh, Y. (1993). Sea levels along Vishakhapatnam coast: a geomorphic explanation. *J. Geol. Soc. Ind.*, **42**, 337-348.
- Rau, T. K. (2006). Incidence of diamonds in the beach sands of Kanniyakumari coast, Tamil Nadu. *J. Geol. Soc. Ind.*, **67**, 11-15.
- Ramamohan Rao, T., Ranga Rao, N. and Ramaraju, M. V. (1983) Ilmenite. Of black sand deposit of Vishakhapatnam-Bhimunipatnam, east coast of India. *Ind. J. Mar. Sci.*, **12**, 220-222.
- Raman Murty, T. V., Rao, M. K., Rao, M. M. M., Laxinarayan, S. and Murty, K. R. S. (2007). Sediment size distribution of inner-shelf of Gopalpur, Orissa coast using EOF analysis. *J. Geol. Soc. Ind.*, **69**, 133-138.
- Ramanujan, N., Mukesh, M. V., Sabeen, H. M. and Preeja, M. B. (1996). Morphological variation if some Islands in the Gulf of Mannar , India. *J. Geol. Soc. Ind.*, **45**, 703-708.

- Ramnathan, A. and Chandraekharam, D. (1998). Geochemistry of Rajapur and Puttur thermal springs of the west coast India. *J. Geol. Soc. Ind.*, **49**, 559-565.
- Rao, A. T. and Pitchaiah, P. S. (1985). Grain size characteristics and chemical composition of coastal sands of Chirala, east coast of India. *Ind. J. Mar. Sci.*, **14**, 136-138.
- Rao, A. T. and Sankara P. (1985). Grain size characteristics and chemical composition of coastal of Chirala, east coast of India. *Ind. J. Mar. Sci.*, **14**, 136-138.
- Rao, A. T., Fonarev, V. I., Konilov, A. N. and Romanenko, M. (1998). Electron microprobe dating of monazite from spinel granulite in the Eastern Ghats Belt, India. *J. Geol. Soc. Ind.*, **52**, 345-350.
- , Srinivasa Rao, K. and Vijayakumar, V. (2002). Basic volcanism along K-T Boundary from Rajahmundry, east coast of India. *J. Geol. Soc. Ind.*, **60**, 583-586.
- Reddy, D.R., Prasad, V. S. S., Rajasekhar Reddy, D. Siva and Sankara Prasad, V. (1997). Thorium-rich monazites from the beach sands of Kalingapatnam-Baruva coast, Andhra Pradesh, east coast of India. *Curr. Sci.*, **73**(10), 880-2
- Sahu, B. K., Gaur, P. C. and Sahu, K. C. (1984). Heavy minerals in beach sands of Chandrapur (Orissa) east coast of India. *Ind. J. Mar. Sei.*, **13**, 142-143.
- , Gaur, P. C. and Sahu, K. C., (1984). Heavy mineral in beach sands of Shandrapur, Orissa east coast of India. *Ind. J. Mar. Sci.*, **13**, 142-143.
- Satyanarayana, K., Reddy, A. N., Jaiprakash, B. C., Chidambaram, S. S. and Bharktya, D. K. (2007). A note on foraminifera, grain size and clay mineralogy os tsunami sediments from Kanniyakumari-Nagore-Nagapattinam beaches, southeast coast of India. *J. Geol. Soc. Ind.*, **69**, 70-74.
- Shepard, F. P. and Yong, R. (1961). Distinguishing between beach and dune sands. *J. Sed. Petrol.*, **31**(2), 196-214.
- Shetty, M. G. A. P. & Rajamanickam, G. V.(1972) Heavy mineral suite in shelf sediments of Madras coast. *J. Ind. Geophy. Union*, **10**(1-4), 93-107.
- Smithson, F. (1939). Statistical methods in sedimentary petrology. *Geol. Mag.*, **76**, 351p.



- Spate, O. H. K. (1960). *India and Pakistan*, London, 92p.
- Subba Rao, M. (1964). Some aspects of continental shelf sediments off the east coast of India. *Mar. Geol.*, **1**, 59-87.
- Subrahmanyam, A. V., Desapati, T., Anil Kumar, Deshmukh, R. D., Viswanathan, G. (2004). Occurrence of xenotime in the Narasapur beach placers, West Godavari District, A. P., *Curr. Sci.*, **87**, 1458-1461.
- Swamy, A. R. S., Sastry, A. V. and Vasudev, K. G (1983). Granulometric studies of Vishakhapatnam-Bhimunipatnam beach sands. *Ind. J. Mar. Sei.*, **12**, 110-111.
- Vijaykumar, P. and Vaz, G. G. (1995). Occurrence of Authigenic Gypsum in a Deep Sea core off Madras. *J. Geol. Soc. Ind.*, **45**, 483-486.
- Vintange, P. W. (1957). Studies of zircon types in the Ceylon Precambrian complex. *J. Geol. Soc. Ind.*, **65**, 17-128.
- Viser, G. S. (1969). Grain size distribution and depositional processes. *J. Sedi. Petrol.*, **39**, 1074-1106.
- Viswanathan, T. V. and Murthy, M. V. M. (1964). Zircon studies in interpreting the origin of charnockites and associated rocks from Pallavaram, Madras and some part of Puri district Orissa, India. In: *Inter. Geol. Cong.*, Abst. 205-206.
- Wentworth, C. K. (1922). A scale of grade and clast terms for clastic sediments. *J. Geol.* **30**, 377-392.
- Wyalt, M. (1954). Zircon a provenance indicators. *Am. Min.*, **39**, 983-990.

\* \* \*