

List of Tables

| Table Number | Particulars | Page Number |
|--------------|--|-------------|
| 3.1 | Details of wheat germplasm collected | 19 |
| 3.2 | List of chemicals used for DNA isolation and PCR analysis | 20 |
| 3.3 | Equipments used for DNA marker analysis | 21 |
| 3.4 | Sequences and melting temperatures of the RAPD primers used in the study | 24 |
| 3.5 | Quantity of different chemical constituents of PCR reaction mixture | 24 |
| 3.6 | Optimized PCR conditions for different RAPD Primers | 24 |
| 3.7 | Sequences and melting temperatures of the ISSR primers used in the study | 25 |
| 3.8 | Optimized PCR conditions for different ISSR Primers | 26 |
| 3.9 | Percentage Polymorphism exhibited by RAPD primers in all 101 wheat genotypes | 34 |
| 3.10 | Percentage Polymorphism exhibited by ISSR primers in all 101 wheat genotypes | 37 |
| 3.11 | Genetic distances between all possible pairs of wheat genotypes calculated as similarities | 39-44 |
| 3.12 | Clustering Pattern of 101 wheat genotypes | 46 |
| 4.1 | Working conditions and Specifications of ICP-AES | 62 |
| 4.2 | Elemental Content of 101 Wheat Genotypes obtained from ICP-AES analysis | 63-64 |
| 4.3 | Various Indian and Turkish wheat genotypes showing the maximum content of different elements | 65 |