

- APHA (1985). Standard Methods for the Analysis of Water and Waste Water (16th edn.), American Public Health Association, Washington. D.C.
- Applin, K.R. and Zhao, N. (1989). The kinetics of Fe (II) oxidation and well screen encrustation. *Ground Water*, v. 27 (2), pp. 168-174.
- Aravindan, S. (1999). Integrated hydrogeological studies in hard rocks aquifer system of Gadilam river basin, Tamil Nadu, India, p. 110 (Unpublished Ph.D thesis, Bharathidasan University), p. 110.
- Aswathanarayana, U. (1964). Origin of heavy mineral beach sand deposit of southwest coast of India. *Advance frontiers in Geology and Geophysics*, Indian Geophysical Union, pp. 481-489.
- Babva, A. (1980). Geochemistry of interstitial water of Vembanadu estuary. Thesis submitted to Cochin University of Science and Technology.
- Babu, N. and Seralathan, P. (2005). Distribution of heavy minerals in the buried placers, Central Kerala coast, India. National seminar on development planning of coastal placer minerals 2005, Ed Lorson V.J, Chandrasekar . N. and Sinha .A. Allied publishers Pvt .Ltd. Chennai, pp. 40-49.
- Back, W. and Hanshaw, B.B. (1965). Chemical Geohydrology, *Adv. Hydro Science*, v. 1, pp. 49-109.
- Badrinath, S.D., Raman, V., Gadkari, S.K., Mahaisalkar, V.A. and Deshpande, V.P. (1984). Evaluation of calcium carbonate stability indices for Sabarmati river water. *Ind. Water. Ass.*, v. 16(1), pp.163-168
- Balakrishna, S., Subramanyam, K., Gogte, B.S., Sharma, S.V.S. and Venkatanarayana, B. (1984). Groundwater investigations in the Union Territory of Dadra, Nagar and Haveli, *Geophysical Research Bull.*, v. 21 (4), pp. 346- 359.
- Balasubramanian, A. (1986). Hydrogeological investigations in the Tambraparani river basin, Tamil Nadu. Unpublished Ph.D, Thesis (University of Mysore), 349 p.
- Balasubramanian, A., Sharma, K.K. and Sastri, J.C.V. (1985). Geoelectrical and hydrogeochemical evaluation of coastal aquifer Tambraparani basin, Tamil Nadu, *Geophysical Research Bull.*, v. 23 (4), pp. 203- 209.
- Ballukraya, P.N. (1996). Differentiating conductives and resistive inhomogeneities: A new approach in groundwater exploration. *Current Science*, v. 71, pp. 130-150.

- Ballukraya, P.N., Sakthidivel, R. and Baratan, R. (1981). Inadequacies in the techniques of resistivity methods for the location of sites in hard rock areas. *Nordic Hydrology*, v. 12, pp. 185-192.
- Banerjee, P. K. (2000). Holocene and Late Pleistocene relative sea level fluctuations along the east coast of India. *Mar. Geol.* v. 167, pp. 243-260.
- Banerjee, P. K., Goswami, S. and Chatterjee, S. (1997). A genetic reinterpretation of the shore parallel sand ridges along the Digha-Chandipur coast, West Bengal and Orissa. *Jour. Geol. Soc. India*, v.49, pp. 687-692.
- Basak, P. and Nazimuddin, M. (1987). Sea water intrusion in coastal unconfined aquifers of the south western Peninsula- A case study. *Jal Vigyan Sameekha- a Publication of high-level technical committee on hydrology*, v. 11(1), pp. 72-80.
- Basak, P. and Nazimuddin, M. (1986). Groundwater in the coastal belt: Thrissur district, Technical report GW/R-163/86 of Centre for Water Resources Development and Management, Kozhikode.
- Basak, P. and Sabu Abraham (1983). Salt water intrusion in Coastal aquifer of Malappuram district, Technical report GW/R-54/83 of Centre for Water Resources Development and Management, Kozhikode.
- Bhattacharya, A.K., Kurian, T.K., Krishnanunni, K. and Sethi, D.L (1979). Geomorphic mapping in parts of Kerala state. *Jour. Indian Soc. Rem. Sens.*, v. 7(1), pp. 1-9.
- Bhimashankaram, V.L.S. and Gaur, V.K. (1977). Lectures on Exploration geophysics for Geologists and Engineers, AEG Publi., Osmania Uni. Hyderabad, 449 p.
- Biscaye, P. E. (1965). Mineralogy and sedimentation of recent deep sea clays in the Atlantic Ocean. *Geol. Soc. Amer. Bull.* V. 76, PP. 803-832.
- Biscaye, P. E. (1964). Distribution of Kaolinite and chlorite in recent sediments. *Amer. Mineral.*, v.49, pp. 803-832
- Biswas, S. K. (1988). Structure of Western Continental Margin of India and related igneous activity. In: K.V. Subbarao, (Ed.), *Deccan Flood Basalts*, Mem. Geol. Soc. India, No. 10, pp. 372-390.
- Black, J. H. and Kipp, K.L. (1977). Observation well response time and its effect upon aquifer test results. *Jour. Hydrol.*, v. 34, pp. 297- 306.
- Blatt, H. (1995) Provenance study and mud rock . *Jour. Sed. Petrol.* v.55, pp. 59-75.
- Boehmer, W. K. (1993). Secondary type aquifers and the value of pumping tests for the evaluation of groundwater potential, in Mem. 24th Congress of IAH, Oslo, pp. 159-68.

- Bose, R. N., Kartha, T. D. G., and Padmanabhan, K. (1976). Geophysical investigations in the coastal basin of Kerala. Paper presented to the Workshop on Coastal Sedimentaries of India south of 18°N ONGC, Madras.
- Boulton, N. S. and Streltsova, T.D. (1976). The drawdown near an abstraction well of large diameter under non-steady conditions in an unconfined aquifer, *Jour. Hydrol.*, v. 30, pp. 29-46.
- Bradley, J. S. (1957). Differentiation of marine and subaerial sedimentary environments by volume percentage of heavy minerals, Mustang Island, Texas. *Jour. Sed. Petrol.*, v.27, pp. 116-125.
- Briggs, L.I. (1965). Heavy minerals correlation and provenances. *Jour. Sed. Petrol.*, v.35, pp. 939-955.
- Bruckner, H. (1989) Late Quaternary shorelines in India. In: D.B. Scot, P.P. Pirazzoli and C.A. Honig (Eds.), *Late Quaternary Sea-Level Correlation and application*. Walter S. Newman Memorial Volume, NATO ASI Series C-256, Kluwer Academic Publishers, Dordrecht, pp. 169-194.
- Campanile, D., Nambiar, C.G, Bishop, P., Widdowson, M. and Brown, R. (2008). Sedimentation record on the Konkan_kerala Basin: Implications for evolution of the Western Ghats and the western Indian passive margin, *Basin research* (2008) 20, 3-22.
- Canter, L.W. (1988). Methods for the assessment of groundwater pollution potential. In: *Groundwater quality* (ed. C.H. Ward, W. Giger and P.L. Mc Corty). John wiley, Newyork, pp. 270-306.
- Carver, R.E. (1971). *Procedures in sedimentary petrology*. Wiley Inter Science, New York, pp.427-478.
- CESS (1984). *Resource atlas of Kerala*, Centre for Earth Science Studies, Thiruvananthapuram, Kerala.
- CGWB (1982). *Manual of evaluation of aquifer parameters*, Ministry of water resources Government of India.
- CGWB (2002). *Groundwater balance. Mass awareness programme in Ernakulam district on January 5th 2002 by CGWB, Kerala region, Thiruvananthapuram, Kerala.*
- CGWB (2003). *A study on seawater ingress in the coastal aquifers in parts of Alleppey and Ernakulam districts, Kerala, Technical report, AAP 2000-2001, 29p.*
- CGWB. (1992). *Tchnical report of SIDA assisted coastal groundwater project, Un.pub.*
- Chachadi, A.G and Lobo Ferreira, J.P. (2001). Sea water intrusion vulnerability mapping of aquifers using Galdit method, *Modelling in hydrology*, L.Elango and R.Jayakumar (eds) pp 143-155.

- Chandrasekar, N. (1992). Beach placer mineral exploration along the central Tamil Nadu coast. Ph.D. thesis (unpublished), Madurai Kamaraj University, Madurai. 293 p.
- Chandrasekar, N., Anil Cheriyan., Rajamanickam, M. and Rajamanickam, G.V. (2003). Ilmenite and magnetite ratio in the beaches between Kallar and Vembar coast Tamilnadu; Implication and distribution with other heavy minerals, Jour. Indian .Asso.
- Chandrasekhar, N. and Rajamanickam, G. (1997). Zircon placer deposits along the beaches of central Tamilnadu , India. Geol. Survey and Mines bureau, Sri Lanka, vol. 7, pp.337-348.
- Chandrasekharam, D. (1989). Anomalous SO_4 - Cl groundwater in coastal aquifer, Kerala, Proc. Ind. Acad. Sci., v.98 (3), pp. 287-295.
- Chandrasekar, N., Rajamanickam, G.V.(2001). Nature of distribution of heavy minerals along the beaches of Central Tamilnadu Coast, Jour Indian Associ.Sedimentologist, v.20,pp.167-180.
- Chebotarev, I. (1950). Metamorphism of natural waters in the crust of weathering. Geochim. Cosmochim. Acta, v. 8, pp 22-48
- Cohen, A.J.B., Karasaki, k., Benson, s., Bodavarrsson, G, Freifeld, B., Beneito, P., Cook, p., Zawislanski, P. (1996). Hydrogeologic characterization of fractured rock formations: A guide for groundwater remediators, EPA project summary.
- Collins, L. B. and Hamilton, N. T. M. (1989). Holocene sedimentation and Heavy minerals accumulation, Minnipup shoreline, WA minerals and energy research institute of Western Australia, report 42.
- Cooper, H.H. and Jacob, C.E. (1946). A generalized graphical method for evaluating formation constants and summarizing well field history. Amer. Geophy. Union Trans., v. 27, pp. 526- 534.
- Crawford, A.R. (1969). Reconnaissance Rb-Sr dating of the Precambrian rocks of southern Peninsular India. Jour. Geo.Soci. India, v.10, pp. 117-166.
- Cronan, D.S. (1972) Skewness and kurtosis in polymodal sediments. Jour. Sed. Petrol., v.42, pp. 102-106.
- Curry, J.R., Emmel, F.J. and Crampton, P.J.S. (1969). Holocene history of a strand plain lagoonal coast, Nayarit, Mexico. In. A.A. Castanares and F.B.Pflerger (Editors), Lagunas Costeras, Un simposio. UNAM- UNESCO, pp. 63-100
- Davies, J. (1994). The hydrogeochemistry of alluvial aquifers in central Bangladesh. Groundwater Quality, 17th special report, ed. By H. Nash and G.J.H. McCall, Chapman and Hall pub., pp. 9-18.

- Davies, J. L. (1980). Geographical variation in Coastal development, 2nd edition, New York:,212 p.
- Davis, S. N. and De Wiest, (1960). Hydrogeology, John Wiley Inc., New York, 463p.
- Davis, S. N. and Turk, L.J. (1964). Optimum depth of wells in crystalline rocks. Ground water, v. 2, pp. 6-11.
- Desikachar, S. V. (1976). Geology and the hydrocarbon prospects of the Kerala west coast basin. Paper presented to the Workshop on Coastal Sedimentaries of India south of 18°N ONGC, Madras.
- Desikachar, S. V. and Subramanyam, M. (1959). Progress report (Part II) on subsurface geology of parts of coastal Kerala. Madras and Kerala party 1968-59, ONGC Report, Unpublished.
- Dissanayake, C.B.(1991). The fluoride problem in the groundwater of Sri Lanka-environmental management and health. Int. Jour. Env. Studies, v. 38, pp.137-156.
- Donnen, L. D. (1964). Notes on water quality in Agriculture. Published as water science and engineering paper 4001. Dept. of Water Sciences and Engineering, University of California.
- Dora, Y. L. (1978). Certain aspects of provenance and sedimentation of the modern sediments of the Godavari river and Vasishtha-Godavari distributary, India. Ph.D. Thesis (unpublished), Andhra University, Andhra Pradesh.
- Dryden, A. L. and Dryden, C. (1946). Comparative rates of weathering of some common heavy minerals. Jour. Sed. Petrol., v.16, pp. 91-96.
- Eagon, H.B. and Johe, D.E. (1972). Practical solutions for pumping tests in carbonate rock aquifers. Ground Water, v. 10, pp. 6-13.
- Edmunds, W.M. (1994). Groundwater chemistry and development. Groundwater quality, eds. Nash,H. and McCall.G.J.H. Chapman and Hall.
- Ewing, J. and Ewing, M. (1976) Sediment distribution on the midoceanic ridges with respect to spreading of sea floor. Science ,156, pp.251-266.
- Flores, R.M. and Shideler, G.L. (1978). Factors controlling heavy mineral variations on the South Texas outer continental shelf, Gulf of Mexico. Jour. Sed. Petrol., v.48, pp. 69-80.
- Folk, R.L. (1966). A review of grain size parameters. Sedimentology. v.6, pp. 73-96.

- Folk, R.L. (1968). Petrology of sedimentary rocks. Hemphill's, Texas, 170 p.
- Folk, R.L. and Ward, W. (1957). Brazos river bar: A study in the significance of grain size parameters. Jour. Sed. Petrol., v.27, pp. 3-26.
- Folk, R.L. Andrews, P.B. and Lewis, D.W. (1970). Detrital sedimentary rock classification and nomenclature for use in New Zealand. New Zealand Jour. Geol. and Geophy., v.13, pp. 937-968.
- Foote, R. B. (1883). On the geology of South Travancore. Rec. Geol. Surv., v.6 (1), pp.90-35.
- Forstner, U. and Wittmann, G.T.W. (1983) Metal pollution in the aquatic environment. Springer-Verlag, New York, 486 p.
- Friedman, G.M. (1961). Distinction between dune, beach and river sands from their textural characteristics. Jour. Sed. Petrol., v.31, pp. 514-529.
- Friedman, G. M. (1962). On sorting coefficient and the log normality of grain size distribution in sandstones. Jour. Geol., v.70, pp. 737-753.
- Friedman, G. M. (1965) Relationship between statistical parameters derived from size frequency distribution of sands and environment of deposition. Amer. Geophy. Union, Transactions, v.46, 108p
- Gansser, A. (1964). Geology of the Himalayas: Interscience, Newyork,289p.
- Ghosh, B. N. and Zutshi, P.L. (1989). Indian West coast shelf break tectonic features, geol. Surv. India. Spl.Pub. No.24,pp.309-318.
- Gibbs, R. J. (1968). Clay mineral mounting techniques for X-ray diffraction analysis: A discussion. Jour. Sed. Petrol., v.38, pp. 242-244.
- Gibbs, R.J. (1970). Mechanism controlling World's water chemistry. Science, v.170, pp. 1088-1090.
- Gilkson, R.H. and Wright, K.C. (1983). The application of surface electrical and shallow geothermic methods in monitoring network design. Groundwater monitoring RCV., v. 3 (3), pp. 30-42.
- Girish Gopinath (2003). An intergrated hydrogeological study of Muvattupuzha river basin, Kerala, India, Ph.D theisis submitted to the Cochin University of Science and Technology,Kerala, India.
- Goldberg, R. (1980) Use of grainsize frequency data to interpret the depositional environments of the Pleistocene pleshet formation Beer Sheva, Israel. Jour. Sed. Petrol., v.50, pp. 843-856

- Goldschmidt, V. M. (1958). *Geochemistry*, Oxford University press, Amen house, London, ECA, edited by Alex Muir, 730 p.
- Goyal, R. S. and Jain, B.L. (1982). Use of gypsum modifying crustal conductive conditions in saline water irrigated soils. *Jour. Ind. Soc. Soil Sci.*, v. 30 (4), pp. 447- 454.
- Gregg, D. O. (1996). Analysis of groundwater fluctuations caused by ocean tides in Glynn country, Georgia, *Groundwater*, v. 4 (3), pp. 24-32.
- Griffiths, J. C. (1962) Grain size distribution and reservoir rock (Sci) characteristics. *Bull*
- Griffiths, J. C. (1967) *Scientific methods in analysis of sediments*. New York, McGraw-Hill Book Com., 508 p
- Grim, R. E. (1968). *Clay mineralogy*. McGraw Hill, Newyork, 384p.
- GSI (1995). *Geological and Mineral map of Kerala*. Hyderabad, India: Geological Survey of India, Scale 1:500,000, 1 sheet.
- Gujar, A.R., Ramana, M.V. and Rajamanickam, G.V. (1989). Exploration of nearshore placers of Konkan coast, West Coast of India. *Proc. Offshore Technology Conference, Texas*. pp. 569-577.
- Gupta, I. C. (1987). The scope of utilising saline groundwater for supplemental irrigation in arid and semi arid zones. In *dry land Agriculture in India*, eds. Mohammed Shafi and Mehdi Raza, Rawat Publications, Jaipur, pp. 124-134.
- Hails, J. R. and Hoyt, J.H. (1969). The significance and limitations of statistical parameters for distinguishing ancient and modern sedimentary environments of the lower Georgia coastal plain. *Jour. Sed. Petrol.*, v.39, pp. 559-580.
- Handa, B. K. (1964). Modified classification procedure for rating irrigation waters. *Soil Sci.*, v. 98, pp. 264 -269.
- Handa, B. K. (1965). Modified Hill-Piper diagram for presentation of water analysis data., *Curr. Sci*, v. 34, pp. 313-314.
- Hantush, M.S. (1964). *Hydraulics of well* . *Advances in hydroscience*, Academic press, vol., 442pp, Newyork.
- Harbinson, R. N. and Bassinger, B.G (1970). Seismic Refraction and magnetic study off Bombay, India. *Geophysics*, vol.35, pp.603-612.
- Hashimi, N. H., Nigam, R., Nair, R.R. and Rajagopalan, G (1995). Holocene sea level fluctuations on Western Indian Continental Margin: An Update. *Jour. Geol. Soc. India*, v. 46, pp. 157-162.
- Hashmi, N. H, and Nair, R. R (1981). Surficial sediments of the continental shelf off Karnataka. *Jour. Geol. Soc. Ind.*, V. 22, PP 226-273.

- Hashmi, N.H. and Nair, R.R. (1986). Climatic aridity over India 11,000 years ago: Evidence from feldspar distribution in shelf sediments. *Paleogeogr. Paleoclimat. Paleoecol.*, v. 53, pp. 309-320.
- Hem, J. D. (1959). Study and interpretation of the chemical characteristics of natural water. USGS, water supply paper, 1935-C, p17.
- Hill, R. A. (1940). Geochemical patterns in Coachella valley, California, *Am. Geophys. Union. Trans.*, v. 21, pp. 46-53.
- Hong, Y.T. and Forstner, U (1984). Speciation of heavy metals in yellow river sediments. In : *proc. Symposium on, heavy metals in environment.*, Heidelberg .CEP Consultants/Edinburgh. pp.872-875.
- Houk, I. E. (1951). *Irrigation Engineering Vol.1. Agricultural and hydrological phases.* John Wiley and Sons Inc.
- ISI (1983). *Indian standard methods of sampling and test (Physical and Chemical) methods for water used in industry*, 122p.
- IWRS (1996). *Interbasin transfer of water for natural resources development-problems and prospects.* Indian water resources society, Roorkee, p.35.
- Jacob, C.E.(1946) Radial flow in leaky artesian aquifer,trans. *Amer,Geophysical union*,vol.27,pp.198—208.
- Jacob, K. (1956). Illmenite and garnet sands of Chowghat, (West coast), Tinnevely, Ramnad and Tanjore coasts (East coast). *Rec. Geol. Sur. Ind.*, v.82, pp. 567-692.
- Jacob, K. and Sastri V. V. (1952). Miocene foraminifera from Chavara near Quilon, Travancore. *Rec. Geol. Surv. Ind.*, v. 82(2), pp. 342-459.
- Jacob,C.E. (1950). *Flow of groundwatet ,in engineering hydraulics(H. Rouse,ed)John wiley and sons, Newyork,pp.321-386.*
- Jahan, C.S., Majumder, T.K. and Roy, M.K. (1990). Sedimentary environmental discrimination using grain size analysis. *Jour. Geol. Soc. Ind.*, v.35, pp. 529-534.
- Jayalakshmi, K., Kumaran, K.P.N., Nair,K.M. and Padmalal, D. (2005). Late Quaternary environmental changes in South Kerala Sedimentary basin, South western India, *Geophytology* 35(1&2):25-31.
- Jenne, E.A. (1968). Controls on Mn, Fe, Ni, Cu and Zn concentration in soil and water; the significant role of hydrous Mn and Fe oxides. *Adv. in chemist.* V.73, pp. 337-387.

- Johansen, H. K. (1975). Interactive computer- graphic - display- terminal system for interpretation of resistivity sounding, *Geophy. Prosp.*, v. 23, pp. 449-58.
- Johnson, J. H. (1975). Hydrogeochemistry in groundwater exploration. Groundwater symposium, Bulawano.
- Johnston, C. D. (1987). Distribution of environmental chloride in relation to subsurface hydrology. *Jounl. Hydrology*, v. 94, pp. 67-88.
- Johnston, J.W., Baedke, S.J., and Thompson, T.A. (2002). Beach-Ridge Architecture, Lake-Level Change, and Shoreline Behavior in the Au Train Bay Embayment, Au Train, Michigan, In Loope, W. L, and Anderton, J.B. (eds.), *A field guide for the 48th Midwest Friends of the Pleistocene field conference: Deglaciation and Holocene landscape evolution in eastern upper Michigan, Grand Marais and Munising, Michigan*, 49-55.
- Josanto, V. (1971b). On the grain size distribution of the Cochin backwater sediments. *Bull. Dept. Mar. Bio. Oceanogr.* , v..5, pp. 109-122.
- Joseph, S. and Thrivikramaji, K.P. (2002). Kayals of Kerala coastal land and implication to Quaternary sea level changes. In: Narayana, A.C. (Ed.), *Late Quaternary Geology of India and Sea level changes*, *Memoir Geol. Soc. of India*, pp. 51-64.
- Joseph, S., Thrivikramaji, K.P. and Anirudhan, S. (1997). Textural parameters, discriminant analysis and depositional environments of Teri sands, Southern Tamil Nadu. *Jour. Geol. Soc. Ind.*, v.50, pp. 323-329.
- Joseph, S. and Nambiar, C.G. (1996). Alkaline nature and tephrogenetic affinity of felsic volcanic rocks of st.Mary's islands off Mangalore coast, *Current science*, 70.99.858-860.
- Junge, C. E and Wrby, R. T. (1958). The concentration of chloride, sodium, potassium, calcium and sulphate in rainwater over the United States. *Jour. Meteorol.*, v.15, pp. 417- 25.
- Kaehler, C.A. and Hsieh, P.A. (1994). Hydraulic properties of fractured rock aquifers, Lee Valley, San Diego Country, California. *US. Geol. Surv. Water Supply Paper*, v. 2394, pp. 64.
- Kale, V. S. and Rajaguru S. N. (1983) Neogene and Quaternary transgressional and regressional history of the west coast of India – An overview. *Bull. Deccan College Res. Inst.*, v. 44, pp. 153-165.
- Kale, V.S. and Rajaguru S.N. (1985). Neogene and Quaternary transgressional and regressional history of the west coast of India – An overview. *Bull. Deccan College Res. Inst.*, v. 44, pp. 153-165.
- Karanth, K.R. (1987). *Groundwater assessment development and management*. Tata Mc Graw-Hill, New Delhi, 720p.

- Karasaki, K., Freifeld, Cohen. A., Grossenbacher, K., Cook, P. and Vasco, D. (2000). A multidisciplinary fractured rock characterization study at Raymond field site Raymond, CA, *Journal of Hydrology*, Vol.236, pp 17-34.
- Keller, G.V. and Frisehnecht, F.C. (1966). *Electrical methods in geophysical prospecting*. Pergamon Press. New York.
- Kelley, W.P. (1940). Permissible Composition and concentration of irrigation waters, *Proc. A.S.C.E.*, v. 66, 607p.
- Kerala State Land use Board (2000). Report of the resource mapping of Thrissur district.
- King, W. (1882). The Warkalli beds and associated deposits at Quilon in Travancore. *Rec. Geol. Surv. Ind.*, v. 15(2), pp.93-102.
- Klein, M. and Kaser (1963). A statistical analysis of groundwater levels in twenty selected observation wells in Ohio, Tech-Rept. 5, Ohio Dept. Natural Resource, Div. of water, Columbus, pp. 124.
- Knopman, D.S and Hollyday, E.F. (1993). Variation in specific capacity in fractured rocks, *Pennsylvania. Ground Water*, v. 31(1), pp. 135-145.
- Koefoed, O. (1979). *Geosounding Principles*, (1) Resistivity sounding measurements, Elsevier, Amsterdam , 276p.
- Krishanan Nair. (1996). Coastal geomorphology of Kerala, *Geol. Surv. Ind. Spl. Pub. No. 40*, 1996, pp83-94.
- Krishnamurthy, J. and Srinivas, G (1995). Role of geological and geomorphological factors in groundwater exploration. A study using IRS LISS II data. *Int., J. of Rem. Sens.*, v. 16 (14). pp. 2595.
- Krishnan Nair, K. and Gopala Rao, V. (1988). Quaternary geological and geomorphological mapping in coastal tracts Kerala in Ernakulam, Alleppey and Kottayam districts, *GSI progress report fro the field season 1986-87*.
- Krishnan, M. S. (1982). *Geology of India and Burma*, CBS publishers and distributors, New Delhi.
- Krishnan, S., Viswanathan, G and Balachandran, K. (2001). Heavy mineral sand deposits of Kerala. *Explo. Res. Atm. Min.* v. 13, pp. 111-146.
- Krumbein, W.C. and Pettijohn, F.J. (1938). *Mauanl of Sedimentary Petrology*. Appleton-Centnary-Crofts Inc., New York, 549p.
- Krumbein, W. C. and Slack, H.A. (1934). Size frequency distribution of sediments *Jour. Sed. Petrol.*, v.4, pp. 65-77.

- Kruseman, G.P. and de Ridder, N.A. (1970). Analyses and evaluation of pumping test data, Int. Inst. for land reclamation and improvement, Bull. 11, Wageningen, 200 p.
- Kruseman, G.P. and de Ridder, N.A. (1990). Analyses and evaluation of pumping test data, 2nd edn, Int. Inst. for land reclamation and improvement, Publ. 47, Wageningen, 377 p.
- Krynine, P. D. (1942). Provenance versus mineral stability as a controlling factor in the composition of sediments. Geol. Soc. America Bull., v.53, pp. 1850-1851.
- Kukillaya, J. P.(2007). Characteristic responses to pumping in hard rock fracture aquifers of Thrissur,Kerala and their hydrogeological significance,Jurnal of Geological Society of India, Special section on groundwater, Vol.69, pp1055-1067.
- Kukillaya, J. P., Padamanabhan, K. and Radhakrishana, K. (2004). Occurrence of brackish water in fractured hard rock aquifers of Puzhakkal-avannur area in Thrissur ,Kerala,Journal of Geological Society of India, Vol.64, pp 32-42.
- Kukillaya, J. P., Padmanabhan, K. and Krishanan, E. (1999). Use and limitations of short and medium duration pumping tests in understanding hard rock fracture aquifers-an example from Kerala, Journal of Geological Soc. of India, Vol.54,pp 267-277.
- Kukillaya, J.P., Padmanabhan, K., Krishanan, E. and Radhakrishnan, K.(2002). Characterization of Hard rock fracture aquifer-The Kalleppadam-Oralassery fracture zone in Thrissur,Kerala, Journal of Geological Society of India, Vol.59,pp 59-67.
- Kumar, A. and Srivatsava, S.K. (1991). Geomorphological units, their geohydrological characteristics and vertical electrical sounding response near Munger, Bihar, Jour. Ind. Soc. Rem. Sensing, v. 19(3), pp. 205-212.
- Kumar, S. (1977) Textural analysis of the beach on Anjidiv Island near Karwar. Jour. Geol. Soc. Ind. v.18, pp. 178-183.
- Kumaran, K.P.N., Nair, K.M., Mahesh Shindikar., Ruta. B.Limaya. and Padmalal, D. (2004). Stratigraphical and playnological appraisal of the Late Quaternary mangrove deposits of the west coast of India,Quaternary research 64,pp 418-431.
- Langmuir, D. (1997). Aqueous environmental chemistry, Prentice-Hall, Inc, New Jersey
- Lewis, D. W. (1984) Practical Sedimentology, Stroudsburg Pennsylvania, Hutchinson Ross., 229 p.
- Lloyd, J.W. and Heathcote, J.A. (1985). Natural inorganic hydrochemistry in relation to ground water-An Introduction, Clarendon Press Oxford, 296p.
- Loveson, E. J. (1994). Geological, geomorphological investigation related to sea level variation and heavy mineral accumulation along the southern Tamilnadu beaches, Ph.D. thesis, Maduai Kamaraj University, India.

- Loveson, V.J. and Rajamanickam, G.V. (1987). Coastal geomorphology of the southern Tamil Nadu, India. Proc. Natl. Symp; Remote sensing in Land transformation and management, NRSA, Hyderabad. pp. 115-128.
- Mahadevan, T.M. (1964). Systematic mapping in Trichur district, Kerala State, F.S.1962-63 Unpublished report, G.S.I.
- Mahadevan, T.M. (1964). The origin of charnockite suite of rocks forming part of the Western Ghats in Kerala. India, Proc. Int. Geol. Congress, 22nd session, (13), pp. 87-96.
- Majumdar, P. and Ganapathi. (1998) Grain-size frequency distribution in ancient depositional environment- A case study from Lower Gondwana sediments, Pranhita Godavari basin, Andhra Pradesh. Jour. Geol. Soc. Ind., v.52, pp. 219-228.
- Mallik, T. K. (1981). Heavy mineral placers in the beaches and offshore areas-their nature, origin, economic potential and exploration. Indian Minerals, v.28, pp. 39-46.
- Mallik, T. K. (1986). Micromorphology of some placer minerals from Kerala beach, India. Mar. Geol., v.71, pp. 371-381.
- Mallik, T. K. (1987) Micromorphology of some placer minerals from Kerala beach, India. Mar. Geol., v.71, pp. 371-381.
- Manivel, M and Aravindan, S. (1997). Groundwater pollution in and around Sempattu area, Tiruchirappalli, Tamil Nadu. The geography teachers, India, v. 4(2), pp. 22-23.
- Mathai, T. and S.B. Nair. (1988). The stages in the emergence of the Cochin-Kodungallur Coast – Evidence for the interaction of marine and fluvial process. Proc. of Ind. Nat. Sc. Academy 54 A (3), 439-447.
- Matthess, G (1982). The properties of Groundwater, John Wiley, New York, 406p.
- Matthess, G (1982). The properties of Groundwater, John Wiley, New York, 406p.
- Matthess, G and Pekdeger, A. (1981). Concepts of a survival and transport model of pathogenic bacteria and virus in groundwater. Proc. Intl. Sympto. on quality of groundwater, Amsterdam.
- Maya, K. (2005). Studies on the nature and chemistry of the sediments and water of Periyar and Chalakkudy rivers, Kerala, India. Ph.D (Unpublished) Cochin University of Science and Technology.
- MC Kenzie, D. and Scalter, J.C.(1971). The evolution of the Indian Ocean since the Late Cretaceous .Geophy.Jour.Royal.Astro.Soc.25,pp.437-528.
- McElwee, C.D. (1980a). Theis's parameter evaluation from pumping tests by sensitivity analysis. Groundwater, v. 18 (1), pp. 56 - 60.

- McElwee, C.D. (1980b). The Theis equation; evaluation, sensitivity to storage and transmissivity, and automated fit of pump test data, *Kansas Geol. Surv. Groundwater*, v.3, pp. 39.
- McFarlane, M.J., Chilton, P.J. and Lewis, M.A. (1992). Geomorphological controls on borehole yields: a statistical study in an area of basement rocks in central Malawi, in *The hydrogeology of crystalline basement aquifers in Africa* (eds. E.P. Wright and W.G. Burgess). *Geol. Soc. Spl. Publ. No. 66*, pp. 131-54.
- McKinney, T.F. and Friedman, G.M. (1970) Continental shelf sediments of Long Island, New York. *Jour. Sed. Res.*, v.40, pp. 213-245.
- Menon, G S (1988). Hydrogeological studies in the Kole lands basin, Un.pub, report No.22 CKGW Project, C.G.W.B.
- Merh, S.S. (1992). Quaternary sea level changes along Indian coast. *Proc. Indian Natl. Sci. Acad.*, v. 58A, No. 5, pp. 461-472.
- Mishra, G.C. and Chachadi, A.G (1985). Analysis of flow to a large diameter well during the recovery period, *Groundwater*, v.23(5), pp.646-651.
- Mohan, P.M. (1990). Studies on texture, mineralogy and geochemistry of the modern sediments of Vellar estuary. Ph.D. Thesis (unpublished), Cochin University of Science and Technology, Kochi.
- Mohan, P.M., Rajamanickam, G (2000). Buried placer mineral deposits along the east coast between Chennai and Pondichery, *Jour. Geo. Soci Ind*, v.56, pp.1-13.
- Moiola, R.J. Spencer, A.B. and Weiser, D. (1974) Differentiation of modern sand bodies by linear discriminant analysis. *Trans. Gulf Coast Ass. Geol. Soc.*, v.57, pp. 324-332
- Moony, H.L. (1980). *Handbook of Engineering Geophysics*, v.2, Electrical Resistivity, bison Instrument, Minneapolis, Minn.
- Morton, A.C. (1986) Influences of provenance and diagenesis on detrital garnet suites in the Palaeocene forties sandstone, Central North Sea. *Jour. Sed. Petrol.*, v.57, pp.
- Mukhopadhyay, A. (1985). Automated derivation of parameters in a non-leaky confined aquifer with transient flow. *Groundwater*, v. 23 (6), pp. 806-811.
- Murthy, P.S.N. and Veerayya, M. (1981). Studies on the sediments of Vembanad lake, Kerala. Part IV – Distribution of trace elements. *Ind. Jour. Mar. Sc.*, v.10, pp. 165-172.
- Murty, C.S., Sastry, J.S. and Varadachari, V.V.R. (1980). Shoreline deformations in relation to shore protection structures along Kerala coast. *Indian Jour. Mar. Sci.*, v.9, pp.77-81.
- Murty, P.S.N. and Veerayya, M. (1972a). Studies on the sediments of Vembanad lake, Kerala state: Part I- distribution of Organic matter. *Ind. Jour. Mar. Sci.*, vol.1, pp.45-51.

- Murty, Y. G. K., Varadan, G. N., Nair, K. B. Gopalakrishnan, L. S. and Chauhan, R. P. S. (1976). A review of the sedimentary formations of Kerala. Paper presented to the Workshop on Coastal Sedimentaries of India south of 18°N ONGC, Madras.
- Nair, K.M. (1998) Quaternary aquifers and Kerala's drinking water problems. In: proceedings of the workshop on groundwater regime monitoring in Kerala. Central Ground Water Board, Thiruvananthapuram.
- Nair, K.M. and Rao, M.R. (1980) Stratigraphic analysis of Kerala Basin. Symp. on Geology and Geomorphology of Kerala, Spl. Publ. No.5, Geol. Sur. India, pp.1-8.
- Nair, K.M., Padmalal, D. and Kumaran, K.P.N. (2006). Quaternary geology of South Kerala Sedimentary basin-An outline, journal of Geological society of India, Vol.67, pp165-180.
- Nair, K.M., Padmalal, D. and Kumaran, K.P.N. (2007). Response of Post Middle Miocene tectonics on stratigraphy and geomorphology of offshore-onshore regions of SW coast of India, Paper presented in International workshop on Fluvial and marine process of Cenozoic and formation of placers organized by Centre for Earth Science Studies, Thiruvananthapuram in Nov-2007.
- Nair, M.M. (1987). Coastal geomorphology of Kerala. Jour. Geol. Soc. India, v.29, pp.450-458.
- Nair, P.K.R and Nair, E.V. (1980). Superposed folding of Precambrian rocks around Ottapalam, Palghat district, Kerala. Proc. Semi. On Geology and Geomorphology of Kerala, Spl. publ. No.5, Geol. Sur. India, pp.15-18.
- Nair, S.K. (1987). Hydrometeorological studies of Kerala state in relation to Western Ghats, Ph.D Thesis (unpublished), Cochin University of Science and Technology.
- Nair, K.M. and Rao, M.R. (1986). Stratigraphical analysis of Kerala basin, GSI, Spl. pub. No.5.
- Najeeb, K.M. (1985). Reappraisal studies in parts of Ernakulam district. Unpub. Rep. CGWB.
- Najeeb, K.M. (1999). Groundwater Exploration in Kerala as on 31-3-1999. Central Groundwater Board, Kerala Region, Trivandrum (Unpubl. Report).
- Nambiar, C.G, Bhaskara Rao, B., Parthasarathy, R. and Fedkin, V.V. (1991). Geochemistry and gneisses of charnockites and associated gneisses from northern Kerala, India. In: high-grade Metamorphics. Theiphraue Pub. S.A., Greece, pp.187-215.
- Narasimhan, T.N. (1965). On testing open wells, India, Geohydrology, v. I, pp. 101-105.
- Narayana, A.C and Priju, C.P (2006), Landform and shoreline changes inferred from satellite images along the Central Kerala coast, Journal of Geological Society of India, Vol.68, pp35-49.
- Narayana, A.C. (2007). Peat deposit of the West coast of India: Implications for environmental and climate changes during Late Quaternary, Journal of coastal research, Special issue 50, pp 683-687.

- Narayana, A.C., Priju, C.P. and Chakrabarti, A. (2001). Identification of paleodelta near the mouth of Periyar River in Central Kerala. *Jour. Geol. Soc. India*, v.57, pp. 545-547.
- Narayana, A.C and Priju, C.P. (2002). Late Quaternary peat deposits from Vembanadu lake(lagoon), Kerala, SW coast of India, *Current Science*, Vol.83, No.3, 10.
- Narayanan, K. (1958). Report on the geological reconnaissance of Kerala. ONGC Report, Unpublished.
- Narayanaswami, S.(1976). Structure and tectonics of Archaean crystalline rocks of Kerala. *Proc.Symp. on Geology and Geomorphology of Keral, Geol.Syrv.India*.
- Nayak, G.N. and Chavadi, V.C.(1989). Distribution of heavy minerals in the Beach sediments around Kali River, Karwar, west Coast of India, *Geol.Surv.Ind*, v.24, pp.241-245.
- Nazimudidin.M and Prabhasankar, P.N (1984). Extent and pattern of groundwater use in the coastal belt of Thrissur district-A case study, Technical report GW/R-103/84 of Centre for Water Resources Devepement and Management, Kozhikode.
- Nightingale, H. I. and Binachi, W.C. (1980). Well-water quality changes correlated with well pumping time and aquifer parameters-Fresno, California, *Groundwater*, v. 18 (3), pp. 274-280.
- Nordstrom, E. F. (1977) The use of grain size statistics to distinguish between high and moderate energy beach environments. *Jour. Sed. Petrol.*, v.47, pp. 1281-1294.
- Oreelana, E and Mooney, H.M. (1966). Master curves and tables for vertical electrical soundings overlayersed structures. *Interciencia*, Madrid.
- Padmalal, D. (1992), Mineralogy and geochemistry of the sediments of the Muvattupuzha river and central Vembanad estuary, Kerala, India. Ph.D Thesis (unpublished), Cochin University of Science and Technology, 122 p.
- Padmalal, D. (1992), Mineralogy and geochemistry of the sediments of Muvattupuzha river and Central Vembanad estuary, Kerala, India. Ph.D. Thesis, Cochin University of Science and Technology, Cochin.
- Padmalal, D. and Seralathan, P. (1991). Interstitial water-sediment geochemistry of P and Fe in the sediments of Vembanad lake, west coast of India. *Ind. Jour. Mar.Sci.*, vol. 20, pp. 263-266.
- Padmalal, D., Ramachandran, K.K. and Seralathan, P.(1998). Significance of heavy mineral suite in riverine and estuarine sediments in south west coast of India – A case study , *Indian. Jour. Mar. Sci.* v. 27, pp. 185-189.
- Palacky, G, J and Jagodis, F.L. (1975). Computer data processing and quantitative interpretation of airborne resistivity surveys. *Geophysics*, v. 40, pp. 818 -30

- Palacky, G.J., Ritsema I.L. and deJong, S.J. (1981). Electromagnetic prospecting for groundwater in Precambrian terrains in the Republic of Upper Volta (Burkina Faso). *Geophysical Prospecting*, v. 29, pp 932-955.
- Paliwal, B. S. and Khilnani, M. (2001). Electrical resistivity data to assess aquifer parameters for better interpretations of hydrogeology: A study of the Nagaur region Rajasthan, eds. Bhu. H and Agrawal. Proc. of the National Seminar on ground water resources, Dept. of geology, MLS University, Udayapur, pp. 48-67.
- Paliwal, K.V. and Yadav, B.R. (1976). Irrigation water quality and crop management in the Union Territory of Delhi. Water Tech. Center, Indian Agricultural Research Institute, New Delhi.
- Pandarath, K., Shankar, R. and Yadava, M.G. (2001). Late Quaternary changes in sea level and sedimentation rate along the SW coast of India: Evidence from radiocarbon dates. *Curr. Sci.*, v. 165, pp. 594-600.
- Pandian. K and Sankar. K (2007). Hydrochemistry and groundwater quality in Vaippar River basin, Tamil Nadu, *Journal of Geological society of India, Special section on groundwater*, Vol.69, pp 970-983.
- Pant, R. K. and Juyal, N. (1993). Late Quaternary coastal instability and sea level changes: New evidence from Saurashtra coast, *Zetishrift. Geomorphol.*, v. 37, pp. 9-40.
- Papadopoulos, I. S. and Cooper, H.H. Jr. (1967). Drawdown in a well of large diameter. *Wat. Res.*, v. 3, pp. 241- 244.
- Passega, R. (1957) Texture as a characteristic of clastic deposition. *Bull. Amer. Assoc. Petrol. Geol.*, v.14, pp. 1952-1984.
- Passega, R. (1964) Grain size representation by CM patterns as a geologic tool, *Jour. Sed. Petrol.*, v.34, pp. 830-837.
- Patangay, N. S. and Murali, S. (1984). Geophysical Surveys to locate groundwater prospecting - lectures, on Exploration Geophysics for geologist and engineers (eds. Bhimasankaram, V.L.S and Gaur, V.K., Pub. AEG, Hyderabad), pp. 375- 404.
- Patro, B.C., Sahu, B.K. and Guru, S. (1989) A study of heavy mineral sands of Gopalpur beach, Orissa. *Jour. Geol. Soc. India*, v.33, pp. 243-252.
- Paulose, K.V. and Narayanaswami, S. (1968). The Tertiaries of Kerala coast. *Mem. Geol. Soc. India.*, no.2, pp.300-308.
- Pettijohn, F.J. (1941). Persistence of heavy minerals and geological age. *Jour. Geol.*, v.49, pp.610-625.

- Pettijohn, F.J. (1957). Sedimentary rocks. Harper and Row, New York, 718 p.
- Piper, A.M. (1944). A graphic procedure in the geochemical interpretation of water analyses, *Trans. Am. Geophys. Union*, v. 25, pp. 914 - 928.
- Pisharody, P.R. (1992). Keralathile Kalavasta (Climate in Kerala). State Institute of Language Publ. 26p. (in Malayalam).
- Prabhakara Rao, G (1968). Sediments of the nearshore region of Neendakara coast and the Ashtamudi and Vetta estuaries, Kerala, India. *Bull. Natl. Inst. Sc.*, v.30, pp. 513-551.
- Pradeep, K. Naik and Arun, K. Awathi (2007). Estimation of shallow aquifer parameters from large diameter wells in Basalts, *Journal of Geological society of India, Special section on groundwater*, Vol.69, pp 949-959.
- Purandara B K (1993). Texture and mineralogy of Periyar river, (South- west coast of India). *Indian Jour. Mar. Sci.* vol.2, PP 78-80.
- Purandara, B.K. (1990). Provenance, sedimentation and geochemistry of the modern sediments of the mud banks of the Central Kerala coast, India. Ph.D. Thesis (unpublished), Cochin University of Science and Technology, Kochi.
- Purandara, B.K., Unnikrishnanan , V.P., Gupta, C.S. and Dora, Y.L. (1987). Textural and mineralogical studies on the beach sands from Fort Cochin to Chellanum. *Jour. Geol. Soc.India*, v.30, pp. 524-531.
- Radhakrishana, T., Joseph, M., and Tambi, P.K (1990). Phanerozoic mafic dyke intrusion from the high grade terrain of south western India: K-Ar isotope and geochemical implications. In: *Mafic dykes and emplacement mechanism*, (Eds) parker, Rickwood and Tucker, Balkema, Rotterdam, pp.336-372.
- Raghava Rao, G (1976). Groundwater Exploration, Development and long term aquifer management in Kerala. *Proc. Symp. Mineral Resources of Kerala and their utilization*, Trivandrum, Oct 18-19, 1975. Pp.30-36.
- Raghunath, H.M. (1987). Geochemical surveys and water quality. *Groundwater*, Wiley Eastern Limited, New Delhi, pp. 343- 347.
- Rajagopalan, P.T., Abhram, S. and Prabha Sanker, P.N. (1983). Pumping tests and analysis of test data from open wells in the coastal tract of Trivandrum Dist. Rrp. GW/R-92/83, Ground Water Division, CWDRM, Calicut.
- Rajaguru, S.N., Gupta, A., Kale, V.S., Mishra, S., Gangoo, R.K., Eli, L.L., Enzel, Y. and Baker, V.R. (1995) Channel forms and processes of the flood dominated Narmada River, India. *Earth Surface Processes and Landforms*, v.20, pp. 407-421.

- Rajamanickam, G.V. (1983). Geological investigation of offshore heavy mineral placers of Konkan coast, Maharashtra, India. . Ph.D. Thesis, Department of Applied Geology, Indian School of Mines, Dhanbad, Bihar, India.
- Rajamanickam, G.V. and Gujar, A.R. (1985). Indications given by the median distribution and CM patterns on clastic sedimentation in Kalbadevi, Mirya and Ratnagiri bays, Maharashtra, India. *Gordanale di Geologia*. v.47, pp. 237-251.
- Rajamanickam, G.V., and Gujar, A.R. (1984). Sediment depositional environment in some bays in central west coast of India. *Ind. J. Mar. Sci.*, v. 13, pp. 53-59.
- Rajamanickam, G.V., and Gujar, A.R. (1997). Grain size studies on the nearshore sediments of Jaigad, Ambwah and Varvada Bays, Maharashtra. *Jour. Geol. Soc. Ind.*, v.49, pp. 567-576.
- Rajamanickam, G Victor., Verma. O.P, and Gujar. A.R. (1986). Grain size studies from the near shore sediments off Joigad, Maharastra, Indian Association of sedimentologist, convection VI, Abstracts. V. 7, pp. 70-71.
- Rajan, R.V. (2006). Texture, Mineralogy and Geochemistry of sediments from the coastal plains between Kodungallur and Chellanam, Central Kerala, India, Ph.D thesis submitted to the Cochin University of Science and Technology, Kerala, India.
- Rajendran, C.P,Rajagopalan,G and Narayanswamy (1989). Quaternary geology of Kerala: evidence from radiocarbon dates, *jour.Geo.Soc.India*, v.33, pp-218-322.
- Rajendran, S., Karthikeyan, P., Seralathan, P. (1996). Heavy mineral and geochemical studies of lower Bhrathapuzha sediments, Kerala, *Jour. Geol. Soci. India*. v. 48, pp. 319-324.
- Rajesh Raghunath., Sreedhara Murthy, T.R. and Raghavan, B.R. (1999). Aquifer parameter evaluation of Nethravathi river basin, Karnataka state, India, *Jour. App. Hydr.*, v. XII (1), pp. 46-51.
- Rajesh Raghunath., Sreedhara Murthy, T.R. and Raghavan, B.R. (2001). Spatial distribution of pH, EC and total dissolved solids of Nethravathi river basin, Karnataka state, India, *Pollu. Res.*, v. 20 (3), pp. 413-418.
- Raju, T.S. and Raghava Rao, K.V. (1967). New approach to the analysis of pump test data of an open well. Paper presented at Symp. on Ground and Lake water resources of India., Hyderabad.
- Ramanujachary, K.R and Balakrishna, S. (1985). Resistivity investigations in different geological terrains, *Groundwater news*, NGRI, pp. 1-14.
- Rao, B. R. J. and Datta, P. M. (1976). Foraminiferal and Ostracod Fauna of the early Miocene beds of Kerala coast and their stratigraphic significance. Paper presented to the Workshop on Coastal Sedimentaries of India south of 18°N ONGC, Madras.

- Rao, P. S. (1974). Some aspects of structure and Tectonics of the Kerala region and related mineralization. Proc. Symp. On Tectonics and Metallogeny of South East Asia and far east. Geo. Surv. India, Misc. publ.34, part 3, pp.51-64.
- Rao, V. P., Veerayya, M., Thamban, M. and Wagle, B.G (1996). Evidences of Late Quaternary neotectonic activity and sea level changes along the western continental margin of India. Curr. Sci., v. 71, pp. 213-219.
- Rao, R. P. and Talukdar, S.N. (1980). Petroleum geology of Bombay high field India, In: M.T. Halbouty(Ed) Giant oil and gas fields of decade, AAPG Mem.30, pp.487-505.
- Rasheed, K., Joseph, K.A. and Balchand, A.N. (1995). Impacts of harbour dredging on the coastal shoreline features around Cochin. Proceedings of the international conference on 'Coastal Change 95' (Bordomer-IOC, Bordeaux, France). pp. 943-948.
- Rashid Umar, Izrar Ahamed and Fakhre Alam. (2009). Mapping of groundwater vulnerable zones using modified DRASTIC approach of an alluvial aquifer in parts of Central Ganga Plain, Western Uttar Pradesh. Jour.geo.Soc. India, vol. 73, pp.193-201.
- Ravindrakumar G. R., Srikanthappa, C. and Handson, E. C. (1985). Charnockite formation at Ponmudi, Southern India, Nature. V. 313, PP 207-209.
- Rayner, F. A. (1980). Pumping test analysis with a handheld calculator. Groundwater, v. 18 (6), pp. 562- 568.
- Reddy. K.S.N., Lakshmi Prasad .M and Babu Rao.N. (2007). Relationship of heavy mineral distribution in different micro-environment to seasonal changes of beach process in an embayment beach of Yarada-Gangavaram, north coastal Andrapradesh, Journal of Geological society of India, Vol.70, pp 963-975.
- Rengarajan, R. and Balasubramanian, A. (1990). Corrosion and scale formation characteristics of groundwater in and around Nangavalli, Salem district, Tamil Nadu, Jour. App. Hydro., v. 3 (2), pp.15- 22.
- Report of the groundwater resource estimation committee (1997). Groundwater resource estimation methodology-1997, Ministry of water resources, Government of India, New Delhi.
- Rittenhouse, G (1943). Transportation and deposition of heavy minerals. Geol. Soc. Amer. Bull., v.54, pp. 1725-1780.
- Rojas, R., Howard and Bartram, J. (1993). Bacteriological groundwater quality of Lima water supply. Groundwater Quality, 17th special report, eds. H. Nash and G.J.H. McCall, Chapman and Hall pub., pp.159-167.

- Romani, S (1987). Application of Papadopulose–Cooper method for analysis of pumping test data of large diameter wells, *Bhujal*, vol.2, No.1.
- Ruston, K.R. and Singh, V.S. (1983). Drawdowns in large diameter wells due to decreasing abstraction rates. *Groundwater*, v. 21 (6), pp. 670- 677.
- Ruta, B.Limaya., Kumaran, K.P.N., Nair, K.M. and Padmalal, D.(2007). Non pollen poly nomorphs as potential palaeoenvironmental indicators in the Late quaternary sediments of the west coast of India, *Current science*, Vol.92, No.10.
- Sabu Joseph and Thrivikramaji, K. P. (2002). Kayals of Kerala Coastal Land and Implication to Quaternary Sea Level Changes In: A.C. Narayana, (Ed.), *Late Quaternary Geology of India and Sea Level Changes*, Mem. Geol. Soc. India, No. 49, pp. 51-64.
- Sahu, B. K. (1964). Depositional mechanism from the size analysis of classic sediments. *Jour. Sed. Petrol.*, v.36, pp. 73-83.
- Sakthimurugan, S. (1995). Hydrogeological studies and simulation of contaminant migration in and around Dindigul, Anna district, Tamil Nadu, Ph.D Thesis (unpublished), M.S. University, Tirunelveli, 214p.
- Sakthimurugan, S. and Balasubramanian, A. (1991). Resistivity measurement over granular porous media saturate with fresh and salt water, *Regional Sem. Groundwater Development problems in Southern Kerala*, pp. 43- 53.
- Saleem, Z. A. (1970). A computer method for pumping test analysis, *Groundwater*, v. 8 (5), pp.21-24.
- Sallenger Jr., A.H. (1979). Inverse grading and hydraulic equivalents in grain flow deposits. *Jour. Sed. Petrol.* V. 49, pp. 553-562.
- Sammel, E. A. (1974). Aquifer tests in large diameter wells in India, *Groundwater*, v. 12, pp. 265-272.
- Sampath, S. and Vinayak, P.V.S.S.K.(1989). *Rainfall in Kerala. Report, CESS, Thiruvananthapuram*, 17p.
- Samsuddin, M. (1986). Textural differentiation of offshore and breaker zone sediments on the northern Kerala coast, India. *Sed. Geol.*, v.46, pp. 130-145.
- Samsuddin, M. (1990). Sedimentology and mineralogy of the beach, strand plain and inner shelf sediments of the northern Kerala coast. Ph.D. Thesis, Cochin University of Science and Technology, Cochin.

- Sankar, K. (2002). Evaluation of groundwater potential zones using remote sensing data in Upper Vaigai river basin, Tamil Nadu, India, *Jour. Indian Soc. Rem. Sens.*, v. 30 (3), pp. 119-129.
- Sankar, K., Jegatheesan, M. S. and Balasubramanian, A. (1996). Geoelectrical resistivity studies in the Kanayakumari district, Tamil Nadu. *Jour. App. Hydro.*, v. IX, (1&2), pp. 83-90.
- Sankaranarayanan, V. N., Udayavarma, P., Balachandran, K.K., Pylee, A. and Joseph, T. (1986). Estuarine characteristics of the lower reaches of the river Periyar (Cochin backwater). *Indian Jour. Mar. Sci.*, v.15, p.166-170.
- Santhosh, M and Drury S A (1988). Alkali Granite with Pan African affinities from Kerala, South India. *Jour. Geol. Ind. V. 96*, PP 616-626.
- Santschi, P, Hohener, P, Binoit, G, and Brink, M.B. (1990). Chemical processes at the sediment-water interface. *Mar. Chem.* v.30, pp.269-315.
- Sarma, J.V. V. and Sarma, N.K. (1982). Geomorphometric studies of Upper Sarada river basin, *Proc. Sem. hydrological investigations during the last 25 years in India*, pp. 217-224.
- Sarma, R. K. and Sharma, T.K. (1987). Groundwater and tube well irrigation, A text book on Hydrology and water resources, Dhanpet Rai and Sons, New Delhi.
- Sasidharan, K. and Damodaran, K.T. (1988). Texture and mineralogy of the beach sands of northern part of Kerala coast. *Mahasagar*, v.21, pp. 209-218.
- Sastri, J. C.K. (1976). Chemical quality of waters from different lithological units in Karnataka state, *Nat. Symp. v. HPDPI, Kanpur*, C11 pp 1-6.
- Sathiyamoorthy, K. and Banerjee, B. (1985). Resistivity surveys locating brine pockets in the Little Rann of Kutch, Gujarat, *Jour. Assoc. Exploration Geologists*, v. 5 (3), pp. 8 -14.
- Satyanarayana, K. (1973). Studies on some aspects of the modern deltaic sediments of the Mahanadi river, India. Ph.D. Thesis (unpublished), Andhra University, Waltair.
- Seetharamaiah, J., Gandhi, M.S., Bhagavan, K.V.S and Bhanumurthy, P. (2000). Environment and lithology of barrier-lagoon system south of Nilarevu river, East Godavari district, AP, *Vishaka Science journal*, Vol.4, pp 125-132.
- Seetharamaswamy, A. (1970). Studies on some aspects of modern deltaic sediments of the Krishna river, India. Ph.D. Thesis (unpublished), Andhra University, Waltair.
- Sengupta, R., Bhattacharya, S. Rana, R.S., Mitra, S.K. and Jain, V.K. (1990). Preliminary studies of offshore heavy mineral placers, Gopalpur-Chatrapur Coast, Orissa. *Ind. Jour. Geol.* V. 62. pp. 27-37.

- Seralathan, P. (1979). Studies on texture, mineralogy and geochemistry of the modern deltaic sediments of Cauvery river, India. Ph.D. Thesis (unpublished), Andhra University, Waltair.
- Seralathan, P. (1984). Use of textural (CM) pattern for identification of depositional processes and environment of sediments of Cauvery delta. Bull. Dept. Mar. Sci., University of Cochin, v.14, pp. 17-26.
- Seralathan, P. (1987). Trace element geochemistry of modern deltaic sediments of the Cauvery river, east coast of India. Ind., Jour. Mar. Sci. v.16, pp.31-38.
- Seralathan, P. (1988). Use of textural (C.M) pattern for identification of depositional process in the sediments of the Cauvery delta. Bull. Dept. Mar. Sci., V.14, pp.17-26
- Seralathan, P. and Padmalal, D. (1993). Heavy metal contents in suspended particulates and bed sediments of a tropical perennial river and estuary, central Kerala, Jour. Geol. Soc. Ind., v.42, pp. 349-355.
- Seralathan, P. and Padmalal, D. (1993). Heavy metal contents in suspended particulates and bed sediments of a tropical perennial river and estuary, central Kerala, Jour. Geol. Soc. Ind., v.42, pp. 349-355.
- Sharma, G S., (1978). Upwelling off the southwest coast of India. Indian Journal of Marine Sciences, v. 7(4), pp. 209-218.
- Short, A. D, Buckley, R.C and Fotheringham, D.G (1991). Preliminary investigation of beach ridge progradation on Eyre Peninsula and Kangaroo Island. Trans. R. Soc. Aust., v.113, pp. 145-161.
- Siddique, H.N., Rajamanickam, G.V., Almeida, F. (1979). Offshore ilmenite placers of Ratnagiri, Konkan coast, Maharashtra, India. Mar. Mining., v.2, pp. 91-118.
- Singerland, R.L. (1984). The role of hydraulic sorting in the origin of fluvial placers. Jour. Sed. Petrol. V. 54, pp.137-150
- Singerland, R.L. (1984). The role of hydraulic sorting in the origin of fluvial placers. Jour. Sed. Petrol. V. 54, pp.137-150.
- Singh, S.N. and Mesh A.J. (1982). Groundwater conditions along coastal areas of Saurashtra with special reference to the problem of salinity in Mangrol-Kodinar area. First National seminar on Quaternary environment (Recent researches in Geology vol. 9). (ed. S.S. Mesh) Hindustani Publishing Corp. India, pp. 61-74.
- Singh, V.S. and Thangarajan, M. (1998). Estimation of parameters of crystalline rocks aquifers: A case study, Jour. Geol. Soc. India, v.52, pp. 333-336.

- Singhal, B.B.S. (1973). Some observations on the occurrence, utilisation and management of groundwater in the Deccan trap areas of central Maharashtra, India, Proc. Int. Nat. Sym. Development of groundwater resources, Madras, India, v.3, pp.75-81.
- Singhal, B.B.S. and Gupta R.P. (1999). Applied Hydrogeology of fractured rocks, Kulwer Academic Publishers, The Netherlands, 400 p.
- Singhal, D.C. (1984). An integrated approach for groundwater investigation in hard rock areas. A case study; International workshop on rural hydrogeology and hydraulics in fissured basement area, pp. 87- 93.
- Sivaganam, N and Kumaraswamy, K. (1983). Ground water quality in Vaippar basin, South India, The Indian Geographical Jour., v. 58 (2), pp. 127-140.
- Slichter, C.S. (1906). The under flow in Arkansas valley in Western Kansas, USGS water supply paper 153, 61 p.
- Sly, P.G, Thomas, R.L. and Pelletier, B.R. (1982). Comparison of sediment energy texture relationships of light and heavy minerals in sand. Jour. Sed. Petrol., v.47, pp. 753-770.
- Smedly, P.L. (1992). Relationship between trace elements in water and health ,with special reference to developing countries . Interim Report 1992 BGS. Tech., Report WD/92/3933p.
- Soils of Kerala. (1978). Soil survey branch, Department of Agriculture, Govt, of Kerala.
- Soman, K., (1997). Geology of Kerala: Geological society of India, Bangalore, India, 336p.
- Soman, K., Machado, T., (1986). Original and depositional environment of the china clay deposits of south Kerala. Proce. Ind. Acad. Sci. (Earth.Planet.Sci.) V. 95, PP 285-292.
- Sreekumar, S and John Thomas, K. (2004). Metamorphism of Muriyad kayal with in Vembanad-Kol wet land system due to human intervension, Nature Environment and Pollution Technology, Technoscience publications, Vol.3, pp 179-184.
- Sridharan, K., Mohan Kumar, M.S. and Sekhar, M. (1995). Groundwater flow and storage in hard rocks aquifers, Proc. workshop on artificial recharge of groundwater in granite terrain, CGWB, pp. 86-107.
- Stapor, F.W, Mathews. T..D, and Lindefors-Kearns.F.E (1991). Barrier island progradation and Holocene sea level history in south west Florida. Jour. Coastal. Res., v. 77, pp. 815-838
- Stapor, F.W. and Tanner, W.F. (1975). Hydrodynamic implications of beach, beach ridges and dune grain size studies. Jour. Sed. Petrol., v.45, pp. 926-931.

- Stewart, M.T., Michael Layton and Theodore Linazec (1983). Application of resistivity surveys to regional hydrogeologic reconnaissance. *Groundwater*, v.21(1), pp.42-48.
- Stiff, H.A. Jr. (1951). The interpretation of chemical water analysis by means of patterns, *Jour. Petrol. Tech.*, v. 3 (10), Tech., Note 84, pp. 15- 16.
- Strahler, A.N. (1957). Quantitative analysis of watershed geomorphology, *Am. Geophy. Union. Trans.*,v.38, pp. 913-920.
- Streltsova, T.D. (1974). Drawdown in compressible unconfined aquifer, *Jour. Hydraul. Div. Am. Soc. Civil Engg.*, v. 100 (HY 8), pp. 1601- 1616.
- Subrahmanya, K.R. (1996). Tectonic, eustatic and isostatic changes along the Indian coasts, In: J.D. Millman and B.U. Haq (Eds.), *Sea level rise and coastal subsidence*, Kluwer Acad. Publishers, Boston, USA, v.1, pp. 193-199.
- Subramanian, S. (1994). Hydrogeological studies of the coastal aquifers of Tiruchendur, Tamil Nadu, Unpublished Ph.D. Thesis (Manonmaniam Sundaranar University, Tirunelveli), 308p.
- Subramanian, V., Vant Dack, L and Van Gricken, R, (1985) Chemical composition of river sediments from the Indian subcontinent. *Chem.Geol.*v.49, pp. 271-279.
- Subramanyan, A. (1975). Specific capacity of wells in hard rocks -A study, *Sym. Hydrology Roorkee.*, v. 8, pp. 16- 49.
- Summers, W.K. (1972). Specific capacity of wells in crystalline rocks. *Groundwater*, v. 10 (6), pp. 37- 47.
- Sundaresan Pillai, J. (1989). Studies on siltation in Cochin harbour-Dynamics of suspensate. Ph.D. Thesis, Cochin University of Science and Technology, Cochin.
- Tanner, W.F and Demirpolat.S., (1988). New beach ridge type. Severely limited Fetch, very shallow water. *Trans. Gulf coast. Assoc. Geol. Soc.*, v. 38, pp. 367-373.
- Tanner, W.F, (1988). Beach ridge data and sea level history from the Americas. *Jour. Coastal. Res.*, v. 4, pp. 81-91.
- Tanner, W.F., (1987). Spatial and Temporal factors controlling over topping of coastal ridges. In: V.P.Singh (Editor), *Flood Hydrology*. Klauwer, Dordrecht, pp.241-248.
- Taylor, G.C. and Oza, M.M. (1984). Geology and Groundwater of the Dudhai area, Eastern Kutch (India), *Geol. Surv. Ind. Bull.*, Ser. B (5), pp.35-75.
- Taylor, R.G and Howard, K. W.F. (1994). Groundwater quality in rural Uganda: hydrochemical consideration for the development of aquifers within the basement complex of Africa *Groundwater Quality*, 17th special report, eds. H. Nash and G.J.H. McCall, Chapman and Hall pub., pp. 31-43.

- Telford, W.M., Geldart, L.P., Sheiff, R.E. and Keys, D.A. (1990). Applied Geophysics. Cambridge University press, 770 p.
- Theis, C. V. (1935). The relation between the lowering of the piezometric surface and the rate and the duration of discharge of a well using groundwater storage Am. Geophy. Union Trans., v. 16, pp. 519- 524.
- Thom, B.G; Bowman, G M., Gillespie, R, Temple, R. and Barbetti, M., 1981. Radiocarbon dating of Holocene beach ridge sequences in south west Australia. Mar. Geol., V.56:, pp.137-158.
- Thrivikramaji, K.P. (1987). On the evolution of the estuary barrier system between N. Lats. 12° 5¢ and 12° 15¢, Cannanore district, Kerala. Jour. Geol. Soc. India, v.29, pp.405-411.
- Tipper, G. H. (1914). The monazite sands of Travancore. Rec. Geol. Sur. Ind., v. 45, pp. 186-195.
- Todd, D.K. (1980). Groundwater Hydrology, 2nd edn. John Wiley New York, 535p.
- Tomas, A., Sharma, A.K., Manoj, K.S. and Anil Sood. (1999). Hydrogeomorphological mapping in assessing groundwater by using remote sensing data- A case study in Lehra Ganga block, Sangrur district, Punjab. Jour. Indian Soc. Rem. Sens., v. 27 (1), pp. 31-42.
- Trilochan Dass (1972). Determination of transmissibility and storage coefficient in shallow open wells in hard rock terrain. Paper presented at Sem. on problems in ground development, Madras.
- Trivedi, R.K. and Goel, P.K. (1986). Chemical and biological methods for water pollution studies. Environmental publication, Karala.
- U.S. Salinity Laboratory (1954). Diagnosis and improvement of saline and alkali soils: U.S. Dept. Agri. Hand book, 160pp.
- UNESCO, (1979). Water in crystalline rocks SC-77/WS/71, UNESCO, Paris, 344 p.
- UNESCO/ IAHS, (1967). Proceedings Dubrovnik symposium on hydrogeology of fractured rocks, v. I & II, UNESCO, Louvain, Belgium.
- Unnikrishnan, V.P. (1987). Texture, mineralogy and provenance of the beach sands of south Kerala. Ph.D. Thesis, Cochin University of Science and Technology, Kochi.
- Vaidyanathan, R. (1964). Geomorphology of Cuddapah basin. Jour. Indian Geosciences Assoc, v. 4, pp. 29-36.
- Varadarajan, K. and Balakrishnan, M. K. (1976). Geomorphology of the Kerala Coastal Belt. Paper presented to the Workshop on Coastal Sedimentaries of India south of 18°N ONGC, Madras.

- Venugopal, T.N. (1998). Hydrogeological investigation in the Arkavathi river basin -A tributary of Cauvery river, Karnataka, Ph.D Thesis (unpublished), Mysore University, p. 224
- Verma, R.K, Rao, M.K. and Rao, C.V. (1980). Resistivity investigation for groundwater in Metamorphic areas near Dhanbad, India, *Groundwater*, v. 18 (1), pp. 46-55.
- Visher, G. S. (1969) Grain size distributions and depositional processes. *Jour. Sed. Petrol.*, v.39, pp. 1074-1106.
- Viswanathiah, M.N. and Sastri, J.C.V. (1973). Hydrogeochemistry of the Precambrian graywackes and chloriteschists of certain areas of Mysore state. *Proc. Sem. v.6. Water well drilling in hard rock areas of India, Bangalore*, pp. 155-169.
- Viswanathiah, M.N., and Sastri, J.C.V. and Ramegowda, B. (1978). Specific capacity of wells in some hard rocks of Karnataka, *Jour. Geol. Soc. India*, v.19, pp. 426-430.
- Vredenberg, E.W.(1906) Pleistocene movement in Indian peninsula, *Rec. Geol. Surv. India*, v.33, part-1, pp-1-64.
- Wagle, B.G, Vora, K.H., Karisiddiah, S.M., Veerayya, M. and Almeida, F. (1994). Submarine terraces on the western continental shelf of India: Implications for sea level changes. *Mar. Geol.*, v.117, pp. 207-225.
- Walton, W. C. (1962). Selected analytical methods of well and aquifer evaluation, *Illinois State Water Sur. Bull.*, v. 49, 31 p.
- Walton, W.C. (1970). Comprehensive analysis of water table aquifer test data. *Groundwater*, v. 16, pp. 311-317.
- White, A.F., Benson, S.M., Yee, A.W., Woiienberg, H.A. and Flexser, S. (1991). Groundwater contamination at Kesterson reservoir, California- geochemical parameters influencing selenium mobility. *Water Resource, Res.*, v. 27, pp.1085-1098.
- WHO (1984). Guide lines for drinking water quality, VI. Recommendations, Geneva.
- Wilcox, L.V. (1955). Classification and use of Irrigation waters, U.S. Department of Agriculture circle, Washington, 969 p.
- Williams, S.C., Simpson, H.J., Oslen, C.R. and Bopp, T.P. (1978). Sources of heavy metals in sediments of the Hudson river estuary. *Mar. Chem.*, v.6, pp. 195-213.
- Wong, F.L. (2002) Heavy mineral provinces of the Palos Verdes margin, Southern California. *Continent. Shelf. Res.*, v.22, pp. 899-910.

- Woods, L. (1990). Groundwater quality in the Nore River Basin, Republic of Ireland. M.Sc. dissertation (unpublished), University College, London.
- Worthington, P. F. (1977). Geophysical investigation of groundwater resources in Kalahari Basin, *Geophysics*, v. 42 (4), pp. 838- 849.
- Wright, E.P. and Burgess, W.G (eds) (1992). The Hydrogeology of crystalline basement aquifers in Africa, Geol. Soc. Special Pub. No. 66, The Geological Society , London , 264p.
- Yeh, H.D. (1987). Theis solution by non-linear least squares and finite difference Newton's method. *Groundwater*, v. 25, pp. 710-115.
- Zaporozec, A. (1972). Graphical interpretation of water quality data. *Ground Water*, v. 10(2), pp. 32-43.
- Zhdankus, N.T. (1974). Analysis of shallow hard rock well pumping and recovery test data, *Groundwater*, v.12, pp. 310-317.
- Zhu, Z. and Evans, D.L. (1994). U.S. forest type and predicted present forest cover from AVHRR data: *Photogrammetric Engg. Rem. Sens.*, v. 60, pp.525-531.
- Zohdy, A.A.R., Eaton, G.P. and Mabey, D.R. (1974). Application of surface Geophysics to groundwater investigations, USGS, chapter 1, 116 pp.