

LIST OF FIGURES

Figure	Title	Page
1.1	Illustration of the FSW process	
1.2	Different regions of FSW joint	
2.1	Tensile properties of as-welded specimens and post weld aged specimens with different tool rotation speeds	
2.2	Effect of tool rotational speed on strength properties	
2.3	Scanning electron micrographs of the tensile fracture surface of the longitudinal specimen deformed at 27 °C.	
2.4	Schematic illustration of friction stir weld microstructures, precipitate distributions, and temperature ranges found in a 7075-T651 Al alloy	
2.5	Variation of microhardness across as welded and post weld heat treated FSW joints.	
2.6	TEM images of FSW condition of the alloy 7050-T7451	
2.7	Microhardness contour maps for the friction-stir-welded 7075Al-T651 joints	
2.8	S–N curves for different aluminium alloys	
2.9	Comparison of FCGRs between the weld nugget and HAZ	
2.10	Fatigue crack growth in air through the base metal, Weld and HAZ	
2. 11	Center cracked fatigue specimens in 0 ⁰ , 45 ⁰ and 90 ⁰ configuration	
2.12	The curve of fracture toughness aging temperature – aging time	
3.1	Experimental Plan	
3.2	Fractographs of tensile tested specimen (parent metal)	
3.3	Optical micrograph of AA7075-T651 parent metal	
3.4	Fabrication details of the joint	
3.5	Friction stir welded joints of AA7075-T651 alloy	
3.6	Specimen dimensions details	
3.7	Photographs of specimens before testing	
3.8	Photographs of servo hydraulic fatigue testing machine	

3.9	Photographs of specimens after testing
4.1	Optical micrographs of as welded (AW) joint
4.2	Optical micrographs of Artificially Aged (AA) joint
4.3	Optical micrographs of Solution treated and artificially aged (STA) joint
4.4	TEM and EDAX of Stir Zone
4.5	Transmission electron micrographs of AS-TMAZ and RS-TMAZ
4.6	XRD results
4.7	Hardness profile across the weld joint along the mid thickness
5.1	Effect of post weld heat treatment on yield strength
5.2	Effect of post weld heat treatment on ultimate tensile strength
5.3	Effect of post weld heat treatment on elongation
5.4	Effect of post weld heat treatment on notch tensile strength
5.5	Effect of post weld heat treatment on notch strength ratio
5.6	Effect of post weld heat treatment on joint efficiency
5.7	Tensile fracture surfaces of unnotched specimens
5.8	Tensile fracture surfaces of notched specimens
6.1	S-N behaviour of Friction Stir Welded AA 7075 - T651 joints
6.2	Effect of PWHT on fatigue properties of Friction Stir Welded AA 7075 - T651 joints
6.3	Fracture surfaces of Unnotched fatigue specimens
6.4	Fracture surfaces of notched fatigue specimens
7.1	Effect of post weld heat treatment on fatigue crack growth of friction stir welded AA7075-T651 alloy joints
7.2	Relationship between crack growth rate and SIF range
7.3	Effect of post weld heat treatment on fatigue crack growth behaviour of friction stir welded AA7075-T651 alloy joints
7.4	Fracture surface appearance of fatigue crack growth specimens at low magnification
7.5	SEM fractograph of fatigue crack initiation (FCI) regions

- 7.6 SEM fractograph of fatigue crack propagation (FCP) regions
- 7.7 SEM fractograph of final failure (FF) regions
- 8.1 Modes of fracture
- 8.2 Effect of specimen thickness on stress and mode of fracture
- 8.3 CT specimen diagram as per ASTM standard E-399
- 8.4 Load Vs Crack extension graphs.
- 8.5 Effect of PWHT on fracture toughness
- 8.6 Photographs of typical fracture surfaces
- 8.7 SEM fractograph of fatigue crack propagation (FCP) regions
- 8.8 SEM fractograph of final failure (FF) regions

LIST OF TABLES

Table	Title	Page
2.1	Transverse tensile test results for 7075-T6 and 7075-T73 with and without PWAA	15
3.1	Chemical composition (wt %) of parent metal AA7075-T651	42
3.2	Mechanical properties of parent metal	44
5.1	Transverse tensile properties of parent metal and FSW joints	77
6.1	Fatigue properties of friction stir welded AA7075-T 651 aluminium alloy joints	101
7.1	Fatigue crack growth parameters of friction stir welded AA7075-T651 aluminium alloy joints	117
8.1	Fracture toughness properties of FSW of AA7075-T 651 aluminium alloy joints	138