

List of figures

Chapter-1

- Figure 1.1: Schematic of DC plasma discharge
- Figure 1.2: Schematic of (a) Capacitively coupled RF discharge (b) Inductively Coupled RF discharge
- Figure 1.3: Schematic of ECR plasma discharge system
- Figure 1.4: Local co-ordination of yttrium ion in bixbyite structure
- Figure 1.5: Monoclinic ZrO₂ structure
- Figure 1.6: Tetragonal ZrO₂ structure
- Figure 1.7: Cubic ZrO₂ structure
- Figure 1.8: Phase diagram of yttria stabilized zirconia
- Figure 1.9: Structure of YSZ
- Figure 1.10: Schematic of XPS set-up
- Figure 1.11: Schematic of AFM set-up
- Figure 1.12: Schematic of Ellipsometry set-up
- Figure 1.13: Absorption coefficient versus energy spectrum
- Figure 1.14: EXAFS principle

Chapter-2

- Figure 2.1(a): TGA plot of Y(tod)₃
- Figure 2.1(b): TGA plot of Y(thd)₃

Figure 2.1(c): TGA plot of $Zr(tod)_4$

Figure 2.2: Schematic of deposition system for yttrium oxide thin films

Figure 2.3: Impedance matching network

Figure 2.4: Schematic of deposition system for YSZ thin films

Chapter-3

Figure 3.1: Variation of refractive index for films deposited at different RF self bias voltages

Figure 3.2: Variation of extinction coefficient for films deposited at different RF self bias voltages

Figure 3.3: X-ray diffraction pattern for films deposited at different RF self bias voltages

Figure 3.4: Y 3d detailed XPS scans for films deposited at different RF self bias voltages

Figure 3.5: O 1s detailed XPS scans for films deposited at different RF self bias voltages

Figure 3.6: Far IR reflectance spectra of Y_2O_3 thin films deposited at different RF self bias voltages

Figure 3.7: SEM images showing surface microstructures of the deposited films

Figure 3.8: SEM images showing cross sectional views of the deposited films

Chapter- 4

Figure 4.1: Schematic of experimental EXAFS set-up

Figure 4.2: EXAFS spectra of Y_2O_3 films deposited at different bias voltage levels

Figure 4.3: $k \chi(k)$ versus k spectra of Y_2O_3 films deposited at different bias voltage levels

Figure 4.4: Experimental $\chi(r)$ versus r spectra along with best fit theoretical plots of Y_2O_3 films deposited at different bias voltage levels

Figure 4.5: Variation of co-ordination number, bond length and Debye Waller factor with RF self-bias voltage

Figure 4.6: 3D AFM images of Y_2O_3 films deposited at different bias levels

Chapter-5

Figure 5.1: GIXRD patterns for films A and B

Figure 5.2: Detailed scan of Y 3d peak for films A and B

Figure 5.3: Detailed scan of O 1s peak for films A and B

Figure 5.4: Far-IR reflectance spectrum for films A and B

Figure 5.5(a): Variation of refractive index (n) for films A and B

Figure 5.5(b): Variation of extinction coefficient (k) for films A and B

Figure 5.6(a): SEM image of film A

Figure 5.6(b): SEM image of film B

Chapter-6

Figure 6.1: GIXRD patterns for films deposited with different yttria content

Figure 6.2: Far-IR reflectance spectra for films deposited with different yttria content

Figure 6.3: Variation of refractive index with wavelength for films deposited with different yttria content

Figure 6.3(b): Variation of extinction coefficient with wavelength for films deposited with different yttria content

- Figure 6.4(a): Zr 3d detailed XPS scans for films deposited with different yttria content
- Figure 6.4(b): Y 3d detailed XPS scans for films deposited with different yttria content
- Figure 6.5: FESEM images for films deposited with different yttria content
- Figure 6.6: AFM 3D images for films deposited with different yttria content
- Figure 6.7: Zr K edge XANES spectra of films deposited with different yttria content
- Figure 6.8: Experimental EXAFS ($\mu(E)$ versus E) spectra of the films deposited with different yttria content at Zr K edge
- Figure 6.9: $\chi(k)k^2$ versus k spectra for the Zr K edge
- Figure 6.10: Experimental $\chi(r)$ versus r spectra along with best fit theoretical plots for the Zr K edge
- Figure 6.11: Experimental EXAFS ($\mu(E)$ versus E) spectra of the films deposited with different yttria content at Y K edge
- Figure 6.12: $\chi(k)k$ versus k spectra for the Y K edge
- Figure 6.13: Experimental $\chi(r)$ versus r spectra along with best fit theoretical plots for the Y K edge
- Figure 6.14: Acoustic emission vs normal force
- Figure 6.15: SEM images of scratch for films A, B and C
- Figure 6.16: Coefficient of friction vs distance
- Figure 6.17: SEM images of middle portion of wear track of film A, B and C

List of tables

- Table 3.1: Thickness measurement results on deposited films at various RF self bias voltages
- Table 3.2: Details of XPS peak deconvolution
- Table 3.3: Semi quantitative analysis (by XPS) of film surfaces from Y 3*d* peak
- Table 4.1: EXAFS Fitting Results
- Table 4.2: AFM analysis of films deposited at various bias voltages
- Table 6.1: Variation of yttria content and thickness of YSZ thin films with temperature of Y(*to*)₃ bubbler
- Table 6.2: Semi-quantitative analysis (by XPS) of film surfaces from Zr 3*d* peak
- Table 6.3: EXAFS fitting results for the Zr K edge
- Table 6.4: EXAFS fitting results for the Y K edge

