

## TABLE OF CONTENTS

		Page No.
	Acknowledgement	iv
	Abstract	vi
	Table of contents	ix
	List of Figures	xviii
	List of Tables	xxiv
CHAPTER 1	Introduction	1
	1.1 General	1
	1.2 Beam-Column Joint	1
	1.3 Need for the Present Investigation	4
	1.4 Historical Background	4
	1.5 Scope of the Investigation	4
	1.6 Objectives	5
	1.7 Parameters Investigated	6
	1.8 Organization of Thesis	7
CHAPTER 2	Review of Literature	8
	2.1 Introduction	8
	2.2 Review of Literature	8
	2.3 Conclusion	15
CHAPTER 3	Design and Detailing of Beam-Column Joint Specimens	16
	3.1 General	16
	3.2 Design and Detailing of Beam-Column Joint Specimen as per Code IS 456:2000 for M20 Concrete	16
	3.2.1 Tension Reinforcement in Beam	16
	3.2.2 Compression Reinforcement in Beam	16
	3.2.3 Shear Reinforcement in Beam	17
	3.2.3.1 Spacing of Shear Reinforcement	17
	3.2.3.2 Check for Bending	17
	3.2.3.3 Anchorage length	20
	3.2.4 Longitudinal Reinforcement in Column	21
	3.2.5 Lateral Ties in Column	21
	3.2.5.1 Spacing of Lateral Ties	21
	3.3 Design and Detailing of Beam-Column Joint Specimen as per Code IS 456:2000 for M25 Concrete	23
	3.3.1 Tension Reinforcement in Beam	23
	3.3.2 Compression Reinforcement in Beam	23
	3.3.3 Shear Reinforcement in Beam	24
	3.3.3.1 Spacing of Shear Reinforcement	24
	3.3.3.2 Check for Bending	24
	3.3.3.3 Anchorage length	27

	3.3.4 Longitudinal Reinforcement in Column	27
	3.3.5 Lateral Ties in Column	28
	3.3.5.1 Spacing of Lateral Ties	28
	3.4 Design and Detailing of Beam-Column Joint Specimen as per Code IS 456:2000 for M30 Concrete	30
	3.4.1 Tension Reinforcement in Beam	30
	3.4.2 Compression Reinforcement in Beam	30
	3.4.3 Shear Reinforcement in Beam	31
	3.4.3.1 Spacing of Shear Reinforcement	31
	3.4.3.2 Check for Bending	31
	3.4.3.3 Anchorage length	34
	3.4.4 Longitudinal Reinforcement in Column	35
	3.4.5 Lateral Ties in Column	35
	3.4.5.1 Spacing of Lateral Ties	35
	3.5 Design and Detailing of Beam-Column Joint Specimen as per Code IS 13920:1993	37
	3.5.1 Design of Beam	37
	3.5.1.1 Web Reinforcement	37
	3.5.1.2 Spacing of Hoops	38
	3.5.1.3 Anchorage Length	38
	3.5.2 Design of Column	40
	3.5.2.1 Transverse Reinforcement	40
	3.5.2.2 Special Confining Reinforcement	40
	3.5.2.3 Joints of Frames	43
	3.6 Preparation of the Beam-Column Joint Specimens	44
	3.6.1 Mix Design	44
CHAPTER 4	Experimental Investigation	53
	4.1 Description of the Test Programme	53
	4.2 Results of the Static Load Test	64
	4.2.1 Beam-Column Joint Specimen 1	64
	4.2.2 Beam-Column Joint Specimen 2	64
	4.2.3 Beam-Column Joint Specimen 3	65
	4.2.4 Beam-Column Joint Specimen 4	66
	4.2.5 Beam-Column Joint Specimen 5	66
	4.2.6 Beam-Column Joint Specimen 6	66
	4.2.7 Beam-Column Joint Specimen 7	67

	4.2.8 Beam-Column Joint Specimen 8	67
	4.2.9 Beam-Column Joint Specimen 9	68
	4.2.10 Beam-Column Joint Specimen 10	69
	4.2.11 Beam-Column Joint Specimen 11	69
	4.2.12 Beam-Column Joint Specimen 12	69
	4.2.13 Beam-Column Joint Specimen 13	70
	4.2.14 Beam-Column Joint Specimen 14	70
	4.2.15 Beam-Column Joint Specimen 15	71
	4.2.16 Beam-Column Joint Specimen 16	72
	4.2.17 Beam-Column Joint Specimen 17	72
	4.2.18 Beam-Column Joint Specimen 18	72
	4.2.19 Beam-Column Joint Specimen 19	73
	4.2.20 Beam-Column Joint Specimen 20	73
	4.2.21 Beam-Column Joint Specimen 21	74
	4.2.22 Beam-Column Joint Specimen 22	75
	4.2.23 Beam-Column Joint Specimen 23	75
	4.2.24 Beam-Column Joint Specimen 24	75
	4.2.25 Beam-Column Joint Specimen 25	76
	4.2.26 Beam-Column Joint Specimen 26	76
	4.2.27 Beam-Column Joint Specimen 27	77
	4.2.28 Beam-Column Joint Specimen 28	78
	4.2.29 Beam-Column Joint Specimen 29	78
	4.2.30 Beam-Column Joint Specimen 30	78
	4.2.31 Beam-Column Joint Specimen 31	79
	4.2.32 Beam-Column Joint Specimen 32	79
	4.2.33 Beam-Column Joint Specimen 33	80
	4.2.34 Beam-Column Joint Specimen 34	81
	4.2.35 Beam-Column Joint Specimen 35	81
	4.2.36 Beam-Column Joint Specimen 36	81
	4.2.37 Beam-Column Joint Specimen 37	84
	4.2.38 Beam-Column Joint Specimen 38	84
	4.2.39 Beam-Column Joint Specimen 39	85
	4.2.40 Beam-Column Joint Specimen 40	86
	4.2.41 Beam-Column Joint Specimen 41	86
	4.2.42 Beam-Column Joint Specimen 42	86

	4.2.43 Beam-Column Joint Specimen 43	87
	4.2.44 Beam-Column Joint Specimen 44	87
	4.2.45 Beam-Column Joint Specimen 45	88
	4.2.46 Beam-Column Joint Specimen 46	88
	4.2.47 Beam-Column Joint Specimen 47	89
	4.2.48 Beam-Column Joint Specimen 48	89
	4.2.49 Beam-Column Joint Specimen 49	90
	4.2.50 Beam-Column Joint Specimen 50	90
	4.2.51 Beam-Column Joint Specimen 51	91
	4.2.52 Beam-Column Joint Specimen 52	91
	4.2.53 Beam-Column Joint Specimen 53	92
	4.2.54 Beam-Column Joint Specimen 54	92
	4.2.55 Beam-Column Joint Specimen 55	93
	4.2.56 Beam-Column Joint Specimen 56	93
	4.2.57 Beam-Column Joint Specimen 57	94
	4.2.58 Beam-Column Joint Specimen 58	94
	4.2.59 Beam-Column Joint Specimen 59	95
	4.2.60 Beam-Column Joint Specimen 60	95
	4.2.61 Beam-Column Joint Specimen 61	96
	4.2.62 Beam-Column Joint Specimen 62	96
	4.2.63 Beam-Column Joint Specimen 63	97
	4.2.64 Beam-Column Joint Specimen 64	97
	4.2.65 Beam-Column Joint Specimen 65	98
	4.2.66 Beam-Column Joint Specimen 66	98
	4.2.67 Beam-Column Joint Specimen 67	99
	4.2.68 Beam-Column Joint Specimen 68	99
	4.2.69 Beam-Column Joint Specimen 69	100
	4.2.70 Beam-Column Joint Specimen 70	100
	4.2.71 Beam-Column Joint Specimen 71	101
	4.2.72 Beam-Column Joint Specimen 72	101
	4.2.73 Beam-Column Joint Specimen 73	103
	4.2.74 Beam-Column Joint Specimen 74	104
	4.2.75 Beam-Column Joint Specimen 75	104
	4.2.76 Beam-Column Joint Specimen 76	105
	4.2.77 Beam-Column Joint Specimen 77	105

	4.2.78 Beam-Column Joint Specimen 78	106
	4.2.79 Beam-Column Joint Specimen 79	106
	4.2.80 Beam-Column Joint Specimen 80	107
	4.2.81 Beam-Column Joint Specimen 81	107
	4.2.82 Beam-Column Joint Specimen 82	108
	4.2.83 Beam-Column Joint Specimen 83	108
	4.2.84 Beam-Column Joint Specimen 84	109
	4.2.85 Beam-Column Joint Specimen 85	109
	4.2.86 Beam-Column Joint Specimen 86	110
	4.2.87 Beam-Column Joint Specimen 87	110
	4.2.88 Beam-Column Joint Specimen 88	111
	4.2.89 Beam-Column Joint Specimen 89	111
	4.2.90 Beam-Column Joint Specimen 90	112
	4.2.91 Beam-Column Joint Specimen 91	112
	4.2.92 Beam-Column Joint Specimen 92	113
	4.2.93 Beam-Column Joint Specimen 93	113
	4.2.94 Beam-Column Joint Specimen 94	114
	4.2.95 Beam-Column Joint Specimen 95	114
	4.2.96 Beam-Column Joint Specimen 96	115
	4.2.97 Beam-Column Joint Specimen 97	115
	4.2.98 Beam-Column Joint Specimen 98	116
	4.2.99 Beam-Column Joint Specimen 99	116
	4.2.100 Beam-Column Joint Specimen100	117
	4.2.101 Beam-Column Joint Specimen101	117
	4.2.102 Beam-Column Joint Specimen102	118
	4.2.103 Beam-Column Joint Specimen103	118
	4.2.104 Beam-Column Joint Specimen104	119
	4.2.105 Beam-Column Joint Specimen105	119
	4.2.106 Beam-Column Joint Specimen106	120
	4.2.107 Beam-Column Joint Specimen107	120
	4.2.108 Beam-Column Joint Specimen108	121
	4.3 Results of the Load Reversal Test	123
	4.3.1 Beam-Column Joint Specimen 109	123
	4.3.2 Beam-Column Joint Specimen 110	123
	4.3.3 Beam-Column Joint Specimen 111	124

	4.3.4 Beam-Column Joint Specimen 112	125
	4.3.5 Beam-Column Joint Specimen 113	126
	4.3.6 Beam-Column Joint Specimen 114	126
	4.3.7 Beam-Column Joint Specimen 115	127
	4.3.8 Beam-Column Joint Specimen 116	128
	4.3.9 Beam-Column Joint Specimen 117	128
	4.3.10 Beam-Column Joint Specimen 118	129
	4.3.11 Beam-Column Joint Specimen 119	130
	4.3.12 Beam-Column Joint Specimen 120	130
	4.3.13 Beam-Column Joint Specimen 121	131
	4.3.14 Beam-Column Joint Specimen 122	132
	4.3.15 Beam-Column Joint Specimen 123	132
	4.3.16 Beam-Column Joint Specimen 124	133
	4.3.17 Beam-Column Joint Specimen 125	134
	4.3.18 Beam-Column Joint Specimen 126	134
	4.3.19 Beam-Column Joint Specimen 127	135
	4.3.20 Beam-Column Joint Specimen 128	136
	4.3.21 Beam-Column Joint Specimen 129	136
	4.3.22 Beam-Column Joint Specimen 130	137
	4.3.23 Beam-Column Joint Specimen 131	138
	4.3.24 Beam-Column Joint Specimen 132	138
	4.3.25 Beam-Column Joint Specimen 133	139
	4.3.26 Beam-Column Joint Specimen 134	140
	4.3.27 Beam-Column Joint Specimen 135	140
	4.3.28 Beam-Column Joint Specimen 136	141
	4.3.29 Beam-Column Joint Specimen 137	142
	4.3.30 Beam-Column Joint Specimen 138	142
	4.3.31 Beam-Column Joint Specimen 139	143
	4.3.32 Beam-Column Joint Specimen 140	144
	4.3.33 Beam-Column Joint Specimen 141	144
	4.3.34 Beam-Column Joint Specimen 142	145
	4.3.35 Beam-Column Joint Specimen 143	146
	4.3.36 Beam-Column Joint Specimen 144	146
	4.3.37 Beam-Column Joint Specimen 145	149
	4.3.38 Beam-Column Joint Specimen 146	149

	4.3.39 Beam-Column Joint Specimen 147	150
	4.3.40 Beam-Column Joint Specimen 148	151
	4.3.41 Beam-Column Joint Specimen 149	152
	4.3.42 Beam-Column Joint Specimen 150	152
	4.3.43 Beam-Column Joint Specimen 151	153
	4.3.44 Beam-Column Joint Specimen 152	154
	4.3.45 Beam-Column Joint Specimen 153	154
	4.3.46 Beam-Column Joint Specimen 154	155
	4.3.47 Beam-Column Joint Specimen 155	156
	4.3.48 Beam-Column Joint Specimen 156	156
	4.3.49 Beam-Column Joint Specimen 157	157
	4.3.50 Beam-Column Joint Specimen 158	158
	4.3.51 Beam-Column Joint Specimen 159	158
	4.3.52 Beam-Column Joint Specimen 160	159
	4.3.53 Beam-Column Joint Specimen 161	160
	4.3.54 Beam-Column Joint Specimen 162	160
	4.3.55 Beam-Column Joint Specimen 163	161
	4.3.56 Beam-Column Joint Specimen 164	162
	4.3.57 Beam-Column Joint Specimen 165	162
	4.3.58 Beam-Column Joint Specimen 166	163
	4.3.59 Beam-Column Joint Specimen 167	164
	4.3.60 Beam-Column Joint Specimen 168	164
	4.3.61 Beam-Column Joint Specimen 169	165
	4.3.62 Beam-Column Joint Specimen 170	166
	4.3.63 Beam-Column Joint Specimen 171	166
	4.3.64 Beam-Column Joint Specimen 172	167
	4.3.65 Beam-Column Joint Specimen 173	168
	4.3.66 Beam-Column Joint Specimen 174	168
	4.3.67 Beam-Column Joint Specimen 175	169
	4.3.68 Beam-Column Joint Specimen 176	170
	4.3.69 Beam-Column Joint Specimen 177	170
	4.3.70 Beam-Column Joint Specimen 178	171
	4.3.71 Beam-Column Joint Specimen 179	172
	4.3.72 Beam-Column Joint Specimen 180	172
	4.3.73 Beam-Column Joint Specimen 181	175

	4.3.74 Beam-Column Joint Specimen 182	175
	4.3.75 Beam-Column Joint Specimen 183	176
	4.3.76 Beam-Column Joint Specimen 184	177
	4.3.77 Beam-Column Joint Specimen 185	177
	4.3.78 Beam-Column Joint Specimen 186	178
	4.3.79 Beam-Column Joint Specimen 187	179
	4.3.80 Beam-Column Joint Specimen 188	180
	4.3.81 Beam-Column Joint Specimen 189	180
	4.3.82 Beam-Column Joint Specimen 190	181
	4.3.83 Beam-Column Joint Specimen 191	182
	4.3.84 Beam-Column Joint Specimen 192	182
	4.3.85 Beam-Column Joint Specimen 193	183
	4.3.86 Beam-Column Joint Specimen 194	184
	4.3.87 Beam-Column Joint Specimen 195	184
	4.3.88 Beam-Column Joint Specimen 196	185
	4.3.89 Beam-Column Joint Specimen 197	186
	4.3.90 Beam-Column Joint Specimen 198	186
	4.3.91 Beam-Column Joint Specimen 199	187
	4.3.92 Beam-Column Joint Specimen 200	188
	4.3.93 Beam-Column Joint Specimen 201	188
	4.3.94 Beam-Column Joint Specimen 202	189
	4.3.95 Beam-Column Joint Specimen 203	190
	4.3.96 Beam-Column Joint Specimen 204	190
	4.3.97 Beam-Column Joint Specimen 205	191
	4.3.98 Beam-Column Joint Specimen 206	192
	4.3.99 Beam-Column Joint Specimen 207	192
	4.3.100 Beam-Column Joint Specimen208	193
	4.3.101 Beam-Column Joint Specimen209	194
	4.3.102 Beam-Column Joint Specimen210	194
	4.3.103 Beam-Column Joint Specimen211	195
	4.3.104 Beam-Column Joint Specimen212	196
	4.3.105 Beam-Column Joint Specimen213	196
	4.3.106 Beam-Column Joint Specimen214	197
	4.3.107 Beam-Column Joint Specimen215	198
	4.3.108 Beam-Column Joint Specimen216	198



CHAPTER 5	Finite Element Analysis using Ansys	201
	5.1 Introduction to Ansys	201
	5.2 Element Type	202
	5.2.1 Solid 65	202
	5.2.2 Link 8	202
	5.2.3 Solid 45	203
	5.3 Non-Linear Material Model for Concrete	203
	5.4 Finite Element Modeling of Beam-Column Joint	204
	5.5 Stress-Strain Relationship for Concrete	207
	5.6 Non-Linear Modeling of Steel	208
	5.7 Finite Element Discretization	209
	5.8 Application of Loads and Boundary Condition	209
	5.9 Results and Discussion	211
	5.9.1 Ansys Modeling for Beam-Column Joint Specimens Retrofitted with GFRP Sheets	211
	5.9.2 Ansys Modeling for Beam-Column Joint Specimens Retrofitted with AFRP Sheets	223
	5.9.3 Ansys Modeling for Beam-Column Joint Specimens Retrofitted with CFRP Sheets	232
	5.9.4 Effect of Grade of Concrete on Load Carrying Capacity of Beam-Column Joint Specimens	240
CHAPTER 6	CONCLUSION	244
	6.1 Summary	244
	6.2 Conclusions	244
	6.3 Scope of Future Studies	246
REFERENCES		247
PUBLICATIONS		250