

---

## *REFERENCES*

---

## 6. REFERENCES

---

- Ahren B, Effects of  $\alpha$ -adrenoceptor agonists and antagonists on thyroid hormone secretion, *Acta Endocrinol (Copenh)*, 108, 184 (1985).
- Allen, K. N., Lavie, A., Farber, G. K., Glasfeld, A., Petsko, G. A., and Ringe, D., Isotopic exchange plus substrate and inhibition kinetics of D-xylose isomerase do not support a proton-transfer mechanism, *Biochemistry*, 33, 1481 (1994a).
- Allen, K. N., Lavie, A., Glasfeld, A., Tanada, T. N., Gerrity, D. P., Carlson, S. C., Farber, G. K., Petsko, G. A., and Ringe, D., Role of the divalent metal ion in sugar binding, ring opening, and isomerization by D-xylose isomerase: replacement of a catalytic metal by an amino acid, *Biochemistry*, 33, 1488 (1994b).
- Allen, K. N., Lavie, A., Petsko, G. A., and Ringe, D., Design, synthesis, and characterization of a potent xylose isomerase inhibitor, D-threonoxyhydroamic acid, and high-resolution X-ray crystallographic structure of the enzyme-inhibitor complex, *Biochemistry*, 34, 3742 (1995).
- Amore, R., and Hollenberg, C. P., Xylose isomerase from *Actinoplanes missouriensis*: primary structure of the gene and the protein, *Nucleic Acids Res.* 17, 7515 (1989).
- Anand, L., Krishnamurthy, S., and Vithayathil, P. J., *Arch. Biochem. Biophys.*, 276, 546 (1990).
- Armstrong, W. P., Beware of the Jumping Cholla, *Environment Southwest*, 498, 3 (1982).
- Armstrong, W. P., Devil Claws, 53, 19 (1992).
- Ashby, R., Hjortkjaer, R. K., Stavnsbjerg, M., Gurtler, H., Pedersen, P. B., Bootman, J., Hodson-Walker, G., Tesh, J. M., Willoughby, C. R., and West, H., Safety evaluation of *Streptomyces murinus* glucose isomerase, *Toxicol Lett*, 36, 23 (1987).

**Bairoch, A., and Apweiler, R.,** The SWISS-PROT protein sequence database and its supplement TrEMBL in 2000, *Nucleic Acids Res.*, 28, 45 (2000).

**Bartfay, J.,** Glucose-isomerase in barley malt, *Nature*, 185, 924 (1960).

**Barthlott, W.,** *Cacti*, Stanley Thornes Ltd, Cheltenham (1977).

**Basuki, W., Iizuka, M., Ito, K., Furuichi, K., and Minamiura, N.,** Evidence for the existence of isozymes of glucose isomerase from *Streptomyces phaeochromogenes*, *Biosci Biotechnol Biochem*, 56, 180 (1992).

**Batt, C. A., Jamieson, A. C., and Vandeyar, M. A.,** Identification of essential histidine residues in the active site of *Escherichia coli* xylose (glucose) isomerase, *Proc Natl Acad Sci U S A*, 87, 618 (1990).

**Beck, C. F., and Warren, R. A.,** Divergent promoters, a common form of gene organization, *Microbiol Rev*, 52, 318 (1988).

**Benson, L.,** *The Cacti of the United States and Canada*, Ca: Stanford University Press, Stanford (1982).

**Bergquist, P. L., and Morgan, H. W.,** *The molecular genetics and biotechnological application of enzymes from extremely thermophilic eubacteria*, Chapman & Hall, New York (1992).

**Bertoldo, C., and Antranikian, G.,** Amylolytic enzymes from hyper thermophiles, *Methods Enzymol*, 330, 269 (2001).

**Bhat, K. M., and Maheshwari, R.,** *Appl. Environ. Microbiol.*, 63, 2176 (1987).

**Bhosale, S. H., Ghatge, M. S., and Deshpande, V. V.,** Molecular cloning and expression of the glucose/xylose isomerase gene from *Streptomyces spp.* NCIM 2730 in *Escherichia coli*, *FEMS Microbiol Lett*, 145, 95 (1996).

**Bhosale, S. H., Rao, M. B., and Deshpande, V. V.,** Molecular and industrial aspects of glucose isomerase, *Microbiol Rev*, 60, 280 (1996).

**Blow, D. M., Collyer, C. A., Goldberg, J. D., and Smart, O. S.,** Structure and mechanism of D-xylose isomerase, *Faraday Discuss*, 61 (1992).



**Bock, K., Meldal, M., Meyer, B., and Wiebe, L.,** Isomerization of D-glucose with glucose-isomerase. A mechanistic study, *Acta Chem Scand B*, 37, 101 (1983).

**Boel, E., Brady, L., Brzozowski, A. M., Derewenda, Z., Dodson, G. G., Jensen, V. J., Petersen, S. B., Swift, H., Thim, L., and Woldike, H. F.,** Calcium binding in alpha-amylases: an X-ray diffraction study at 2.1-Ao resolution of two enzymes from *Aspergillus spp.*, *Biochemistry*, 29, 6244 (1990).

**Bogumil, R., Kappl, R., and Huttermann, J.,** Role of the binuclear manganese(II) site in xylose isomerase, *Met Ions Biol Syst*, 37, 365 (2000).

**Boissenvain Charles, H., and Davidson, C.,** *Colorado Cacti*, Abbey Garden Press, Pasadena, California. (1940).

**Bradford, M. M.,** A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding, *Anal Biochem*, 72, 248 (1976).

**Brown, S. H., Sjöholm, C., and Kelly, R. M.,** Purification and characterization of a highly thermostable glucose isomerase produced by the extremely thermophilic eubacterium *Thermotoga maritima*, *Biotechnol. Bioeng.*, 41, 878 (1993).

**Buchanan, C. L., Connaris, H., Danson, M. J., Reeve, C. D., and Hough, D. W.,** An extremely thermostable aldolase from *Sulfolobus solfataricus* with specificity for non-phosphorylated substrates, *Biochem J*, 343 Pt 3, 563 (1999).

**Callens, M., H. Kersters-Hilderson, O. Van Opstal, C. K. Debruyne.,** Catalytic properties of D-xylose isomerase from *Streptomyces violaceoruber.*, *Enzyme Microb. Technol.*, 8, 696 (1986).

**Callens M, Kerstershilderson H, Vangrysterre W, and Debruyne CK,** D-xylose isomerase from *Streptomyces violaceoruber*: structural and catalytic roles of bivalent-metal ions., *Enzyme Microb Technol*, 10, 695 (1988).

**Callens, M., Tomme, P., Kersters-Hilderson, H., Cornelis, R., Vangrysterre, W., and De Bruyne, C. K.,** Metal ion binding to D-xylose isomerase from *Streptomyces violaceoruber*, *Biochem J*, 250, 285 (1988).

**Canganella, F., Andrade, C.M. and Antranikian, G.,** Characterization of amylolytic and pullulytic enzymes from thermophilic archaea and from a new *Fevidobacterium species*, *Appl Microbiol Biotechnol*, *42*, 239 (1994).

**Carrell, H. L., Glusker, J. P., Burger, V., Manfre, F., Tritsch, D., and Biellmann, J. F.,** X-ray analysis of D-xylose isomerase at 1.9 Å: native enzyme in complex with substrate and with a mechanism-designed inactivator, *Proc Natl Acad Sci U S A*, *86*, 4440 (1989).

**Carrell, H. L., Hoier, H., and Glusker, J. P.,** Modes of binding substrates and their analogues to the enzyme D-xylose isomerase, *Acta Crystallogr D Biol Crystallogr*, *50*, 113 (1994).

**Chan, E., P. P. Ueng, L. F. Chen.,** Metabolism of D-xylose in *Schizosaccharomyces pombe* cloned with a xylose-isomerase gene, *Appl. Microbiol. Biotechnol.*, *31*, 524 (1989).

**Chang, C., Park, B. C., Lee, D. S., and Suh, S. W.,** Crystal structures of thermostable xylose isomerases from *Thermus caldophilus* and *Thermus thermophilus*: possible structural determinants of thermostability, *J Mol Biol*, *288*, 623 (1999).

**Chang, C., Song, H. K., Park, B. C., Lee, D. S., and Suh, S. W.,** A thermostable xylose isomerase from *Thermus caldophilus*: biochemical characterization, crystallization and preliminary X-ray analysis, *Acta Crystallogr D Biol Crystallogr*, *55 (Pt 1)*, 294 (1999).

**Chauthaiwale, J., and Rao, M.,** Production and Purification of Extracellular D-Xylose Isomerase from an Alkaliphilic, Thermophilic *Bacillus spp.*, *Appl Environ Microbiol*, *60*, 4495 (1994).

**Chen, W. P.,** Glucose isomerase, *Process Biochem.*, *15*, 30–35 (1980).

**Chen, W. P.,** Glucose isomerase, *Process Biochem.*, *15*, 36–41 (1980).

**Chen, W. P., and Anderson, A. W.,** Purification, Immobilization, and Some Properties of Glucose Isomerase from *Streptomyces flavogriseus*, *Appl Environ Microbiol*, *38*, 1111 (1979).

**Chen, W. P., Anderson, A. W., and Han, Y. W.**, Extraction of glucose isomerase from *Streptomyces flavogriseus*, *Appl Environ Microbiol*, 37, 785 (1979).

**Chidamian, C.**, *The Book of Cacti and Other Succulents*, The American Garden Guild and Doubleday Company Inc, New York (1958).

**Chomoczynski, P., and Sacchi, N.**, Single step method of RNA isolation by acid guanidium thiocyanate-Phenol-chloroform extraction, *Anal Biochem*, 162, 156 (1987).

**Collyer, C. A., and Blow, D. M.**, Observations of reaction intermediates and the mechanism of aldose-ketose interconversion by D-xylose isomerase, *Proc Natl Acad Sci U S A*, 87, 1362 (1990).

**Collyer, C. A., Goldberg, J. D., Viehmann, H., Blow, D. M., Ramsden, N. G., Fleet, G. W., Montgomery, F. J., and Grice, P.**, Anomeric specificity of D-xylose isomerase, *Biochemistry*, 31, 12211 (1992).

**Colombo, S., D' Auria, S., Fusi, P., Zecca, L., Raia, C.A. and Tortora, P.**, Purification and characterization of a thermostable carboxypeptidase from the extreme thermophilic archaeobacterium *Sulfolobus solfataricus*, *Eur J Biochem*, 206, 349 (1992).

**Converti, A., and Del Borghi, M.**, Simultaneous effects of immobilization and substrate protection on the thermodynamics of glucose isomerase activity and inactivation, *Enzyme and Microbial Technology*, 21, 511 (1997).

**Costantino Vetriani, Dennis L. Maeder, Nicola Tolliday, Kitty S.-P. Yip, Timothy J. Stillman, K. Linda Britton, David W. Rice, Horst H. Klump, and Frank T. Robb**, Protein thermostability above 100°C: A key role for ionic interactions, *Biophysics*, 95, 12300 (1998).

**Cullmann, W., Gotz, D. and Groner, G.**, *The Encyclopedia of Cacti*, Timber press, Portland (1986).

**Danno, G.**, Studies on D-glucose isomerizing enzyme from *Bacillus coagulans*, strain HN-68. VI. The role of metal ions on the isomerization of D-glucose and D-xylose by the enzyme, *Agric. Biol. Chem*, 35, 997 (1971).

**Dauter, Z., Dauter, M., Hemker, J., Witzel, H., and Wilson, K. S.**, Crystallisation and preliminary analysis of glucose isomerase from *Streptomyces albus*, *FEBS Lett.*, 247, 1 (1989).

**Dauter, Z., Terry, H., Witzel, H., and Wilson, K. S.**, Refinement of glucose isomerase from *Streptomyces albus* at 1.65 Å with data from an imaging plate, *Acta Crystallogr B.*, 46 (Pt 6), 833 (1990).

**Davies, G. J., Gamblin, S. J., Littlechild, J. A., and Watson, H. C.**, The structure of thermally stable 3-phosphoglycerate kinase and a comparison with its mesophilic equivalent, *Proteins Struct. Funct. Genet.*, 15, 283 (1993).

**Davis, B. J.**, Disc Electrophoresis. II. Method And Application To Human Serum Proteins, *Ann N Y Acad Sci*, 121, 404 (1964).

**deRaadt, A., M. Ebner, C. W. Ekhardt, M. Fechter, A. Lechner, M. Strobl, A. E. Stutz**, Glucose isomerase (EC 5.3.1.5) as a reagent in carbohydrate synthesis: success and failures with the isomerisation of nonnatural derivatives of D-glucose into the corresponding 2-ketoses, *Catalysis Today*, 22, 549 (1994).

**Dische, Z., and Borenfreund, E.**, A new spectrophotometric method for the detection and determination of keto sugars and trioses, *J Biol Chem*, 192, 583 (1951).

**Dominguez, E., Marko-Varga, G., Hahn-Hagerdal, B., and Gorton, L.**, Optimization of enzyme ratios in a coimmobilized enzyme reactor for the analysis of D-xylose and D-xylulose in a flow system, *Enzyme Microb Technol*, 16, 216 (1994).

**Dong, G., and Zeikus, J. G.**, Purification and characterization of alkaline phosphatase from *Thermotoga neapolitana*, *Enzyme Microb Technol*, 21, 335 (1997).

**Drocourt, D., Bejar, S., Calmels, T., Reynes, J. P., and Tiraby, G.**, Nucleotide sequence of the xylose isomerase gene from *Streptomyces violaceoniger*, *Nucleic Acids Res*, 16, 9337 (1988).

**Farber, G. K., Glasfeld, A., Tiraby, G., Ringe, D., and Petsko, G. A.**, Crystallographic studies of the mechanism of xylose isomerase, *Biochemistry*, 28, 7289 (1989).

- Farber, G. K., Machin, P., Almo, S. C., Petsko, G. A., and Hajdu, J.,** X-ray Laue diffraction from crystals of xylose isomerase, *Proc Natl Acad Sci U S A*, 85, 112 (1988).
- Farber, G. K., Petsko, G. A., and Ringe, D.,** The 3.0 Å crystal structure of xylose isomerase from *Streptomyces olivochromogenes*, *Protein Eng.* 1, 459 (1987).
- Feather, M. S., Deshpande, V., and Lybyer, M. J.,** Anomeric specificity during some isomerase reactions, *Biochem Biophys Res Commun*, 38, 859 (1970).
- Feldmann, S. D., Sahm, H., and Sprenger, G. A.,** Cloning and expression of the genes for xylose isomerase and xylulokinase from *Klebsiella pneumoniae* 1033 in *Escherichia coli* K12, *Mol Genet*, 234, 201 (1992).
- Fensome, R. A., and Williams, G. L.,** *The Last Billion Years*, Nova Scotia: Nimbus, Halifax (2001).
- Fitter, J., and Heberle., J.,** Structural Equilibrium Fluctuations in Mesophilic and Thermophilic -Amylase, *Biophys J*, 79, 1629 (2000).
- Flavell RB, Dart E, Fuchs RL, and Fraley RT,** Selectable marker genes: safe for plants? *Biotechnology*, 10, 141 (1992).
- Friedrich, A. B., and Antranik, G.,** Keratin degradation by *Fervidobacterium pennavorans*, a novel thermophilic anaerobic species of the order Thermotogales, *Appl. Environ. Microbiol.*, 62, 2875 (1996).
- Fuchs RL, Ream JE, Gammond BG, Naylor MW, Leimgruber RM, and Berberich SA,** Safety assessment of the neomycin phosphotransferase II (NPTII) protein, *Biotechnology*, 11, 1543 (1993).
- Gabelsberger, J., Liebl, W., and Schleifer, K. H.,** Cloning and characterization of  $\beta$ -glycoside hydrolyzing enzymes of *Thermotoga maritime*, *FEMS Microbiol. Lett.*, 109, 131 (1993).
- Galkwad, S. M., Pawar, H. S., Vartak, H. G., and Deshpande, V. V.,** *Streptomyces* glucose/xylose isomerase has a single active site for glucose and xylose, *Biochem Biophys Res Commun*, 159, 457 (1989).



**Galley, J. A., and Edelman, G. M.,** *Biopolymers Symp.* 1, 367 (1964).

**Ge, Y., Wang, Y., Zhou, H., Wang, S., Tong, Y., and Li, W.,** Coimmobilization of glucoamylase and glucose isomerase by molecular deposition technique for one-step conversion of dextrin to fructose, *J Biotechnol.* 67, 33 (1999).

**Ghatge, M. S., Y. Mawal, S. M. Gaikwad, V. Deshpande.,** Immunoaffinity purification of glucose/xylose isomerase from *Streptomyces spp.*, *Appl. Biochem. Biotechnol.*, 31, 11 (1991).

**Glasfeld, A., Farber, G. K., Ringe, D., Marcel, T., Drocourt, D., Tiraby, G., and Petsko, G. A.,** Characterization of crystals of xylose isomerase from *Streptomyces violaceoniger*, *J Biol Chem*, 263, 14612 (1988).

**Gomes, J., and Steiner, W.,** Production of a high activity of an extremely thermostable  $\beta$ -mannanase by the thermophilic eubacterium *Rhodothermus marinus*, grown on locust bean gum, *Biotechnol. Lett.* 20, 729 (1998).

**Haldrup, A., Petersen, S. G., and Okkels, F. T.,** The xylose isomerase gene from *Thermoanaerobacterium thermosulfurogenes* allows effective selection of transgenic plant cells using D-xylose as the selection agent, *Plant Mol Biol*, 37, 287 (1998).

**Hartley, B. S., Hanlon, N., Jackson, R. J., and Rangarajan, M.,** Glucose isomerase: insights into protein engineering for increased thermostability, *Biochim Biophys Acta*, 1543, 294 (2000).

**Henrick, K., Collyer, C. A., and Blow, D. M.,** Structures of D-xylose isomerase from *Arthrobacter* strain B3728 containing the inhibitors xylitol and D-sorbitol at 2.5 Å and 2.3 Å resolution, respectively, *J Mol Biol*, 208, 129 (1989).

**Hess, J. M., and Kelly, R. M.,** Influence of polymolecular events on inactivation behavior of xylose isomerase from *Thermotoga neapolitana* 5068, *Biotechnol Bioeng*, 62, 509 (1999).

**Hess, J. M., Tchernajenko, V., Vieille, C., Zeikus, J. G., and Kelly, R. M.,** *Thermotoga neapolitana* homotetrameric xylose isomerase is expressed as a catalytically active and thermostable dimer in *Escherichia coli*, *Appl Environ*

*Microbiol*, 64, 2357 (1998).

**Hochster, R. M., and Watson, R. W.**, Enzymatic isomerization of D-xylose to D-xylose, *Arch Biochem Biophys*, 48, 120 (1954).

**Ikeda, M., and Clark, D.S.**, Molecular cloning of extremely thermostable esterase gene from hyperthermophilic archaeon *Pyrococcus furiosus* in *Escherichia coli*, *Biotechnol. Bioeng.*, 57, 624 (1998).

**Inyang C. U., Gebhart U., Obi S. K. C., and Bisswanger H.** Isolation and characterization of a D-glucose/xylose isomerase from a new thermophilic strain *Streptomyces spp.* (PLC), *Appl. microbiol. biotechnol.*, 43, 632 (1995).

**Ishikawa, K., Nakamura, H., Morikawa, K. and Kanaya, S.**, Stabilization of *Escherichia coli* ribonuclease HI by cavity-filling mutations within a hydrophobic core, *Biochemistry*, 32, 6171 (1993).

**Jacobsen, H.**, *A Handbook of Succulent Plants*, Vol. 3, Dorset: Blandford Press, Poole (1954c).

**Jaenicke, R., and Bohm, G.**, The stability of proteins in extreme environments, *Curr. Opin. Structural Biol.*, 8, 738 (1998).

**Jamieson, A. C., and Batt, C. A.**, Fluorescent properties of the *Escherichia coli* D-xylose isomerase active site, *Protein Eng.*, 5, 235 (1992).

**Jenkins, J., Janin, J., Rey, F., Chiadmi, M., van Tilbeurgh, H., Lasters, I., De Maeyer, M., Van Belle, D., Wodak, S. J., Lauwereys, M., and et al.**, Protein engineering of xylose (glucose) isomerase from *Actinoplanes missouriensis*. 1. Crystallography and site-directed mutagenesis of metal binding sites, *Biochemistry*, 31, 5449 (1992).

**Karshikoff, A., and Ladenstein, R.**, Proteins from thermophilic and mesophilic organisms essentially do not differ in packing, *Protein Eng.*, 11, 867 (1998).

**Kashiwabara, S., Ogawa, S., Miyoshi, N., Oda, M. and Suzuki, Y.**, Three domains comprised in thermostable molecular weight 54,000 pullulanase of type I from *Bacillus flavocaldarius* KP1228, *Biosci. Biotechnol. Biochem*, 63, 1736 (1999).

**Kasumi, T., K. Hayashi, N. Tsumura.,** Role of cobalt in stabilizing the molecular structure of glucose isomerase from *Streptomyces griseofuscus* S-41., *Agric. Biol. Chem.*, 46, 21 (1982).

**Kawai, Y., Konishi, H., Horitsu, H., Sakurai, H., Takamizawa, K., Suzuki, T., and Kawai, K.,** Purification and characterization of D-xylose isomerase from *Bifidobacterium adolescentis*, *Biosci Biotechnol Biochem.* 58, 691 (1994).

**Kengen, A. W., Luesink, E.V., Stams A.J. and Zehnder, A.J.,** Purification and characterization of an extremely thermostable  $\beta$ -glucosidase from the hyperthermophilic archaeon *Pyrococcus furiosus*, *Eur. J. Biochem.*, 213, 305 (1993).

**Kerstens-Hilderson, H., Van Doorslaer, E., De Bruyne, C. K., and Yamanaka, K.,** Quantitative determination of D-xylose by a coupled reaction of D-xylose isomerase with D-glucitol dehydrogenase, *Anal Biochem*, 80, 41 (1977).

**Khandke, K. M.,** Vol. PhD Thesis, Indian Institute of Science, Bangalore, India (1986).

**Khire, J. M., A. H. Lachke, M. C. Srinivasan, and Vartak., H. G.,** Characterization of the purified extracellular D-xylose isomerase devoid of D-glucose isomerase from *Chainia spp.* Appl., *Biochem. Biotechnol.*, 23, 41 (1990).

**Koh, S., Shin, H.J., Kim, J.S., Lee, D.S. and Lee, S.Y.,** Trehalose synthesis from maltose by a thermostable trehalose synthase from *Thermus caldophilus*, *Biotechnol. Lett.*, 20, 757 (1998).

**Kozianowski, G., Canganella, F., Rainey, F.A., Hippe, H. and Antranikian, G.,** Purification and characterization of thermostable pectate-lyases from a newly isolated thermophilic bacterium, *Thermoanaerobacter italicus sp.*, *Extremophiles*, 1, 171 (1997).

**Kristjansson, J. K., and Hreggvidsson, G. O.,** Ecology and habitats of Extremophiles, *World J Microbiol Biotechnol*, 11, 17 (1995).

**Kristo, P., Saarelainen, R., Fagerstrom, R., Aho, S., and Korhola, M.,** Protein purification, and cloning and characterization of the cDNA and gene for xylose

isomerase of barley, *Eur J Biochem*, 237, 240 (1996).

**Laderman, K. A., B. R. Davis, H. C. Krutzsch, M. S. Lewis, Y. V. Griko, P. L. Privalov, and C. B. Anfinsen**, The purification and characterization of an extremely thermostable  $\alpha$ -amylase from the hyperthermophilic archaebacterium *Pyrococcus furiosus*, *J. Biol. Chem.*, 268, 24394 (1993).

**Laemmli, U. K.**, Cleavage of structural proteins during the assembly of the head of bacteriophage T4, *Nature*, 227, 680 (1970).

**Lama, L., Nicolaus, B., Calandrelli, V., Esposito, E., and Gambacorta, A.**, Xylanase produced by *Bacillus thermoantarcticus*, a new thermophilic bacillus, *Annals of the New York Academy of Sciences. Enzyme Eng XII*, 799, 285 (1996).

**Lama, L., Nicolaus, B., Calandrelli, V., Romano, I., Basile, R., and Gambacorta, A.**, Purification and characterization of thermostable xylose(glucose) isomerase from *Bacillus thermoantarcticus*, *J Ind Microbiol Biotechnol*, 27, 234 (2001).

**Lambeir, A. M., Lauwereys, M., Stanssens, P., Mrabet, N. T., Snauwaert, J., van Tilbeurgh, H., Matthysens, G., Lasters, I., De Maeyer, M., Wodak, S. J., and et al.**, Protein engineering of xylose (glucose) isomerase from *Actinoplanes missouriensis*. 2. Site-directed mutagenesis of the xylose binding site, *Biochemistry*, 31, 5459 (1992).

**Lavie, A., Allen, K. N., Petsko, G. A., and Ringe, D.**, X-ray crystallographic structures of D-xylose isomerase-substrate complexes position the substrate and provide evidence for metal movement during catalysis, *Biochemistry*, 33, 5469 (1994).

**Lee, C. Y., Bhatnagar, L., Saha, B. C., Lee, Y. E., Takagi, M., Imanaka, T., Bagdasarian, M., and Zeikus, J. G.**, Cloning and expression of the *Clostridium thermosulfurogenes* glucose isomerase gene in *Escherichia coli* and *Bacillus subtilis*, *Appl Environ Microbiol*, 56, 2638 (1990).

**Lee, C. Y., and Zeikus, J. G.**, Purification and characterization of thermostable glucose isomerase from *Clostridium thermosulfurogenes* and *Thermoanaerobacter* strain B6A, *Biochem J*, 273 (Pt 3), 565 (1991).

**Lee, D. W., Jang, H. J., Choe, E. A., Kim, B. C., Lee, S. J., Kim, S. B., Hong, Y. H., and Pyun, Y. R.**, Characterization of a thermostable L-arabinose (D-galactose)

isomerase from the hyperthermophilic eubacterium *Thermotoga maritima*, *Appl Environ Microbiol*, 70, 1397 (2004).

**Lee, S. G., Lee, D.C., Hong, S.P., Sung, M.H. and Kim., H.S.**, Thermostable D-hydantoinase from thermophilic *Bacillus stearothermophilus* DS-1: characteristics of purified enzyme, *Appl. Microbiol. Biotechnol*, 43, 270 (1995).

**Lehmacher, A., and Bisswanger, H.**, Comparative kinetics of D-xylose and D-glucose isomerase activities of the D-xylose isomerase from *Thermus aquaticus* HB8, *Biol Chem Hoppe Seyler*, 371, 527 (1990).

**Liebl, W., Wangner, B. and Schellhase, J.**, Properties of an  $\alpha$ -galactosidase, and structure of its gene gal4, within an  $\alpha$  and  $\beta$ -galactoside utilization gene cluster of the hyperthermophilic bacterium *Thermotoga maritima*, *Syst. Appl. Microbiol*, 21, 1 (1998).

**Liebl, W., Ruile, P., Bronnenmeier, K., Riedel, K., Lottspeich, F., and Greif, I.**, Analysis of a *Thermotoga maritima* DNA fragment encoding two similar thermostable cellulases, CelA and CelB, and characterization of the recombinant enzymes, *Microbiology*, 142 (Pt 9), 2533 (1996).

**Lin, C. S.**, An experimental method to determine the substrate protection of enzyme against deactivation in a reversible reaction, *Biochem J*, 236, 591 (1986).

**Maes, D., Zeelen, J. P., Thanki, N., Beaucamp, N., Alvarez, M., Thi, M. H. D., Backmann, J., Martial, J. A., Wyns, L., Jaenicke, R., and Wierenga, R. K.**, The crystal structure of triosephosphate isomerase (TIM) from *Thermotoga maritima*: A comparative thermostability structural analysis of ten different TIM structures, *Proteins*, 37, 441 (1999).

**Maleszka, R., Wang, P. Y., and Schneider, H.**, A Col E1 hybrid plasmid containing *Escherichia coli* genes complementing d-xylose negative mutants of *Escherichia coli* and *Salmonella typhimurium*, *Can J Biochem*, 60, 144 (1982).

**Marg, G. A., and Clark D.S.**, Activation of glucose isomerase by divalent cations: evidence for two distinct metal-binding sites, *Enzyme Microb. Technol.*, 12, 367 (1990).

- Matthews, B. W.**, Genetic and structural analysis of the protein stability problem, *Biochemistry*, 26, 6885 (1987).
- Matthews, B. W.**, Structural and genetic analysis of protein stability, *Annu. Rev. Biochem.*, 62, 139 (1993).
- Matthews, B. W., Nicholson, H., and Becktel, W. J.**, Enhanced protein thermostability from site-directed mutations that decrease the entropy of unfolding, *Proc Natl Acad Sci U S A*, 84, 6663 (1987).
- Md. Nazmul Ahsan, and Shugo Watabe**, Kinetic and structural properties of two isoforms of trypsin isolated from the viscera of Japanese anchovy *Engraulis japonicus.*, *J. Protein Chem*, 20, 49 ((2001).).
- Meaden, P. G., Aduse-Opoku, J., Reizer, J., Reizer, A., Lanceman, Y. A., Martin, M. F., and Mitchell, W. J.**, The xylose isomerase-encoding gene (xylA) of *Clostridium thermosaccharolyticum*: cloning, sequencing and phylogeny of XylA enzymes, *Gene*, 141, 97 (1994).
- Menendez-Arias, L., and Argos, P.**, Engineering protein thermal stability: sequence statistics point to residue substitutions in alpha-helices, *J. Mol. Bio.*, 206 (1989).
- Meng, M., Bagdasarian, M., and Zeikus, J. G.**, The role of active-site aromatic and polar residues in catalysis and substrate discrimination by xylose isomerase, *Proc Natl Acad Sci U S A*, 90, 8459 (1993).
- Merkler, D. J., Srikumar, K., Marchese Ragona, S. P., and wedler, F. C.**, Aggregation and thermo-inactivation of glutamine synthetase from an extreme thermophile, *Bacillus caldolyticus*, *Biochim. Biophys. Acta*, 952, 101 (1988).
- Miller SK**, Genetic first upsets food lobby., *New Sci*, 142, 6 (1994).
- Mitsuhashi, S., and Lampen, J. O.**, Conversion of D-xylose to D-xylulose in extracts of *Lactobacillus pentosus*, *J Biol Chem*, 204, 1011 (1953).
- Mittler, R., and Zilinskas, A.**, Molecular cloning and characterization of a gene encoding pea cytosolic ascorbate peroxidase, *J. Biol. Chem.*, 267, 21 802 (1992).

**Mrabet, N. T.**, One-step purification of *Actinoplanes missouriensis* D-xylose isomerase by high-performance immobilized copper-affinity chromatography: functional analysis of surface histidine residues by site-directed mutagenesis, *Biochemistry*, 31, 2690 (1992).

**Nabi, B., and Srikumar, K.**, Studies on the effect of metal ions, protein denaturants and temperature on alpha amylase activity in *Opuntia vulgaris*, *J. Phytological Res.*, 16, 215 (2003).

**Nap J-P, Bijvoet J, and Stiekema WJ**, Biosafety of kanamycin-resistant transgenic plants., *Transgenic Res.* 1, 239 (1992).

**Nicholas Walsh, J.**, *Handbook of inductively coupled plasma spectrometry*, Chapman and Hall, New York, USA. (1989).

**Nobel, P. S.**, A nutrient index quantifying productivity of agaves and cacti, *J. Appl. Ecol.*, 26, 635 (1989a).

**Pawar, H. S., Kannan, K., Srinivasan, M. C., and Vartak, H. G.**, Purification and characterisation of glucose (xylose) isomerase from *Chainia* sp. (NCL 82-5-1), *Biochem Biophys Res Commun*, 155, 411 (1988).

**Pedersen, S.**, Industrial aspects of immobilized glucose isomerase, *Bioprocess Technol.* 16, 185 (1993).

**Prabhu, K. A.**, Xylanases from a thermophilic fungus *Melanocarpus* dbomyces: Their isolation, properties and action on cell walls., Vol. Ph. D., The Indian Institute of Science, Bangalore, India (1989).

**Proctor, R. C., and Meyer., C.**, *The flowering Cactus*, Mc Graw-Hill Book Co., Inc., New York (1954).

**Pubols, M. H., Zahnley, J. C., and Axelrod, B.**, Partial Purification & Properties of Xylose & Ribose Isomerase in Higher Plants, *Plant Physiol*, 38, 457 (1963).

**Quax, W. J., Mrabet, N. T., Luiten, R. G., Schuurhuizen, P. W., Stanssens, P., and Lasters, I.**, Enhancing the thermostability of glucose isomerase by protein engineering, *Biotechnology (N Y)*, 9, 738 (1991).

- Rangarajan, M., Asboth, B., and Hartley, B. S.**, Stability of Arthrobacter D-xylose isomerase to denaturants and heat, *Biochem J*, 285 (Pt 3), 889 (1992).
- Rangarajan, M., and Hartley, B. S.**, Mechanism of D-fructose isomerization by Arthrobacter D-xylose isomerase, *Biochem J*, 283 (Pt 1), 223 (1992).
- Razzaque, A., and Ueda, S.**, *J. Ferment. Technol*, 56, 296 (1978).
- Rey, F., Jenkins, J., Janin, J., Lasters, I., Alard, P., Claessens, M., Matthysens, G., and Wodak, S.**, Structural analysis of the 2.8 Å model of Xylose isomerase from *Actinoplanes missouriensis*, *Proteins*, 4, 165 (1988).
- Riha, J., and Subik, R.**, *The Illustrated Encyclopedia of Cacti and Other Succulents*, Octopus Books Ltd, London (1981).
- Rose, I. A.**, Chemistry of proton abstraction by glycolytic enzymes (aldolase, isomerases and pyruvate kinase), *Philos Trans R Soc Lond B Biol Sci*, 293, 131 (1981).
- Rose, I. A., O'Connell, E. L., and Mortlock, R. P.**, Stereochemical evidence for a cis-enediol intermediate in Mn-dependent aldose isomerases, *Biochim Biophys Acta*, 178, 376 (1969).
- Russell, C. E., and Felker, P.**, The Prickly pear (*Opuntia sp.*, *Cactaceae*): a source of human and animal food in semi-arid regions, *Econ. Bot.*, 41, 433 (1987a).
- Ruttersmith, L. D., and Daniel, R.M.**, Thermostable  $\beta$ -glucosidase and  $\beta$ -xylosidase from *Thermotoga sp.* strain FjSS3-B.1, *Biochim. Biophys. Acta.*, 1156, 167 (1993).
- Rygas, T., Scheler, A., Allmansberger, R., and Hillen, W.**, Molecular cloning, structure, promoters and regulatory elements for transcription of the *Bacillus megaterium* encoded regulon for xylose utilization, *Arch Microbiol*, 155, 535 (1991).
- Saha, B., and Zeikus, J.G.**, Characterization of thermostable  $\alpha$ -glucosidase from *Clostridium thermohydrosulfuricum* 39E, *Appl. Microbiol. Biotechnol.*, 35, 568 (1991).
- Sambrook, J., Fritsch, E. F., and Maniatis, T.**, *Molecular Cloning: a Laboratory Manual*, 2nd edn., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New



York. (1989).

**Sanchez, S., and Smiley, K. L.**, Properties of D-xylose isomerase from *Streptomyces albus*, *Appl Microbiol*, 29, 745 (1975).

**Sandberg, W. S., and Terwillige, T. C.**, Influence of interior packing and hydrophobicity on the stability of a protein, *Science*, 245, 54 (1989).

**Saul, D. S., Williams, L.C., Reeves, R.A., Gibbs, M.D. and Bergquist, P.I.**, Sequence and expression of a xylanase gene from the hyperthermophile *Thermotoga spp.* strain FjSS3-B.1 and characterization of the recombinant enzyme and its activity on kraft pulp, *Appl. Environ. Microbiol.*, 61, 4110 (1995).

**Scheler, A., Rygus, T., Allmansberger, R., and Hillen, W.**, Molecular cloning, structure, promoters and regulatory elements for transcription of the *Bacillus licheniformis* encoded regulon for xylose utilization, *Arch Microbiol*, 155, 526 (1991).

**Schellenberg, G. D., Sarthy, A., Larson, A. E., Backer, M. P., Crabb, J. W., Lidstrom, M., Hall, B. D., and Furlong, C. E.**, Xylose isomerase from *Escherichia coli*. Characterization of the protein and the structural gene, *J Biol Chem*, 259, 6826 (1984).

**Schink, B., and Zeikus, J.G.**, Characterization of pectinolytic enzymes of *Clostridium thermosulfurogens*, *FEMS Microbiol. Lett.*, 17, 295 (1983).

**Schray, K. J., and Mildvan, A. S.**, Kinetic and magnetic resonance studies of the mechanism of D-xylose isomerase. I. Binary and ternary complexes with manganese(II), substrates, and inhibitors, *J Biol Chem*, 247, 2034 (1972).

**Schray, K. J., and Rose, I. A.**, Anomeric specificity and mechanism of two pentose isomerases, *Biochemistry*, 10, 1058 (1971).

**Schultz, J., and Floyd, T.**, Desert Survivor: North America's Creosote Bush, *Natural History*, 108, 24 (1979).

**Schumann, J., Wrba, A., Jaenicke, R. and Stetter, K.O.**, Topographical and enzymatic characterization of amylases from the extremely thermophilic eubacterium *Thermotoga maritime.*, *FEBS Lett.*, 282, 122 (1991).

- Schwantes, D. G.**, *Flowering Stones and Mid-day Flowers*, Ernest Benn Ltd, London (1957).
- Shamanna, D. K., and Sanderson, K. E.**, Genetics and regulation of D-xylose utilization in *Salmonella typhimurium* LT2, *J Bacteriol.* 139, 71 (1979).
- Shamanna, D. K., and Sanderson, K. E.**, Uptake and catabolism of D-xylose in *Salmonella typhimurium* LT2, *J Bacteriol.* 139, 64 (1979).
- Simpson RJ, Walker RP, and Pollock CJ**, Fructan exohydrolase activity in leaves of *Lolium temulentum*, *New Phytol.* 119, 499 (1991).
- Smart, O. S., Akins, J., and Blow, D. M.**, Molecular mechanics simulations of a conformational rearrangement of D-xylose in the active site of D-xylose isomerase, *Proteins*, 13, 100 (1992).
- Specka, U., Mayer, F and Antranikian, G.**, Purification and properties of a thermoactive glucoamylase from *Clostridium thermosaccharolyticum*, *Appl. Environ. Microbiol.*, 57, 2317 (1991).
- Srinivasan, M. C., H. G. Vartak, V. K. Powar, J. M. Khire**, High activity extracellular glucose/(xylose) isomerase from a *Chainia* species, *Biotechnol. Lett.* 5, 611 (1983).
- Stetter, K. O.**, Hyperthermophilic prokaryotes, *FEMS Microbiol Rev.* 18, 149 (1996).
- Stetter, K. O.**, *Hyperthermophilic: isolation, classification and properties.* In *Extremophiles – Microbial Life in Extreme Environments*, Wiley-Liss, New York (1998).
- Sudfeldt, C., Schaffer, A., Kagi, J. H., Bogumil, R., Schulz, H. P., Wulff, S., and Witzel, H.**, Spectroscopic studies on the metal-ion-binding sites of Co<sup>2+</sup>(+)-substituted D-xylose isomerase from *Streptomyces rubiginosus*, *Eur J Biochem.* 193, 863 (1990).
- Suekane, M., Tamura, M., and Tomimura, C.**, Physico-chemical and enzymatic properties of purified glucose isomerases from *streptomyces olivochromogenes* and *Bacillus stearothermophilus*, *Agric. Biol. Chem.*, 42, 909 (1978).

- Takahashi, T., Tsuchida, Y., and Irie, M.**, Purification and some properties of three forms of glucoamylase from a *Rhizopus* species, *J Biochem (Tokyo)*, *84*, 1183 (1978).
- Takasaki, Y.**, Studies on sugar isomerizing enzymes. Effect of borate on glucose-fructose isomerization catalyzed by glucose isomerase., *Biol. Chem.*, *35*, 1371 (1971).
- Takasaki, Y., Kosugi, Y., and Kanbayashi, A.**, Studies on sugar-isomerizing enzyme: purification, crystallization, and some properties of glucose isomerase from *Streptomyces spp.*, *Agr Biol Chem*, *33*, 1527 (1969).
- Tanner, J. J., Hecht, R. M., and Krause, K. L.**, Determinants of enzyme thermostability observed in the molecular structure of *Thermus aquaticus* D Glyceraldehyde-3-phosphate dehydrogenase at 2.5 Å resolution., *Biochemistry*, *35*, 2597 (1996.).
- Taylor P M, Napier E J, and Fleming I D.** Some properties of a glucoamylase produced by the thermophilic fungus *Humicola lanuginosa*, *Carbohydr. Res.*, *61*, 301 (1978).
- Tel-Zur, N., Abbo, S., Myslanbodski, D., and Mizarhi, Y.**, Modified CTAB procedure for DNA isolation from epiphytic Cacti of the Genera *Hylocereus* and *Selenicereus* (Cactaceae), *Plant Molecular biology Reporter*, *17*, 249 (1999).
- Tewari, Y. B., and Goldberg, R. N.**, An investigation of the equilibria between aqueous ribose, ribulose, and arabinose, *Biophys Chem*, *22*, 197 (1985).
- Tewari, Y. B., Steckler, D. K., and Goldberg, R. N.**, Thermodynamics of the conversion of aqueous xylose to xylulose, *Biophys Chem*, *22*, 181 (1985).
- Thompson, J. D., Higgins, D. G., and Gibson, T. J.**, CLUSTALW: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position specific gap penalties and weight matrix choice., *Nucleic Acids Res.*, *22*, 4673 (1994).
- Tomazic, S. J., and Klibanov, A. M.**, Why is one *Bacillus* alpha-amylase more resistant against irreversible thermo inactivation than another? *J. Biol. Chem.*, *263*, 3092 (1988).

**Towbin, H., Staehelin, T., and Gordon, J.**, Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications, *Proc Natl Acad Sci U S A*, 76, 4350 (1979).

**Tsujibo, H., Minoura, K., Miyamoto, K., Endo, H., Moriwaki, M. and Inamori, Y.**, Purification and properties of a thermostable chitinase from *Streptomyces thermoviolaceus* OPC- 520, *Appl. Environ. Microbiol.*, 59, 620 (1993).

**Turner, S. L., Ford, G.C., Mountain, A. and Moir, A.**, Selection of a thermostable variant of chloramphenicol acetyltransferase (Cat-86), *Protein Eng.*, 5, 535 (1992).

**van Bastelaere, P., Vangrysterre, W., and Kersters-Hilderson, H.**, Kinetic studies of  $Mg^{2+}$ ,  $Co^{2+}$  and  $Mn^{2+}$  activated D-xylose isomerases, *Biochem J*, 278 (Pt 1), 285 (1991).

**Van Bastelaere, P. B., Callens, M., Vangrysterre, W. A., and Kersters-Hilderson, H. L.**, Binding characteristics of  $Mn^{2+}$ ,  $Co^{2+}$  and  $Mg^{2+}$  ions with several D-xylose isomerases, *Biochem J*, 286 (Pt 3), 729 (1992).

**van Tilbeurgh, H., Jenkins, J., Chiadmi, M., Janin, J., Wodak, S. J., Mrabet, N. T., and Lambeir, A. M.**, Protein engineering of xylose (glucose) isomerase from *Actinoplanes missouriensis*. 3. Changing metal specificity and the pH profile by site-directed mutagenesis, *Biochemistry*, 31, 5467 (1992).

**Vangrysterre, W., Van Damme, J., Vandekerckhove, J., De Bruyne, C. K., Cornelis, R., and Kersters-Hilderson, H.**, Localization of the essential histidine and carboxylate group in D-xylose isomerases, *Biochem J*, 265, 699 (1990).

**Vartak, H. G., M. C. Srinivasan, V. K. Powar, M. V. Rele, J. M. Khire,** Characterisation of extracellular substrate specific glucose and xylose isomerases of *Chainia*, *Biotechnol. Lett.*, 6, 493 (1984).

**Vetriani, C., Maeder, D.L., Tolliday, N., Yip, K.S.P., Stillman, T.J., Britton, K.L., Rice, D.W., Klump, H.H. and Robb, T.T.**, Protein thermostability above 100°C: A key role for ionic interactions, *Proc. Natl Acad. Sci. USA*, 95, 12300 (1998).

**Vieille, C., and Zeikus, G. J.**, Hyperthermophilic enzymes: sources, uses, and

molecular mechanisms for thermostability, *Microbiol Mol Biol Rev*, 65, 1 (2001).

**Vogt, G., and Argos, P.**, Protein thermal stability: hydrogen bonds or internal packing? *Fold Des*, 2, S40 (1997).

**Volkin, D. B., and Klibanov., A. M.**, Mechanism of thermoinactivation of immobilized glucose isomerase, *Biotechnol. Bioeng.*, 33, 1104 (1989).

**Vongsuvanlert, V., and Tani, Y.**, Purification and characterization of xylose isomerase of a methanol yeast, *Candida boidinii*, which is involved in sorbitol production from glucose, *Agric. Biol. Chem*, 52, 1817 (1988).

**Wang, P. Y., B. F. Johnson, and Schneider, H.**, Fermentation of Dxylose by yeasts using glucose isomerase in the medium to convert D-xylose to D-xylulose, *Biotechnol. Lett*, 2, 273 (1980).

**Wang, P. Y., C. Shopsis, and Schneider H.**, Fermentation of a pentose by yeasts, *Biochem. Biophys. Res. Commun*, 94, 248–254 (1980).

**Watanabe, K., and Suzuki, Y.**, Protein thermostabilization by proline substitutions, *J. Mol. Catal.*, 4, 167 (1998).

**Weber, P.**, Fructose by isomerisation of glucose, 496 (1976).

**Whitaker, R. D., Cho, Y., Cha, J., Carrell, H. L., Glusker, J. P., Karplus, P. A., and Batt, C. A.**, Probing the roles of active site residues in D-xylose isomerase, *J Biol Chem*, 270, 22895 (1995).

**Whitlow, M., Howard, A. J., Finzel, B. C., Poulos, T. L., Winborne, E., and Gilliland, G. L.**, A metal-mediated hydride shift mechanism for xylose isomerase based on the 1.6 Å *Streptomyces rubiginosus* structures with xylitol and D-xylose, *Proteins*, 9, 153 (1991).

**Wong, H. C., Y. Ting, H. C. Lin, F. Reichert, K. Myambo, K. W. K. Watt, P. L. Toy, R. J. Drummond**, Genetic organization and regulation of the xylose degradation genes in *Streptomyces rubiginosus*, *J. Bacteriol*, 173, 6849 (1991).

**Yamanaka, K.**, Purification, crystallization and properties of the D-xylose isomerase

from *Lactobacillus brevis.*, *Biochim. Biophys. Acta*, 151, 670 (1968).

**Yamanaka, K., and Takahara, N.**, Purification and properties of D-xylose isomerase from *Lactobacillus xylosus*, *Agric. Biol. Chem.*, 41, 1909 (1977).

**Yamasaki, Y., Suzuki, Y., and Ozawa, J.**, *Agric. Biol. Chem.*, 41, 755 (1977a).

**Yamasaki, Y., Suzuki, Y., and Ozawa, J.**, *Agric. Biol. Chem.*, 41, 2149 (1977c).

**Yamasaki, Y., Tsuboi, A., and Suzuki, Y.**, *Agric. Biol. Chem.*, 41, 2139 (1977b).

**Young, J. M., Schray, K. J., and Mildvan, A. S.**, Proton magnetic relaxation studies of the interaction of D-xylose and xylitol with D-xylose isomerase. Characterization of metal-enzyme-substrate interactions, *J Biol Chem*, 250, 9021 (1975).

**Zhu, G. P., Xu, C., Teng, M. K., Tao, L. M., Zhu, X. Y., Wu, C. J., Hang, J., Niu, L. W., and Wang, Y. Z.**, Increasing the thermostability of D-xylose isomerase by introduction of a proline into the turn of a random coil, *Protein Eng.* 12, 635 (1999).

**Zoltowska, K.**, Purification and characterization of alpha-amylases from the intestine and muscle of ascaris suum (Nematoda), *Acta Biochim Pol*, 48, 763 (2001).