

LIST OF FIGURES

	Page No.
Fig. 1 Effect of temperature on the xylose isomerase activity in <i>Cereus pterogonus</i> .	i
Fig. 2 Effect of temperature on the xylose isomerase activity in <i>Opuntia vulgaris</i> .	i
Fig. 3 Effect of temperature on the xylose isomerase activity in <i>Ixora</i> .	ii
Fig. 4 Effect of pH on the xylose isomerase activity in <i>Cereus pterogonus</i> .	iii
Fig. 5 Effect of pH on the xylose isomerase activity in <i>Opuntia vulgaris</i> .	iii
Fig. 6 Effect of MnCl ₂ on <i>Cereus pterogonus</i> xylose isomerase activity at different temperatures.	iv
Fig. 7 Effect of CoCl ₂ on <i>Cereus pterogonus</i> xylose isomerase activity at different temperatures.	iv
Fig. 8 Effect of MgCl ₂ on <i>Cereus pterogonus</i> xylose isomerase activity at different temperatures.	v
Fig. 9 Effect of CaCl ₂ on <i>Cereus pterogonus</i> xylose isomerase activity at different temperatures.	v
Fig. 10 Effect of MnCl ₂ on <i>Opuntia vulgaris</i> xylose isomerase activity at different temperatures.	vi
Fig. 11 Effect of CoCl ₂ on <i>Opuntia vulgaris</i> xylose isomerase activity at different temperatures.	vi
Fig. 12 Effect of MgCl ₂ on <i>Opuntia vulgaris</i> xylose isomerase activity at different temperatures.	vii
Fig. 13 Effect of CaCl ₂ on <i>Opuntia vulgaris</i> xylose isomerase activity at different temperatures.	vii
Fig. 14 Dowex-1 ion exchange column chromatography of 80% ammonium sulphate precipitates resuspension of <i>Cereus pterogonus</i> xylose isomerase activity containing protein sample.	viii
Fig. 15 Sephadex G-100 gel permeation column chromatography of <i>Cereus pterogonus</i> xylose isomerase T ₆₀ isoform.	ix
Fig. 16 Sephadex G-100 gel permeation column chromatography of <i>Cereus pterogonus</i> xylose isomerase T ₈₀ isoform.	ix

Fig. 17	Dowex- 1 ion exchange column chromatography of 80% ammonium sulphate precipitates resuspension of <i>Opuntia vulgaris</i> xylose isomerase enzyme activity containing protein sample.	x
Fig. 18	Sephadex G-100 gel permeation column chromatography of <i>Opuntia vulgaris</i> xylose isomerase T ₇₀ isoform.	xi
Fig. 19	Sephadex G-100 gel permeation column chromatography of <i>Opuntia vulgaris</i> xylose isomerase T ₉₀ isoform.	xi
Fig. 20	Plot of log mol wt vs V_e/V_0 of <i>Cereus pterogonus</i> xylose isomerase isoforms following gel permeation chromatography.	xii
Fig. 21	Plot of log mol wt vs V_e/V_0 of <i>Opuntia vulgaris</i> xylose isomerase isoforms following gel permeation chromatography.	xii
Fig. 22	Effect of temperature on the activity of purified <i>Cereus pterogonus</i> xylose isomerase isoforms.	xiii
Fig. 23	Effect of temperature on the activity of purified <i>Opuntia vulgaris</i> xylose isomerase isoforms.	xiii
Fig. 24	Effect of pH activity and stability on <i>Cereus pterogonus</i> T ₈₀ xylose isomerase isoforms.	xiv
Fig. 25	Effect of pH activity and stability on <i>Opuntia vulgaris</i> T ₉₀ xylose isomerase isoforms.	xiv
Fig. 26	Lineweaver-Burk double reciprocal plot of <i>Cereus pterogonus</i> xylose isomerase isoform activity using xylose as substrate.	xv
Fig. 27	Lineweaver-Burk double reciprocal plot of <i>Cereus pterogonus</i> xylose isomerase isoform activity using glucose as substrate.	xv
Fig. 28	Lineweaver-Burk double reciprocal plot of <i>Opuntia vulgaris</i> xylose isomerase isoform activity using xylose as substrate.	xvi
Fig. 29	Lineweaver-Burk double reciprocal plot of <i>Opuntia vulgaris</i> xylose isomerase isoform activity using glucose as substrate.	xvi
Fig. 30	Denaturation kinetics of control <i>Cereus pterogonus</i> xylose isomerase T ₈₀ isoform at different temperatures as a function of time.	xvii
Fig. 31	Denaturation kinetics of Mn ²⁺ treated <i>Cereus pterogonus</i> xylose isomerase T ₈₀ isoform at different temperatures as a function of time.	xvii

Fig. 32	Denaturation kinetics of Co^{2+} treated <i>Cereus pterogonus</i> xylose isomerase T_{80} isoform at different temperatures as a function of time.	xviii
Fig. 33	Denaturation kinetics of Mg^{2+} treated <i>Cereus pterogonus</i> xylose isomerase T_{80} isoform at different temperatures as a function of time.	xviii
Fig. 34	Denaturation kinetics of control <i>Opuntia vulgaris</i> xylose isomerase T_{70} isoform at different temperatures as a function of time.	xix
Fig. 35	Denaturation kinetics of Mn^{2+} treated <i>Opuntia vulgaris</i> xylose isomerase T_{70} isoform at different temperatures as a function of time.	xix
Fig. 36	Denaturation kinetics of Co^{2+} treated <i>Opuntia vulgaris</i> xylose isomerase T_{70} isoform at different temperatures as a function of time.	xx
Fig. 37	Denaturation kinetics of Mg^{2+} treated <i>Opuntia vulgaris</i> xylose isomerase T_{70} isoform at different temperatures as a function of time.	xx
Fig. 38	Denaturation kinetics of control <i>Opuntia vulgaris</i> xylose isomerase T_{90} isoform at different temperatures as a function of time.	xxi
Fig. 39	Denaturation kinetics of Mn^{2+} treated <i>Opuntia vulgaris</i> xylose isomerase T_{90} isoform at different temperatures as a function of time.	xxi
Fig. 40	Denaturation kinetics of Co^{2+} treated <i>Opuntia vulgaris</i> xylose isomerase T_{90} isoform at different temperatures as a function of time.	xxii
Fig. 41	Denaturation kinetics of Mg^{2+} treated <i>Opuntia vulgaris</i> xylose isomerase T_{90} isoform at different temperatures as a function of time.	xxii
Fig. 42	Denaturation kinetics of CPXI and OVXI thermophilic isoforms observed at 100°C .	xxiii
Fig. 43	Arrhenius Plot of denaturation of <i>Cereus pterogonus</i> T_{80} isoform	xxiv
Fig. 44	Arrhenius Plot of denaturation of <i>Opuntia vulgaris</i> T_{70} isoform	xxiv
Fig. 45	Arrhenius Plot of denaturation of <i>Opuntia vulgaris</i> T_{90} isoform	xxv
Fig. 46	Differential Scanning Calorimetry of <i>Cereus pterogonus</i> xylose isomerase (T_{80} isoform)	xxvi

- Fig. 47** Differential Scanning Calorimetry of *Cereus pterogonus* xylose isomerase (T₈₀ isoform) in presence of MnCl₂ (5mM) and CoCl₂ (1mM). **xxvi**
- Fig. 48** Differential Scanning Calorimetry of *Opuntia vulgaris* Xylose isomerase (T₉₀ isoform) **xxvii**
- Fig. 49** Differential Scanning Calorimetry of *Opuntia vulgaris* Xylose isomerase (T₉₀ isoform) in presence of MnCl₂ (5mM) and CoCl₂ (1mM). **xxvii**
- Fig. 50** Fluorescent spectroscopic analysis of *Cereus pterogonus* T₈₀ xylose isomerase isoform. **xxviii**
- Fig. 51** Fluorescent spectroscopic analysis of *Opuntia vulgaris* T₉₀ xylose isomerase isoform. **xxviii**
- Fig. 52** EPR Spectrum for detection of Mn²⁺ in *Cereus pterogonus* and *Opuntia vulgaris* xylose isomerase at room temperature. **xxvix**
- Fig. 53** EPR Spectrum of Mn²⁺ and Co²⁺ in purified *Cereus pterogonus* xylose isomerase detected under liquid nitrogen temperature. **xxx**
- Fig. 54** EPR Spectrum of Mn²⁺ and Co²⁺ in purified *Opuntia vulgaris* xylose isomerase detected under liquid nitrogen temperature. **xxxi**
- Fig. 55** Inhibition assay for *Cereus pterogonus* and *Opuntia vulgaris* xylose isomerase isoforms using polyclonal anti xylose isomerase rabbit antibody serum **xxxii**
- Fig. 56** Homology alignment of the *XylA* sequences of 11 species. The *XylA* protein sequences, deduced from the nucleotide sequences obtained from the EMBL database were analyzed with the CLUSTALW program (1.83) for Multiple Sequence Alignment. **xxxiii**