

LIST OF FIGURES

- Figure 3.1. Dominant families of ethnomedicinal plants in the NBR
Figure 3.2. Use of ethnomedicinal plant species by growth forms (n=188)
Figure 3.3. Use of ethnomedicinal plant species by parts (n=188)
Figure 3.4. Number of ethnomedicinal plant species by important use category in the NBR
Figure 4.1. Size class distribution of trees in the moist deciduous forests of Wayanad WLS
Figure 4.2. Size class distribution of NTFP trees in the moist deciduous forests of Wayanad WLS
Figure 4.3. Size class distribution of trees in the dry deciduous forests
Figure 4.4. Size class distribution of major NTFP tree species in the dry deciduous forests
Figure 4.5. Mean basal area (m²/ha) of trees \pm SE in the dry deciduous forests
Figure 4.6. Size class distribution of trees (≥ 20 cm GBH) in the riverine forests
Figure 4.7. Mean basal area of trees (≥ 20 cm GBH) \pm SE in the riverine forests
Figure 4.8. Size class distribution of trees (≥ 20 cm GBH) in the teak plantations of Mudumalai WLS
Figure 5.1. Growth forms of commercially exploited medicinal plants in the NBR (n=85 species)
Figure 5.2. Commercially exploited medicinal plant parts in the NBR (n=85 species)
Figure 5.3. Size class distribution of trees in the least-harvested and harvested habitats
Figure 5.4. Size class distribution of NTFP species in the least-harvested and harvested habitats
Figure 5.5. The mean density of trees \pm SE in the least-harvested and harvested habitats
Figure 5.6. Basal area of trees (≥ 20 cm GBH) \pm SE in the least-harvested and harvested habitats
Figure 5.7. Density of shrubs \pm SE in the least-harvested and harvested habitats
Figure 5.8. Density of herbs \pm SE in the least-harvested and harvested habitats
Figure 5.9. Density of medicinal plant seedlings and saplings \pm SE in the least-harvested and harvested habitats.
Figure 5.10. a & b. Percentage of adults and seedlings of commercially exploited trees in various habitats
Figure 6.1. Size class distribution of trees (GBH ≥ 20 cm) in the less and severely burnt area
Figure 6.2. GBH class distribution of some medicinal tree species in the fire affected area
Figure 6.3. Mean basal area of trees \pm SE in the less and severely burnt areas
Figure 6.4. Density/ha of seedlings and saplings of some medicinal tree species in the less and severely burnt area.

LIST OF PLATES

- Plate 1 Views of different vegetation types of NBR
a) Moist deciduous b) Dry deciduous c) Riverine
Plate 2 a) Tribal settlement in the Wayanad Wildlife Sanctuary
b) Kattunaicken collecting *Curcuma aromatica* tuber
Plate 3 a) *Tamilnadia uliginosa* - an ethnomedicinal plant
b) *Capparis grandiflora* - a peninsular endemic medicinal plant.
Plate 4 a) *Hemionitis arifolia* - a medicinal plant used to treat children's diseases
b) *Vanilla walkeriae* - an ethnoveterinary plant
Plate 5 a) *Lagerstroemia microcarpa* - a peninsular endemic tree species in the moist deciduous forest.
b) *Cassia fistula* - a commercially exploited tree species in NBR
Plate 6 a) *Phyllanthus emblica* - a commercially exploited tree species in NBR
b) *Hemidesmus indicus* - a commercially exploited climbing herb in NBR
Plate 7 a) Market survey in Poondi, Boluvampatty Reserve forest
b) *Impatiens parasitica* - a peninsular endemic epiphyte available in the market
Plate 8 a) Seeds of *Terminalia bellirica* - commercially exploited from NBR
b) *Terminalia chebula* - fruits exploited commercially