

REFERENCES

1. Agelidis, V. G., Balouktsis, A., Balouktsis, I. and Cossar, C. "Multiple sets of solutions for harmonic elimination PWM bipolar waveforms: Analysis and experimental verification", *IEEE Trans. Power Electronics*, Vol. 21, No. 2, pp. 415-421, 2006.
2. Agelidis, V. G., Balouktsis, A. I. and Dahidah, M. S. A. "A five-level symmetrically defined selective harmonic elimination PWM strategy: Analysis and experimental validation", *IEEE Trans. Power Electron.*, Vol. 23, No. 1, pp. 19-26, 2008.
3. Alepuz, S., Busquets-Monge, S., Bordonau, J., Gago, J., Gonzalez, D. and Balcells, J. "Interfacing renewable energy sources to the utility grid using a three-level inverter", *IEEE Trans. Ind. Electron.*, Vol. 53, No. 5, pp. 1504-1511, 2006.
4. Aneesh, M. A. S., Gopinath, A. and Baiju, M. R. "A simple space vector PWM generation scheme for any general n-level inverter", *IEEE Trans. Ind. Electron.*, Vol. 56, No. 5, pp. 1649-1656, 2009.
5. Barrena, J. A., Marroyo, L., Rodriguez, M. A., Alonso, O. and Torrealday, J. R. "DC Voltage Balancing for PWM Cascaded H-Bridge Converter Based STATCOM", in *Proc. IEEE IECON*, pp. 1840-1845, 2006.
6. Barrena, J. A., Marroyo, L., Vidal, M. A. R. and Apraiz, J. R. T. "Individual Voltage Balancing Strategy for PWM Cascaded H-Bridge Converter-Based STATCOM", *IEEE Trans. Ind. Electron.*, Vol. 55, No.1, pp. 21-29, 2008.
7. Bruckner, T., Bernet, S. and Guldner, H. "The active NPC converter and its loss-balancing control", *IEEE Trans. Ind. Electron.*, Vol. 52, No. 3, pp. 855-868, 2005.
8. Busquets-Monge, S., Alepuz, S., Bordonau, J. and Peracaula, J. "Voltage balancing control of diode-clamped multilevel converters with passive front-ends", *IEEE Trans. Power Electron.*, Vol. 23, No. 4, pp. 1751-1758, 2008.

9. Casadei, D., Serra, G., Tani, A. and Zarri, L. "Multi-phase inverter modulation Strategies based on duty cycle space vector approach", in Proc. SPRSC, pp. 222-229, 2005.
10. Celanovic, N. and Boroyevich, D. "A fast space-vector modulation algorithm for multilevel three-phase converters", IEEE Trans. Ind. Appl., Vol. 37, No. 2, pp. 637-641, 2001.
11. Cheng, Z. and Wu, B. "A novel switching sequence design for five-level NPC/H-bridge inverters with improved output voltage spectrum and minimized device switching frequency", IEEE Trans. Power Electron., Vol. 22, No. 6, pp. 2138-2145, 2007.
12. Chiasson, J. N., Tolbert, L. M., McKenzie, K. J. and Du, Z. "A unified approach to solving the harmonic elimination equations in multilevel converters", IEEE Trans. on Power Electron., Vol. 19, No. 2, pp. 478- 490, 2004.
13. Dahidah, M. S. A. and Agelidis, V. G. "Single carrier sinusoidal PWM equivalent selective harmonic elimination for a five level voltage source inverter", Electric power system research, Vol. 78, No.1, pp.1826-1836, 2008.
14. Dixon, J., Moran, L. E., Rodriguez, J. and Domke, R. "Reactive power compensation technologies: State-of-the-art review", in Proc. IEEE, Vol. 93, No. 12, pp. 2144-2164, 2005.
15. Du, Z., Tolbert, L. M. and Chiasson, J. N. "Active harmonic elimination for multilevel converters", IEEE Trans. Power Electron., Vol. 21, No. 2, pp. 459-469, 2006.
16. Du, Z., Tolbert, L. M., Chiasson, J. N. and Ozpineci, B. "Reduced switching-frequency active harmonic elimination for multilevel converters", IEEE Trans. Ind. Electron., Vol. 55, No. 4, pp. 1761-1770, 2008.
17. Fazel, S., Bernet, S., Krug, D., and Jalili, K. "Design and comparison of 4-kV neutral point- clamped, flying-capacitor, and series-connected H-bridge multilevel converters", IEEE Trans. Ind. Appl., Vol. 43, No. 4, pp. 1032-1040, 2007.
18. Franquelo, L. G., Rodriguez, J., Leon, J. I., Kouro, S., Portillo, R. and Prats, M. A. M. "The age of multilevel converters arrives", IEEE Ind. Electron. Mag., Vol. 2, No. 2, pp. 28-39, 2008.

19. Fujii, K., Doncker, R. W. and Konishi, S. "A novel DC-link voltage control of PWM-switched cascade cell multi-level inverter applied to STATCOM", in Proc. IEEE IAS, pp. 961-967, 2005.
20. Grandi, G., Serra, G. and Tani, A. "Space vector modulation of a seven phase voltage source inverter", in proc. ISPEDAM, 2006.
21. Gupta, A. K. and Khambadkone, A. M. "A general space vector PWM algorithm for multilevel inverters, including operation in over modulation range", IEEE Trans. Power Electron., Vol. 22, No. 2, pp. 517-526, 2007.
22. Holmes, D. G. and McGrath, B. P. "Opportunities for harmonic cancellation with carrier-based PWM for a two-Level and multilevel cascaded inverters", IEEE Trans. Ind. Applicat., Vol. 37, No.2, pp. 574-582, 2001.
23. Holmes, D. G. and Lipo, T. A. Pulse Width Modulation for Power Electronics-Principles and Practice, IEEE Press/Wiley-Interscience, New York, 2003.
24. Hua, C.C., Wu, C.W. and Chuang, C.W. "Control of low-distortion 27-level cascade inverter with three H-bridge inverter modules", in Proc. IEEE. ICIT, pp. 277-282, 2006.
25. Iqbal, A., Levi, E., Jones, M. and Vukosavic, S. N. "Generalized sinusoidal PWM with harmonic injection for multi-phase VSIs", in Proc. IEEE -PESC, pp. 2871-2877, 2006.
26. Iqbal, A. and Moinuddin, S. "Space vector model of a five-phase voltage source inverter," in Proc. IEEE-ICIT, pp. 488-493, 2006.
27. Kanchan, R. S., Gopakumar, K. and Kennel, R. "Synchronized carrier based SVPWM signal generation scheme for the entire modulation range extending up to six-step mode using the sampled amplitudes of reference phase voltages", IET Elect. Power Appl., Vol. 1, No. 3, pp. 407-415, 2007.
28. Kim, T.J., Kang, D.W., Lee, Y.H. and Hyun, D.S. "The analysis of conduction and switching losses in multilevel inverter system", in Proc. PESCA, pp. 1363-1368, 2001.
29. Kim, J. H., Sul, S. K. and Enjeti, P. N. "A carrier based PWM method with optimal switching sequence for a multilevel four-leg voltage source Inverter", IEEE Trans. Ind. Applic., Vol.44, No. 4, pp. 1239-1248, 2008.

30. Klug, R. D. and Klaassen, N. "High power medium voltage drives: Innovations, portfolio, trends", in Proc. Rec. EPE, 2005.
31. Kou, X., Corzine, K. A. and Wielebski, M. W. "Over distention operation of cascaded multilevel inverters", IEEE Trans. Ind. Appl., Vol. 42, No. 3, pp.817-824, 2006.
32. Kouro, S., Lezana, P., Angulo, M. and Rodriguez, J. "Multicarrier PWM with DC-link ripple feedforward compensation for multilevel inverters", IEEE Trans. Power Electron., Vol. 23, No. 1, pp. 52-59, 2008.
33. Krug, D., Bernet, S., Fazel, S. S., Jalili, K. and Malinowski, M. "Comparison of 2.3-kV medium-voltage multilevel converters for industrial medium-voltage drives", IEEE Trans. Ind. Electron., Vol. 54, No. 6, pp. 2979-2992, 2007.
34. Lezana, P., Rodriguez, J. and Oyarzun, D. A. "Cascaded multilevel inverter with regeneration capability and reduced number of switches", IEEE Trans. Ind. Electron., Vol. 55, No. 3, pp. 1059-1066, 2008.
35. Li, L., Czarkowski, D., Yaguang, L. and Pillay, P. "Multilevel selective harmonic elimination PWM technique in series-connected voltage inverters", IEEE Trans. Ind. Applicat., Vol. 36, No. 2, pp. 160-170, 2000.
36. Loh, P. C., Holmes, D. G., Fukuta, Y. and Lipo, T. A. "Reduced common-mode modulation strategies for cascaded multilevel inverters", IEEE Trans. Ind. Applicat., Vol. 39, No. 4, pp. 1386-1395, 2003.
37. Manjrekar, M. D. and Lipo, T. A. "A Generalized Structure of Multilevel Power Converter", in Proc. IEEE PEDES, pp. 62-67, 1998.
38. Manjrekar, M. D., Steimer, P. and Lipo, T.A. "Hybrid Multilevel Power Conversion System - A Competitive Solution for High Power Applications", IEEE Trans. on Ind. Appl., Vol. 36, No. 3, pp. 834-841, 2000.
39. Massoud, A. M., Finney, S. J. and Williams, B. W. "Mapped hybrid space vector modulation for multilevel cascaded type voltage source inverters", IET Power. Electron., Vol. 1, No.3, pp. 318-335, 2008.
40. McGrath, B. P. and Holmes, D. G. "A comparison of multicarrier PWM strategies for cascaded and neutral point clamped multilevel inverters", in Proc. IEEE PESC, pp. 674-679, 2000.

41. McGrath, B. P., Holmes, D. G. and Meynard, T. "Reduced PWM harmonic distortion for multilevel inverters operating over a wide modulation range", *IEEE Trans. Power Electron.*, Vol. 21, No. 4, pp. 941-949, 2006.
42. McGrath, B. P. and Holmes, D. G. "Multicarrier PWM strategies for multilevel inverters", *IEEE Trans. Ind. Electron.*, Vol. 49, No. 4, pp. 858-867, 2002.
43. McGrath, B. P., Holmes, D. G. and Lipo, T. "Optimized space vector switching sequence for multi-level inverters", *IEEE Trans. Power Electron.*, Vol. 18, No. 6, pp. 1293-1301, 2003.
44. Mehrizi-Sani, A., and Filizadeh, S., "An optimized space vector modulation sequence for improved harmonic performance", *IEEE Trans. Ind. Electron.*, Vol. 56, No. 8, pp. 2894-2903, 2009.
45. Meynard, T. A., Foch, H., Thomas, P., Courault, J., Jakob, R. and Nahrstaedt, M. "Multi cell converters: Basic concepts and industry applications", *IEEE Trans. Ind. Electron.*, Vol. 49, No. 5, pp. 955-964, 2002.
46. Naderi, R. and Rahmati, A. "Phase Shifted Carrier PWM technique for General Cascaded Inverters", *IEEE Trans. Power Electron.*, Vol. 23, No. 3, pp. 1257-1269, 2008.
47. Naik, R. L. and Udaya, K. R. Y. "A novel technique for control of cascaded multilevel inverter for photovoltaic power supplies", in *Proc. Eur. Conf. Power Electronics and Applications*, 2005.
48. Narayanan, G., Zhao, D., Krishnamoorthy, H. K., Ayyanar, R. and Ranganathan V.T. "Space Vector Based Hybrid PWM Techniques for reduced Current Ripple", *IEEE Trans. Ind. Electron.*, Vol. 55, No. 4, pp. 1614-1628, 2008.
49. Naumanen, V., Luukko, J., Itkonen, T., Pyrhonen, O. and Pyrhonen, J. "Modulation technique for series connected H-bridge multilevel converters with equal load sharing", *IET Power Electronics.*, Vol. 2, No. 3, pp. 275-286, 2009.
50. Ojo, O. and Dong, G. "Generalized discontinuous carrier-based PWM modulation scheme for multi-phase converter-machine systems", in *Proc. IEEE-IAS*, pp. 1374-1381, 2005.

51. Perez, M., Kouro, S., Rodriguez, J. and Wu, B. "Modified staircase modulation with low input current distortion for multicell converters", in Proc. IEEE-PESC, pp. 1989-1994, 2008.
52. Portillo, R. C., Prats, M. M., Leon, J. I., Sanchez, J. A., Carrasco, J. M., Galvan, E. and Franquelo, L. G. "Modeling strategy for back-to-back three-level converters applied to high-power wind turbines", IEEE Trans. Ind. Electron., Vol. 53, No. 5, pp. 1483-1491, 2006.
53. Rahiman, A., Kumar, U. and Ranganathan, V. "A novel fifteen level inverter for photovoltaic power supply system", in Proc. IEEE IAS Ann. Meeting, pp.1165-1171, 2004.
54. Rodriguez, J., Kouro, S., Rebolledo, J. and Pontt, J. "A reduced switching frequency modulation algorithm for high power multilevel inverters", in Proc. IEEE-PESC, pp. 867-872, 2005.
55. Rodriguez, J., Bernet, S., Wu, B., Pontt, J. O. and Kouro, S. "Multilevel voltage-source-converter topologies for industrial medium-voltage drives", IEEE Trans. Ind. Electron., Vol. 54, No. 6, pp. 2930-2945, 2007.
56. Rodriguez, J., Franquelo, L. G., Kouro, S., Leon, J. I., Portillo, R. C., Prats, M. A. M. and Perez, M. A. "Multilevel converters: An enabling technology for high-power applications", in Proc. IEEE, Vol. 97, No. 11, pp. 1786-1817, 2009.
57. Rodriguez, J., Lai, J. S. and Peng, F. Z. "Multilevel inverters: A survey of topologies, controls, and applications", IEEE Trans. Ind. Electron., Vol. 49, No. 4, pp. 724-738, 2002.
58. Rodriguez, J., Moran, L., Correa, P. and Silva, C. "A vector control technique for medium voltage multilevel inverters", IEEE Trans. Ind. Electron., Vol. 49, No.2, pp. 882-888, 2002.
59. Rodríguez, J., Pontt, J., Alzamora, G., Becker, N., Einkenel, O. and Weinstein, A. "Novel 20 MW downhill conveyor system using three-level converters", IEEE Trans. Ind. Electron., Vol. 49, No. 5, pp. 1093-1100, 2002.
60. Sabate, J., Garces, L.J. Szczesny, P.M., Qiming, L. and Wirth, W.F. "High-power high-fidelity switching amplifier driving gradient coils for MRI systems", in Proc. IEEE-PESC, pp. 261-266, 2004.

61. Song, Q., Liu, W., Yuan, Z., Wei, W. and Chen, Y. "DC voltage balancing technique using multipulse optimal PWM for cascade H-bridge inverters based STATCOM", in Proc. IEEE PESC, pp. 4768-4772, 2004.
62. Tolbert, L. A., Peng, F. Z., Cunnyngham, T. and Chiasson, J. N. "Charge balance control schemes for cascade multilevel converter in hybrid electric vehicles", IEEE Trans. Ind. Electron., Vol. 49, No. 5, pp. 1058-1064, 2002.
63. Wei, S., Wu, B., Li, F. and Liu, C. "A General Space Vector PWM Control Algorithm for Multilevel Inverters", in proc. IEEE APEC, Vol. 1, pp. 562-568, 2003.
64. Wells, J. R., Geng, X., Chapman, P. L., Krein, P. T. and Nee, B. M. "Modulation-Based Harmonic Elimination", IEEE Trans. Power Electron., Vol. 22, No. 2, pp. 336-340, 2007.
65. Wen, J. and Smedley, K. M. "Synthesis of multilevel converters based on single- and/or three-phase converter building blocks", IEEE Trans. Power Electron., Vol. 23, No. 3, pp. 1247-1256, 2008.
66. Yao, W., Hu, H. and Lu, Z. "Comparisons of space vector modulation and carrier based modulation of multilevel inverter", IEEE Trans. Power Electron., Vol. 23, No. 1, pp. 45-51, 2008.
67. Zambra, D. A. B., Rech, C., Gonçalves, F. A. S. and Pinheiro, J. R. "Power loss analysis and cooling system design of three topologies of multilevel inverters", in Proc. PESC, pp. 4290-4295, 2008.
68. Zaragoza, J., Pou, J., Ceballos, S., Robles, E., Ibaez, P. and Villate, J. L. "A comprehensive study of a hybrid modulation technique for the neutral point- clamped converter", IEEE Trans. Ind. Electron., Vol. 56, No. 2, pp. 294-304, 2009.