

GYMNOSPERMS

GNETACEAE

Gnetum ula Brongn. in Duperr. Voy. Bot. 12. 1829; FPM 1885(1304). 1936; Sharma et al. in BM 182. *G. scandens* auct. non Roxb. 1832; FBI 5: 642. 1888 p.p.; FPM 1392(974). 1928.

Gitantic liane. Leaves oblong, nodes thickened. Flowers monoecious. Fruit ellipsoid, red when ripe.

Fl. & Fr.: Jan.-Mar. Occasional; in moist shady places and along river sides; Game hut-Thorapalli. DS 91334; EV 96043.

FERNS AND FERN ALLIES

SELAGINELLACEAE

***Selaginella tanera** (Hook. & Grev.) Spring in Bull. Acad. Brux. 10: 282. 1843.
Lycopodium tenerum Hook. & Grev. in Hook., Bot. Misc. 2: 400. 1831.

Herb, 10-15 cm high, pale yellowish.

Common; in moist shady forest undergrowth; Benne R.F. DS 94137.

OPHIOGLOSSACEAE

Ophioglossum reticulatum L., Sp. Pl. 2: 1063. 1753; Beddome, Ferns South. India 23. t. 70. 1863; Sharma et al. in BM 171 & JBNHS 41. *O. cordifolium* Roxb. ex Griffith Calc. J. Nat. Hist. 4: 475. 1844.

Small herb, 5-10 cm high. Leaves ovate. Sori terminal.

Common; in moist places; Pattavayal, Moyar. DS 91393; NPB 204; KS 10462.

ANGIOPTERIDACEAE

Angiopteris erecta (Forst.) Hoffm., Comm. Soc. Reg. Gott. 12: 29. t. 5. 1793-94; Beddome, Ferns South India t. 78. 1863; Sharma et al. in BM 172. *Polypodium erectum* Forst., Prodr. 81. 1786.

Small tree, 1-2 m high. Fronds long pinnate. Sori near the margin.

Rare; in marshy shady forest undergrowth; Benne R.F. DS 91307.

POLYPODIACEAE

Microsorium membranaceum (D. Don) Ching in Bull. Fan. Mem. Inst. Biol. 4: 309. 1933; Sharma et al. in BM & JBNHS 42. *Polypodium membranaceum* D. Don, Prodr. Fl. Nepal. 2. 1925. *Pleopeltis grandifolia* Beddome, Ferns South India t. 177. 1865.

Herb.

Common; in shady places; Benne R.F. BVS 34431.

Microsorium punctatum (L.) Copel., Orient. Gen. Polyp. in Univ. Calif. Publ. Bot. 16: 110. 1929; Sharma et al. in BM 182 & JBNHS 42. *Acrostichum punctatum* L., Sp. Pl. ed. II. 2: 1524. 1763. *Pleopeltis punctata* Beddome, Ferns Brit. India Suppl. 22. 1876. *P. irioides* Moore, Ind. Fil. LXXVII. 1857; Beddome, Ferns South. India t. 178. 1864.

Epiphytic herb. Fronds simple. Sori round.

Common; on tree trunks; Thorapalli-Kargudi, Benne R.F. DS 85690; BVS 34431.

Phymatosorus nigrescens (Bl.) Pic. Ser. in Webbia 28: 460. 1973. *Polypodium nigrescens* Bl., Enum. Pl. Jav. 2: 126. 1828. *Pleopeltis nigrescens* (Bl.) Beddome, Handb. Ferns Brit. India 367. t. 208. 1883. *Pphymatodus nigrescens* sensu Sharma et al. in BM 182.

Epiphytic herb. Fronds pinnatifid. Sori seriate.

Common; on tree trunks in moist shady places; Benne R.F. DS 91311.

DRYNARIACEAE

Drynaria quercifolia (L.) J. Sm. in Hooker's J. Bot. 3: 398. 1841; Beddome, Handb. Ferns Brit. India 341. t. 191. 1883; Sharma et al. in BM 181 & JBNHS 42. *Polypodium quercifolium* L., Sp. Pl. 2: 1087. 1753.

Epiphytic herb. Fronds dimorphic. Sessile one sterile; others fertile, pinnatisect.

Common; on tree trunks in moist, shady places; Theppakadu, Benne R.F. DS 88311; KS 10466.

LYGODIACEAE

Lygodium flexuosum (L.) Sw. in Schrad., J. Bot. 1800(2): 106. 1801; Beddome, Ferns South. India t. 63. 1863; Sharma et al. in BM 172 & JBNHS 41. *Ophioglossum flexuosum* L., Sp. Pl. 1063. 1753.

Terrestrial herb. Sori in double row.

Not common; in moist, shady and marshy localities; Benne R.F. KS 10458.

SINOPTERIDACEAE

Doryopteris concolor (Langsd. et Fisch.) Kuhn, V. Deck. Reis. 3(3): Bot. 19. 1879.

Pteris concolor Langsd. et Fisch. Ic. Fil. 19. t. 21. 1810. *Pellaea geranifolia* (Raddi) Fee. Mem. Fern. Foug. 5: 130. 1850-52; Sharma et al. in BM 173 & JBNHS 41.

Common; in shady places; Bokkapuram R.F. BDS 35393.

CHEILANTHACEAE

Cheilanthes swartzii Webb. et Benth. Hist. Nat. Cenar. 3(3): 453. 1847. *C. mysurensis* Wallich ex Hook., Sp. Fil. 2: 94. 160 A. 1852; Beddome, Ferns South. India t. 190. 1865; Sharma et al. in BM 173 & JBNHS 41.

Small herb, 5-15 cm high. Sori brown.

Occasional; in rock crevices in dry open places; Segur riverside, Moyar bank. DS 100153; BDS 35726.

ACTINIOPTERIDACEAE

Actiniopteris radiata (Sw.) Link, Fil. Sp. 80. 1841; Beddome, Ferns South. India t. 124. 1865; Sharma et al. in BM 174 & JBNHS 41. *Asplenium radiatum* Sw. in Schrad., J. Bot. 1800(2): 50. 1801.

Small herb, 5-10 cm high. Fronds tripartite at base; segments linear. Sori marginal.

Common; in rocky substratum and crevices; Bokkapuram R.F., Moyar R.F. and bank. DS 100172; BDS 35610; NCR 37972.

PTERIDACEAE

***Pteris pellucida** Presl, Rel. Haenk. 1: 55. 1825; Beddome, Ferns South. India t. 38. 1863.

Herb, 30-50 cm high. Fronds pinnate to compound. Sori marginal.

Rare; in moist shady forest undergrowth; Benne R.F. DS 91312.

Pteris quadriaurita Retz., Obs. Bot. 6: 38. 1791; FSI t. 31. 1863; Sharma et al. in BM 174.

Herb, 30-50 cm high. Fronds pinnatifid. Sori marginal.

Rare; in moist, shady localities; Pattavayal (Benne R.F.). DS 91313.

ADIANTACEAE

Adiantum caudatum L., Mant. Pl. 308. 1771; Sharma et al. in JBNHS 41.

Small tufted herb. Fronds pinnately compound. Sori reniform, along nerves.

Common; in rocky crevices; Bokkapuram R.F. BDS 35412.

Adiantum incisum Forsskal, Fl. Aegypt.-Arab. 187. 1775; Pic. Ser. in Webbia 12: 669. f. 6. 1957; Sharma et al. in BM 172. *A. caudatum* Beddome, Ferns South. India t. 2. 1863.

Small tufted herb. Fronds compound. Sori reniform.

Common; rocky crevices in moist, shady places; Mandradiar avenue. DS 88359.

Adiantum philippense L., Sp. Pl. 2: 1094. 1753; Sharma et al. in BM 172 & JBNHS 41. *A. lunulatum* Burm., Fl. Ind. 235. 1768; FSI t. 1. 1863.

Small herb. Fronds compound. Sori reniform along margins.

Common; in moist shady places; Ombetta-Theppakadu, Doddagatti R.F. DS 91358; BVS 34377.

HEMIONITIDACEAE

Hemionitis arifolia (Burm.) Moore, Ind. Fil. 114. 1859; Sharma et al. in BM 173 & JBNHS 41. *Asplenium arifolium* Burm., Fl. Ind. 231. 1768. *Hemionitis cornifolia* Roxb. ex Beddome, Ferns South. India t. 53. 1863.

Herb. Fronds hastate, simple. Sori beneath the frond.

Occasional; in moist as well as dry, rocky places; Bokkapuram R.F. BDS 35464.

PARKERIACEAE

***Ceratopteris thalictroides** (L.) Ad. Brongn. in Bull. Sci. Soc. Philom. Paris 1821: 186. 1822; FSI t. 75. 1863. *Acrostichum thalictroides* L., Sp. Pl. 2: 1070. 1753.

Semiaquatic herb, 20-30 cm high. Fronds pinnately decomposed, dimorphic, fertile fronds linear. Sori along the vein.

Rare; in marshes and swamps; Mudumalai R.F. DS 100175.

THELYPTERIDACEAE

Christella dentata (Forsskal) Brownsey & Jermy, Brit. Fern Gaz. 10: 338. 1973. *Polypodium dentatum* Forsskal, Fl. Aegypt.-Arab. 185. 1773. *Cyclosorus dentatus* (Forsskal) Ching in Bull. Fan. Mem. Inst. Biol. Bot. 8(4): 206. 1938; Sharma et al. in BM 179 & JBNHS 42.

Terrestrial herb. Fronds pinnate; pinnae crenulate. Sori stalked, club-shaped.

Rare; in moist as well as dry places; Bokkapuram R.F. EV 96120; BDS 35396.

Pseudocyclosorus oethodes (Kunze) Holtt. in Nayar & Kaur, Camp. to Bedd., Handb. 204. 1974. *Aspidium oethodes* Kunze in Linnaea 24: 282. 1851; Beddome, Ferns South India t. 106. 1863.

Herb.

Occasional; in moist, shady places; Benne R.F. DS 91315.

ASPLENIACEAE

Asplenium aethiopicum (N.L. Burm.) Becherer in Candollea 6: 23. f. 1. 1935. *Trichomanes aethiopicum* N.L. Burm., Fl. Ind. Fl. Cap. Prodr. 28. 1768. *Asplenium laserpitiifolium* Beddome, Ferns South. India 75. t. 225. 1865.

Erect herb, 20-30 cm high. Sori brown.

Common; in shady places; Neralabetta. DS 97852.

ATHYRIACEAE

Athyrium hohenackerianum (Kunze) Moore, Ind. Fil. XLIX. 1857; Beddome, Ferns South. India t. 151. 1865. *Altantoidea hohenackeriana* Kunze, Farnkr. 2: 63. t. 126. 1850.

Herb, 10-20 cm high. Sori brown.

Common; in moist shady localities; Pattavayal, Benne R.F. DS 97364.

Diplazium esculentum (Retz.) Sw. in Schrad. J. Bot. 1801(1): 312. 1803. *Hemionutis esculenta* Retz., Obs. Bot. 6: 38. 1791. *Callipteris esculenta* (Retz.) J. Sm. apud Houlst. & Moore in Gard. Mag. Bot. 3: 265. 1851; Beddome, Ferns South. India 54. t.; 164. 1865.

Terrestrial shrub, 1-1.5 m high. Sori brown.

Common; in marshy localities; Kargudi (C3 Check dam). DS 100178; EV 96021.

Diplazium polypodioides Bl. var. **brachylobum** Sledge in Bull. Brit. Mus. Nat. Hist. London 2: 307. 1962.

Shrub, 1-2 m high. Sori brown.

Occasional; in moist shady places; Srimadurai. EV 96153.

AZOLLACEAE

Azolla pinnata R. Br. Prodr. Fl. N. Holl. 167. 1810.

Floating herb. Leaves ca 1 mm long.

Very common; in ponds and stagnant water courses; Circular road. DS 97805; EV 96061.

INDEX TO THE FAMILIES AND GENERA

Abelmoschus Medikus	46	ASCLEPIADACEAE	209
Abutilon Miller	46	Asclepias L.	209
Acacia Miller	136	Asparagus L.	357
Acalypha L.	309	ASPENIACEAE	429
ACANTHACEAE	252	Asplenium L.	429
Acanthospermum Schrank	180	Asystacia Blume	254
Achyranthus L.	288	Atalantia Corr. Serr.	69
Acrachne Wight & Arn.	386	ATHYRIACEAE	429
Acrocephalus Benth.	273	Athyrium Roth	429
Acronychia Forster & Forster f.	69	Atylosia Wight & Arn.	98
ACTINIOPTERIDACEAE	427	Axonopus P. Beauv.	390
Actiniopteris Link	427	Azolla Lam.	430
Actinodaphne Nees	300	AZOLLACEAE	430
Adenostemma Forster & Forster f.	181	Bacopa Aublet	239
ADIANTACEAE	428	BALSAMINACEAE	67
Adiantum L.	428	Bambusa Schreber	390
Aeginetia L.	248	Barleria L.	254
Aerides Lour.	338	BARRINGTONIACEAE	146
Aerva Forsskal	289	Bauhinia L.	131
Aeschynomene L.	96	Benkara Adans.	164
Ageratum L.	182	Bidens L.	182
Aglaia Lour.	75	BIGNONIACEAE	250
Ailanthus Desf.	73	Biophytum DC.	66
Albizia Durazz	139	Bischofia Blume	311
Allmania R. Br. ex Wight	290	Blainvillea Cass.	183
Allophylus L.	89	Blepharis A.L. Juss.	256
Alloteropsis C. Presl.	386	Blumea DC.	183
Alpinia Roxb.	349	Blumeopsis Gagnep.	185
Alstonia R. Br.	206	Blyxa Noronha ex Thouars	337
Alternanthera Forsskal	291	Boerhavia L.	287
Alysicarpus Necker ex Desv.	96	BOMBACACEAE	55
AMARANTHACEAE	288	Bombax L.	55
Amaranthus L.	292	BORAGINACEAE	221
AMARYLLIDACEAE	353	Boswellia Roxb. ex Golebr.	73
Ammannia L.	149	Bothriochloa Kuntze	391
Ammonium L.	350	Brachiaria (Trin.) Griseb.	391
Amorphophallus Blume ex Decne.	367	Breynia Forster & Forster f.	312
Ampelocissus Planchon	85	Bridelia Willd.	312
ANACARDIACEAE	92	Buchanania Sprengel	93
Anagallis L.	197	Buchnera L.	240
Andrographis Wallich ex Nees	253	Bupleurum L.	161
Andropogon L.	387	BURSERACEAE	73
ANGIOPTERIDACEAE	425	Butea J. Koenig ex Roxb.	98
Angiopteris Hoffm.	425	Bytteneria Loeffl.	55
Anisochilus Wallich ex Benth.	274	CACTACEAE	159
Anisomeles R. Br.	275	Cadaba Forsskal	35
ANNONACEAE	32	Caesalpinia L.	131
Anogeissus (DC.) Guillemain, Perrottet & A. Rich.	142	CAESALPINIACEAE	130
Antidesma L.	311	Callicarpa L.	266
Apluda L.	387	Calotropis R. Br.	210
APOCYNACEAE	206	CAMPANULACEAE	195
Aporosa Blume	311	Canavalia DC.	99
AQUIFOLIACEAE	78	Canscora Lam.	218
ARACEAE	367	Cansjera A.L. Juss.	78
Ardisia Sw.	198	Canthium Lam.	165
ARECACEAE (PALMAE)	367	Capillipedium Stapf	392
Argemone L.	34	CAPPARACEAE	35
Argyreia Lour.	226	Capparis L.	35
Arisaema C. Martius	368	CAPPRIFOLIACEAE	163
Aristida L.	388	Caralluma R. Br.	210
Artanema D. Don	239	Cardiospermum L.	90
Artemisia L.	182	Carex L.	371
Arthraxon P. Beauv.	388	Careya Roxb.	146
Artocarpus Forster & Forster f.	330		
Arundinella Raddi	389		

Carissa L.	207	Curculigo Gaertner	354
Carmona Cav.	221	Curcuma L.	350
CARYOPHYLLACEAE	43	Cuscuta L.	228
Caryota L.	367	Cyanoglossum L.	223
Casearia Jacq.	38	Cyanotis D. Don	362
Cassia L.	133	Cyathocline Cass.	186
Cassine L.	79	Cyathula Blume	292
Catunaregam Adans. ex Wolf	166	Cyclea Arn. ex Wight	33
Cayratia A.L. Juss.	85	Cymbidium Sw.	339
CELASTRACEAE	79	Cymbopogon Sprengel	395
Celastrus L.	80	Cynanchum L.	212
Celosia L.	292	Cynodon Rich.	396
Celtis L.	329	CYPERACEAE	371
Centella L.	161	Cyperus L.	371
Centotheca P. Beauv.	392	Cyrtococcum Stapf	396
Centranthera R. Br.	240		
Ceratopteris Ad. Brongn.	428	Dactyloctenium Willd.	397
Ceropegia L.	211	Dalbergia L.f.	105
CHEILANTHACEAE	427	Dalzellia Wight	297
Cheilanthes sw.	427	Datura L.	234
CHENOPODIACEAE	293	Decalepis Wight & Arn.	217
Chenopodium L.	293	Decaschistia Wight & Arn.	47
Chionachne R. Br.	393	Deccania Tirv.	167
Chionanthus L.	202	Dendrobium Sw.	339
Chloris Sw.	393	Dendrophthoe C. Martius	303
Chlorophytum Ker Gawler	358	Desmodium Desv.	107
Chloroxylon DC.	70	Dichrocephala L. Her. ex DC.	186
Chonemorpha G. Don	207	Dichrostachys (DC.) Wight & Arn.	139
Christella Lev.	429	Dicliptera A.L. Juss.	256
Chrozophora Adr. Juss.	313	Didymocarpus Wallich	249
Chrysopogon Trin.	393	Digitaria Haller	397
Chukrassia Adr. Juss.	75	Dioscorea L.	354
Cinnamomum Schaeffer	300	DIOSCOREACEAE	354
Cipadessa Blume	75	Diospyros L.	201
Cissampelos L.	33	Diplacrum R. Br.	374
Cissus L.	85	Diplazium Sw.	429
Clematis L.	32	Diplocyclos (Endl.) Post & Kuntze	156
CLEOMACEAE	36	Dipteracanthus Nees	257
Cleome L.	36	DIPTEROCARPACEAE	45
Clerodendrum L.	266	Dodonaea L.	90
Coccinia Wight & Arn.	155	Dolichondrone (Fenzl.) Seemann	250
COCHLOSPERMACEAE	38	Dopatrium Buch.-Ham. ex Benth.	240
Cochlospermum H.B.K.	38	Doryopteris J. Sm.	427
Coelachne R. Br.	394	Drosera L.	141
Coix L.	395	DROSERACEAE	141
Colacasia Schott	368	Drymaria Willd. ex Schultes	43
Colebrookea Smith	275	Drynaria (Bory) J.Sm.	426
COMBRETACEAE	142	DRYNARIACEAE	426
Combretum Loefl.	143	Drypetes Vahl	314
Commelina L.	361	Dunbaria Wight & Arn.	110
COMMELINACEAE	360		
Commiphora Jacq.	74	EBENACEAE	201
COMPOSITAE	179	Echinochloa P. Beauv.	399
CONVOLVULACEAE	226	Eclipta L.	187
Conyza Less.	185	Ehretia P. Browne	224
Corchorus L.	59	ELAEOCARPACEAE	64
Cordia L.	222	Elaeocarpus L.	24
Costus L.	350	Eleocharis R. Br.	375
Crassocephalum Moench	186	Elephantopus L.	187
CRASSULACEAE	141	Eleucine Gaertner	399
Crinum L.	353	Embelia Burm.f.	198
Crotalaria L.	99	Emilia Cass.	187
Croton L.	314	Entada Adans.	140
CRUCIFERAE (BRASSICACEAE)	34	Eragrostiella Bor	399
Cryptolepis R. Br.	216	Eragrostis Wolf	400
Cucumis L.	155	Eranthemum L.	257
CUCURBITACEAE	155	Eria Lindley	339

Erigeron L.	188	Holoptelea Planchon	330
ERIOCAULACEAE	369	Holostemma R. Br.	213
Eriocaulon L.	369	Homonoia Lour.	320
Eriolaena DC.	56	Hybanthus N.J. Jacquin	37
Erythrina L.	110	HYDROCHARITACEAE	337
ERYTHROXYLACEAE	64	Hydrolea L.	221
Erythroxylum P. Browne	64	HYDROPHYLLACEAE	221
Eulalia Kunth	402	Hygrophila R. Br.	258
Euodia Forster & Forster f.	70	Hymenodictyon Wallich	171
Euphorbia L.	315	HYPERICACEAE	44
EUPHORBIACEAE	308	Hypericum L.	44
Evolvulus L.	228	Hyptis Jacq.	276
Exacum L.	219		
		Ichnocarpus R. Br.	208
Ficus L.	331	Ilex L.	78
Filicium Thwaites ex Hook.f.	91	Impatiens L.	67
Fimbristylis Vahl	375	Imperata Civillo	404
Firmiana Marsili	56	Indigofera L.	113
Flacourtia Commers. ex L. Her.	39	Indocourtoisia Bennet & Raizada	377
FLACOURTIACEAE	38	Iphigenia Kunth.	359
Flemingia Roxb. ex Aiton & Aiton f.	111	Ipomoea L.	229
Floscopa Lour.	364	Isachne R. Br.	405
		Ischaemum L.	405
Galinsoga Ruiz. & Paven	188	Ixora L.	172
Gardenia Ellis	167		
Garuga Roxb.	74	Jasminum L.	203
Gendarussa Nees	258	Jatropha L.	320
GENTIANACEAE	219	Justicia L.	259
Geodorum Jackson	340		
GESNERIACEAE	249	Kalanchoe Adans.	141
Girardenia Gaudich.	327	Kleinia Miller	139
Givotia Griffith	319	Knoxia L.	172
Glinus L.	160	Kydia Roxb.	49
Globba L.	351	Kyllinga Rottb.	378
Glochidion Forster & Forster f.	319		
Gloriosa L.	358	LABIATAE (LAMIACEAE)	273
Glossocardia Cass.	188	Lagascea Cav.	189
Glycosmis Corr. Serr.	71	Lagenandra Dalz.	368
Gmelina L.	267	Lagerstroemia L.	150
GNETACEAE	425	Lannea A. Rich.	93
Gnetum L.	425	Lantana L.	267
Gomphostemma Wallich ex Benth.	275	Laportea Gaudich.	328
Goniogyna DC.	113	LAURACEAE	299
GRAMINEAE (POACEAE)	383	Lavandula L.	277
Grewia L.	59	Leca Royen ex L.	88
Gymnema R. Br.	213	LEEACEAE	88
Gynandropsis DC.	37	Leersia Sw.	406
Gynura Cass.	189	LENTIBULARIACEAE	248
Gyrocarpus Jacq.	302	Leonotis (Pers.) R. Br.	277
		Lepianthus Rafin.	298
Habenaria Willd.	340	Lepidagathis Willd.	260
Hackelochloa Kuntze	403	Leptadenia R. Br.	213
HALORAGACEAE	142	Leptochloa P. Beauv.	407
Hedychium J. Koenig	352	Leucas R. Br.	277
Hedyotis L.	168	Leucoblepharis Arn.	190
Helicteres L.	56	Ligustrum L.	205
Heliotropium L.	225	LILIACEAE	357
Hemarthria R. Br.	404	Limnophila R. Br.	241
Hemidesmus R. Br.	217	Limonia L.	71
HEMIONITIDACEAE	428	Lindernia All.	242
Hemionitis L.	428	Liparis Rich.	342
Heracleum L.	162	Lipocarpa R. Br.	379
HERNANDIACEAE	302	Litsea Lun.	300
Heteropogon Pörn.	404	Lobelia L.	196
Hibiscus L.	47	LOBELIACEAE	196
HIPPOCRATEACEAE	81	Loeseneriella A.C. Smith	81
Hiptage Gaertner	65	LOGANIACEAE	218

Lophopogon Hackel	407	Ocimum L.	281
LORANTHACEAE	302	OLACACEAE	77
Ludwigia L.	153	Olax L.	77
Luisia Gaudich.	342	Olea L.	205
Lycopersicon Miller	234	OLEACEAE	202
Lygodium (L.) Sw.	426	ONAGRACEAE	153
LYGODIACEAE	426	OPHIOGLOSSACEAE	425
LYTHRACEAE	149	Ophioglossum L.	425
		Ophiorrhiza L.	175
Macrosolen (Blume) Reichb.	303	Opilia Roxb.	78
Madhuca Buch.-Ham. ex J. Gmelin	199	OPILIACEAE	78
Maerua Forsskal	36	Oplismenus P. Beauv.	408
Maerua Forsskal	199	Opuntia Miller	159
MAGNOLIACEAE	32	ORCHIDACEAE	338
Malaxis Sol. ex Sw.	343	OROBANCHACEAE	248
Mallotus Lour.	320	Oropetium Trin.	408
MALPHIGIACEAE	65	Orthosiphon Benth.	282
MALVACEAE	45	Oryza L.	409
Malvastrum	50	Osbeckia L.	147
Mangifera L.	93	Ottelia Pers.	337
Manilkara Adans.	200	Ougeinia Benth.	119
MARANTACEAE	353	OXALIDACEAE	66
Mariscus Vahl	379	Oxalis L.	67
Maytenus Molina	81		
Mecardonia Ruiz Lopez & Pavon	245	Pachygone Miers	34
MELASTOMATACEAE	147	Pancratium L.	354
Melhania Forsskal	57	Panicum L.	409
Melia L.	76	PAPAVERACEAE	34
MELLIACEAE	74	PAPILIONACEAE	94
Meliosma Blume	92	Paracalyx Ali	119
Memecylon L.	147	PARKERIACEAE	428
MENISPERMACEAE	33	Paspalidium Stapf	411
MENYANTHACEAE	220	Paspalum L.	411
Merremia Dennst ex Endl.	233	Passiflora L.	154
Michelia L.	32	PASSIFLORACEAE	154
Microchloa R. Br.	407	Pavetta L.	175
Microsorium Link	426	Pavonia Cav.	50
Mimosa L.	140	Pecteilis Rafin.	344
MIMOSACEAE	136	Pennisetum Rich.	412
Mimusops L.	200	Peperomia Ruiz et Pavon	298
Mitracarpus Zucc.	172	Pergularia L.	214
Mitragyna Korth.	173	PERIPLOCACEAE	216
Mnesithea Kunth	408	Peristrophe Nees	261
MOLLUGINACEAE	160	Peristylus Blume	346
Mollugo L.	160	Perotis Aiton	413
Monochoria C. Presl.	360	Persea Miller	302
MORACEAE	330	Phaulopsis Willd. emend Sprengel	262
Morinda L.	173	Phlebophyllum Nees	262
Mucuna Adans.	118	Pholidota Lindley	347
Mukia Arn.	156	Phyllanthus L.	322
Mundulea (DC.) Benth.	118	Phymatosorus Pic. Ser.	426
Murdannia Royle	364	Physalis L.	235
Murraya J. Koenig ex L.	71	Phytolacca L.	294
Mussaenda L.	174	PHYTOLACCACEAE	294
Myriophyllum L.	142	Pilea Lindl.	328
MYRSINACEAE	198	Pimpinella L.	162
MYRTACEAE	146	Piper L.	299
		PIPERACEAE	298
Naringi Adans.	72	PITTOSPORACEAE	40
Neolamarckia Bosser	174	Pittosporum Banks ex Soland.	40
Neonotonia Lackey	119	Plecospermum Trecul.	336
Nicandra Adans.	235	Plectranthus L'Her.	283
Nilgirianthus Bremek.	260	Pleurostylia Wight & Arn.	81
NYCTAGINACEAE	287	PLUMBAGINACEAE	197
Nymphoides Hill.	220	Plumbago L.	197
		PODOSTEMACEAE	297
Oberonia Lindley	344	Pogonathemum P. Beauv.	413

Pogostemon Desf.	285	Scolopia Schreber	39
Polycarpaea Lam.	43	Scoparia L.	246
Polygala L.	41	SCROPHULARIACEAE	238
POLYGALACEAE	41	Scrolla L.	304
POLYGONACEAE	295	Scutia (Comm. ex DC.) Brongn.	82
Polygonum L.	295	Secamone R. Br.	214
POLYPODIACEAE	426	Securinea Commers. ex A.L. Juss.	326
Polystachya Hook.	347	Sehima Forsskal	416
Pongamia Vent.	120	SELAGINELLACEAE	425
PONTEDERIACEAE	360	Selaginella P. Beauv.	425
Portulaca L.	44	Semecarpus L.f.	94
PORTULACACEAE	44	Senecio L.	190
Pouzolzia Gaudich.	328	Sesbania Scop.	124
Premna L.	269	Setaria P. Beauv.	416
PRIMULACEAE	197	Shorea Roxb. ex Gaertner f.	45
Priva Adans.	270	Sida L.	51
Pseudanthistria (Hack.) Hook.f.	413	Sigesbeckia L.	190
Pseudarthria Wight & Arn.	120	SIMAROUBACEAE	73
Pseudechinolaena Stapf	414	SINOPTERIDACEAE	427
Pseudocyclosorus Ching	429	Smilax L.	359
Psilotrichum Blume	293	Smithia Aiton	124
PTERIDACEAE	427	SOLANACEAE	234
Pteris L.	427	Solanum L.	236
Pterocarpus Jacq.	121	Solena Lour.	157
Pterolobium R.Br. ex Wight & Arn.	136	Sonerila Roxb.	148
Pueraria DC.	121	Sophora L.	124
Pupalia A.L. Juss.	293	Sopubia Buch.-Ham. ex D. Don	246
Pycrcus P. Beauv.	381	Sorghum Moench	418
		Soymida Adr. Juss.	76
Radermachera Zoll. ex Moritzi	250	Spatholobus Hassk.	125
RANUNCULACEAE	32	Spermacoce L.	176
Rauvolfia L.	208	Sphaeranthus L.	191
Remusatia Schott	369	Spilanthes Jacq.	191
RHAMNACEAE	82	Sporobolus R. Br.	419
Rhinacanthus Nees	262	Stachytarpheta Vahl	271
Rhus L.	94	Sterculia L.	57
Rhynchosia Lour.	121	STERCULIACEAE	55
Ricinus L.	326	Stereospermum Cham.	251
Rikliella Raynal	382	Striga Lour.	246
Rivea Choisy	233	Strychnos L.	218
Rorippa Scopoli	34	Stylosanthes Sw.	125
Rostellularia Reichenb.	263	Swertia L.	220
Rotala L.	151	Synedrella Gaertner	191
Rothia Pers.	123	Syzygium Gaertner	146
Rottboellia L.f.	414		
Rubia L.	176	Tamilnadia Tirv.	177
RUBIACEAE	163	Tarena Gaertner	178
Rungia Nees	264	Taxillus Tieghem	305
RUTACEAE	68	Tectona L.	271
		Tephrosia Pers.	125
SABIACEAE	92	Teramnus P. Browne	128
Saccharum L.	414	Terminalia L.	143
Sacciolepis Nash	415	Tetrastigma (Miq.) Planchon	88
Sageretia Brongn.	82	Thecagonum Babu	178
SALICACEAE	336	Thelepogon Roth	420
Salix	336	THELYPTERIDACEAE	429
SANTALACEAE	308	Themeda Forsskal	421
Santalum L.	308	Thespesia Sol. ex Corr. Serr.	54
SAPINDACEAE	89	Thunbergia Retz.	264
Sapindus L.	91	TILIACEAE	58
SAPOTACEAE	199	Toddalia A.L. Juss.	72
Sarcostemma R. Br.	214	Tonningia Neck ex A.H.L. Juss.	366
Schleichera Willd.	92	Toona (Endl.) M. Roemer	76
Schrebera Roxb.	206	Torenia L.	247
Schummanianthus Gagnep.	353	Trachys Pers.	422
Scilla L.	359	Tragia L.	327
Scleria Bery	382	Tragus Haller	422

Trema Lour.	330
Tribulus L.	65
Trichilia P. Browne	77
Trichodesma R. Br.	226
Trichosanthus L.	157
Tridox L.	192
Tripogon Roemer & Schultes	423
Triumfetta L.	63
Tylophora R. Br.	215
ULMACEAE	329
UMBELLIFERAE (APIACEAE)	161
Uraria Desv.	128
Urena L.	54
Urginea Steinh.	360
Urochloa P. Beauv.	423
URTICACEAE	327
Urticularia L.	248
Uvaria L.	32
Vanda R. Br.	348
Ventilago Gaertner	83
VERBENACEAE	265
Vernonia Schreber	192
Vetiveria Bory	424
Viburnum L.	163
Vicoa Cass.	194
Vigna Savi	129
VIOLACEAE	37
Viscum L.	306
VITACEAE	84
Vitex L.	272
Wahlenbergia Schrader ex Roth	195
Waltheria L.	58
Wattakaka Hassk.	216
Wendlandia Bartl. ex DC.	179
Wrightia R. Br.	208
Xanthium L.	194
Xylosma Forster	40
Zehneria Endl.	159
Zenkeria Trin.	424
Zeuxine Lindley	348
Zingiber Adans.	352
ZINGIBERACEAE	349
Ziziphus Miller	83
Zornia J. Gmelin	130
ZYGOPHYLLACEAE	65

63752