

LIST OF TABLES

Table No.	Description	Page No.
Chapter -2		
2.1	The comparison of different secure routing Protocol	75
Chapter -3		
3.1	Selected features for intrusion detection under standard traffic	102
3.2	Illustration to choose an elliptic group over the elliptic curve	129
3.3	Utility matrix of MANET & blackhole nodes	138
3.4	Reduced utility Matrix of MANET & blackhole nodes	140
3.5	Chunk table to spread the identities of the malicious nodes	149
3.6	Route Request Record (RRR) Table	150
3.7	The RAN Table	151
Chapter -4		
4.1	Simulation parameters	177
4.2	System configuration	178
Chapter -5		
5.1	Packet loss in MANET for AODV without blackhole nodes	196
5.2	Packet loss in MANET for AODV with two blackhole nodes	197
5.3	Packet loss in MANETs for GTASA with two blackhole nodes	197
5.4	Packet loss in MANETs for SEA with two blackhole nodes	198
5.5	Packet loss in MANETs for ECCEA with two blackhole nodes	198

LIST OF FIGURES

Figure No.	Description	Page No.
Chapter -1		
1.1	Types of wireless networks	5
1.2	Infrastructure network	6
1.3	Cellular network	7
1.4	Single-hop cellular network	7
1.5	The Bluetooth scatter net	13
1.6	The Scenario of multi-hop ad hoc network	14
1.7	Military ad hoc network	19
1.8	Emergency ad hoc network	20
Chapter -2		
2.1	Illustration of link state routing	35
2.2	Illustration of distance vector routing	36
2.3	Classification of different routing protocols	40
2.4	Classification of attacks	59
2.5	Classification of attacks in various layers	59
2.6	An example of a wormhole attack	62
2.7	Black hole attack	63
2.8	The illustration of blackhole attack problem	64
Chapter -3		
3.1	Broadcasting of the RREQ message in AODV	84
3.2	Unicasting of the RREP message in MANET	86
3.3	MANET setup with blackhole attack	88
3.4	The encryption and decryption	106
3.5	The scheme of symmetric key cryptography	107
3.6	The scheme of asymmetric cryptography	109
3.7	The scheme of digital signatures	113
3.8	A MANET where blackhole nodes drop packets by damaging the routing function	136
3.9.a	Flowchart of GTASA routing algorithm	147

3.9.b	Flowchart of GTASA routing algorithm	148
3.10	Flowchart of SEA routing algorithm	154
3.11	The model to describe symmetric cryptography	158
3.12	The flow of chart of hash function	160
3.13	Flowchart of ECDSA signature generation and verification	164

Chapter -4

4.1	Basic architecture of NS	170
4.2	The illustration of time driven simulation	171
4.3	Event driven simulation	172
4.4	Running of sample Tcl file	179
4.5	Screen shot of NAM	180
4.6	Trace file analysis to send, receive and forward packets	181
4.7	Cbrgen.tcl generated file	181
4.8	Generated traffic scenario file	182
4.9	Secure messages with hash, encryption and decryption techniques	183

Chapter -5

5.1	The data flow between the nodes 2 and 5 through the nodes 1 and 6	191
5.2	The data flow between the nodes 2 and Node 5 through the nodes 3 and 4	192
5.3	The blackhole node 0 absorbs the traffic from connection node 2 to node 5	192
5.4	CBR packets reaching the destination properly	194

Chapter -6

6.1a & b	PDR with 1 and 3 blackhole nodes respectively, with 5 m/Sec mobility	204
6.2 a & b	PDR with 1 and 3 blackhole nodes respectively, with 10 m/Sec mobility	204
6.3 a & b	Throughput with 1 and 3 blackhole	

	Nodes respectively, with 5 m/Sec mobility	205
6.4 a & b	Throughput with 1 and 3 blackhole nodes respectively, with 10 m/Sec mobility	205
6.5 a & b	NRL with 1 and 3 blackhole nodes respectively, with 5 m/Sec mobility	206
6.6 a & b	NRL with 1 and 3 blackhole nodes respectively, with 10 m/Sec mobility	206
6.7 a & b	AEED with 1 and 3 blackhole nodes respectively, with 5 m/Sec mobility	207
6.8 a & b	AEED with 1 and 3 blackhole nodes respectively, with 10 m/Sec mobility	207