

REFERENCES

1. Ago, H., Komatsu, T., Ohshima, S., Kuriki, Y. and Yumura, M. "Dispersion of metal nanoparticles for aligned carbon nanotube arrays", *Appl. Phys. Lett.*, Vol. 77, pp. 79–81, 2000.
2. Ago, H., Imamura, S., Okazaki, T., Saito, T., Yumura, M. and Tsuji, M. "CVD growth of single-walled carbon nanotubes with narrow diameter distribution over Fe/MgO catalyst and their fluorescence spectroscopy", *J. Phys. Chem. B*, Vol. 109, pp. 10035–10041, 2005.
3. Ajayan, P. M. "Nanotubes from carbon", *Chem. Rev.*, Vol. 99, No. 7, pp. 1787–1799, 1999.
4. Ajayan, P. M., Ebbesen, T. W., Ichihashi, T., Iijima, S., Tanigaki, K. and Hiura, H. "Opening carbon nanotubes with oxygen and implications for filling", *Nature*, Vol. 362, pp. 522–525, 1993.
5. Ajayan, P. M. and Zhou, O. Z. "Applications of carbon nanotubes", *Topics in applied physics*, Dresselhaus, M. S., Dresselhaus, G. and Avouris, P. Eds. Springer, Vol. 80, pp. 391–425, 2001.
6. Ajima, K., Yudasaka, M., Murakami, T., Maigne, A., Shiba, K. and Iijima, S. "Carbon nanohorns as anticancer drug carriers", *Mol. Pharma.*, Vol. 2, pp. 475–480, 2005.
7. Alan, M. C., Jeffrey, A. R., Jing, K. and Hongjie, D. "Large scale CVD synthesis of single-walled carbon nanotubes", *J. Phys. Chem. B*, Vol. 103, pp. 6484–6492, 1999.
8. Ando, Y. and Iijima, S. "Preparation of carbon nanotubes by arc-discharge evaporation", *Jpn. J. Appl. Phys.*, Vol. 32, pp. L107–L109, 1993.
9. Ando, Y. "The preparation of carbon nanotubes", *Fullerene Sci. Technol.*, Vol. 2, pp. 173–180, 1994.
10. Ando, Y., Zhao, X. and Ohkohchi, M. "Production of petal-like graphite sheets by hydrogen arc discharge", *Carbon*, Vol. 35, pp. 153–158, 1997.

11. Ando, Y., Zhao, X. and Ohkohchi, M. "Spong of purified carbon nanotubes", *Jpn. J. Appl. Phys.*, Vol. 37, pp. L61–L63, 1998.
12. Andrews, R., Jacques, D., Rao, A. M., Derbyshire, F., Qian, D., Fan, X., Dickey, E. C. and Chen, J. "Continuous production of aligned carbon nanotubes: a step closer to commercial realization", *Chem. Phys. Lett.*, Vol. 303, pp. 467–474, 1999.
13. Andrews, R., Jacques, D., Qian, D. and Dickey, E. C. "Purification and structural annealing of multiwalled carbon nanotubes at graphitization temperatures", *Carbon*, Vol. 39, pp. 1681–1687, 2001.
14. Anna, M., Albert, G. N. and Esko, I. K. "The role of metal nanoparticles in the catalytic production of single-walled carbon nanotubes—a review", *J. Phys.: Condens. Matter*, Vol. 15, pp. S3011–S3035, 2003.
15. Araujo, A. S., Aquino, J. M. F. B., Souza, M. J. B. and Silvab, A. O. S. "Synthesis, characterization and catalytic application of cerium-modified MCM-41", *J. Solid State Chem.*, Vol. 171, pp. 371–374, 2003.
16. Arepalli, S., Nikolaev, P., Gorelik, O., Hadjiev, V., Holmes, W., Files, B. and Yowell, L. "Protocol for the characterization of single-wall carbon nanotube material quality", *Carbon*, Vol. 42, pp. 1783–1791, 2004.
17. Atchudan, R., Pandurangan, A. and Somanathan, T. "Bimetallic mesoporous materials for high yield synthesis of carbon nanotubes by chemical vapour deposition techniques", *J. Mol. Catal. A: Chem.*, Vol. 309, pp. 146–152, 2009.
18. Avouris, P. "Carbon nanotubes electronics", *Phys. World*, Vol. 20, pp. 40–45, 2007.
19. Bai, S., Li, F., Yang, Q. H., Cheng, H. M. and Bai, J. "Influence of ferrocene/benzene mole ratio on the synthesis of carbon nanostructures", *Chem. Phys. Lett.*, Vol. 376, pp. 83–89, 2003.
20. Baker, R. T. K. and Harris, M. A. "The formation of filamentous carbon", In: *Chemistry and Physics of Carbon*, Walker, P. L. Jr. and Thrower, P. A. Eds. Dekker, M. New York, Vol. 14, pp. 83–164, 1978.
21. Baker, R. T. K. "Catalytic growth of carbon filaments", *Carbon*, Vol. 27, pp. 315–323, 1989.

22. Bandow, S., Asaka, S., Saito, Y., Rao, A. M., Grigorian, L., Richter, E. and Eklund, P. C. "Effect of the growth temperature on the diameter distribution and chirality of single-wall carbon nanotubes", *Phys. Rev. Lett.*, Vol. 80, pp. 3779–3782, 1998.
23. Barber, A. H., Cohen, S. R. and Wagner, H. D. "Measurement of carbon nanotube-polymer interfacial strength", *Appl. Phys. Lett.*, Vol. 82, pp. 4140–4142, 2003.
24. Beck, J. S., Vartuli J. C., Roth, W. J., Leonowicz, M. E., Kresge, C. T., Schmitt, K. D., Chu, C. T. W., Olson, D. H., Sheppard, E. W., Mc Cullen, S. B., Higgins, J. B. and Schlenker, J. L. "A new family of mesoporous molecular sieves prepared with liquid crystal templates", *J. Am. Chem. Soc.*, Vol. 114, pp. 10834–10843, 1992.
25. Beck, J. S., Vartuli, J. C., Kennedy, G. D., Kresge, C. T., Roth, W. J. and Schramm, S. E. "Molecular or supramolecular templating: defining the role of surfactant chemistry in the formation of microporous and mesoporous sieves", *Chem. Mater.*, Vol. 6, pp. 1816–1821, 1994.
26. Bessel, C. A., Laubernds, K., Rodriguez, N. M. and Baker, R. T. K. "Graphitic nanofibers as an electrode for fuel cell applications", *J. Phys. Chem. B*, Vol. 105, pp. 1115–1118, 2001.
27. Biro, L. P., Khanh, N. Q., Vertesy, Z., Horvath, Z. E., Osvath, Z., Koos, A., Gyulai, J., Kocsonya, A., Konya, Z., Zhang, X. B., Van Tendeloo, G., Fonseca, A. and Nagy, J. B. "Catalyst traces and other impurities in chemically purified carbon nanotubes grown by CVD", *Mater. Sci. Engg.: C*, Vol. 19, pp. 9–13, 2002.
28. Botti, S., Ciardi, R., Terranova, M. L., Piccirillo, S., Sessa, V., Rossi, M. and Vittori-Antisari, M. "Self-assembled carbon nanotubes grown without catalyst from nanosized carbon particles adsorbed on silicon", *Appl. Phys. Lett.*, Vol. 80, pp. 1441–1443, 2002.
29. Brinker, C. J. J. "Hydrolysis and condensation of silicates: Effects on structure", *J. Non-Cryst. Solids*, Vol. 100, pp. 31–50, 1988.
30. Bronikowski, M. J., Willis, P. A., Colbert, D. T., Smith, K. A. and Smalley, R. E. "Gas-phase production of carbon single-walled nanotubes from carbon monoxide via the HiPco process: A parametric study", *J. Vac. Sci. Technol.*, Vol. 19, pp. 1800–1805, 2001.
31. Bronikowski, M. J., Willis, P. A., Colbert, D. T., Smith, K. A. and Smalley, R. E. "Purification and characterization of single-wall carbon nanotubes (SWNTs) obtained from the gas-phase decomposition of CO (HiPco Process)", *J. Phys. Chem. B*, Vol. 105, No. 35, pp. 8297–8301, 2001a.

32. Cao, A., Ajayan, P. M., Ramanath, G., Baskaran, R. and Turner, K. "Silicon oxide thickness-dependent growth of carbon nanotubes", *Appl. Phys. Lett.*, Vol. 84, pp. 109–111, 2004.
33. Cassell, A. M., Raymakers, J. A., Kong, J. and Dai, H. "Large scale CVD synthesis of single-walled carbon nanotubes", *J. Phys. Chem. B*, Vol. 103, pp. 6484–6492, 1999.
34. Charlier, J. C. and Iijima, S. "Growth mechanisms of carbon nanotubes", *Carbon Nanotubes*, Vol. 80, pp. 55–81, 2001.
35. Chattopadhyay, D., Galeska, I. and Papadimitrakopoulos, F. "Complete elimination of metal catalysts from single wall carbon nanotubes", *Carbon*, Vol. 40, pp. 985–988, 2002.
36. Chen, C. M., Dai, Y. M., Huang, J. G. and Jehng J. M. "Intermetallic catalyst for carbon nanotubes (CNTs) growth by thermal chemical vapor deposition method", *Carbon*, Vol. 44, pp. 1808–1820, 2006.
37. Chen, C. Y., Li, H. X. and Davis, M. E. "Studies on mesoporous materials: I. synthesis and characterization of MCM-41", *Micropor. Mater.*, Vol. 2, pp. 17–26, 1993.
38. Chen, Y., Ciuparu, D., Lim, S., Yang, Y., Haller, G. L. and Pfefferle, L. D. "Synthesis of uniform diameter single-wall carbon nanotubes in Co-MCM-41: effects of CO pressure and reaction time", *J. Catal.*, Vol. 226, pp. 351–362, 2004.
39. Chen, Y., Ciuparu, D., Lim, S., Haller, G. L. and Pfefferle, L. D. "The effect of the cobalt loading on the growth single wall carbon nanotubes by CO disproportionation on Co-MCM-41 catalyst", *Carbon*, Vol. 44, pp. 67–78, 2006a.
40. Chen, Y. K., Green, M. L. H., Griffin, J. L., Hammer, J., Lago, R. M. and Tsang, S. C. "Purification and opening of carbon nanotubes via bromination", *Adv. Mater.*, Vol. 8, pp. 1012–1015, 1996.
41. Cheng, H. M., Li, F., Sun, X., Brown, S. D. M., Pimenta, M. A., Marucci, A., Dresselhaus, G. and Dresselhaus, M. S. "Bulk morphology and diameter distribution of single-walled carbon nanotubes synthesized by catalytic decomposition of hydrocarbons", *Chem. Phys. Lett.*, Vol. 289, pp. 602–610, 1998.
42. Chenite, A., Lepage, Y. and Sayari, A. "Direct tem imaging of tubules in calcined MCM-41 type mesoporous materials", *Chem. Mater.*, Vol. 7, pp. 1015–1019, 1995.

43. Chiang, I. W., Brinson, B. E., Huang, A. Y., Willis, P. A., Bronikowski, M. J., Margrave, J. L., Smalley, R. E. and Hauge, R. H. "Purification and characterization of single-wall carbon nanotubes (SWNTs) obtained from the gas-phase decomposition of CO (HiPco Process)", *J. Phys. Chem. B*, Vol. 105, pp. 8297–8301, 2001.
44. Chiola, V., Ritsko, J. E. and Vanderpool, C. D. "Process for producing low-bulk density silica", US Patent No. 3556725, 1971.
45. Choi, H. C., Kim, W., Wang, D. and Dai, H. "Delivery of catalytic metal species onto surfaces with dendrimer carriers for the synthesis of carbon nanotubes with narrow diameter distribution", *J. Phys. Chem. B*, Vol. 106, pp. 12361–12365, 2002.
46. Ciambelli, P., Sannino, D., Sarno, M., Fonseca, A. and Nagy, J. B. "Selective formation of carbon nanotubes over Co-modified beta zeolite by CCVD", *Carbon*, Vol. 43, pp. 631–640, 2005.
47. Colbert, D. T., Zhang, J., McClure, S. M., Nikolaev, P., Chen, Z., Hafner, J. H., Owens, D. W., Kotula, P. G., Carter, C. B., Weaver, J. H., Rinzler, A. G. and Smalley, R. E. "Growth and sintering of fullerene nanotubes", *Science*, Vol. 266, pp. 1218–1222, 1994.
48. Collins, P. G. and Avouris, P. "Nanotubes for electronics", *Sci. Amer.*, Vol. 283, pp. 38–45, 2000.
49. Corma, A., Navarro, M. T. and Pariente, J. P. "Synthesis of an ultralarge pore titanium silicate isomorphous to MCM-41 and its application as a catalyst for selective oxidation of hydrocarbons", *J. Chem. Soc., Chem. Commun.*, pp. 147–148, 1994.
50. Corma, A. "From microporous to mesoporous molecular sieve materials and their use in catalysis", *Chem. Rev.*, Vol. 97, pp. 2373–2420, 1997.
51. Cooper, C. A., Cohen, S. R., Barber, A. H. and Wagner, H. D. "Detachment of nanotubes from a polymer matrix", *Appl. Phys. Lett.*, Vol. 81, pp. 3873–3875, 2002.
52. Couteau, E., Hernadi, K., Seo, J. W., Thien-Nga, T., Miko, C. S., Gaal, R. and Forro L. "CVD synthesis of high-purity multiwalled carbon nanotubes using CaCO₃ catalyst support for large-scale production", *Chem. Phys. Lett.*, Vol. 378, pp. 9–17, 2003.

53. Daenen, M., Fouw, R. D., Hamers, B., Janssen, P. G. A., Schouteden, K. and Veld, M. A. J. "The wondrous world of carbon nanotubes: A review of current carbon nanotubes technologies", Eindhoven University of Technology, Eindhoven, 2003.
54. Dai, H., Rinzler, A. G., Nikolaev, P., Thess, A., Colbert, D. T. and Smalley, R. E. "Single-wall nanotubes produced by metal-catalyzed disproportionation of carbon monoxide", *Chem. Phys. Lett.*, Vol. 260, pp. 471–475, 1996.
55. De Heer, W. A., Chatelain, A. and Ugarte, D. "A carbon nanotube field-emission electron source", *Science*, Vol. 270, pp. 1179–1180, 1995.
56. Decyk, P., Trejda, M., Ziolk, M., Glaszcza, K., Bettahar, M., Monteverdi, S. and Mercy, M. "Physicochemical and catalytic properties of iron-doped silica—the effect of preparation and pretreatment methods", *J. Catal.*, Vol. 219, pp. 146–155, 2003.
57. Doorn, S. K., O'Connell, M. J., Zheng, L. X., Zhu, Y. T., Huang, S. M. and Liu, J. "Raman spectral imaging of a carbon nanotube intramolecular junction", *Phys. Rev. Lett.*, Vol. 94, pp. 16802–16805, 2005.
58. Dresselhaus, M. S., Dresselhaus, G. and Eklund, P. "Science of fullerenes and carbon nanotubes", Academic Press, New York, 1996.
59. Dwyer, C., Guthold, M., Falvo, M., Washburn, S., Superfine, R. and Erie, D. "DNA-functionalised single-walled carbon nanotubes", *Nanotechnol.*, Vol. 13, pp. 601–604, 2002.
60. Dyke, C. A. and Tour, J. M. "Covalent functionalization of single-walled carbon nanotubes for materials applications", *J. Phys. Chem. A*, Vol. 108, pp. 11151–11159, 2004.
61. Ebbesen, T. W. and Ajayan, P. M. "Large-scale synthesis of carbon nanotubes", *Nature*, Vol. 358, pp. 220–222, 1992.
62. Endo, A., Miyata, T., Akiya, T., Nakaiwa, M., Inagi, Y. and Nagamine, S. "Synthesis of ordered microporous silica by the solvent evaporation method", *J. Mater. Sci.*, Vol. 39, pp. 1117–1119, 2004.
63. Fan, S., Chapline, M. G., Franklin, N. R., Tomblor, T. W., Cassell, A. M. and Dai, H. "Self-oriented regular arrays of carbon nanotubes and their field emission properties", *Science*, Vol. 283, pp. 512–514, 1999.

64. Ferrari, A. C. and Robertson, J. "Interpretation of Raman spectra of disordered and amorphous carbons", *Phys. Rev. B*, Vol. 61, pp. 14095–14107, 2000.
65. Fonseca, A., Hernadi, K., Nagy, J. B., Bernaerts, D. and Lucas, A. A. "Optimization of catalytic production and purification of buckytubes", *J. Mol. Catal. A: Chem.*, Vol. 107, pp. 159–168, 1996.
66. Frackowiak, E. and Beguin, F. "Electrochemical storage of energy in carbon nanotubes and nanostructured carbons", *Carbon*, Vol. 40, pp. 1775–1787, 2002.
67. Fu, Q., Huang, S. M. and Liu, J. "Chemical vapor depositions of single-walled carbon nanotubes catalyzed by uniform Fe_2O_3 nanoclusters synthesized using diblock copolymer micelles", *J. Phys. Chem. B*, Vol. 108, pp. 6124–6129, 2004.
68. Gao, R., Wang, Z. L. and Fan, S. "Kinetically controlled growth of helical and zigzag shape of carbon nanotubes", *J. Phys. Chem. B*, Vol. 104, pp. 1227–1234, 2000.
69. Gavillet, J., Loiseau, A., Journet, C., Willaime, F., Ducastelle, F. and Charlier, J. C. "Root-growth mechanism for single-wall carbon nanotubes", *Phys. Rev. Lett.*, Vol. 87, pp. 275504–275507, 2001.
70. Gevorgian, L. A., Ispirian, K. A. and Ispirian, R. K. "High energy particle channeling in nanotubes", *Nucl. Instrum. Methods. Phys. Res. Sect. B*, Vol. 145, pp. 155–159, 1998.
71. Gojny, F. H. and Schulte, K. "Functionalization effect on the thermo-mechanical behaviour of multi-wall carbon nanotube/epoxy-composites", *Compos. Sci. Technol.*, Vol. 64, pp. 2303–2308, 2004.
72. Gregg, S. J. and Sing, K. S. W. "Adsorption, surface area and porosity", 2nd ed., Academic Press, London, 1982.
73. Hafner, J. H., Cheung, C. L. and Lieber, C. M. "Growth of nanotubes for probe microscopy tips", *Nature*, Vol. 398, pp. 761–762, 1999.
74. Hartmann, M., Poppl, A. and Kevan, L. "Ethylene dimerization and butene isomerization in nickel containing MCM-41 and Al-MCM-41 mesoporous molecular sieves: an electron spin resonance and gas chromatography study", *J. Phys. Chem.*, Vol. 100, pp. 9906–9910, 1996.

75. Hartmann, M. and Kevan, L. "Transition-metal ions in aluminophosphate and silicoaluminophosphate: location, interaction with adsorbates and catalytic properties", *Chem. Rev.*, Vol. 99, pp. 635–664, 1999.
76. Harutyunyan, A. R., Pradhan, B. K., Kim, U. J., Chen, G. and Eklund, P. C. "CVD synthesis of single wall carbon nanotubes under "soft" conditions", *Nano Lett.*, Vol. 2, pp. 525–530, 2002.
77. Hata, K., Futaba D. N., Mizuno, K., Namai, T., Yumura, M. and Iijima, S. "Water-assisted highly efficient synthesis of impurity free single-walled carbon nanotubes", *Science*, Vol. 306, pp. 1362–1364, 2004.
78. Hernadi, K., Fonseca, A., Nagy, J. B., Bernaerts, D. and Lucas, A. A. "Fe-catalyzed carbon nanotube formation", *Carbon*, Vol. 34, No. 10, pp. 1249–1257, 1996.
79. Hernadi, K., Fonseca, A., Nagy, J. B., Bernaerts, D., Fudala, A. and Lucas, A. "Catalytic synthesis of carbon nanotubes using zeolite support", *Zeolites*, Vol. 17, pp. 416–423, 1996a.
80. Herrera, J. E. and Resasco, D. E. "Loss of single-walled carbon nanotubes selectivity by disruption of the Co–Mo interaction in the catalyst", *J. Catal.*, Vol. 221, pp. 354–364, 2004.
81. Hiraoka, T., Kawakubo, T., Kimura, J., Taniguchi, R., Okamoto, A. and Okazaki, T. "Selective synthesis of double-wall carbon nanotubes by CCVD of acetylene using zeolite supports", *Chem. Phys. Lett.*, Vol. 382, pp. 679–685, 2003.
82. Hou, P. X., Bai, S., Yang, Q. H., Liu, C. and Cheng, H. M. "Multi-step purification of carbon nanotubes", *Carbon*, Vol. 40, pp. 81–85, 2002.
83. Hu, P., Wang, X., Liu, Y., Wang, B. and Zhu, D. "Synthesis of single-walled carbon nanotubes using MgO as a catalyst support", *Syn. Metals*, Vol. 135–136, pp. 833–834, 2003.
84. Huang, H., Kajiura, H., Tsutsui, S., Hirano, Y., Miyakoshi, M., Yamada, A. and Ata, M. "Large-scale rooted growth of aligned super bundles of single-walled carbon nanotubes using a directed arc plasma method", *Chem. Phys. Lett.*, Vol. 343, pp. 7–14, 2001.
85. Huang, L., Wind, S. J. and O'Brien, S. P. "Controlled growth of single-walled carbon nanotubes from an ordered mesoporous silica template", *Nano Lett.*, Vol. 3, pp. 299–303, 2003.

86. Huang, S., Woodson, M., Smalley, R. and Liu, J. "Growth mechanism of oriented long single walled carbon nanotubes using "fast-heating" chemical vapor deposition process", *Nano Lett.*, Vol. 4, pp.1025–1028, 2004.
87. Huo, Q., Margolese, D. I., Ciesla, U., Demuth, D. G., Feng, P., Gier, T. E., Sieger, P., Firouzi, A., Chmelka, B. F., Schuth, F. and Stucky, G. D. "Organization of organic molecules with inorganic molecular species into nanocomposite biphasic arrays", *Chem. Mater.*, Vol. 6, pp. 1176–1191, 1994.
88. Iijima, S. "Helical microtubules of graphitic carbon", *Nature*, Vol. 354, pp. 56–58, 1991.
89. Iijima, S. and Ichihashi, T. "Single-shell carbon nanotubes of 1-nm diameter", *Nature*, Vol. 363, pp. 603–605, 1993.
90. Inagaki, S., Fukushima, Y. and Kuroda, K. "Synthesis of highly ordered mesoporous materials from a layered polysilicate", *J. Chem. Soc., Chem. Comm.*, Vol. 22, pp. 680–682, 1993.
91. Ishii, H., Kataura, H., Shiozawa, H., Yoshioka, H., Otsubo, H., Takayama, Y., Miyahara, T., Suzuki, S., Achiba, Y., Nakatake, M., Narimura, T., Higashiguchi, M., Shimada, K., Namatame, H. and Taniguchi, M. "Direct observation of Tomonaga-Luttinger-liquid state in carbon nanotubes at low temperatures", *Nature*, Vol. 426, pp. 540–544, 2003.
92. Ji, L. and Zhang, X. "Fabrication of porous carbon nanofibers and their applications as anode materials for rechargeable lithium-ion batteries", *Nanotechnology*, Vol. 20, No. 15, pp. 1–7, 2009.
93. Jorio, A., Saito, R., Hafner, J. H., Lieber, C. M., Hunter, M., Mc Clure, T., Dresselhaus, G. and Dresselhaus, M. S. "Structural (n, m) determination of isolated single-wall carbon nanotubes by resonant Raman scattering", *Phys. Rev. Lett.*, Vol. 86, pp. 1118–1121, 2001.
94. Juan, J. C., Jiang, Y., Meng, X., Cao, W., Yarmo, M. A. and Zhang, J. C. "Supported zirconium sulfate on carbon nanotubes as water-tolerant solid acid catalyst", *Mater. Res. Bull.*, Vol. 42, pp. 1278–1285, 2007.
95. Kanai, M., Koshio, A., Shinohara, H., Mieno, T., Kasuya, A., Ando, Y. and Zhao, X. "High-yield synthesis of single-walled carbon nanotubes by gravity-free arc discharge", *Appl. Phys. Lett.*, Vol. 79, pp. 2967–2969, 2001.

96. Keesee, R. G. and Castleman, A. W. "In Atomic and Molecular Clusters", Bernstein, E. R. Eds. Elsevier Science: Amsterdam, pp. 507–550, 1990.
97. Kelly, B. T. "Physics of Graphite", Applied Science, London, 1981.
98. Khomenko, V., Frackowiak, E. and Beguin, F. "Determination of the specific capacitance of conducting polymer/nanotubes composite electrodes using different cell configurations", *Electrochim. Acta*, Vol. 50, pp. 2499–2506, 2005.
99. Kim, J. A., Seong, D. G., Kang, T. J. and Youn, J. R. "Effects of surface modification on rheological and mechanical properties of CNT/epoxy composites", *Carbon*, Vol. 44, pp. 1898–1905, 2006.
100. Kim, T. W., Kleitz, F., Paul, B. and Ryoo, R. "MCM-48-like large mesoporous silicas with tailored pore structure: facile synthesis domain in a ternary triblock copolymer-butanol-water system", *J. Am. Chem. Soc.*, Vol. 127, pp. 7601–7610, 2005.
101. Kim, W., Choi, H. C., Shim, M., Li, Y., Wang, D. W. and Dai, H. J. "Synthesis of ultralong and high percentage of semiconducting single-walled carbon nanotubes", *Nano Letters*, Vol. 2, pp. 703–708, 2002.
102. Kiseler, A. V. and Lygin, V. I. "Infrared spectra of surface compounds and adsorbed substances", Nauka, Moscow, Russian, 1992.
103. Kitiyanan, B., Alvarez, W. E., Harwell, J. H. and Resasco, D. E. "Controlled production of single-wall carbon nanotubes by catalytic decomposition of CO on bimetallic Co–Mo catalysts", *Chem. Phys. Lett.*, Vol. 317, pp. 497–503, 2000.
104. Kleitz, F., Choi, S. H. and Ryoo, R. "Cubic Ia3d large mesoporous silica: synthesis and replication to platinum nanowires, carbon nanorods and carbon nanotubes", *Chem. Commun.*, Vol. 21, pp. 2136–2137, 2003.
105. Kokai, F., Takahashi, K., Yudasaka, M. and Iijima, S. "Laser ablation of graphite–Co/Ni and growth of single-wall carbon nanotubes in vortexes formed in an Ar atmosphere", *J. Phys. Chem. B*, Vol. 104, No. 29, pp. 6777–6784, 2000.
106. Kong, J., Cassell, A. M. and Dai, H. "Chemical vapor deposition of methane for single-walled carbon nanotubes", *Chem. Phys. Lett.*, Vol. 292, pp. 567–574, 1998.

107. Kotz, R. and Carlen, M. "Principles and applications of electrochemical capacitors", *Electrochim. Acta*, Vol. 45, pp. 2483–2498, 2000.
108. Koyano, K. A. and Tatsumi, T. "Synthesis of titanium-containing mesoporous molecular sieves with a cubic structure", *Chem. Commun.*, pp. 145–146, 1996.
109. Kratschmer, W., Lamb, L. D., Fostiropoulos, K. and Huffman, D. R. "Solid C₆₀: a new form of carbon", *Nature*, Vol. 347, pp. 354–358, 1990.
110. Kresge, C. T., Leonowicz, M. E., Roth, W. J., Vartuli, J. C. and Beck, J. S. "Ordered mesoporous molecular sieves synthesized by a liquid-crystal template mechanism", *Nature*, Vol. 359, pp. 710–712, 1992.
111. Kroto, H. W., Heath, J. R., O'Brien, S. C., Curl, R. F. and Smalley, R. E. "C₆₀: Buckminsterfullerene", *Nature*, Vol. 318, pp. 162–163, 1985.
112. Kumar, M. and Ando, Y. "Single-wall and multi-wall carbon nanotubes from camphor—a botanical hydrocarbon", *Diam. Relat. Mater.*, Vol. 12, pp. 1845–1850, 2003.
113. Kumar, M., Kakamu, K., Okazaki, T. and Ando, Y. "Field emission from camphor-pyrolyzed carbon nanotubes", *Chem. Phys. Lett.*, Vol. 385, No. 3–4, pp. 161–165, 2004.
114. Lapisardi, G., Chiker, F., Launay, F., Nogier, J. and Bonardet, J. "Preparation, characterisation and catalytic activity of new bifunctional Ti–Al SBA-15 materials. Application to a "one-pot" green synthesis of adipic acid from cyclohexene and organic hydroperoxides", *Micropor. Mesopor. Mater.*, Vol. 78, pp. 289–295, 2005.
115. Lee, V. H., An, K. H., Lim, S. C., Kim, W. S., Jeong, H. J., Doh, C. H. and Moon S. I. "Applications of carbon nanotubes to energy storage devices", *New Diam. Front. Carbon Technol.*, Vol. 12, No. 4, pp. 209–228, 2002.
116. Lee, Y. H., An, K. H., Lee, J. Y. and Lim, S. C. "Carbon nanotube based supercapacitors", *Encyclopedia of nanoscience and nanotechnology*, Nalwa, H. S. Eds. American Scientific Publishers, Valencia, CA, Vol. 1, pp. 625–634, 2004.

117. Li, F., Cheng, H. M., Xing, Y. T., Tan, P. H. and Su, G. "Purification of single-walled carbon nanotubes synthesized by the catalytic decomposition of hydrocarbons", *Carbon*, Vol. 38, pp. 2041–2045, 2000.
118. Li, J., Papadopoulos, C., Xu, J. M. and Moskovits, M. "Highly-ordered carbon nanotube arrays for electronics applications", *Appl. Phys. Lett.*, Vol. 75, pp. 367–369, 1999.
119. Li, W. C., Lu, A. H., Weidenthaler, C. and Schuth, F. "Hard-templating pathway to create mesoporous magnesium oxide", *Chem. Mater.*, Vol. 16, pp. 5676–5681, 2004.
120. Li, W. Z., Xie, S. S., Qian, L. X., Chang, B. H., Zou, B. S., Zhou, W. Y., Zhao, R. A. and Wang, G. "Large-scale synthesis of aligned carbon nanotubes", *Science*, Vol. 274, pp. 1701–1703, 1996.
121. Li, Y., Kim, W., Zhang, Y., Rolandi, M., Wang, D. and Dai, H. "Growth of single-walled carbon nanotubes from discrete catalytic nanoparticles of various sizes", *J. Phys. Chem. B*, Vol. 105, pp. 11424–11431, 2001.
122. Li, Y., Zhang, W., Zhang, L., Yang, Q., Wei, Z., Feng, Z. and Li, C. "Direct synthesis of Al-SBA-15 mesoporous materials via hydrolysis-controlled approach", *J. Phys. Chem. B*, Vol. 108, pp. 9739–9744, 2004a.
123. Li, Z. M., Zhai, J. P., Liu, H. J., Li, I. L., Chan, C. T., Sheng, P. and Tang, Z. K. "Synthesis of 4 Å single-walled carbon nanotubes in catalytic Si-substituted AlPO_{4-5} molecular sieves", *Appl. Phys. Lett.*, Vol. 85, pp. 1253–1255, 2004b.
124. Liao, H. W. and Hafner, J. H. "Low-temperature single-wall carbon nanotube synthesis by thermal chemical vapor deposition", *J. Phys. Chem. B*, Vol. 108, pp. 6941–6943, 2004.
125. Lim, S., Ciuparu, D., Yang, Y., Du, G., Pfefferle, L. D. and Haller, G. L. "Improved synthesis of highly ordered Co-MCM-41", *Micropor. Mesopor. Mater.*, Vol. 101, pp. 200–206, 2007.
126. Lin, W., Cai, Q., Pang, W., Yue, Y. and Zou, B. "New mineralization agents for the synthesis of MCM-41", *Micropor. Mesopor. Mat.*, Vol. 33, pp. 187–196, 1999.

127. Lind, A., Anderson, J., Karlsson, S., Agren, P., Bursain, P., Amenitsch, H. and Linden, M. "Controlled solubilization of toluene by silicate-cationic surfactant mesophases as studied by in situ and ex situ XRD", *Langmuir*, Vol. 18, pp. 1380–1385, 2002.
128. Little, R. B. "Mechanistic aspects of carbon nanotube nucleation and growth", *J. Cluster Sci.*, Vol. 14, pp. 135–185, 2003.
129. Liu, J., Rinzler, A., Dai, H., Hafner, J. H., Bradley, R., Boul, P., Lu, A., Iverson, T., Shelimov, K., Human, C., Rodriguez Macias, F., Shon, Y., Lee, R., Colbert, D. and Smalley, R. E. "Fullerene pipes", *Science*, Vol. 280, pp. 1253–1256, 1998.
130. Lucas, A. A., Lambin, P. H. and Smalley, R. E. "On the energetics of tubular fullerenes", *J. Phys. Chem. Solids*, Vol. 54, pp. 587–593, 1993.
131. Lyu, S. C., Liu, B. C., Lee, S. H., Park, C. Y., Kang, H. K., Yang, C. W. and Lee, C. J. "Large-scale synthesis of high-quality single-walled carbon nanotubes by catalytic decomposition of ethylene", *J. Phys. Chem. B*, Vol. 108, pp. 1613–1616, 2004.
132. Ma, P. C., Kim, J. K. and Tang, B. Z. "Effect of silane functionalization on the properties of carbon nanotube/epoxy nanocomposites", *Compos. Sci. Technol.*, Vol. 67, pp. 2965–2972, 2007.
133. Mahendiran, C., Sangeetha, P., Vijayan, P., Sardhar Basha, S. J. and Shanthi, K. "Vapour phase oxidation of tetralin over Cr and Fe substituted MCM-41 molecular sieves", *J. Mol. Catal. A: Chem.*, Vol. 275, pp. 84–90, 2007.
134. Mamedov, A. A., Kotov, N. A., Prato, M., Guldi, D. M., Wicksted, J. P. and Hirsch, A. "Molecular design of strong single-wall carbon nanotube/polyelectrolyte multilayer composites", *Nat. Mater.*, Vol. 1, pp. 190–194, 2002.
135. Martel, R., Schmidt, T., Shea, H. R., Hertel, T. and Avouris, P. "Single- and multi-wall carbon nanotube field-effect transistors", *Appl. Phys. Lett.*, Vol. 73, pp. 2447–2449, 1998.
136. Maruyama, S., Kojima, R., Miyauchi, Y., Chiashi, S. and Kohno, M. "Low-temperature synthesis of high-purity single-walled carbon nanotubes from alcohol", *Chem. Phys. Lett.*, Vol. 360, pp. 229–234, 2002.

137. Mickelson, E. T., Huffman, C. B., Rinzler, A. G., Smalley, R. E., Hauge, R. H. and Margrave J. L. "Fluorination of single-wall carbon nanotubes", *Chem. Phys. Lett.*, Vol. 296, pp. 188–194, 1998.
138. Murakami, Y., Chiashi, S., Miyauchi, Y., Hu, M., Ogura, M., Okubo, T. and Maruyama, S. "Growth of vertically aligned single-walled carbon nanotube films on quartz substrates and their optical anisotropy", *Chem. Phys. Lett.*, Vol. 385, No. 3–4, pp. 298–303, 2004.
139. Nagaraju, N., Fonseca, A., Konya, Z. and Nagy, J. B. "Alumina and silica supported metal catalysts for the production of carbon nanotubes", *J. Mol. Catal. A : Chem.*, Vol. 181, pp. 57–62, 2002.
140. Newman, J. M., Treacy, M. M. J., Koetsier, W. T. and de Gruyter, C. B. "Structural characterisation of zeolite Beta", *Proc. R. Soc. London. A*, Vol. 420, pp. 375–405, 1988.
141. Occelli, M. L., Biz, S., Auroux, A. and Ray, G. J. "Effects of the nature of the aluminium source on the acidic properties of some mesostructured materials", *Micropor. Mesopor. Mater.*, Vol. 26, pp. 193–213, 1998.
142. Oncel, C. and Yurum, Y. "Carbon nanotube synthesis via the catalytic CVD method: a review on the effect of reaction parameters", *Fullerenes, Nanotubes and Carbon Nanostructures*, Vol. 14, pp. 17–37, 2006.
143. Pan, Z. W., Xie, S. S., Chang, B. H., Wang, C. Y., Lu, L., Liu, W., Zhou, W. Y., Li, W. Z. and Qian, L. X. "Very long carbon nanotubes", *Nature*, Vol. 394, pp. 631–632, 1998.
144. Peng, H., Alemany, L. B., Margrave, J. L. and Khabashesku, V. N. "Sidewall carboxylic acid functionalization of single-walled carbon nanotubes", *J. Am. Chem. Soc.*, Vol. 125, pp. 15174–15182, 2003.
145. Prabhu, A., Kumaresan, L., Palanichamy, M. and Murugesan, V. "Synthesis and characterization of aluminium incorporated mesoporous KIT-6: Efficient catalyst for acylation of phenol", *Appl. Catal. A: Gen.*, Vol. 360, pp. 59–65, 2009.
146. Prelas, M. A., Popovici, G. and Bigelow, L. K. "Handbook of industrial diamonds and diamond films", Eds. Dekker, M. New York, 1998.

147. Pye, G. B. and Beaudoin, J. J. "An energy approach to bond strength determinations in cement systems", *Cem. Concr. Res.*, Vol. 22, pp. 551–558, 1992.
148. Rao, C. N. R., Sen, R., Satishkumar, B. C. and Govindaraj, A. "Large aligned-nanotube bundles from ferrocene pyrolysis", *Chem. Commun.*, Vol. 15, pp. 1525–1526, 1998.
149. Rao, C. N. R., Satishkumar, B. C., Govindaraj, A. and Nath, M. "Nanotubes", *Chem. Phys. Chem.*, Vol. 2, pp. 78–105, 2001.
150. Hafner, J. H., Bronikowski, M. J., Azamian, B. R., Nikolaev, P., Rinzler, A. G., Colbert, D. T., Smith, K. A. and Smalley, R. E. "Catalytic growth of single-wall carbon nanotubes from metal particles", *Chem. Phys. Lett.*, Vol. 296, pp. 195–202, 1998.
151. Robertson, J. "Realistic applications of CNTs", *Mater. Today*, Vol. 7, pp. 46–52, 2004.
152. Roberson, D. H., Brenner, D. W. and Mintmire, J. W. "Energetics of nanoscale graphitic tubules", *Phys. Rev. B*, Vol. 45, pp. 12592–12595, 1992.
153. Saito, Y., Inagaki, M., Shinohara, H., Nagashima, H., Ohkohchi, M. and Ando, Y. "Yield of fullerenes generated by contact arc method under He and Ar: dependence on gas pressure", *Chem. Phys. Lett.*, Vol. 200, pp. 643–648, 1992.
154. Saito, Y., Okuda, M., Tomita, M. and Hayashi, T. "Extrusion of single-wall carbon nanotubes via formation of small particles condensed near an arc evaporation source", *Chem. Phys. Lett.*, Vol. 236, pp. 419–426, 1995.
155. Saito, Y. and Uemura, S. "Field emission from carbon nanotubes and its application to electron sources", *Carbon*, Vol. 38, pp. 169–182, 2000.
156. Samanta, S., Mal, N. K. and Bhaumik, A. "Mesoporous Cr-MCM-41: An efficient catalyst for selective oxidation of cycloalkanes", *J. Mol. Catal. A: Chem.*, Vol. 236, pp. 7–11, 2005.
157. Sarangapani, S., Tilak, B. V. and Chen, C. P. "Materials for electrochemical capacitors", *J. Electrochem. Soc.*, Vol. 143, pp. 3791–3799, 1996.

158. Satishkumar, B. C., Govindaraj, A., Sen, R. and Rao, C. N. R. "Single-walled nanotubes by the pyrolysis of acetylene-organometallic mixtures", *Chem. Phys. Lett.*, Vol. 293, pp. 47–52, 1998.
159. Satishkumar, B. C., Govindaraj, A. and Rao, C. N. R. "Bundles of aligned carbon nanotubes obtained by the pyrolysis of ferrocene hydrocarbon mixtures: role of the metal nanoparticles produced in situ", *Chem. Phys. Lett.*, Vol. 307, pp. 158–162, 1999.
160. Savidha, R. and Pandurangan, A. "Vapour phase isopropylation of phenol over zinc- and iron-containing Al-MCM-41 molecular sieves", *Appl. Catal. A: Gen.*, Vol. 262, pp. 1–11, 2004.
161. Scaccia, S., Carewska, M. and Prosini, P. P. "Study of purification process of single-walled carbon nanotubes by thermoanalytical techniques", *Thermochim. Acta*, Vol. 435, pp. 209–212, 2005.
162. Schmidt, R., Akporiaye, D., Stocker, M. and Ellestad, O. H. "Synthesis of Al-containing MCM-41 Materials: Template interaction and removal", *Stud. Surf. Sci. Catal.*, Vol. 84, pp. 61–68, 1994.
163. Schuth, F. "Ordered mesoporous materials—State of the art and prospects", *Stud. Surf. Sci. Catal.*, Vol. 135, pp. 1–12, 2001.
164. Sears, K., Dumeé, L., Schutz, J., She, M., Huynh, C., Hawkins, S., Duke, M. and Gray, S. "Recent developments in carbon nanotube membranes for water purification and gas separation materials", Vol. 3, No. 1, pp. 127–149, 2010.
165. Seidel, R., Duesberg, G. S., Unger, E., Graham, A. P., Liebau, M. and Kreupl, F. "Chemical vapor deposition growth of single-walled carbon nanotubes at 600 °C and a simple growth model", *J. Phys. Chem. B*, Vol. 108, pp. 1888–1893, 2004.
166. Selvaraj, M., Pandurangan, A. and Sinha, P. K. "Comparison of Mesoporous Zn–Al–MCM-41 and Al–MCM-41 molecular sieves in the production of p-cymene by isopropylation of toluene", *Ind. Eng. Chem. Res.*, Vol. 43, pp. 2399–2412, 2004.
167. Seo, J. W., Hernadi, K., Miko, C. and Forro, L. "Behaviour of transition metals catalysts over laser-treated vanadium support surfaces in the decomposition of acetylene", *Appl. Catal. A: Gen.*, Vol. 260, pp. 87–91, 2004.

168. Shao, Y., Wang, L., Zhang, J. and Anpo, M. "Synthesis of hydrothermally stable and long range ordered Ce-MCM-48 and Fe-MCM-48 materials", *J. Phys. Chem. B*, Vol. 109, pp. 20835–20841, 2005.
169. Shimada, T., Sugai, T., Ohno, Y., Kishimoto, S., Mizutani, T., Yoshida, H., Okazaki, T. and Shinohara, H. "Double-wall carbon nanotube field-effect transistors: Ambipolar transport characteristics", *Appl. Phys. Lett.*, Vol. 84, No.13, pp. 2412–2414, 2004.
170. Shinohara, H. "Endohedral metallofullerenes", *Rep. Prog. Phys.*, Vol. 63, pp. 843– 892, 2000.
171. Sing, K. S. W., Everett, D. H., Haul, R. A. W., Moscou, L., Pierotti, R. A., Rouquerol, J. and Siemieniewska, T. "Reporting physisorption data for gas/solid systems with special reference to the determination of surface area and porosity", *Pure Appl. Chem.*, Vol. 57, pp. 603–619, 1985.
172. Sohn, J. R., Decanio, S. J., Lunsford, J. H. and O'Dennell, D. J. "Determination of framework aluminium content in dealuminated Y-type zeolites: a comparison based on unit cell size and wavenumber of I.R. bands", *Zeolites*, Vol. 6, pp. 225–227, 1986.
173. Somanathan, T. and Pandurangan, A. "Effective synthesis of single-walled carbon nanotubes using Ni–MCM-41 catalytic template through chemical vapor deposition method", *Ind. Eng. Chem. Res.*, Vol. 45, No. 26, pp. 8926–8931, 2006.
174. Somanathan, T. and Pandurangan, A. "Catalytic activity of Fe, Co and Fe-Co-MCM-41 for the growth of carbon nanotubes by chemical vapour deposition method", *Appl. Surf. Sci.*, Vol. 254, No. 17, pp. 5643–5647, 2008.
175. Somanathan, T. and Pandurangan, A. "Multiwalled carbon nanotubes synthesis with high yield utilizing Pt/Al-MCM-41 via catalytic chemical vapour deposition technique", *J. Porous Mater.*, Vol.16, pp. 459–464, 2009.
176. Somanathan, T., Gokulakrishnan, N., Chandrasekar, G. and Pandurangan, A. "Fabrication of multi-walled carbon nanotubes in the channels of iron loaded three dimensional mesoporous material by catalytic chemical vapour deposition technique", *Appl. Surf. Sci.*, Vol. 257, pp. 2940–2943, 2011.

177. Srivastava, A., Srivastava, O. N., Talapatra, S., Vajtai, R. and Ajayan, P. M. "Carbon nanotube filters", *Nature Mater.*, Vol. 3, pp. 610–614, 2004.
178. Subashini, D. and Pandurangan, A. "Synthesis of mesoporous molecular sieves as catalytic template for the growth of single walled carbon nanotubes", *Catal. Commun.*, Vol. 8, No. 11, pp. 1665–1670, 2007.
179. Subashini, D. and Pandurangan, A. "Synthesis and characterization of Mn-MCM-41–its catalytic activity for the synthesis of carbon nanotubes", *J. Nanosci. Nanotechnol.*, Vol. 9, No. 9, pp. 5555–5560, 2009.
180. Subramanian, S., Mitra, A., Satyanarayana, C. V. V. and Chakrabarty, D. K. "Para-selective butylation of phenol over silicoaluminophosphate molecular sieve SAPO-11 catalyst", *Appl. Catal. A*, Vol. 159, pp. 229–240, 1997.
181. Tai, Y., Inukai, K., Osaki, T., Tazawam, M., Murakami, J., Tanemura, S. and Ando, Y. "Identification of compounds produced through contact arc vaporization of graphite under CH₄ ambience", *Chem. Phys. Lett.*, Vol. 224, pp. 118–122, 1994.
182. Takahashi, H., Li, B., Sasaki, T., Miyazaki, C., Kajino, T. and Inagaki, S. "Immobilized enzymes in ordered mesoporous silica materials and improvement of their stability and catalytic activity in an organic solvents", *Micropor. Mesopor. Mater.*, Vol. 44–45, pp. 755–762, 2001.
183. Tanev, P. T. and Pinnavaia, T. J. "A neutral templating route to mesoporous molecular sieves", *Science*, Vol. 267, pp. 865–867, 1995.
184. Tans, S. J., Devoret, M. H., Dai, H., Thess, A., Smalley, R. E., Geerligs, L. J. and Dekker, C. "Individual single-wall carbon nanotubes as quantum wires", *Nature*, Vol. 386, pp. 474–477, 1997.
185. Tans, S. J., Verschueren, A. R. M. and Dekker, C. "Room-temperature transistor based on a single carbon nanotube", *Nature*, Vol. 393, pp. 49–52, 1998.
186. Terrones, M., Grobert, N., Olivares, J., Zhang, J. P., Terrones, H., Kordatos, K., Hsu, W. K., Hare, J. P., Townsend, P. D., Prassides, K., Cheetham, A. K., Kroto, H. W. and Walton, D. R. M. "Controlled production of aligned-nanotube bundles", *Nature*, Vol. 388, pp. 52–55, 1997.

187. Thess, A., Lee, R., Nikolaev, P., Dai, H., Petit, P., Robert, J., Xu, C., Lee, Y. H., Kim, S. G., Rinzler, A. G., Colbert, D. T., Scuseria, G. E., Tomalnek, D., Fischer, J. E. and Smalley, R. E. "Crystalline ropes of metallic carbon nanotubes", *Science*, Vol. 273, pp. 483–487, 1996.
188. Thostenson, E. T., Ren, Z. and Chow, T. W. "Advances in the science and technology of carbon nanotube and their composites: a review", *Compos. Sci. Technol.*, Vol. 61, pp. 1899–1912, 2001.
189. Treacy, M. M. J., Ebbesen, T. W. and Gibson, J. M. "Exceptionally high Young's modulus observed for individual carbon nanotubes", *Nature*, Vol. 381, pp. 678–680, 1996.
190. Tsang, S. C., Harris, P. F. J. and Green M. L. H. "Thinning and opening of carbon nanotubes by oxidation using carbon dioxide", *Nature*, Vol. 362, pp. 520–521, 1993.
191. Tuel, A. and Gontier, S. "Synthesis and characterisation of trivalent metal containing mesoporous silicas obtained by a neutral templating route", *Chem. Mater.*, Vol. 8, pp. 114–122, 1996.
192. Umamaheswari, V., Palanichamy, M. and Murugesan, V. "Isopropylation of m-cresol over mesoporous Al-MCM-41 molecular sieves", *J. Catal.*, Vol. 210, pp. 367–374, 2002.
193. Valentini, L., Puglia, D., Frulloni, E., Armentano, I., Kenny, J. M. and Santucci, S. "Dielectric behavior of epoxy matrix/single-walled carbon nanotube composites", *Compos. Sci. Technol.*, Vol. 64, pp. 23–33, 2004.
194. Vander Wal, R. L., Ticich, T. M. and Curtis, V. E. "Flame synthesis of metal-catalyzed single-wall carbon nanotubes", *J. Phys. Chem. A*, Vol. 104, pp. 7209–7219, 2000.
195. Vartuli, J. C., Kresge, C. T., Leonowicz, M. E., Chu, A. S., Mc Cullen, S. B., Johnson, I. D. and Sheppard, E. W. "Synthesis of mesoporous materials: liquid crystal templating versus intercalation of layered silicates", *Chem. Mater.*, Vol. 6, pp. 2070–2077, 1994.
196. Velu, S., Wang, L., Okazaki, M., Suzuki, K. and Tomura, S. "Characterization of MCM-41 mesoporous molecular sieves containing copper and zinc and their catalytic performance in the selective oxidation of alcohols to aldehydes", *Micropor. Mesopor. Mater.*, Vol. 54, pp. 113–126, 2002.

197. Vetrivel, S. and Pandurangan, A. "Supported metal oxide catalysts: their activity to vapor phase oxidation of ethylbenzene", *Ind. Eng. Chem. Res.*, Vol. 44, pp. 692–701, 2005.
198. Vinu, A., Anandan, S., Anand, C., Srinivasu, P., Ariga, K. and Mori, T. "Fabrication of partially graphitic three-dimensional nitrogen-doped mesoporous carbon using polyaniline nanocomposite through nanotemplating method", *Micropor. Mesopor. Mater.*, Vol. 109, pp. 398–404, 2008.
199. Walker Jr, P. L., Rakszawski, J. F. and Imperial, G. R. "Carbon formation from carbon monoxide-hydrogen mixtures over iron catalysts. I. properties of carbon formed", *J. Phys. Chem.*, Vol. 63, No. 2, pp. 133–140, 1959.
200. Wang, C. Y., Chen, T. H., Chang, S. C., Chin, T. S. and Cheng, S. Y. "Flexible field emitter made of carbon nanotubes microwave welded onto polymer substrates", *Appl. Phys. Lett.*, Vol. 90, pp. 103111–103112, 2007.
201. Wang, G. X., Zhang, B. L., Yu, Z. L. and Qu, M. Z. "Manganese oxide/MWNTs composite electrodes for supercapacitors", *Sol. Stat. Ion.*, Vol. 176, pp. 1169–1174, 2005.
202. Wang, M., Zhao, X. L., Ohkohchi, M. and Ando, Y. "Carbon nanotubes grown on the surface of cathode deposit by arc discharge", *Fullerene Sci. Technol.*, Vol. 4, pp. 1027–1039, 1996.
203. Wang, N., Tang, Z. K., Li, G. D. and Chen, J. S. "Materials Science: Single-walled 4 Å carbon nanotube arrays", *Nature*, Vol. 408, pp. 50–51, 2000.
204. Wang, Y., Tanaka, K., Nakaoka, T. and Murase, K. "Effect of nanophase separation on crystallization process in Ge-Se glasses studied by Raman scattering", *Physica B: Condens. Matt.*, Vol. 316–317, pp. 568–571, 2002.
205. Wong, M. S. and Ying, J. Y. "Amphiphilic templating of mesostructured zirconium oxide", *Chem. Mater.*, Vol. 10, pp. 2067–2077, 1998.
206. Wong, S. S., Joselevich, E., Woolley, A. T., Cheung, C. L. and Lieber, C. M. "Covalently functionalized nanotubes as nanometer sized probe in chemistry and biology", *Nature*, Vol. 394, pp. 52–55, 1998.

207. Wong, Y. M., Kang, W. P., Davidson, J. L., Choi, B. K. and Huang, J. H. "Growth and profile modification of carbon nanotubes designed for field emission applications by hydrogen plasma pretreatment", *Diam. Relat. Mater.*, Vol. 15, pp. 1132–1137, 2006.
208. Wu, H. L., Wang, C. H., Ma, C. C. M., Chiu, Y. C., Chiang, M. T. and Chiang, C. L. "Preparations and properties of maleic acid and maleic anhydride functionalized multi-wall carbon nanotube/poly (urea urethane) nanocomposites", *Compos. Sci. Tech.*, Vol. 67, pp. 1854–1860, 2007.
209. Yacaman, M. J., Yoshida, M. M., Rendon, L. and Santiesteban, J. G. "Catalytic growth of carbon microtubules with fullerene structure", *Appl. Phys. Lett.*, Vol. 62, pp. 657–659, 1993.
210. Yakobson, B. I. and Smalley, R. E. "Fullerene nanotubes: C₁₀₀₀₀₀₀ and beyond", *American Scientist*, Vol. 85, pp. 324–337, 1997.
211. Yanagisawa, T., Schimizu, T., Kuroda, K. and Kato, C. "The preparation of alkyltrimethylammonium-kanemite complexes and their conversion to microporous materials", *Bull. Chem. Soc. Jpn.*, Vol. 63, pp. 988–992, 1990.
212. Yao, Z., Postma, H. W. C., Balents, L. and Dekker, C. "Carbon nanotube intramolecular junctions", *Nature*, Vol. 402, pp. 273–276, 1999.
213. Yaping, Z., Aibo, Z., Qinghua, C., Jiaoxia, Z. and Rongchang, N. "Functionalized effect on carbon nanotube/epoxy nano-composites", *Mater. Sci. Eng.: A*, Vol. 435–436, pp. 145–149, 2006.
214. Yudasaka, M., Kikuchi, R., Ohki, Y. and Yoshimura, S. "Nitrogen-containing carbon nanotube growth from Ni phthalocyanine by chemical vapor deposition", *Carbon*, Vol. 35, pp. 195–201, 1997.
215. Zhang, H., Guo, H., Deng, X., Gu, P., Chen, Z. and Jiao, Z. "Functionalization of multi-walled carbon nanotubes via surface unpaired electrons", *Nanotechnol.*, Vol. 21, pp. 85706–85712, 2010.
216. Zhang, W. and Pinnavaia, T. J. "Transition metal substituted derivatives of cubic MCM-48 mesoporous molecular sieves", *Catal. Lett.*, Vol. 38, pp. 261–265, 1996.

217. Zhang, W., Wang, J., Tanev, P. T. and Pinnavaia T. J. "Catalytic hydroxylation of benzene over transition metal substituted hexagonal mesoporous silicas", *Chem. Commun.*, pp. 979–980, 1996.
218. Zhao, D. and Goldfrab, D. "Synthesis of mesoporous manganosilicates: Mn-MCM-41, Mn-MCM-48 and Mn-MCM-L", *J. Chem. Soc., Chem. Commun.*, pp. 875–876, 1995.
219. Zhao, D., Feng, J., Huo, Q., Melosh, N., Fredrickson, G. H., Chmelka, B. F. and Stucky, G. D. "Triblock copolymer syntheses of mesoporous silica with periodic 50 to 300 Angstrom pore", *Science*, Vol. 279, pp. 548–552, 1998.
220. Zhao, X., Ohkohchi, M., Wang, M., Iijima, S., Ichihashi, T. and Ando, Y. "Preparation of high-grade carbon nanotubes by hydrogen arc discharge", *Carbon*, Vol. 35, pp.775–781, 1997.
221. Zhao, X., Inoue, S., Jinno, M., Suzuki, T. and Ando, Y. "Macroscopic oriented web of single-wall carbon nanotubes", *Chem. Phys. Lett.*, Vol. 373, pp. 266–271, 2003.
222. Zhao, X., Ando, Y., Liu, Y., Jinno, M. and Suzuki, T. "Carbon nanowire made of a long linear carbon chain inserted inside a multi-walled carbon nanotube", *Phys. Rev. Lett.*, Vol. 90, pp. 187401–187404, 2003a.
223. Zheng, B., Li, Y. and Liu, J. "CVD synthesis and purification of single-walled carbon nanotubes on aerogel supported catalyst", *Appl. Phys. A*, Vol. 74, pp. 345–348, 2002.
224. Zheng, L. X., O'Connell, M. J., Doorn, S. K., Liao, X. Z., Zhao, Y. H., Akhadov, E. A., Hoffbauer, M. A., Roop, B. J., Jia, Q. X., Dye, R. C., Peterson, D. E., Huang, S. M., Liu, J. and Zhu, Y. T. "Ultralong single-wall carbon nanotubes", *Nature Mater.*, Vol. 3, pp. 673–676, 2004.
225. Zhou, C. H., Zhang, B., Li, Q. W., Cai, Y., Chen, Y. F. and Ge, Z. H. "Synthesis and characterization of mesoporous molecular sieves MCM-41 modified in framework by B and Al", *Gaoxiao Huaxue Gongcheng Xuebao*, Vol. 15, pp. 425–428, 2001.
226. Zhou, O., Fleming, R. M., Murphy, D. W., Chen, C. H., Haddon, R. C., Ramirez, A. P. and Glarum, S. H. "Defects in carbon nanostructures", *Science*, Vol. 263, pp. 1744–1747, 1994.

227. Zhou, Y., Pervin, F., Lewis, L. and Jeelani, S. "Experimental study on the thermal and mechanical properties of multi-walled carbon nanotube-reinforced epoxy", *Mater. Sci. Eng.: A*, Vol. 452–453, pp. 657–664, 2007.
228. Zhu, J., Yudasaka, M. and Iijima, S. "A catalytic chemical vapor deposition synthesis of double-walled carbon nanotubes over metal catalysts supported on a mesoporous material", *Chem. Phys. Lett.*, Vol. 380, pp. 496–502, 2003.
229. Zou, Y., Sun, L. X. and Xu, F. "Biosensor based on polyaniline–prussian blue/multi-walled carbon nanotubes hybrid composites", *Biosens. Bioelec.*, Vol. 22, pp. 2669–2674, 2007.