

7. LITERATURE CITED

- Adentunji, I. A. and Chheda, H. R. 1989. Seed yield stability of okra as influenced by planting date. *Plant Breeding.*, 103(3): 212-215.
- Agarrado, R. E and Rassco, E. T, 1986. The potential of F1 hybrid in akra, *Phillipines J. Crop Sci.*, 11: Supplement.
- Ahmed, N., Hakim, M. A. and Zargar, G. H. 1997. Combining ability studies in okra (*Abelmoschus esculentus* (L.) Moench). *Vegetable Science.*, 24(2): 95-98.
- Ahmed, N., Hakim, M. A. and Gandroo, M. Y. 1999. Exploitation of hybrid vigour in okra (*Abelmoschus esculentus* (L.) Meonch). *Indian Journal of Horticulture.*, 56(3): 247-251.
- Akhtar, M., Singh , J. N., Shahi, J. P, and Srivastava, K., 2010. Exploitation of heterosis for yield and its contributing traits in okra (*Abelmoshcus esculentus* (L.) Moench. *Environment and Ecology.*, 28(2B): 1243-1246.
- Alake, C. O. and Ariyo, O. J. 2012. Comparative analysis of genotype x environment interaction techniques in West African okra (*Abelmoschus caillei*, A. Chev Stevels). *Jouranl of Agricultural Science Toronto.*, 4(4): 135-150.
- Allard, R. W. and Bradshaw, A. D. 1964. Implication of genotype-environmental interaction in applied plant breeding. *Crop Sci.*, 4: 503-508.
- Anonymous, National Horticulture Borad (NHB), 2010-11, 2011-12 and 2012-13. http://nhb.gov.in/area%20_production.html

- Ariyo, O. J. 1990. Effectiveness and relative discriminatory abilities of techniques measuring genotype x environment interaction and stability in okra (*Abelmoschus esculentus* (L.) Moench). *Euphytica.*, 47(2): 99-105.
- Ariyo, O. J. and Ayo-Vaughan, M. A. 2000. Analysis of genotype x environment interaction of okra (*Abelmoschus esculentus* (L.) Moench). *Journal of Genetics and Breeding.*, 54(1): 35-40.
- Arora, S. K. 1993. Diallel analysis for combining ability studies in okra (*Abelmoschus esculentus* (L.) Moench). *Punjab Horticultural Journal.*, 33(1/4): 116-112.
- Bassey, E. E., Okocha, P. I, Eka, M. J, Umechuruba, C. I. and Eneobong, E. E., 2012. Evaluation of heterosis and variability in diallel crosses of okra in Southeastern Nigeria. *Jouranl of Agriculture Biotechnology and Ecology.*, 5(2): 20-29.
- Bendale, V. W., Madav, R. R., Bhave, S. G. and Pethe, U. B. 2004. Heterosis and combining ability of okra (*Abelmoschus esculentus* (L.) Moench). Cultivars. *Journal of Soils and Crops.*, 14(2): 269-272.
- Benjawan, C., P. Chutichudet. and T. Chanaboon. 2007a. Effects of chemical palobutrazol on growth, yield and quality of okra (*Abelmoschus esculentus* L.) harlium cultivar in Northeast Thailand. *Pak. J. Biol. Sci.*, 10: 433-438.
- Benjawan, C., P. Chutichudet. and S. Kaewsit. 2007b. Effects of green manures on growth, yield and quality of green okra (*Abelmoschus esculentus* L.) harlium cultivar. *Pak. J. Biol. Sci.*, 10: 1028-1035.

- Berry, S. K., Kalra, C. L., Sehagal, R. C., Kulkarni, S. G., Kour, S., Arora, S. K. and Sharma, B. R. 1988. Quality characteristics of seeds of five okra (*Abelmoschus esculentus* L.) cultivars. *J. Fd. Sci. Techno.*, 25(5): 303-305.
- Bhalekar, S. G., Desai, U. T. and Nimbalkar, C. A. 2004. Heterosis studies in okra. *Journal of Maharashtra Agricultural Universities.*, 29(3): 360-362.
- Borgaonkar, S. B., Poshiya, V. K., Sharma, K. M., Savargaonkar, S. L. and Minakshi Patil., 2006. Heterosis studies in okra (*Abelmoschus esculentus* (L.) Moench). *International Journal of Plant Sciences, Muzaffarnagar.*, 1(2): 227-228.
- Borgaonkar, S. B., Poshiya, V. K., Savargaonkar, S. L., Sharma, K. M. and Minakshi Patil, 2006a, combining ability studies in okra (*Abelmoschus esculentus* (L.) Moench). *Int. J. Plant Sci.*, 1(2): 246-248.
- Chaudhri, D. R., Kumar, J. V. and Sharma, S. K. 1991. Line x tester analysis for combining ability in okra (*Abelmoschus esculentus* (L.) Moench). *South Indian Hort.*, 39(6): 337-340.
- Chavandhal, A. S. and Malkhandale, J. D. 1994. Combining ability studies in okra. *Journal of Soils and Crops.*, 4(1): 10-14.
- Comstock, R. E. and Moll, R. H. 1963. Genotype-environment interaction. In "*Statistical Genetics and Plant Breeding*". NAS-NRC. Pp. 164-196.
- Dabhi, K. H., Vachhani, J. H., Poshiya, V. K., Jivani, L. L. and Kachhadia, V. H. 2010. Combining ability for fruit yield and its

- components over environments in okra (*Abelmoschus esculentus* (L.) Moench). *Research on Crops.*, 11(2): 383-390.
- Dabhi, K. H., Vachhani, J. H., Poshiya, V. K., Jivani, L. L. and Chitaroda, J. D. 2010. Stability analysis in okra (*Abelmoschus esculentus* (L.) Moench). *Research on Crops.*, 11(2): 391-396.
- Dahake, K. D. and Bangar, N. D. 2006. Combining ability analysis in okra. *Journal of Maharashtra Agricultural Universities.*, 31(1): 39-41.
- Dayasagar, P. 1994. Studies on heterosis in bhendi (*Hibiscus esculentus* L. Moench). *Annals agric.Res* 15(3):18-20.
- Dhankar, S. K., Saharan, B. S. and Dhankar, B.S. 1996. Heterosis studies in okra (*Abelmoschus esculentus* (L.) Moench). *Haryana J. Hort. Sci.*, 25: 81-87.
- Dhankar, S. K., Dhankar, B. S. and Tewatia, A. S. 1998. A note on heterosis and combining ability in okra (*Abelmoschus esculentus* (L.) Moench). *Haryana Journal of Horticulture Sciences.*, 27: 211-214.
- Dhankar, S. K. and Dhankar, B. S. 2001. Heterosis and combining ability studies for some important characters in okra (*Abelmoschus esculentus* (L.) Moench). *Harayana J. Hort. Sci.*, 30: 330-333.
- Duzyaman, E. and Vural, H. 2002. A study on heterosis in yield among okra genotypes from different eco-geographic origin. *Ege-Universitiesi-Ziraat-Fakultesi-Dergisi.*, 39(2): 9-16.
- Eberhart, S. A. and Russell, W. A. 1966. Stability parameters for comparing varieties. *Crop sci.*, 6: 34-40.

- Elangoven, M., Muthukrishnan, C. R. and Irulappan, I. 1981. Combining ability in bhendi (*Abelmoschus esculentus* (L) Moench). *Annals agric.Sci.*, 29(1):431-438.
- El-Maksoud, M. A., Helal, R. M. and Mohamed, M. H. 1984. Studies on intervarietal cross and hybrid vigour in okra (*Abelmoschus esculentus* (L.) Moench). *Annals argic. Sci.*, 29 (1): 431-438.
- Fonseca, S. and Patterson, F. 1968. Hybrid vigour in a seven parent diallel crosses in common winter wheat (*Triticum aestivum* L.) *Crop Sci.*, 8:85-95.
- Frey, K. J. 1964. Adaptation reaction of Oat strains under stress and non-stress environmental condition. *Crop Sci.* 4: 55-58.
- Fugro, P. A. and Rajput, J. C. 1999. Breeding okra for yellow vein mosaic virus resistant. *Indian J. Mycol. Pl. Pathol.*, 29 (1): 25-27.
- Gondane, S. U. and Lai. G. 1993. Study of genotype x environment interaction in okra (*Abelmoschus esculentus* (L.) Moench). *Annals of Plant Physiology.*, 7(2): 242-246.
- Hosamani, R. M., Ajjappalavara, P. S., Patil, B. C., Smitha, R. P. and Ukkund, K. C. 2008. Heterosis for yield and yield components in okra. *Karnataka Journal of Agricultural Sciences.*, 21(3): 473-475.
- Inamullah, Ahmed, H., Muhammad, F., Sirajuddin, Hassan, G. and Gul, R. 2006. Evaluation of heterotic and heterobeltiotic potential of wheat genotype for improved yield., *Pakistan Journal of Botany.*, 38(4): 1159-1168.
- Jaiprakashnarayan, R. P., Prashanth, S. J., Mulge, R., Madalageri, M. B. and Nataraj, S. K. 2003. Studies on heterosis and combining

- ability for growth parameters in okra (*Abelmoschus esculentus* (L.) Moench). *The Asian Journal of Horticulture.*, 3(1): 21-26.
- Jindal, S. K., Deepak-Arora and Ghai, T. R. 2009. Genotype x environment interactions for fruit traits in okra (*Abelmoschus esculentus* L. Moench).
- Joshi, A. B. and Hardas, M. W. 1976. Okra *Abelmoschus esculenta* (Malvaceae). (Pp. 194-195) In: N.W. Simmonds (ed.), Evolution of crop plants – longman, London.
- Joshi, A. B., V. R. Gadwal and M. W. Hardas. 1974. Okra in evolutionary studies in world crops. Diversity change in the Indian subcontinent. *Hutchinson, J.B., Cambridge.*, Pp. 99-105.
- Joshi, B. S., Singh, H. B. and Gupta, P. S. 1958. Studies in hybrid vigour III. Bhindi. *Indian J. Genet. Plant. Breed.*, 18: 57-68.
- Kachhadia, V. H., Vachhani, J. H., Jivani, L. L., Madaria, R. B. and Dangaria, C. J. 2011. Combining ability for fruit yield and its components over environments in okra (*Abelmoschus esculentus* (L.) Moench). *Research on Crops.*, 12 (2): 561-567.
- Kachhadia, V. H., Vachhani, J. H., Jivani, L. L., Madaria, R. B. and Dangaria, C. J. 2011. Heterosis for fruit yield and yield components over environments in okra (*Abelmoschus esculentus* (L.) Moench). *Research on Crops.*, 12(2): 568-573.
- Kachhadia, V. H., Dangaria, C. J., Vachhani, J. H., Jivani, L. L. and Shekchat, H. G. 2011. Stability analysis in okra (*Abelmoschus esculentus* (L.) Moench). *International Journal of Plant Sciences Muzaffarnagar.*, 6 (1): 34-39.

- Kanwar, J. S., Jindal, S. K. and Satish-Kumar. 2006. Stability differences among okra genotypes for seed quality. *Seed Research*, 34(1): 56-60.
- Kempthorne, O. 1957. An Introduction to Genetic Statistics, John Wiley and Sons, New York, Pp. 408-711.
- Khanpara, M. D., Jivani, L. L., Vachhani, J. H., Shekhat, H. G. and Mehta, D. R. 2009. Line x tester analysis for combining ability in okra (*Abelmoschus esculentus* (L.) Moench). *International Journal of Agricultural Sciences.*, 5(2): 554-557.
- Kumar, N. S., 2011. Heterosis in okra (*Abelmoschus esculentus* (L.) Moench). *Plant Archives.*, 11(2): 683-685.
- Kumar, N. S., 2011. Stability of bhendi hybrids (*Abelmoschus esculentus* (L.) Moench). For fruit yield traits under saline environment. *Plant Archives.*, 11(2): 797-799.
- Kumar, P. S., Sriram, P., Karuppiyah, P. and Ganesan, J. 2006. Studies on genetic parameters for certain quantitative characters in bhendi (*Abelmoschus esculentus* (L.) Moench). *Research on Crops.*, 7(1): 263-265.
- Kumar, S. and N. K. Pathania. 2011. Combining ability and gene action studies in okra (*Abelmoschus esculentus* (L.) Moench). *J. Res. Punjab agric Univ.*, 48 (1&2): 43-47.
- Lal, S., Shekhar, C. and Shrivastava, J. P. 1975. Genetic studies on bhindi (*Abelmoschus esculentus* (L.) Moench) gene effects and heterosis. *Indian J. Hort.*, 32: 175-178.

- Laxmiprasanna, J. R. 1996. Genetic studies in okra (*Abelmoschus esculentus* (L.) Moench). M.Sc. (Agri.) Thesis, University of Agricultural Sciences, Dharwad.
- Lewis, D. 1954. Genotype x environment interaction – A relationship between heterosis, phenotypic stability and variability., *Heredity*, 8: 333-356.
- Liou-Min Li, Guo-Jie Wei and Wu-Shu Tu. 2002. Combing ability analysis of yield components in okra. *Jouranl of Agriculture and Forestry.*, 51(2):1-9.
- Lotito, S., Quagliotti, L. and Nada, E. 1996. Measurement of the phenptypic stability of seed production related traits in okra (*Abelmoschus esculentus* L.). *Sementi-Elette.*, 42(2): 33-39.
- Mandal, M. and Dana, I. 1993. Heterosis and inbreeding depression in okra. *Environment and Ecology.*, 11(3): 649-652.
- Mandal, N. and Dana, I. 1994. Phenotypic stability in okra (*Abelmoschus esculentus* (L.) Moench). *Environment and Ecology.*, 12(2): 396-398.
- Mamidwar, S. R., Nandan Mehta and Nichal, S.S. 2006. Heterobeltiosis in okra (*Abelmoschus esculentus* (L.))Moench). *J.Interacted.*, 10(3):649-652
- Mamta Rani, Arora, S. K. and Dhall, R. K., 2002. Heterobeltiosis studies in okra (*Abelmoschus esculentus* (L.) Moench). *Journal of Reserarch Punjab Agricultural University.*, 39(4): 491-498.
- Martin, F. W. 1982. A second edible okra species and its hybrids with common okra. *Ann. Bot.*, 50: 277-283.

- Naphade, P. V., Potdukhe, N. R., Parmar, J. N. and Sable, N. H., 2006, Line x Tester analysis for combining ability in okra. *Ann. Plant Physiol.*, 20(1): 91-94.
- Nawangburuka, C. C., Kehinde, O. B., Ojo, D. K. and Denton, O. A. 2011. Genotype x environment interaction and seed yield stability in cultivated okra using the additive main effect and multiplicative interaction (AMMI) and genotype and genotype x environment interaction (GGE). *Archives of Applied Science Research.*, 3(4): 193-205.
- Nichal, S. S., Datke, S. B., Deshmukh, D. T., Patil, N. P. and Ujjainkar, V. V. 2000. Diallel analysis for combining ability studies in okra (*Abelmoschus esculentus* (L.) Moench). *Annals of Plant Physiology*.2000, *Publ. 2001*; 14(2): 120-124.
- Paiva, W-O-de. and Costa, C-P-da. 1994. Stability of okra hybrids and cultivars. *Pesquisa Agropecuaria Brasileira.*, 29(5): 791-795.
- Pal, B. P., Singh, H. B. and Swarup, B. 1952. Taxonomic relationships and breeding possibilities of species *Abelmoschus* related to okra. (*Abelmoschus esculentus* (L.) Moench). *Bot. Gaz.*, 113: 455-464.
- Panda , P. K. and Singh, K. P. 1998. Heterosis and inbreeding depression for yield and pod character in okra. *J.Maharashtra agric. Univ.*, 23(3):249-251.
- Panda, P. K. and Singh, K. P. 1995, Line x Tester analysis for combining ability studies in okra (*Abelmoschus esculentus* (L.) Moench.). *Haryana J. Hort. Sci.*, 24: 281-286.

- Parmar, S. K., Tank, C. J. and Bhadauria, H. S. 2012. Study of quantitative traits in okra (*Abelmoschus esculentus* (L.) Moench). By using half diallel analysis. *Research on Crops.*, 13(2): 773-775.
- Patel, K. D, Barad, A. V, Savaliya, J. J. and Butani, A. M. 2010. A study on hybrid vigour and inbreeding depression in okra (*Abelmoschus esculentus* (L.) Moench). *Asian Journal of Horticulture.*, 5(2): 277-280.
- Patel, S. S, Kulkarni, U. G. and Nerkar, Y. S. 1994. Combining ability analysis for dry seed yield and its attributing traits in okra. *Journal of Maharashtra Agricultural University.*, 19(1): 49-50.
- Pathak, R., Syamal, M. M., Singh, A. L. and Pathak, R. 1998. Line x tester analysis for yield and its component in okra (*Abelmoschus esculentus* (L.))Moench). *Punjab Veg.Grower.*, 32:20-23.
- Pathak, R., Syamal, M. M., Singh, A. L. and Pathak, R. 1998. Line x tester analysis for combining ability in okra (*Abelmoschus esculentus* (L.) Moench). *Recent Hort.*, 4:127-132.
- Patil, Y. B. 1995. Studies on genetic divergence, Heterosis and combining ability in okra (*Abelmoschus esculentus* (L.) Moench). Ph.D. Thesis, University of Agricultural Sciences, Dharwad.
- Patil, Y. B., Madalgeri, B. B., Patil, S. S., Hosamani, R. M. and Biradar, B. D. 1996. Implication of heterosis, combinig ability and per se performance of vrosses involving diverse okra types. *Karnataka J.agric. Sci.*, 9(2):294-300.

- Patil, Y. B., Madalageri, B. B., Biradar, B. D. and Girish Patil. 1996. Combining ability studies in okra. *Karnataka Journal of Agricultural Sciences.*, 9(3): 473-447.
- Pawar, V. Y., Poshya, V. K. and Dhaduk, H.L. 1999. Combining ability analysis in okra. *Gujarat Agricultural University Research Journal.*, 25(1): 106-109.
- Poshiya, V. K. and Shukla, P. T., 1986b, Combining ability in okra (*Abelmoschus esculentus* (L.) Moench.). *Gujarath Agric. Univ. J.*, 12(12): 25-28.
- Poshya, V. K. and Shukla, P. T. 1995. Combining ability analysis over environments in okra (*Abelmoschus esculentus* (L.) Moench). *Gujarat Agricultural University Research Journal.*, 20(2): 64-68
- Poshiya, V. K. and Vashi, P. S., 1995. Heterobeltiosis in relation to general and specific combining ability in okra. *Gujarat Agricultural University Research Journal.*, 20(2): 69-72.
- Poshiya, V. K. and Vashi, P. S. 1997. Phenotypic stability of hybrids and their parents for fruit yield in okra (*Abelmoschus esculentus* (L.) Moench). *Indian Journal of Genetics and Plant Breeding.*, 57(3): 266-268.
- Poshiya, V. K. and Vashi, P. S., 1999a, Combining ability analysis over environments in okra. *Gujarath Agricultural University Research Journal*, 20 (2): 64-68.
- Prakash, M., Kumar, M. S., Saravanan, K., Kannan, K. and Ganesan, J. 2002. Line x tester analysis in okra. *Annals of Agricultural Research.*, 23(2): 233-237.

- Pratap, P. S. and Dhankahar, B. S. 1980a. Heterosis studies in okra okra (*Abelmoschus esculentus* (L.) Moench) *Haryana agric. Univer. J. Res.* 10(3): 336-341.
- Pratap, P. S. and Dhankahar, B. S. 1980b. Combining ability studies in okra okra (*Abelmoschus esculentus* (L.) Moench). *Genetica Agraria (Italy)*, 34(1-2): 67-73.
- Rajendra Kumar, Yadav, J. R., Pankaj Tripathi and Tiwari, S. K. 2005. Evaluating genotypes for combining ability through diallel analysis in okra. *Indian Journal of Horticulture*., 62(1): 88-90.
- Ramya, K. and Senthilkumar, N. 2010. Genotype x environment interaction and screening saline tolerant genotypes in okra (*Abelmoschus esculentus* (L.) Moench). *Interantional Journal of Plant Sciences Muzaffarnagar*., 5(1): 198-202.
- Rao, T. S. and Ramu, P. M. 1979. Genetics of quantitative characters in bhindi (*Abelmoschus esculentus* (L.) Moench). *J. Maharashtra Agric. Univ.*, 4: 133-136.
- Reddy, M. T., Kadiyala, Haribabu., Mutuyala Ganesh., Reddy, K. C., Hamedunissa Begum., Reddy, R. S. and Babu, J. D. 2012. Genetic analysis for yield and its components in okra (*Abelmoschus esculentus* (L.) Moench). *Songklanakarinn Journal of Science and Technology*., 34(2): 133-141.
- Rewale, V. S., Bendale, V. W., Bhave S. G., Madav, R. R. and Jadhav, B. B. 2003 Combining ability for yield and yield component in okra. *Journal of Maharashtra Agricultural Universities*., 28(3): 244-249.

- Salgotra, R. K., Gupta, B. B., Singh, P. 2009. Combining ability studies for yield and yield components in Basmati rice. *Oryza*. 46(1): 12-16.
- Saeed Ahmed, Malik, A. J., Abid Mahmood, Kumbhar, M. B. and Abdul Karim. 2004. Inheritance studies in okra under drought conditions. *Sarhad Journal of Agriculture.*, 20(1): 57-65.
- Senthilkumar, N., Suguna, V. and Kumar, S. T. 2007. Reciprocal differences and heterosis breeding for fruit yield traits in okra (*Abelmoschus esculentus* (L.) Moench). *Advances in Plant Sciences.*, 20(1): 77-79.
- Shaikh Md. Soyab Akhil Mohd. Ab. Mazid., Mohrir, M. N. and Jadhav, R. S. 2013. Genetic variability, heritability and genetic advance in okra (*Abelmoschus esculentus* L. Moench.). *Electronic Journal of Plant Breeding*, 4(3): 1255-1257.
- Shaikh Md. Soyab Akhil Mohd. Ab. Mazid., Mohrir, M. N. and Jadhav, R. S. 2013. Genetic divergence in okra (*Abelmoschus esculentus* L. Moench.). *Electronic Journal of Plant Breeding*, 4(3): 1258-1260.
- Sharma, B. R. and Mahajan, Y. P. 1978. Line x tester analysis or combining ability and heterosis for some economic character in okra. *Scientia Hort.J.*, 2:111-118.
- Sharma, J. P., Singh, A. K. and Kumar, S., 2006. Annual Research Report. Division of vegetable Science and Floriculture, SKUAST-J, Chatha, Jammu. Pp-59.
- Sharma, B. R. 1993. Genetic improvement of vegetable crops. (Eds) Kalloo and B.O. Bergh, Pergamon press., Okra. Pp. 751.770.

- Sheela, M. N., Manikantan, N. P. and Gopinathan, N. V. 1988. Heterosis in bhendi. *Agricultural Research Journal of Kerala.*, 26(1): 23-28.
- Shinde, L. A., Kulkarni, U. G., Ansingakar, A. S. and Nerkar, Y. S. 1995. Combining ability in okra. *Journal of Maharashtra Agricultural Universities.*, 20(1): 58-60.
- Shukla, A. K. and Gautam, N. C. 1990. Heterosis and inbreeding depression in okra (*Abelmoschus esculentus* (L.) Moench). *Indian J.Hort.*, 47(1):85-88.
- Shull, G. H. 1914. Beginings of the heterosis concept. Pp. 14-48. *In: Heterosis, J. W. Gowen (ed.) Iowa State College Press, Ames.*
- Singh , B. and Kumar, V. 2010. Studies on combining ability analysis in okra. *Indian Journal of Horticulture.*, 67(Special issue): 154-159.
- Singh, B., S. P. Yadav, J. R. and Kumar, R. 2002. Heterobeltiosis and inbreeding depression in okra. *Plant Archieves.*, 2 (1): 127-132.
- Singh, H. B. and Bhagchandani, P. M. 1967. Bhindi Cultivation in India. ICAR New Delhi, India Pp. 1-40.
- Singh, N., Arora, S. K., Ghai, T. R. and Dhillon, T. S., 1996. Heterosis studies in okra. *Punjab Vegetable Grower.*, 31: 18-24.
- Singh, R. K. and Mandal, G. 1993. Studies on heterosis in okra (*Abelmoschus esculentus* (L.) Moench). *Annals agri. Res.*, 14 (4): 429-433.

- Singh, S. P. and Singh, H. N. 1979b. Hybrid vigour for yield and its components in okra. *Indian J.agric.Sci.* 49(8):596-601.
- Singh, S. P. and Singh, H. N., 1978, Combining ability in okra. *Indian J. Agric. Sci.*, 48(8): 455-458.
- Singh, G. N. and Singh, S. P., 1984, Factorial diallel analysis for some quantitative characters in okra. *Indian J. Agric. Sci.*, 54(3): 205-208.
- Singh, S. P., Srivastava, J. P. and Singh, H. N. 1975. Heterosis in bhendi (*Abelmoschus esculentus* (L.) Moench). *Progressive Horticulture*, 7: 5-15.
- Sivagmasundhari, S; Irulappan, I, Arumugam, R. and Sankar, S. J. 1992. Heterosis in bhendi. *South Indian Horticulture.*, 40(2): 79-82.
- Sivakumar, S., Ganesan, J. and Sivasubramanian, V. 1997. Studies on heterosis breeding in bhendi, *South Indian Hort.*, 52: 76-81.
- Sivakumar, S., Ganesan, J. and Sivasubramanian, V. 1995. Combining ability analysis in bhendi. *South Indian Hort.*, 43: 21-24.
- Sood, S. 2001. Genetics of number of pods in okra (*Abelmoschus esculentus* (L.) Moench). *Advances in Horticulture and Forestry.*, 8: 123-128.
- Sprague, G. F. and Tatum, L. A., 1942. General vs specific combining ability in single crosses of corn. *American Soc. Agron.*, 34: 923-932.
- Srivastava, M. K., Kumar, S. and Pal, A.K. 2008. Studies on combining ability in okra through diallel analysis. *Indian Journal of Horticulture.*, 65(1): 48-51.

- Sundhari, S. S., Irulappan, I., Arumugam, R., Jayasankar, S. 1992. Combining ability in okra. *South Indian Horticulture.* , 40(1); 21-27.
- Swami Rao, T. 1977. Line x tester analysis of heterosis and combining ability in bhendi. *South Indian Hort.* 40(2):112-118.
- Thaker, D. N., Tikka, S. B. S. and Patel, K. K.1982. Hybrid vigour and inbreeding depression for fruit yield and its components in okra (*Abelmoschus esculentus* (L.) Moench). *Gujrat Agric. Univ.Res.J.*, 8 (1):1-4.
- Thippeswamy, S. 2001. Line x tester analysis for heterosis and combining ability using male sterile lines in okra. M.Sc. Thesis, UAS, Bangalore.
- Udengwu, O. S. 2009, Studies on heterosis in *Abelmoschus esculentus* (L.) Moench and *A.callei* (A. Chev) Stevels cultivars during shorter day photoperiods in southeastern Nigeria. *Pakistan J. Biol. Sci.*, **12**(21) : 1388-1398.
- Vachanni, J. H., Shekhat, H. G., Kachhadia, V. H., Jivani, L. L. and Padhar, P. R., 2011. Heterosis and inbreeding depression in okra (*Abelmoschus esculentus* (L.) Moench). *Research on Crops.*, 12(2): 556-560.
- Vavilov, N. I. 1951. The origin, variation, immunity and breeding of cultivated plants. *Chronological Botany.*, 13, 1949-1950.
- Veeraragavathatham, C. and Irulappan, I. 1991. Performance of parents and hybrids for certain biometric traits in okra. *South Indian Hort.*, 39(6):341-345.

- Veerarangavathatham, D. and Irulappan, I., 1991. Combining ability analysis in certain okra (*Abelmoschus esculentus* (L.) Moench). Hybrids and parents. *South Indian Horticulture.*, 1991; 39(4): 193-199.
- Venkataramani, K. S. 1952. A preliminary studies of some intervarietal crosses and hybrid vigour in *Hibiscus esculentus* (L). *Journal of Madras Agricultural University*, 22: 138-200.
- Vijay, O. P. and Manohar, M. S. 1986a Combining ability in okra. *Indian J.Hort.*, 43(1-2):133-139.
- Vijay, O. P. and Manohar, M. S. 1986b Heterobeltosis in okra. (*Abelmoschus esculentus* (L.) Moench) *Indian J.Hort.*, 43(3/4):252-259.
- Vijayaraghavan, C. and Wariar, U. A. 1946. Evaluation of high yielding hybrid 'bhindi' (*Hibiscus esculentus*). *Proc. 33rd Indian Sci Cong.*, 33: 165.
- Wankhade, R. V., Kale, P. B., and Dod, V. N. 1997. Studies on heterobeltiosis in okra. *PKV Research Journal.*, 21(1):16-21.
- Wankhade, R. V., Kale, P. B. and Dod, V. N., 1995, Combining ability in okra. *Indian J. Hort.*, 19(2): 121-124.
- Wammanda, D. T. 2007. Inheritance studies in collected local okra (*Abelmoschus esculentus* L. Moench) cultivars. In: Combining ability analysis and heterosis in diallel cross of okra. *African Journal of Agricultural Research*, Vol. 5(16): 2108-2115
- Wammanda, D. T., Kadams, A. M. and Jonah, P. M., 2010. Combining ability analysis and heterosis in diallel cross of okra

(*Abelmoschus esculentus* (L.) Moench). *African Journal of Agricultural Research.*, 5(16): 2108-2115.

Weerasekara, D., Jagadeesha, R. C., Wali, M. C., Salimath, P. M., Hosamani, R. M. and Kalappanavar, I. K. 2008. Combining ability of yield and yield components in okra. *Indian Journal of Horticulture.*, 65(2): 236-238.

Zeven, A. C., Zhukovsky, P. M. 1975. Dictionary of cultivated plants and their centers of diversity. Center for Agricultural publishing and documentation. Wageningen, The Netherlands.