

- Acea, M. J., & Carballas, T. (1990). Principal components analysis of the soil microbial population of humid zone of Galicia (Spain). *Soil Biology and Biochemistry*, 22(6), 749-759.
- Achard, F., Eva, H. D., Stibig, H. J., Mayaux, P., Gallego, J., Richards, T., & Malingreau, J. P. (2002). Determination of deforestation rates of the world's humid tropical forests. *Science*, 297(5583), 999-1002.
- Adhikari, B. S., Rawat, Y. S., & Singh, S. P. (1995). Structure and function of high altitude forests of central Himalaya I. Dry matter dynamics. *Annals of Botany*, 75(3), 237-248.
- Aide, T. M., Zimmerman, J. K., Rosario, M., & Marcano, H. (1996). Forest recovery in abandoned cattle pastures along an elevational gradient in northeastern Puerto Rico. *Biotropica*, 537-548.
- Alhamd, L., Arakaki, S., & Hagihara, A. (2004). Decomposition of leaf litter of four tree species in a subtropical evergreen broad-leaved forest, Okinawa Island, Japan. *Forest Ecology and Management*, 202(1), 1-11.
- Anitha, K., Balasubramanian, P., & Prasad, S. N. (2007). Tree Community structure and regeneration in Anaikatty hills, Western Ghats. *Indian Journal of Forestry*, 30(3), 315-324.
- Anon. (1999). *Globalism's human face*. Newsweek, March 29, p. 60.
- Arunachalam, A., & Arunachalam, K. (2000). Influence of gap size and soil properties on microbial biomass in a subtropical humid forest of north-east India. *Plant and Soil*, 223(1-2), 187-195
- Arunachalam, A., Maithani, K., Pandey, H. N., & Tripathi, R. S. (1998). Leaf litter decomposition and nutrient mineralization patterns in regrowing stands of a humid subtropical forest after tree cutting. *Forest Ecology and Management*, 109(1), 151-161.
- Attignon, S. E., Weibel, D., Lachat, T., Sinsin, B., Nagel, P., & Peveling, R. (2004). Leaf litter breakdown in natural and plantation forests of the Lama forest reserve in Benin. *Applied Soil Ecology*, 27(2), 109-124.
- Baker, J. B., & Blackmon, B. G. (1977). Biomass and nutrient accumulation in a cottonwood plantation—the first growing season. *Soil Science Society of America Journal*, 41(3), 632-636.

- Barbhuiya, A. R., Arunachalam, A., Nath, P. C., Khan, M. L., & Arunachalam, K. (2008). Leaf litter decomposition of dominant tree species of Namdapha National Park, Arunachal Pradesh, northeast India. *Journal of Forest Research*, 13(1), 25-34.
- Bargali, S. S., & Singh, S. P. (1991). Aspects of productivity and nutrient cycling in an 8-year-old Eucalyptus plantation in a moist plain area adjacent to central Himalaya, India. *Canadian Journal of Forest Research*, 21(9), 1365-1372.
- Bargali, S. S., Shukla, K., Singh, L., Ghosh, L., & Lakhera, M. L. (2015). Leaf litter decomposition and nutrient dynamics in four tree species of dry deciduous forest. *Tropical Ecology*, 56(2), 191-200.
- Bargali, S. S., Singh, R. P., & Singh, S. P. (1992b). Structure and function of an age series of eucalypt plantations in Central Himalaya, II. Nutrient dynamics. *Annals of Botany*, 69(5), 413-421.
- Bargali, S. S., Singh, S. P., & Singh, R. P. (1992a). Structure and function of an age series of eucalypt plantations in Central Himalaya. I. Dry matter dynamics. *Annals of Botany*, 69(5), 405-411.
- Barrett, D. J., & Gifford, R. M. (1995). Acclimation of photosynthesis and growth by cotton to elevated CO₂: interactions with severe phosphate deficiency and restricted rooting volume. *Functional Plant Biology*, 22(6), 955-963.
- Bationo, A., Kihara, J., Vanlauwe, B., Waswa, B., & Kimetu, J. (2007). Soil organic carbon dynamics, functions and management in West African agro-ecosystems. *Agricultural systems*, 94(1), 13-25.
- Bauhus, J., Khanna, P. K., & Menden, N. (2000). Aboveground and belowground interactions in mixed plantations of Eucalyptus globulus and Acacia mearnsii. *Canadian Journal of Forest Research*, 30(12), 1886-1894.
- Bayala, J., Mando, A., Teklehaimanot, Z., & Ouedraogo, S. J. (2005). Nutrient release from decomposing leaf mulches of karité (*Vitellaria paradoxa*) and néré (*Parkia biglobosa*) under semi-arid conditions in Burkina Faso, West Africa. *Soil Biology and Biochemistry*, 37(3), 533-539.
- Becknell, J. M., Kucek, L. K., & Powers, J. S. (2012). Aboveground biomass in mature and secondary seasonally dry tropical forests: A literature review and global synthesis. *Forest Ecology and Management*, 276, 88-95.

- Berg, B., & Matzner, E. (1997). Effect of N deposition on decomposition of plant litter and soil organic matter in forest systems. *Environmental Reviews*, 5(1), 1-25.
- Bhatt, B. P., & Tomar, J. M. S. (2002). Firewood properties of some Indian mountain tree and shrub species. *Biomass and Bioenergy*, 23(4), 257-260.
- Bhattacharyya, P., Chakrabarti, K., & Chakraborty, A. (2005). Microbial biomass and enzyme activities in submerged rice soil amended with municipal solid waste compost and decomposed cow manure. *Chemosphere*, 60(3), 310-318.
- Bhattacharyya, P., Pal, R., Chakraborty, A., & Chakrabarti, K. (2001). Microbial biomass and activity in a laterite soil amended with municipal solid waste compost. *Journal of Agronomy and Crop Science*, 187(3), 207-211.
- Billore, S. K., Ohsawa, M., Numata, M., & Okano, S. (1995). Microbial biomass nitrogen pool in soils from a warm temperate grassland, and from deciduous and evergreen forests in Chiba, central Japan. *Biology and fertility of soils*, 19(2-3), 124-128.
- Binkley, D., Sollins, P., Bell, R., Sachs, D. & Myrold, D. (1992). Biogeochemistry of adjacent conifer and alder- conifer stands. *Ecology*, 73, 2022-2033.
- Bockheim, J. G., & Leide, J. E. (1991). Foliar nutrient dynamics and nutrient-use efficiency of oak and pine on a low-fertility soil in Wisconsin. *Canadian Journal of Forest Research*, 21(6), 925-934.
- Bocock, K. L., Gilbert, O., Capstick, C. K., Twinn, D. C., Waid, J. S., & Woodman, M. J. (1960). Changes in leaf litter when placed on the surface of soils with contrasting humus types. *Journal of Soil Science*, 11(1), 1-9. Bocock, K. L., Gilbert, O., Capstick, C. K., Twinn, D. C., Waid, J. S., &
- Borah, R. P., & Chandra, A. (2010). Carbon sequestration potential of selected bamboo species of Northeast India. *Annals of Forest* 18(2), 171-180.
- Bormann, F. H. & Likens, G. E. (1979). *Patterns and process in a forested ecosystem*. New York: Springer.
- Bremner, J. M. & Mulvaney, C.S. (1982). Nitrogen total. – In: Page, A.L., Miller, R.H., Keeney, D.R. (eds.), *Methods of Soil Analysis*, American Society of Agronomy and Soil Science Society of America, Madison, WI, pp. 595-624.

- Bremner, J. M. (1965). Inorganic forms of nitrogen. *Methods of Soil Analysis. Part 2. Chemical and Microbiological Properties*, (methods of soil analysis), 1179-1237.
- Brookes, P. C., Kragt, J. F., Powlson, D. S., & Jenkinson, D. S. (1985). Chloroform fumigation and the release of soil nitrogen: the effects of fumigation time and temperature. *Soil Biology and Biochemistry*, 17(6), 831-835.
- Brookes, P. C., Powlson, D. S., & Jenkinson, D. S. (1982). Measurement of microbial biomass phosphorus in soil. *Soil biology and biochemistry*, 14(4), 319-329.
- Brookes, P. C., Powlson, D. S., & Jenkinson, D. S. (1984). Phosphorus in the soil microbial biomass. *Soil Biology and Biochemistry*, 16(2), 169-175.
- Brown, K. A., Scatena, F. N., & Gurevitch, J. (2006). Effects of an invasive tree on community structure and diversity in a tropical forest in Puerto Rico. *Forest ecology and management*, 226(1), 145-152.
- Brown, S. (1997). *Estimating biomass and biomass change of tropical forests: a primer* (Vol. 134). Food & Agriculture Org..
- Campbell, D. G., Stone, J. L., & Rosas, A. (1992). A comparison of the phytosociology and dynamics of three floodplain (Várzea) forests of known ages, Rio Juruá, western Brazilian Amazon. *Botanical journal of the Linnean Society*, 108(3), 213-237.
- Chapin III, F. S., & Kedrowski, R. A. (1983). Seasonal changes in nitrogen and phosphorus fractions and autumn retranslocation in evergreen and deciduous taiga trees. *Ecology*, 64(2), 376-391.
- Chapman, H. D., & Pratt, P. F. (1961). *Methods of Analysis for Soils, Plants and Waters*. Priced Publication 4034. Division of Agriculture Sciences. *University of California, Berkeley*.
- Chaturvedi, O. P. (1983). Biomass structure, productivity and nutrient cycling in *Pinus roxburghii* forest. *Department of Botany, Kumaun University, India*.
- Chaturvedi, O. P., & Singh, J. S. (1987). The structure and function of pine forest in Central Himalaya. I. Dry matter dynamics. *Annals of Botany*, 60(3), 237-252.
- Chave, J., Andalo, C., Brown, S., Cairns, M. A., Chambers, J. Q., Eamus, D., ... & Yamakura, T. (2005). Tree allometry and improved estimation of carbon stocks and balance in tropical forests. *Oecologia*, 145(1), 87-99.

- Chave, J., Riéra, B., & Dubois, M. A. (2001). Estimation of biomass in a neotropical forest of French Guiana: spatial and temporal variability. *Journal of Tropical Ecology*, 17(01), 79-96.
- Chowdhury, M. A. M., Huda, M. K., & Islam, A. S. M. T. (2000). Phytodiversity of *Dipterocarpus turbinatus* Gaertn. F.(garjan) undergrowths at Dulahazara Garjan Forest, Cox's Bazar, Bangladesh. *Indian forester*, 126(6), 674-684.
- Clark, D. B., & Clark, D. A. (2000). Landscape-scale variation in forest structure and biomass in a tropical rain forest. *Forest ecology and management*, 137(1), 185-198.
- Cleveland, C. C., Reed, S. C., & Townsend, A. R. (2006). Nutrient regulation of organic matter decomposition in a tropical rain forest. *Ecology*, 87(2), 492-503.
- Collins, S. L., Glenn, S. M., & Gibson, D. J. (1995). Experimental analysis of intermediate disturbance and initial floristic composition: decoupling cause and effect. *Ecology*, 76(2), 486-492.
- Cooke, T. (1983). *The flora of the presidency of Bombay*. Dehradun :Bishen Singh Mahendra Pal Singh,
- Curtis, J. T. & McIntosh, R. P. (1950). The interrelations of certain analytic and synthetic phytosociological characters. *Ecology*, 31, 434-455.
- Curtis, J. T. (1959). *The vegetation of Wisconsin: an ordination of plant communities*. University of Wisconsin Pres.
- Deans, J. D., Diagne, O., Lindley, D. K., Dione, M., & Parkinson, J. A. (1999). Nutrient and organic-matter accumulation in *Acacia senegal* fallows over 18 years. *Forest ecology and management*, 124(2), 153-167.
- Deans, J. D., Moran, J., & Grace, J. (1996). Biomass relationships for tree species in regenerating semi-deciduous tropical moist forest in Cameroon. *Forest Ecology and Management*, 88(3), 215-225.
- Deb, S., Barbhuiya, A. R., Arunachalam, A., & Arunachalam, K. (2008). Ecological analysis of traditional agroforest and tropical forest in the foothills of Indian eastern Himalaya: vegetation, soil and microbial biomass. *Tropical Ecology*, 49(1), 73.

- DeFries, R., Asner, G., Achard, F., Justice, C., Laporte, N., Price, K., ... & Townshend, J. (2005). Monitoring tropical deforestation for emerging carbon markets. *Tropical deforestation and climate change*, 35-44.
- Delaney, M., Brown, S., Lugo, A. E., Torres-Lezama, A., & Quintero, N. B. (1998). The quantity and turnover of dead wood in permanent forest plots in six life zones of Venezuela. *Biotropica*, 30(1), 2-11.
- Dent, D. H., Bagchi, R., Robinson, D., Majalap-Lee, N., & Burslem, D. F. (2006). Nutrient fluxes via litterfall and leaf litter decomposition vary across a gradient of soil nutrient supply in a lowland tropical rain forest. *Plant and Soil*, 288(1-2), 197-215.
- Devagiri, G. M., Money, S., Singh, S., Dadhawal, V. K., Patil, P., Khaple, A., ... & Hubballi, S. (2013). Assessment of above ground biomass and carbon pool in different vegetation types of south western part of Karnataka, India using spectral modeling. *Tropical Ecology*, 54(2), 149-165.
- Devi Sarjubala, A. (2002). *Litter decomposition and nutrient mineralization in the dry tropical deciduous forest ecosystem of Manipur* (Doctoral dissertation, Ph. D. Thesis. Manipur University).
- Devi, L. S., & Yadava, P. S. (2006). Floristic diversity assessment and vegetation analysis of tropical semievergreen forest of Manipur, north east India. *Tropical Ecology*, 47(1), 89-98.
- Devi, N. B., & Yadava, P. S. (2006). Seasonal dynamics in soil microbial biomass C, N and P in a mixed-oak forest ecosystem of Manipur, North-east India. *Applied Soil Ecology*, 31(3), 220-227.
- Diaz-Ravina, M., Acea, M. J., & Carballas, T. (1995). Seasonal changes in microbial biomass and nutrient flush in forest soils. *Biology and Fertility of Soils*, 19(2-3), 220-226.
- Diaz-Ravina, M., Carballas, T., & Acea, M. J. (1988). Microbial biomass and metabolic activity in four acid soils. *Soil Biology and Biochemistry*, 20(6), 817-823.
- Dinkelaker, B., Hengeler, C., & Marschner, H. (1995). Distribution and function of proteoid roots and other root clusters. *Botanica Acta*, 108(3), 183-200.

- Dixit, S., Khanna, S. K., & Das, M. (2008). Effects of disturbance on fine roots and soil microbial biomass C, N and P in a tropical rainforest ecosystem of Northeast India. *Current Science*, 94(5), 572.
- Dudley, N. S., & Fownes, J. H. (1992). Preliminary biomass equations for eight species of fast-growing tropical trees. *J. Trop. For. Sci*, 5(1), 68-73.
- Fenn, M. E., Poth, M. A., Dunn, P. H., & Barro, S. C. (1993). Microbial N and biomass, respiration and N mineralization in soils beneath two chaparral species along a fire-induced age gradient. *Soil Biology and Biochemistry*, 25(4), 457-466.
- Fernandez, C. & Koide, R. T. (2013). Towards a mechanistic understanding of ectomycorrhizal litter decomposition dynamics. Annual Meeting, *Soil Ecology Society*. Rutgers University, Camden, NJ.
- Finzi, A. C., Allen, A. S., DeLucia, E. H., Ellsworth, D. S., & Schlesinger, W. H. (2001). Forest litter production, chemistry, and decomposition following two years of free-air CO₂ enrichment. *Ecology*, 82(2), 470-484.
- Fliessbach, A., & Reber, H. (1991). Auswirkungen einer langjährigen Zufuhr von Klärschlamm auf Bodenmikroorganismen und ihre Leistungen. *BMFT-verbundvorhaben" Auswirkungen von Siedlungsabfällen auf Böden, Bodenorganismen und Pflanze, KFA-Jülich*, 6, 327-358.
- Food and Agriculture Organization (FAO). (2001). *Forest Resources Assessment 2000*. Food and Agriculture Organization, Rome.
- Foster, B. L., & Gross, K. L. (1998). Species richness in a successional grassland: effects of nitrogen enrichment and plant litter. *Ecology*, 79(8), 2593-2602.
- Foster, N. W., & Morrison, I. K. (1976). Distribution and cycling of nutrients in a natural *Pinus banksiana* ecosystem. *Ecology*, 110-120.
- Freeman III, A. M., Herriges, J. A., & Kling, C. L. (2014). *The measurement of environmental and resource values: theory and methods*. Routledge.
- Garkoti, S. C., & Singh, S. P. (1999). Litter decomposition and nutrient release in Central Himalayan high altitude forests. *Tropical ecology*, 40(1), 19-26.
- Gibbs, H. K., Brown, S., Niles, J. O., & Foley, J. A. (2007). Monitoring and estimating tropical forest carbon stocks: making REDD a reality. *Environmental Research Letters*, 2(4), 045023.

- Giller, P.S., Covich, A.P., Ewel, K.C., Hall, R.O. & Merritt, D.M. (2004) Vulnerability and management of ecological services in freshwater systems. *Sustaining Biodiversity and Ecosystem Services in Soils and Sediments* (ed. D.H.Wall), pp. 137–160. SCOPE Series No. 64. Island Press, Washington, DC.
- Gillespie, T. W., Grijalva, A., & Farris, C. N. (2000). Diversity, composition, and structure of tropical dry forests in Central America. *Plant ecology*, 147(1), 37-47.
- Gillison, A. N., & Liswanti, N. (2004). Assessing biodiversity at landscape level in northern Thailand and Sumatra (Indonesia): the importance of environmental context. *Agriculture, ecosystems & environment*, 104(1), 75-86.
- Grizzard, T. H., & GS Clebsch, E. (1999). *Seasonal nutrient dynamics of foliage and litterfall on Walker Branch Watershed, a deciduous forest ecosystem* (No. ORNL/TM-5254). ORNL Oak Ridge National Laboratory (US).
- Gurevitch, J., & Padilla, D. K. (2004). Response to Ricciardi. Assessing species invasions as a cause of extinction. *Trends in Ecology and Evolution*, 19(12), 620-620.
- Hannellius, S. & Kuusela, K. (1995). *Finland the country of evergreen forest*. Forssan Kirjapaino Oy. 192 p.
- Hanpattanakit, P., & Chidthaisong, A. (2012). Litter production and decomposition in dry dipterocarp forest and their responses to climatic factors. *GMSARN International Journal*, 6, 169-174.
- Hara, M., Hirata, K., Fujihara, M., Oono, K., Hsieh, C.F. (1997). Floristic composition and stand structure of three evergreen broad-leaved forests in Taiwan, with special reference to the relationship between micro-landform and vegetation pattern. *Natural History Research*, 4, 81–112.
- Hartemink, A. E. (2003). *Soil fertility decline in the tropics: with case studies on plantations*. Cabi.
- Heaney, A., & Proctor, J. (1990). Preliminary studies on forest structure and floristics on Volcan Barva, Costa Rica. *Journal of Tropical Ecology*, 6(03), 307-320.

- Henrot, J., & Robertson, G. P. (1994). Vegetation removal in two soils of the humid tropics: effect on microbial biomass. *Soil biology and Biochemistry*, 26(1), 111-116.
- Houghton, R. A., Skole, D. L., Nobre, C. A., Hackler, J. L., Lawrence, K. T., & Chomentowski, W. H. (2000). Annual fluxes of carbon from deforestation and regrowth in the Brazilian Amazon. *Nature*, 403(6767), 301-304.
- Hoyle, M. C. (1965). Variation in foliage composition and diameter growth of yellow birch with season, soil, and tree size. *Soil Science Society of America Journal*, 29(4), 475-480.
- Huang, W., Pohjonen, V., Johansson, S., Nashanda, M., Katigula, M. I. L., & Luukkanen, O. (2003). Species diversity, forest structure and species composition in Tanzanian tropical forests. *Forest ecology and management*, 173(1), 11-24.
- Inagaki, M., Kamo, K., Titin, J., Jamalung, L., Lapongan, J., & Miura, S. (2010). Nutrient dynamics through fine litterfall in three plantations in Sabah, Malaysia, in relation to nutrient supply to surface soil. *Nutrient cycling in agroecosystems*, 88(3), 381-395.
- Isaac, S. R., & Nair, M. A. (2005). Biodegradation of leaf litter in the warm humid tropics of Kerala, India. *Soil Biology and Biochemistry*, 37(9), 1656-1664.
- Jana, B. K., Biswas, S., Majumder, M., Roy, P. K., & Mazumdar, A. (2009). Carbon sequestration rate and aboveground biomass carbon potential of four young species. *Journal of Ecology and Natural Environment*, 1(2), 15-24.
- Jenkinson, D. S. & Ladd, J. N. (1981). Microbial biomass in soil: measurement and turnover. – In: Powl, E.A., Ladd, J.N. (eds.), *Soil Biochemistry*, vol. 5. Dekker, New York, pp. 415-471.
- Jobbagy, E. G., & Jackson, R. B. (2001). The distribution of soil nutrients with depth: global patterns and the imprint of plants. *Biogeochemistry*, 53(1), 51-77.
- John, R., Dalling, J. W., Harms, K. E., Yavitt, J. B., Stallard, R. F., Mirabello, M., ... & Foster, R. B. (2007). Soil nutrients influence spatial distributions of tropical tree species. *Proceedings of the National Academy of Sciences*, 104(3), 864-869.

- Jordan, C. F., & Kline, J. R. (1972). Mineral cycling: some basic concepts and their application in a tropical rain forest. *Annual Review of Ecology and Systematics*, 33-50.
- Jorgensen, R. G. (1995). *Die quantitative Bestimmung der mikrobiellen Biomasse in Böden mit der Chloroform-Fumigations-Extraktions-Methode* (Doctoral dissertation, Inst. für Bodenwiss.).
- Kadavul, K., & Parthasarathy, N. (1999). Plant biodiversity and conservation of tropical semi-evergreen forest in the Shervarayan hills of Eastern Ghats, India. *Biodiversity & Conservation*, 8(3), 419-437.
- Kattan, G. H. (2002). Fragmentación: patrones y mecanismos de extinción de especies. *Ecología y conservación de bosques neotropicales*, 1, 561-582.
- Kaul, M., Dadhwal, V. K., & Mohren, G. M. J. (2009). Land use change and net C flux in Indian forests. *Forest Ecology and Management*, 258(2), 100-108.
- Kaul, M., Mohren, G. M. J., & Dadhwal, V. K. (2010). Carbon storage and sequestration potential of selected tree species in India. *Mitigation and Adaptation Strategies for Global Change*, 15(5), 489-510.
- Khamyong, S., Lykke, A. M., Seramethakun, D., & Barfod, A. S. (2003). Species composition and vegetation structure of an upper montane forest at the summit of Mt. Doi Inthanon, Thailand. *Nordic Journal of Botany*, 23(1), 83-97.
- Kharkwal, G., & Rawat, Y. S. (2010). Structure and composition of vegetation in subtropical forest of Kumaun Himalaya. *African Journal of Plant Science*, 4(4), 116-121.
- Khera, N., Kumar, A., Ram, J., & Tewari, A. (2001). Plant biodiversity assessment in relation to disturbances in mid-elevational forest of Central Himalaya, India. *Tropical Ecology*, 42(1), 83-95.
- Kimaro, A. A., Timmer, V. R., Mugasha, A. G., Chamshama, S. A., & Kimaro, D. A. (2007). Nutrient use efficiency and biomass production of tree species for rotational woodlot systems in semi-arid Morogoro, Tanzania. *Agroforestry Systems*, 71(3), 175-184.
- Kiran, G. S., & Kinnary, S. (2011). Carbon sequestration by urban trees on roadsides of Vadodara city. *International Journal of Engineering Science and Technology*, 3(4).

- Kobe, R. K., Lepczyk, C. A., & Iyer, M. (2005). Resorption efficiency decreases with increasing green leaf nutrients in a global data set. *Ecology*, 86(10), 2780-2792.
- Kumar, A., Marcot, B. G., & Saxena, A. (2006). Tree species diversity and distribution patterns in tropical forests of Garo Hills. *Current Science*, 91(10), 1370.
- Kumar, B. M., Rajesh, G., & Sudheesh, K. G. (2005). Aboveground biomass production and nutrient uptake of thorny bamboo [*Bambusa bambos* (L.) Voss] in the homegardens of Thrissur, Kerala. *Journal of Tropical Agriculture*, 43(1-2), 51-56.
- Kumar, M., Sharma, C. M., & Rajwar, G. S. (2004). A study on community structure and diversity of a sub-tropical forest of Garhwal Himalayas. *Indian Forester*, 130(2), 207-214.
- Kurz, W. A., Beukema, S. J., & Apps, M. J. (1997). Carbon budget implications of the transition from natural to managed disturbance regimes in forest landscapes. *Mitigation and Adaptation Strategies for Global Change*, 2(4), 405-421.
- Kwabiah, A. B., Voroney, R. P., Palm, C. A., & Stoskopf, N. C. (1999). Inorganic fertilizer enrichment of soil: effect on decomposition of plant litter under subhumid tropical conditions. *Biology and fertility of soils*, 30(3), 224-231.
- Laclau, J. P., Deleporte, P., Ranger, J., Bouillet, J. P., & Kazotti, G. (2003). Nutrient dynamics throughout the rotation of Eucalyptus clonal stands in Congo. *Annals of Botany*, 91(7), 879-892.
- Laclau, J. P., Ranger, J., Deleporte, P., Nouvellon, Y., Saint-André, L., Marlet, S., & Bouillet, J. P. (2005). Nutrient cycling in a clonal stand of Eucalyptus and an adjacent savanna ecosystem in Congo: 3. Input-output budgets and consequences for the sustainability of the plantations. *Forest ecology and management*, 210(1), 375-391.
- Lal, R. (2004). Soil carbon sequestration impacts on global climate change and food security. *science*, 304(5677), 1623-1627.
- Laloo, R. C., Kharlukhi, L., Jeeva, S., & Mishra, B. P. (2006). Status of medicinal plants in the disturbed and the undisturbed sacred forests of Meghalaya,

- northeast India: population structure and regeneration efficacy of some important species. *Current science*, 90(2), 225-232.
- Lavelle, P., Blanchart, E., Martin, A., Martin, S., & Spain, A. (1993). A hierarchical model for decomposition in terrestrial ecosystems: application to soils of the humid tropics. *Biotropica*, 130-150.
- Leuschner, C., & Hertel, D. (2003). Fine root biomass of temperate forests in relation to soil acidity and fertility, climate, age and species. In *Progress in botany*(pp. 405-438). Springer Berlin Heidelberg.
- Lim, M. T., & Cousens, J. E. (1986). The internal transfer of nutrients in a Scots pine stand 2. The patterns of transfer and the effects of nitrogen availability. *Forestry*, 59(1), 17-27.
- Liu, D. H., Jiang, W. S., & Hou, W. Q. (2001). Uptake and accumulation of copper by roots and shoots of maize (*Zea mays* L.). *Journal of environmental sciences (China)*, 13(2), 228-232..
- Lodhiyal, L. S., & Lodhiyal, N. (1997a). Variation in biomass and net primary productivity in short rotation high density central Himalayan poplar plantations. *Forest Ecology and Management*, 98(2), 167-179.
- Lodhiyal, L. S., & Lodhiyal, N. (1997b). Nutrient cycling and nutrient use efficiency in short rotation, high density central Himalayan Tarai poplar plantations. *Annals of Botany*, 79(5), 517-527.
- Lodhiyal, L. S., Singh, R. P., & Singh, S. P. (1994). Productivity and nutrient cycling in poplar stands in central Himalaya, India. *Canadian Journal of Forest Research*, 24(6), 1199-1209.
- Lodhiyal, L. S., Singh, R. P., & Singh, S. P. (1995a). Structure and function of an age series of poplar plantations in central Himalaya: I Dry matter dynamics. *Annals of Botany*, 76(2), 191-199.
- Lodhiyal, L. S., Singh, R. P., & Singh, S. P. (1995b). Structure and function of an age series of poplar plantations in central Himalaya. II Nutrient dynamics. *Annals of Botany*, 76(2), 201-210.
- Lodhiyal, N. (2000). Structure and functioning of Shisham (*Dalbergia sissoo* Roxb.) forests in Tarai and Bhabar belts of Central Himalaya. *PhD Thesis, Kumaon University, Nainital, India*.

- Lodhiyal, N., & Lodhiyal, L. S. (2003a). Biomass and net primary productivity of Bhabar Shisham forests in central Himalaya, India. *Forest Ecology and Management*, 176(1), 217-235.
- Lodhiyal, N., & Lodhiyal, L. S. (2003b). Aspects of nutrient cycling and nutrient use pattern of Bhabar Shisham forests in central Himalaya, India. *Forest ecology and management*, 176(1), 237-252..
- Lodhiyal, N., Lodhiyal, L. S., & Pangtey, Y. P. S. (2002a). Structure and function of shisham forests in central Himalaya, India: dry matter dynamics. *Annals of Botany*, 89(1), 41-54.
- Lodhiyal, N., Lodhiyal, L. S., & Pangtey, Y. P. S. (2002b). Structure and function of Shisham forests in central Himalaya, India: Nutrient dynamics. *Annals of botany*, 89(1), 55-65.
- Loranger, G., Ponge, J. F., Imbert, D., & Lavelle, P. (2002). Leaf decomposition in two semi-evergreen tropical forests: influence of litter quality. *Biology and Fertility of Soils*, 35(4), 247-252.
- Louzada, J. N., Schoereder, J., & De Marco, P. (1997). Litter decomposition in semideciduous forest and Eucalyptus spp. crop in Brazil: a comparison. *Forest ecology and Management*, 94(1), 31-36.
- Luizao, R. C., Bonde, T. A., & Rosswall, T. (1992). Seasonal variation of soil microbial biomass—the effects of clearfelling a tropical rainforest and establishment of pasture in the Central Amazon. *Soil Biology and Biochemistry*, 24(8), 805-813.
- Lynch, J. M., & Panting, L. M. (1982). Effects of season, cultivation and nitrogen fertiliser on the size of the soil microbial biomass. *Journal of the Science of Food and Agriculture*, 33(3), 249-252.
- Ma, X., Heal, K. V., Liu, A., & Jarvis, P. G. (2007). Nutrient cycling and distribution in different-aged plantations of Chinese fir in southern China. *Forest Ecology and Management*, 243(1), 61-74.
- Maass, J. M., Mooney, H. A., & Medina, E. (1995). *Conversion of tropical dry forest to pasture and agriculture. Seasonally dry tropical forests* (No. 581.5264 S439).

- MacKinnon, A., & Vold, T. (1998). Old-growth forests inventory for British Columbia, Canada. *Natural Areas Journal*, 18(4), 309-318.
- Madhav Gadgil. (1994). Inventorying, monitoring and conserving India's biological diversity. *Current Science*, 66, 401-401.
- Magurran, A. E. (1988). *Ecological diversity and its measurement*. Princeton University Press, Princeton, New Jersey, USA
- Maiti, S. K. (2003). Handbook of methods in environmental studies, vol. 2: Air, noise, soil, overburden, solid waste and ecology. *Japur: ABD Publishers*.
- Majdi, H., Pregitzer, K., Moren, A. S., Nylund, J. E., & Ågren, G. I. (2005). Measuring fine root turnover in forest ecosystems. *Plant and soil*, 276(1-2), 1-8.
- Malhi, Y., Doughty, C., & Galbraith, D. (2011). The allocation of ecosystem net primary productivity in tropical forests. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 366(1582), 3225-3245.
- Mani, S., & Parthasarathy, N. (2007). Above-ground biomass estimation in ten tropical dry evergreen forest sites of peninsular India. *Biomass and Bioenergy*, 31(5), 284-290.
- Martikainen, P. J., & Palojarvi, A. (1990). Evaluation of the fumigation-extraction method for the determination of microbial C and N in a range of forest soils. *Soil Biology and Biochemistry*, 22(6), 797-802.
- Martius, C., Höfer, H., Garcia, M. V., Römbke, J., Förster, B., & Hanagarth, W. (2004). Microclimate in agroforestry systems in central Amazonia: does canopy closure matter to soil organisms?. *Agroforestry Systems*, 60(3), 291-304.
- Merino, A., Real, C., & Rodríguez-Guitián, M. A. (2008). Nutrient status of managed and natural forest fragments of *Fagus sylvatica* in southern Europe. *Forest Ecology and Management*, 255(11), 3691-3699.
- Mishra R. (1989). Resource and Environment preparing India for the year 2000. *IASSI Quarterly* 8, 37-51.
- Mishra, T. K., Nandi, A., Singh, A. K., & Banerjee, S. K. (1994). Distribution of organic matter and nutrients in different tree components of two *Acacia*

- species and subsequent nitrogen enrichment in lateritic soil. *Annals of Forestry*, 2, 52-59.
- Misra, R. (1968). *Ecology Work Book*. Oxford and IBH Publishing Company, Calcutta.
- Mitra, A., Sengupta, K., & Banerjee, K. (2011). Standing biomass and carbon storage of above-ground structures in dominant mangrove trees in the Sundarbans. *Forest ecology and management*, 261(7), 1325-1335.
- Mokany, K., Raison, R., & Prokushkin, A. S. (2006). Critical analysis of root: shoot ratios in terrestrial biomes. *Global Change Biology*, 12(1), 84-96.
- Montagnini, F. (2000). Accumulation in above-ground biomass and soil storage of mineral nutrients in pure and mixed plantations in a humid tropical lowland. *Forest Ecology and Management*, 134(1), 257-270.
- Montagnini, F., González, E., Porras, C., & Rheingans, R. (1995). Mixed and pure forest plantations in the humid neotropics: a comparison of early growth, pest damage and establishment costs. *The Commonwealth Forestry Review*, 306-314.
- Moore, T. R., Trofymow, J. A., Prescott, C. E., Fyles, J., & Titus, B. D. (2006). Patterns of carbon, nitrogen and phosphorus dynamics in decomposing foliar litter in Canadian forests. *Ecosystems*, 9(1), 46-62.
- Moretto, A. S., Distel, R. A., & Didoné, N. G. (2001). Decomposition and nutrient dynamic of leaf litter and roots from palatable and unpalatable grasses in a semi-arid grassland. *Applied Soil Ecology*, 18(1), 31-37.
- Myers, R. J. K., Palm, C. A., Cuevas, E., Gunatilleke, I. U. N., & Brossard, M. (1994). The synchronisation of nutrient mineralisation and plant nutrient demand. In: Woomer, P.L., Swift, M.J. (Eds). *The biological management of tropical soil fertility*. John Wiley and sons, UK. Pp 81-116.
- Nambiar, E. S., & Fife, D. N. (1991). Nutrient retranslocation in temperate conifers. *Tree Physiology*, 9(1-2), 185-207..
- Nambiar, E. S., Tiark, A., Cossalter, C., & Ranger, J. (2000). Site management and productivity in tropical plantation forests: progress report: workshop proceedings 7-11 December 1999, Kerala, India.

- Narwal, S. S., Sangwan, O. P., & Dhankhar, O. P. (2007). *Plant analysis: research methods*. Scientific Publishers (India).
- Nath, A. J. & Das, A. K. (2008). Litter quality, decomposition dynamics and nutrient release in *Schizostachyumdullooa* stands in North East India. *Journal of bamboo and Rattan*, 7(1 &2), 121-132.
- Negi, K. S., Rawat, Y. S., & Singh, J. S. (1983). Estimation of biomass and nutrient storage in a Himalayan moist temperate forest. *Canadian Journal of Forest Research*, 13(6), 1185-1196.
- Negi, S. S., & Gupta, M. K. (2010). Soil organic carbon store under different land use systems in Giri catchment of Himachal Pradesh. *Indian Forester*, 136(9), 1147.
- Neirynek, J., Maddelein, D., De Keersmaeker, L., Lust, N., & Muys, B. (1998). Biomass and nutrient cycling of a highly productive Corsican pine stand on former heathland in northern Belgium. In *Annales des sciences forestières* (Vol. 55, No. 4, pp. 389-405). EDP Sciences.
- Nirmal Kumar J. I., Kumar, R. N., & Joseph, S. (2002). Tree species diversity of Waghai forest of the northern part of Western Ghats. *Ecology Environment and Conservation*, 8, 235-248.
- Nirmal Kumar J. I., Sajish, P. R., Kumar, R. N., Basil, G., & Shailendra, V. (2011). Nutrient Dynamics in an *Avicennia marina* (Forsk.) Vierh., Mangrove Forest in Vamleshwar, Gujarat, India. *Notulae Scientia Biologicae*, 3(1), 51-56.
- Nirmal Kumar, J. I., Kumar, R. N., & Joseph, S. (2001). Tree species diversity of Khatana forest of South Gujarat. *Journal of Nature Conservation*, 13, 149-166.
- Nirmal Kumar, J. I., Kumar, R. N., Kumar Bhoi, R., & Sajish, P. R. (2009). Quantification of nutrient content in the aboveground biomass of teak plantation in a tropical dry deciduous forest of Udaipur, India. *Journal of Forest Science*, 55(6), 251-256.
- Nirmal Kumar, J. I., Kumar, R. N., Bhoi, R. K., & Sajish, P. R. (2010). Tree species diversity and soil nutrient status in three sites of tropical dry deciduous forest of western India. *Tropical Ecology*, 51(2), 273-279.

- Nizalapur, V., Jha, C. S., & Madugundu, R. (2010). Estimation of above ground biomass in Indian tropical forested area using multifrequency DLRESAR data. *International Journal of Geomatics and Geosciences*, 1(2), 167-178.
- Odum, E. P. (1959). *Fundamentals of Ecology*. 2nd ed. Philadelphia: W. B. Saunders.
- Ohlson, M., Söderström, L., Hörnberg, G., Zackrisson, O., & Hermansson, J. (1997). Habitat qualities versus long-term continuity as determinants of biodiversity in boreal old-growth swamp forests. *Biological conservation*, 81(3), 221-231.
- Okpara, D. A., Ikeorgu, J. E. G., & Njoku, J. C. (2005). Potential of cover crops for short fallow replacement in low-input systems of maize production in the humid tropics [potencial de los cultivos de cobertura como reemplazo del barbecho corto en sistemas de bajos insumos para. *Tropical and Subtropical Agroecosystems*, 5, 109-116.
- Onyekwelu, J. C., Mosandl, R., & Stimm, B. (2006). Productivity, site evaluation and state of nutrition of *Gmelina arborea* plantations in Oluwa and Omo forest reserves, Nigeria. *Forest ecology and management*, 229(1), 214-227.
- Owusu-Sekyere, E., Cobbina, J., & Wakatsuki, T. (2006). Nutrient cycling in primary, secondary forests and cocoa plantation in the Ashanti Region, Ghana. *West African Journal of applied ecology*, 9(1).
- Padalia, H., Chauhan, N., Porwal, M. C., & Roy, P. S. (2004). Phytosociological observations on tree species diversity of Andaman Islands. *Current Science*, 87(6).
- Pakeman, R. J., Eastwood, A., & Scobie, A. (2011). Leaf dry matter content as a predictor of grassland litter decomposition: a test of the 'mass ratio hypothesis'. *Plant and soil*, 342(1-2), 49-57.
- Palma, R. M., Defrieri, R. L., Tortarolo, M. F., Prause, J., & Gallardo, J. F. (2000). Seasonal changes of bioelements in the litter and their potential return to green leaves in four species of the Argentine subtropical forest. *Annals of Botany*, 85(2), 181-186.
- Panchal, N. S., & Pandey, A. N. (2004). Analysis of vegetation of Rampara forest in Saurashtra region of Gujarat state of India. *Tropical Ecology*, 45(2), 223-232.

- Pande, P. K. (1999). Comparative vegetation analysis and sal (*Shorea robusta*) regeneration in relation to their disturbance magnitude in some sal forests. *Tropical Ecology*, 40(1), 51-61.
- Pande, P. K., Meshram, P. B., & Banerjee, S. K. (2002). Litter production and nutrient return in tropical dry deciduous teak forests of Satpura plateau in central India. *Tropical Ecology*, 43(2), 337-344.
- Pandey, O. N. (1980). *Cycling of nitrogen, phosphorus and potassium in the soil-vegetation system of tropical dry deciduous forest of Chandraprabha region, Varanasi* (Doctoral dissertation, PhD Thesis, Banaras Hindu University, India).
- Parrotta, J. A. (1993). Secondary forest regeneration on degraded tropical lands. In *Restoration of tropical forest ecosystems* (pp. 63-73). Springer Netherlands.
- Parrotta, J. A. (1999). Productivity, nutrient cycling, and succession in single-and mixed-species plantations of *Casuarina equisetifolia*, *Eucalyptus robusta*, and *Leucaena leucocephala* in Puerto Rico. *Forest Ecology and Management*, 124(1), 45-77.
- Parthasarathy, N. (1999). Tree diversity and distribution in undisturbed and human-impacted sites of tropical wet evergreen forest in southern Western Ghats, India. *Biodiversity & Conservation*, 8(10), 1365-1381.
- Pascal, J. P. (1992). Evergreen forests of the western ghats: structural and functional trends. *Tropical Ecosystems: Ecology and Management*. Wiley Eastern Ltd., New Delhi, 385-408.
- Patil, V., Vaghela, B., Modi, N., & Mulia, N. (2010). Carbon sequestration potential of the soil of gir forest, gujarat. *Lake 2010: Wetlands, Biodiversity and Climate Change*, 1-9.
- Piper, C.S. (1944). *Soil and Plant Analysis, a laboratory manual of methods for the examination of soils and the determination of the inorganic constituents of plants*. The University of Adelaide, Adelaide
- Powers, J. S., & Salute, S. (2011). Macro-and micronutrient effects on decomposition of leaf litter from two tropical tree species: inferences from a short-term laboratory incubation. *Plant and soil*, 346(1-2), 245-257.

- Pragasam, L. A., & Parthasarathy, N. (2005). Litter production in tropical dry evergreen forests of south India in relation to season, plant life-forms and physiognomic groups. *Current science*, 88(8), 125-126.
- Prakasha, H. M., Nanda, A., & Krishnamurthy, Y. L. (2008). Stand structure of a tropical dry deciduous forest in Bhadra wildlife sanctuary, Karnataka, Southern India. *Bulletin of the National Institute of Ecology. Int J Ecol Environ Sci*, 19, 1-7.
- Rai, S. N., & Proctor, J. (1986). Ecological studies on four rainforests in Karnataka, India: I. Environment, structure, floristics and biomass. *The Journal of Ecology*, 439-454.
- Ram, J., Kumar, A., & Bhatt, J. (2004). Plant diversity in six forest types of Uttaranchal, Central Himalaya, India. *Current Science*, 86(7), 975-977.
- Ramachandran, A., Jayakumar, S., Haroon, R. M., Bhaskaran, A., & Arockiasamy, D. I. (2007). Carbon sequestration: estimation of carbon stock in natural forests using geospatial technology in the Eastern Ghats of Tamil Nadu, India. *Current Science*, 92(3), 323-331.
- Ramakrishnan, P. S. (2003). Linking natural resource management with sustainable development of traditional mountain societies. *Tropical Ecology*, 44(1), 43-54.
- Ramankutty, N., Gibbs, H. K., Achard, F., Defries, R., Foley, J. A., & Houghton, R. A. (2007). Challenges to estimating carbon emissions from tropical deforestation. *Global Change Biology*, 13(1), 51-66.
- Ramseur, J. L., & Gorte, R. W. (2009, June). Estimates of carbon mitigation potential from agricultural and forestry activities. Congressional Research Service, Library of Congress.
- Rana, B. S., & Singh, R. P. (1990). Plant biomass and productivity estimates for central Himalayan mixed banj oak (*Quercus leucotrichophora* A. Camus)-chir pine (*Pinus roxburghii* Sarg.) forest. *Indian Forester*, 116(3), 220-226.
- Rana, B. S., Rao, O. P., & Singh, B. P. (2001). Biomass production in 7 year old plantations of *Casuarina equisetifolia* on sodic soil. *Tropical Ecology*, 42(2), 207-212.

- Rana, B. S., Singh, S. P., & Singh, R. P. (1989). Biomass and net primary productivity in Central Himalayan forests along an altitudinal gradient. *Forest ecology and management*, 27(3), 199-218.
- Ranger, J., Colin-Belgrand, M., Flammang, N., & Gelhaye, D. (1996). La dynamique d'incorporation d'éléments nutritifs dans un peuplement de Douglas (Pseudotsuga menziesii Franco). Conséquences pour la gestion sylvicole.
- Rapp, M., Santa Regina, I., Rico, M., & Gallego, H. A. (1999). Biomass, nutrient content, litterfall and nutrient return to the soil in Mediterranean oak forests. *Forest Ecology and Management*, 119(1), 39-49.
- Rasingam, L., & Parathasarathy, N. (2009). Tree species diversity and population structure across major forest formations and disturbance categories in Little Andaman Island, India. *Tropical Ecology*, 50(1), 89.
- Ravindranath, N. H., & Ostwald, M. (2007). *Carbon inventory methods: Handbook for greenhouse gas inventory, carbon mitigation and roundwood production projects* (Vol. 29). Springer Science & Business Media.
- Ravindranath, N. H., Sudha, P., & Rao, S. (2001). Forestry for sustainable biomass production and carbon sequestration in India. *Mitigation and Adaptation Strategies for Global Change*, 6(3-4), 233-256.
- Rawat, Y. S., & Singh, J. S. (1988). Structure and function of oak forests in central Himalaya. II. Nutrient dynamics. *Annals of Botany*, 62(4), 413-427.
- Ray, D. C. & Gope, R. (2011). Litter quality, decomposition dynamics and nutrient release pattern in *Tectonagrandis* (Linn.f.) in Cachar District Assam, Northern India. *Environment and Ecology*, 39(3A), 1431-1435.
- Reddy, C. S., Ugle, P., Murthy, M. S. R., & Sudhakar, S. (2008). Quantitative structure and composition of tropical forests of Mudumalai Wildlife Sanctuary, Western Ghats, India. *Taiwania*, 53(2), 150-156.
- Reich, P. B., Walters, M. B., & Ellsworth, D. S. (1992). Leaf life-span in relation to leaf, plant, and stand characteristics among diverse ecosystems. *Ecological monographs*, 62(3), 365-392.
- Ribeiro, C., Madeira, M., & Araújo, M. C. (2002). Decomposition and nutrient release from leaf litter of *Eucalyptus globulus* grown under different water and nutrient regimes. *Forest Ecology and Management*, 171(1), 31-41.

- Roshetko, J. M., Delaney, M., Hairiah, K., & Purnomosidhi, P. (2002). Carbon stocks in Indonesian homegarden systems: Can smallholder systems be targeted for increased carbon storage?. *American Journal of Alternative Agriculture*, 17(03), 138-148.
- Sagar, R., & Singh, J. S. (2005). Structure, diversity, and regeneration of tropical dry deciduous forest of northern India. *Biodiversity & Conservation*, 14(4), 935-959.
- Sagar, R., Pandey, A., & Singh, J. S. (2012). Composition, species diversity, and biomass of the herbaceous community in dry tropical forest of northern India in relation to soil moisture and light intensity. *The Environmentalist*, 32(4), 485-493.
- Sangha, K. K., Jalota, R. K., & Midmore, D. J. (2006). Litter production, decomposition and nutrient release in cleared and uncleared pasture systems of central Queensland, Australia. *Journal of Tropical Ecology*, 22(02), 177-189.
- Santa Regina, I. (2000). Biomass estimation and nutrient pools in four *Quercus pyrenaica* in Sierra de Gata Mountains, Salamanca, Spain. *Forest Ecology and management*, 132(2), 127-141.
- Santruckova, H. (1992). Microbial biomass, activity and soil respiration in relation to secondary succession. *Pedobiologia*, 36(6), 341-350.
- Sarathchandra, S. U., Perrott, K. W., & Upsdell, M. P. (1984). Microbiological and biochemical characteristics of a range of New Zealand soils under established pasture. *Soil biology and biochemistry*, 16(2), 177-183.
- Semwal, R. L., Maikhuri, R. K., Rao, K. S., Sen, K. K., & Saxena, K. G. (2003). Leaf litter decomposition and nutrient release patterns of six multipurpose tree species of central Himalaya, India. *Biomass and Bioenergy*, 24(1), 3-11.
- Shah, G. L. (1978). *Flora of Gujarat State, Part I & II*. Sardar Patel University, Vallabh Vidyanagar, Gujarat.
- Shanker, U. (2001). A case of high tree diversity in Sal (*Shorea robusta*) dominant lowland forest of eastern Himalaya: Floristic composition, regeneration and conservation. *Current Science*, 81, 776-786.
- Shanmughavel, P. (1995). *Studies on organic productivity, nutrient distribution, nutrient cycling, pulp and paper characteristics of plantation bamboo*

- (*Bambusa bambos* (L)) voss (Doctoral dissertation, PhD Thesis, Bharathiar University, Coimbatore, India).
- Shanmughavel, P., & Francis, K. (2001). Bioproductivity and nutrient cycling in bamboo and acacia plantation forests. *Bioresource technology*, 80(1), 45-48..
- Shannon, C. E., & Weaver, W. (1963). *The mathematical theory of communication*. University of Illinois Press, Urbana, USA.
- Sharma, C. M., Suyal, S., Gairola, S., & Ghildiyal, S. K. (2009). Species richness and diversity along an altitudinal gradient in moist temperate forest of Garhwal Himalaya. *Journal of American Science*, 5(5), 119-128.
- Shukla, R. P. (2009). Patterns of plant species diversity across Terai landscape in north-eastern Uttar Pradesh, India. *Tropical Ecology*, 50(1), 111.
- Simpson, E. H. (1949). *Measurement of diversity*. *Nature*, 163, 688
- Singh, A. N., & Singh, J. S. (1999). Biomass, net primary production and impact of bamboo plantation on soil redevelopment in a dry tropical region. *Forest Ecology and Management*, 119(1), 195-207.
- Singh, J. S., & Kashyap, A. K. (2007). Variations in soil N-mineralization and nitrification in seasonally dry tropical forest and savanna ecosystems in Vindhyan region, India. *Tropical Ecology*, 48(1), 27-36.
- Singh, J. S., & Singh, S. P. (1987). Forest vegetation of the Himalaya. *The Botanical Review*, 53(1), 80-192..
- Singh, J. S., & Singh, S. P. (1992). *Forests of Himalaya: Structure, function and Impact of Man*, Gyanodaya Prakashan, Nainital, India.
- Singh, J. S., Raghubanshi, A. S., Singh, R. S., & Srivastava, S. C. (1989). Microbial biomass acts as a source of plant nutrients in dry tropical forest and savanna. *Nature*, 338(6215), 499-500.
- Singh, J. S., Singh, D. P., & Kashyap, A. K. (2010). Microbial biomass C, N and P in disturbed dry tropical forest soils, India. *Pedosphere*, 20(6), 780-788.
- Singh, K. P., Singh, P. K., & Tripathi, S. K. (1999). Litterfall, litter decomposition and nutrient release patterns in four native tree species raised on coal mine spoil at Singrauli, India. *Biology and Fertility of Soils*, 29(4), 371-378.
- Singh, L., & Singh, J. S. (1991a). Species structure, dry matter dynamics and carbon flux of a dry tropical forest in India. *Annals of Botany*, 68(3), 263-273.

- Singh, L., & Singh, J. S. (1991b). Storage and flux of nutrients in a dry tropical forest in India. *Annals of Botany*, 68(3), 275-284.
- Singh, M., Guleria, N., Rao, E. P., & Goswami, P. (2011). A Strategy for Sustainable Carbon Sequestration using Vetiver (*Vetiveria zizanioides* (L.)): A Quantitative Assessment over India. *Project Document CM PD-1101*, CSIR Centre for Mathematical Modelling and Computer Simulation, India.
- Singh, S. P., & Singh, J. S. (1989). Ecology of central Himalayan forest with special reference to sal forest ecosystem. *Perspective in ecology*. New Delhi: Jagamander Book Agency. p, 193-232.
- Sinha, R. K., & Ghial, P. (1997). Towards ecological regeneration, biodiversity conservation and environmental restoration of the Thar Desert ecosystem in India. *Desert. Control Bull*, 30, 28-36.
- Sinsabaugh, R. L., Gallo, M. E., Lauber, C., Waldrop, M. P., & Zak, D. R. (2005). Extracellular enzyme activities and soil organic matter dynamics for northern hardwood forests receiving simulated nitrogen deposition. *Biogeochemistry*, 75(2), 201-215.
- Smith, V. C., & Bradford, M. A. (2003). Litter quality impacts on grassland litter decomposition are differently dependent on soil fauna across time. *Applied Soil Ecology*, 24(2), 197-203.
- Son, Y., & Kim, H. W. (1998). Above-ground biomass and nutrient distribution in a 15-year-old ginkgo (*Ginkgo biloba*) plantation in central Korea. *Bioresource technology*, 63(2), 173-177.
- Sorensen, T. (1948). A method of establishing groups of equal amplitude in plant sociology based on similarity of species and its application to analyses of the vegetation on Danish commons. *Biologiske Skrifter*, 5,1-34
- Sparling, G. P., Whale, K. N., & Ramsay, A. J. (1985). Quantifying the contribution from the soil microbial biomass to the extractable P levels of fresh and air-dried soils. *Soil Research*, 23(4), 613-621.
- Specht, A., & West, P. W. (2003). Estimation of biomass and sequestered carbon on farm forest plantations in northern New South Wales, Australia. *Biomass and Bioenergy*, 25(4), 363-379.

- Stephens, B. B., Gurney, K. R., Tans, P. P., Sweeney, C., Peters, W., Bruhwiler, L., ... & Denning, A. S. (2007). Weak northern and strong tropical land carbon uptake from vertical profiles of atmospheric CO₂. *Science*, 316 (5832), 1732-1735.
- Stern, M., Quesada, M., & Stoner, K. E. (2002). Changes in composition and structure of a tropical dry forest following intermittent cattle grazing. *Revista de Biología Tropical*, 50(3-4), 1021-1034.
- Sullivan, N. H., Bowden, W. B., & McDowell, W. H. (1999). Short-Term Disappearance of Foliar Litter in Three Species Before and After a Hurricane1. *Biotropica*, 31(3), 382-393.
- Sundaravalli V, M., & Paliwal, K. (2002). Effect of Albizzia lebbeck plantation on the nutrient cycling in a semi-arid grazingland. *Tropical Ecology*, 43(2), 305-314.
- Swamy, P. S., Sundarapandian, S. M., Chandrasekar, P., & Chandrasekaran, S. (2000). Plant species diversity and tree population structure of a humid tropical forest in Tamil Nadu, India. *Biodiversity & Conservation*, 9(12), 1643-1669.
- Swamy, S. L., Dutt, C. B. S., Murthy, M. S. R., Mishra, A. L. K. A., & Bargali, S. S. (2010). Floristics and dry matter dynamics of tropical wet evergreen forests of Western Ghats, India. *Curr. Sci*, 99(3), 353.
- Swamy, S. L., Mishra, A., & Puri, S. (2003). Biomass production and root distribution of *Gmelina arborea* under an agrisilviculture system in subhumid tropics of Central India. *New Forests*, 26(2), 167-186.
- Swift, M. J., Heal, O. W. & Anderson, J. M. (1979a). The influence of the physico-chemical environment on decomposition process. In: Anderson DJ, Greig-Smith P, Pitelka FA (eds) Decomposition in terrestrial ecosystems. *Studies in ecology, vol. 5*. University of California press, Berkeley, Calif., pp 220-266.
- Swift, M. J., Heal, O. W., & Anderson, J. M. (1979b). *Decomposition in terrestrial ecosystems* (Vol. 5). Univ of California Press.
- Taylor, B. R., Parkinson, D., & Parsons, W. F. (1989). Nitrogen and lignin content as predictors of litter decay rates: a microcosm test. *Ecology*, 70(1), 97-104.
- Technical Association for Paper and Pulp Industries (TAPPI), Atlanta (USA). (1992). *TAPPI test methods*, Publications.

- Tilman, D. (2000). Causes, consequences and ethics of biodiversity. *Nature*, 405 (6783), 208-211.
- Tilman, D., Reich, P. B., & Knops, J. M. (2006). Biodiversity and ecosystem stability in a decade-long grassland experiment. *Nature*, 441(7093), 629-632.
- Tisdale, S. L., Nelson, W. L., Beaton, J. D., & Havlin, J. L. (1993). *Soil fertility and fertilizers*, fifth ed. Prentice Hall of India Private Limited, New Delhi, pp 53-60.
- Tripathi, K. P., & Singh, B. (2009). Species diversity and vegetation structure across various strata in natural and plantation forests in Katarniaghat Wildlife Sanctuary, North India. *Tropical Ecology*, 50(1), 191.
- Tripathi, K. P., Tripathi, S., Selven, T., Kumar, K., Singh, K. K., Mehrotra, S., & Pushpangadan, P. (2004). Community structure and species diversity of Saddle Peak forests in Andaman Island. *Tropical Ecology*, 45(2), 241-250.
- Tripathi, S. K., & Singh, K. P. (1992). Nutrient immobilization and release patterns during plant decomposition in a dry tropical bamboo savanna, India. *Biology and fertility of soils*, 14(3), 191-199.
- Tsutsumi, T. (1971). Accumulation and circulation of nutrient elements in forest ecosystems. In *Productivity of forest ecosystems* (pp. 543-552). UNESCO Paris.
- Turner, J., & Lambert, M. J. (2008). Nutrient cycling in age sequences of two Eucalyptus plantation species. *Forest Ecology and Management*, 255(5), 1701-1712.
- Upadhaya, K., Pandey, H. N., Law, P. S., & Tripathi, R. S. (2004). Diversity and population characteristics of woody species in subtropical humid forests exposed to cultural disturbances in Meghalaya, Northeast, India. *Tropical Ecology*, 45(2), 303-314.
- Valdespino, P., Romualdo, R., Cadenazzi, L., & Campo, J. (2009). Phosphorus cycling in primary and secondary seasonally dry tropical forests in Mexico. *Annals of forest science*, 66(1), 1.
- Van Cleve, K., Chapin, F. S., Dyrness, C. T., & Viereck, L. A. (1991). Element cycling in taiga forests: state-factor control. *Bio Science*, 14 (2), 78-88.

- Vance, E. D., Brookes, P. C., & Jenkinson, D. S. (1987). Microbial biomass measurements in forest soils: the use of the chloroform fumigation-incubation method in strongly acid soils. *Soil Biology and Biochemistry*, 19(6), 697-702.
- Verry, E. S., & Timmons, D. R. (1976). Elements in leaves of a trembling aspen clone by crown position and season. *Canadian Journal of Forest Research*, 6(3), 436-440.
- Villela, D. M., & Proctor, J. (2002). Leaf litter decomposition and monodominance in the Peltogyne forest of Maraci Island, Brazil. *Biotropica*, 34(3), 334-347.
- Villela, D. M., Nascimento, M. T., Aragão, L. E. O., & Da Gama, D. M. (2006). Effect of selective logging on forest structure and nutrient cycling in a seasonally dry Brazilian Atlantic forest. *Journal of Biogeography*, 33(3), 506-516.
- Viriyauncha, C., Vacharangkure, T., & Doangsrisean, B. (2002). The evaluation system for carbon storage in forest ecosystem in Thailand (I. aboveground biomass). *Silviculture Research Division, Royal Forest Department, Bangkok*.
- Visalakshi, N. (1995). Vegetation analysis of two tropical dry evergreen forests in southern India. *Tropical Ecology*, 36(1), 117-127.
- Wang, Q., Wang, S., Fan, B., & Yu, X. (2007). Litter production, leaf litter decomposition and nutrient return in *Cunninghamia lanceolata* plantations in south China: effect of planting conifers with broadleaved species. *Plant and Soil*, 297(1-2), 201-211.
- Wani, A. A., Joshi, P. K., Singh, O., & Pandey, R. (2012). Carbon Sequestration Potential of Indian Forestry Land Use Systems-A Review. *Wetlands*, 354(257.6), 182-7..
- Wardle, D. A. (1998). Controls of temporal variability of the soil microbial biomass: a global-scale synthesis. *Soil Biology and Biochemistry*, 30(13), 1627-1637.
- Whittaker, R. H. (1975). *Community and ecosystems*. 2nd edn. New York: Macmillan.
- Williams, B. L., & Sparling, G. P. (1984). *Extractable N and P in relation to microbial biomass in UK acid organic soils* (pp. 139-148). Springer Netherlands.
- Witt, C., Gaunt, J. L., Galicia, C. C., Ottow, J. C., & Neue, H. U. (2000). A rapid chloroform-fumigation extraction method for measuring soil microbial

- biomass carbon and nitrogen in flooded rice soils. *Biology and Fertility of Soils*, 30(5-6), 510-519.
- Yadav, A. S., & Gupta, S. K. (2006). Effect of micro-environment and human disturbance on the diversity of woody species in the Sariska Tiger Project in India. *Forest Ecology and Management*, 225(1), 178-189.
- Yadav, R. S., Yadav, B. L., Chhipa, B. R., Dhyani, S. K., & Ram, M. (2011). Soil biological properties under different tree based traditional agroforestry systems in a semi-arid region of Rajasthan, India. *Agroforestry systems*, 81(3), 195-202.
- Yadava, A. K. (2010). Biomass production and carbon sequestration in different agroforestry systems in Tarai region of Central Himalaya. *Indian Forester*, 136(2), 234-244.
- Yadava, P. S., & Devi, A. S. (2004). Impact of slash and burning on microbial biomass in semi-evergreen tropical deciduous forest of Manipur, North-East India. *The Korean Journal of Ecology*, 27(4), 225-230.
- Yang, H. S., & Janssen, B. H. (2002). Relationship between substrate initial reactivity and residues ageing speed in carbon mineralization. *Plant and Soil*, 239(2), 215-224.
- Zheng, D. W., Bengtsson, J., & Agren, G. I. (1997). Soil food webs and ecosystem processes: decomposition in donor-control and Lotka-Volterra systems. *American Naturalist*, 125-148.
- Zheng, H., Ouyang, Z., Xu, W., Wang, X., Miao, H., Li, X., & Tian, Y. (2008). Variation of carbon storage by different reforestation types in the hilly red soil region of southern China. *Forest Ecology and Management*, 255(3), 1113-1121.
- Zhou, L., Shalom, A. D. D., Wu, P., Li, S., Jia, Y., & Ma, X. (2015). Litterfall production and nutrient return in different-aged Chinese fir (*Cunninghamia lanceolata*) plantations in South China. *Journal of Forestry Research*, 26(1), 79-89.