

## LIST OF FIGURES

Figure No.	Figure Caption	Page No.
Figure 1.1	Different core-shell nanoparticles: (a) spherical, (b) hexagonal, (c) multiple small core materials coated by single shell material, (d) core-multi shell nanoparticles and (e) movable core within hollow shell material	8
Figure 1.2	Synthesis of hollow CSNPs by a template approach	11
Figure 1.3	Schematic diagram of thermal photolithography process	14
Figure 1.4	Photolithography steps of surface patterning	16
Figure 1.5	Schematic diagram of Ball milling process	17
Figure 1.6	Schematic illustrations of the representative top-down approaches for the synthesis of free-standing silicon QDs by liquid laser ablation	21
Figure 1.7	Schematic diagram of thermal evaporation process	22
Figure 1.8	Schematic diagram of sputtering deposition	24
Figure 1.9	Flow chart of a typical sol-gel process	29
Figure 1.10	Schematic diagram of solvothermal synthesis set up: (1) stainless steel autoclave, (2) precursor solution, (3) Teflon liner, (4) stainless steel lid and (5) spring	30
Figure 1.11	Flow chart of the hydrothermal and solvothermal method	32
Figure 4.1	Various polyols used for the reduction of metal salt precursors along with their corresponding boiling point (b.pt)	69
Figure 4.2	Flow chart of the polyol synthesis process	70
Figure 4.3	Flow chart of the Co-precipitation process	75
Figure 4.4	Schematic diagram of TGA/DTA	76
Figure 4.5	Geometric diagram of the reflection of X-rays by two planes	78
Figure 4.6	Emission of X- rays	81
Figure 4.7	Hioki 3532 Impedance Meter	84

Figure 4.8	Resonance of a free electron	86
Figure 4.9	ESR spectrum for absorbance and its first derivative	86
Figure 4.10	Schematic view of Mossbauer spectrometer	89
Figure 5.1	X-ray diffraction patterns of (a) Fe <sub>2</sub> O <sub>3</sub> , (b) Gd <sub>2</sub> O <sub>3</sub> and (c) Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> NPs	95
Figure 5.2	(a) TEM micrograph and (b) HRTEM micrograph of Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs. Inset Figure 5.2b shows the SAED pattern of Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNP	96
Figure 5.3	Frequency dependence of conductivity ( $\sigma$ ) for Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs at various temperatures. Solid lines are the fitting of Jonscher's power law	97
Figure 5.4	Arrhenius plot of dc conductivity for Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs	98
Figure 5.5	Frequency dependence of (a) Z' and (b) Z'' of Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs at various temperatures	100
Figure 5.6	Arrhenius plot of $\omega_m$ for Z''max where the symbols are the experimental data points and the solid line is the least-squares straight-line fit	100
Figure 5.7	Scaling behaviour of Z''max at various temperatures for Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs	102
Figure 5.8	Frequency dependence of M'' for Fe <sub>2</sub> O <sub>3</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs at various temperatures. The Arrhenius plot of $\omega_m$ for M'' is shown in the inset where the symbols are the experimental points and the solid line is the least-squares straight-line fit	102
Figure 6.1	X-ray diffraction patterns of (a) NiFe <sub>2</sub> O <sub>4</sub> , (b) Gd <sub>2</sub> O <sub>3</sub> and (c) NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> NPs	110
Figure 6.2	(a) TEM micrograph obtained for NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs and (b) HRTEM micrograph for the single CSNP	111
Figure 6.3	UV-Visible absorbance spectrum of NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs, ( $\alpha h\nu$ ) <sup>2</sup> vs $h\nu$ graph is shown in the inset	112

Figure 6.4	Angular frequency ( $\omega = 2\pi\nu$ ) dependence plots of (a) the real part ( $\epsilon'$ ) of complex dielectric constant and (b) the dielectric loss tangent ( $\tan\delta$ ) of NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> at various temperatures. Temperature dependence of the characteristic relaxation time is shown in the inset of Figure 6.4a	114
Figure 6.5	Complex impedance plane plots at different temperatures for NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs	115
Figure 6.6	Temperature dependence of R <sub>g</sub>	117
Figure 6.7	Frequency dependence of M'' for NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs as a function of temperature	118
Figure 6.8	Frequency dependence of ac conductivity at different temperatures for NiFe <sub>2</sub> O <sub>4</sub> /Gd <sub>2</sub> O <sub>3</sub> CSNPs	120
Figure 7.1	X-ray diffraction patterns of (a) Gd <sub>2</sub> O <sub>3</sub> , (b) NiFe <sub>2</sub> O <sub>4</sub> and (c) Gd <sub>2</sub> O <sub>3</sub> /NiFe <sub>2</sub> O <sub>4</sub> NPs	127
Figure 7.2	(a) TEM micrograph obtained for Gd <sub>2</sub> O <sub>3</sub> /NiFe <sub>2</sub> O <sub>4</sub> CSNPs (b) HRTEM micrograph obtained for Gd <sub>2</sub> O <sub>3</sub> core	128
Figure 7.3	Room temperature hysteresis curve obtained for Gd <sub>2</sub> O <sub>3</sub> /NiFe <sub>2</sub> O <sub>4</sub> CSNPs. The inset Figure shows the hysteresis plot for the lower values of the magnetic field	128
Figure 7.4	EPR spectra obtained for Gd <sub>2</sub> O <sub>3</sub> /NiFe <sub>2</sub> O <sub>4</sub> CSNPs at low temperatures	130
Figure 7.5	Variation of (a) peak to peak line width ( $\Delta H_{pp}$ ) with temperature, (b) g-factor with temperature, (c) spin concentration ( $N_s$ ) with temperature and (d) relaxation time ( $T_2$ ) with temperature for Gd <sub>2</sub> O <sub>3</sub> /NiFe <sub>2</sub> O <sub>4</sub> CSNPs	133
Figure 8.1	X-ray diffraction patterns obtained for (a) Gd <sub>2</sub> O <sub>3</sub> , (b) NiO and (c) Gd <sub>2</sub> O <sub>3</sub> /NiO NPs	141
Figure 8.2	Raman spectra of (a) Gd <sub>2</sub> O <sub>3</sub> , (b) NiO and (c) Gd <sub>2</sub> O <sub>3</sub> /NiO NPs	142

Figure 8.3	(a) TEM and (b) Higher magnification (X71,000) TEM micrograph obtained for Gd <sub>2</sub> O <sub>3</sub> /NiO CSNPs	143
Figure 8.4	Room temperature hysteresis curves obtained for (a) NiO and (b) Gd <sub>2</sub> O <sub>3</sub> /NiO CSNPs	143
Figure 8.5	EPR spectra for Gd <sub>2</sub> O <sub>3</sub> /NiO CSNPs obtained at low temperatures of 300K-110K	145
Figure 9.1	Thermogravimetric analyses of (a) bare $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> NPs and (b) $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP CSNPs	156
Figure 9.2	XRD patterns of the (a) $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> , (b) HAP and (c) $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP NPs	157
Figure 9.3	EDS profile and elemental percentage (inset Table) of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP CSNPs	157
Figure 9.4	Raman spectra of (a) Fe <sub>2</sub> O <sub>3</sub> , (b) HAP and (c) $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP NPs. Inset of Figure 9.4b is the enlarge portion of HAP spectrum	158
Figure 9.5	TEM micrographs of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP CSNPs (a) lower magnification and (b) higher magnification	160
Figure 9.6	Magnetic property of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP CSNPs with and without external magnetic field	160
Figure 9.7	Room temperature magnetization of (a) $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> and (b) $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP NPs	161
Figure 9.8	Room temperature <sup>57</sup> Fe Mossbauer spectrum of iron oxide NPs	163
Figure 9.9	Room temperature <sup>57</sup> Fe Mossbauer spectrum of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP CSNPs	163

## LIST OF TABLES

<b>Table No.</b>	<b>Table Caption</b>	<b>Page No.</b>
Table 1.1	Examples of reduced-dimensionality systems	3
Table 1.2	Proportion of number of surface atoms in cubic nanoscopic clusters	5
Table 1.3	Different shapes of CSNPs with their synthesis method	12
Table 4.1	Chemicals used in the present work	67
Table 5.1	Fitting parameters of Equation (5.2)	101
Table 6.1	Various fitting parameters for Nyquist impedance plots	117
Table 8.1	EPR characteristics of Gd <sub>2</sub> O <sub>3</sub> /NiO CSNPs at different temperatures	147
Table 9.1	Parameters obtained from Mossbauer studies for Fe <sub>2</sub> O <sub>3</sub> and $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /HAP CSNPs	164