

List of Tables

| Table No. | Title | Page No. |
|-----------|--|----------|
| 1 | Recovery of <i>Setaria cervi</i> microfilariae in peripheral blood (PB) following the transplantation of adults. | 35 |
| 2 | Recovery of <i>Setaria cervi</i> microfilariae in peritoneal fluid (PF) following transplantation of adults. | 36 |
| 3 | Antibody titre values for somatic antigens of female and male <i>Setaria cervi</i> using anti-female hyperimmune sera. | 38 |
| 4 | Antibody titre values for somatic antigens of microfilariae of <i>Setaria cervi</i> using anti-female hyperimmune sera. | 40 |
| 5 | Antibody titre values for somatic antigens of female and male <i>Setaria cervi</i> using anti-male hyperimmune sera. | 44 |
| 6 | Antibody titre values for somatic antigens of microfilariae of <i>Setaria cervi</i> using anti-male hyperimmune sera. | 46 |
| 7 | Total number of silver stained polypeptides in somatic extracts of female, male and microfilariae of <i>Setaria cervi</i> . | 49 |
| 8 | Comparative analysis of adult and microfilarial somatic extracts of <i>Setaria cervi</i> . | 50 |
| 9 | Total number of antigenic polypeptides in somatic extracts of female, male and microfilariae of <i>Setaria cervi</i> using anti-female hyperimmune sera. | 51 |
| 10 | Total number of antigenic polypeptides in somatic extracts of female, male and microfilariae of <i>Setaria</i> | 52 |

cervi using anti-male hyperimmune sera.

| | | |
|----|--|----|
| 11 | Antibody titre values of partially purified fractions F1, F2 and F3 of <i>Setaria cervi</i> using anti-female hyperimmune sera. | 55 |
| 12 | Antibody titre values of partially purified fractions F4, F5 and F6 of <i>Setaria cervi</i> using anti-female hyperimmune sera. | 57 |
| 13 | Antibody titre values of partially purified fractions F1, F2 and F3 of <i>Setaria cervi</i> using anti-male hyperimmune sera. | 59 |
| 14 | Antibody titre values of partially purified fractions F4, F5 and F6 of <i>Setaria cervi</i> using anti-male hyperimmune sera. | 61 |
| 15 | Total number of silver stained polypeptides in partially purified fractions of <i>Setaria cervi</i> . | 64 |
| 16 | Total Number of antigenic polypeptides in partially purified fractions of <i>Setaria cervi</i> using anti-female hyperimmune sera. | 67 |
| 17 | Total number of antigenic polypeptides in partially purified fractions of <i>Setaria cervi</i> using anti-male hyperimmune sera. | 68 |
| 18 | Antibody titre values for female <i>Setaria cervi</i> surface antigens using anti-female and anti-male hyperimmune sera. | 69 |
| 19 | Total number of silver stained polypeptides in surface components of female <i>Setaria cervi</i> . | 73 |
| 20 | Total number of antigenic polypeptides in surface components of female <i>Setaria cervi</i> using hyperimmune sera. | 74 |
| 21 | Antibody titre values for female and male <i>Setaria cervi</i> | 75 |

- excretory-secretory antigens using anti-female hyperimmune sera.
- 22 Antibody titre values for female and male *Setaria cervi* excretory-secretory antigens using anti-male hyperimmune sera. 77
- 23 Total number of silver stained polypeptides in excretory-secretory components of female, male and microfilariae of *Setaria cervi*. 81
- 24 Total number of antigenic polypeptides in excretory-secretory components of female, male and microfilariae of *Setaria cervi* using anti-female hyperimmune sera. 82
- 25 Total number of antigenic polypeptides in excretory secretory components of female, male and microfilariae of *Setaria cervi* using anti-male hyperimmune sera. 83
- 26 Total number of proteases in excretory-secretory products of female, male and microfilariae of *Setaria cervi*. 85