

# **REFERENCES**

- Abdel-Khalek, A.M. (2004). Prevalence of reported insomnia and its consequences in a survey of 5,044 adolescents in Kuwait. *Sleep*, **27**, 726-31.
- Akpinar, S. (1987). Restless Leg syndrome treatment with dopaminergic drugs. *Clinical Neuropharmacology*, **10**, 69-79.
- American Academy of Sleep Medicine (2005): The International Classification of Sleep Disorders, 2nd ed.: Diagnostic and Coding Manual. *American Academy of Sleep Medicine*. Westchester, Ill.
- American Psychiatric Association (2000): *Diagnostic and Statistical Manual of Mental Disorders*, 4th ed., Text Revision. Washington, DC.
- American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders*. 4th ed. Washington, D.C.
- American Sleep Disorders Standards of Practice Committee (1995). Practice parameters for the use of polysomnography in the evaluation of insomnia. *Sleep*, **18**, 55-57.
- Ancoli-Israel, S., Kripke, D.F., Klauber, M.R., Mason, W.J., Fell, R. and Kaplan, O. (1991). Periodic limb movements in sleep in community-dwelling elderly. *Sleep*, **14**, 496-500.
- Bailey, K.R. (1987). Inter-study differences: How should they influence the interpretation and analysis of results? *Statistical Medicine*, **6**, 351-358.
- Beaulieu—Bonneau, S., LeBlanc, M., Merette, C., Dauvilliers, Y. and Morin, C.M. (2007). Family history of insomnia in a population--based sample. *Sleep*, **30**, 1739-1745.
- Bellantuono, C., Fioro, R., Cortiva, P., Zanutelli, R., and Tansella, M. (1987). Psychiatric screening in general practice in Italy: a validity study of GHQ. *Social Psychiatry*, **22**, 113-117.

- Benca, R.M., Ancoli-Israel, S. and Moldofsky, H. (2004). Special considerations in insomnia diagnosis and management: depressed, elderly, and chronic pain populations. *Journal of Clinical Psychiatry*, **65**, 26-35.
- Bethesda. (1984). Drugs and insomnia: consensus development conference summary. *Dept of Health and Human Services, National Institutes of Health*. Boston: Proseware, Inc.
- Bixler, E.O., Kales, A., Soldatos, C.R., Kales, J.D. and Healey, S. (1979): Prevalence of sleep disorders in the Los Angeles metropolitan area. *American Journal of Psychiatry*, **136**, 1257-1262.
- Bixler, E.O., Kales, A. and Soldatos, C.R. (1979). Sleep disorders encountered in medical practice: a national survey of physician. *Behavioral Medicine*, **6**, 1-6.
- Bolge, Susan, C., Doan, Justin, F., Kannan, Hema, Baran and Robert, W. (2009). Quality of life research. *An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, **18**, 26-38.
- Bonnet, M.H. and Arand, D.L. (1992). Caffeine use as a model of acute and chronic insomnia. *Sleep*, **15**, 526-536.
- Bonnet, M.H. and Arand, D.L. (2005). 24-Hour metabolic rate in insomniacs and matched normal sleepers. *Sleep*, **18**, 581-8.
- Bonnet, M.H. and Webb, W.B (1979). The return to sleep. *Biological Psychology*, **8**, 225- 233.
- Bootzin, R.R. (1976). Effects of self control procedures for insomnia: Behavioral Self Management. *Strategies, techniques and outcomes of insomnia*. New York: Contoso Press.
- Bootzin, R.R. and Engle-Freidman, M. (1981). The assessment of insomnia. *Behavioral Assessment*, **3**, 107-126.

- Bootzin, R.R. and Nicassio, P.M. (1978). Behavioral treatment for Insomnia *Progress in Behavior Modification*. New York: Academic Press.
- Bouchard, Sebastien, Bastein, Celyne, Morin and Charles, M. (2003). Self-efficacy and adherence to CBT of insomnia. *Behavioral Sleep Medicine*, **1**, 187-199.
- Breslau, N., Roth, T. and Rosenthal, L. (1996). Sleep disturbances and psychiatric disorders: a longitudinal epidemiological study of young adults. *Biological Psychiatry*, **39**, 411-418.
- Briones, B., Adams, N., Strauss, M., Rosenberg, C., Whalen, C., Carskadon, M., Roebuck, T., Winters, M. and Redline, S. (1996). Relationship between sleepiness and general health status. *Sleep*, **19**, 583-588.
- Brunton, L.L., Lazo, J.S. and Parker, K.L. (2006). *The Pharmacological Basis of Therapeutics*. New York: McGraw-Hill.
- Bursztyn, M., Ginsberg, G. and Stessman, J. (2000). The siesta and mortality in the elderly: effect of rest without sleep and daytime sleep duration. *Sleep*, **25**, 187-191.
- Buysse, D.J. (1997). Effects of diagnosis on treatment recommendations in chronic insomnia-a report from the APA/NIMH DSM-IV field trial. *Sleep*, **20**, 542-552.
- Buysse, D.J., Ancoli-Israel, S. and Edinger, J.D. (2006). Recommendations for a standard research assessment of insomnia. *Sleep*, **29**, 1155-1173.
- Buysse, D.J., Angst, J., Gamma, A., Ajdacic, V., Eich, D. and Rossler, W. (2008). Prevalence, course, and co morbidity of insomnia and depression in young adults. *Sleep*, **31**, 473-480.
- Buysse, D.J., Germain, A., Moul, D. and Nofzinger, E.A. (2005). *Insomnia: in Sleep Disorders and Psychiatry*. Edited by Buysse, D.J. New York: American Psychiatric Publishing.

- Buysse, D.J., Reynolds, C.F. III and Kupfer, D.J. (1994). Clinical diagnoses in 216 insomnia patients using ICSD, DSM IV, and ICD 10 categories. *Sleep*, **117**, 630- 637.
- Buysse, D.J., Tu, X.M., Cherry, C.R., Begley, A.E., Kowalski, J., Kupfer, D.J. and Frank, E. (1999). Pretreatment REM sleep and subjective sleep quality distinguish depressed psychotherapy remitters and nonremitters. *Biological Psychiatry*, **45**, 205–213.
- Byles, J.E. Mishra, G.D. and Harris M.A. (2005). The experiences of insomnia among older women. *Sleep*, **28**, 972-979.
- Cameron, J.I., Whiteside, C., Katz, J. and Devins, G.M. (2000). Differences in quality of life across renal replacement therapies: a meta-analytic comparison. *American Journal of Kidney Disorders*, **35**, 629-637.
- Carskadon, M. and Dement, W. (1977). Sleep tendency: an objective measure of sleep loss. *Sleep Research*, **6**, 200-214.
- Chang, P.P., Ford, D.E., Mead, L.A., Cooper-Patrick, L. and Kleg, M.W. (1997). Insomnia in young men and subsequent depression. The Johns Hopkins Precursors Study. *American Journal of Epidemiology*, **146**, 105–114.
- Chervin, R.D. and Aldrich, M.S. (1999). The Epworth Sleepiness Scale may not reflect objective measures of sleepiness or sleep apnea. *Neurology*, **52**, 125-131.
- Classification of Sleep Disorder (1997). *Diagnostic and Coding Manual*. Diagnostic Classification Steering Committee, Thorpy, M.J., Chairman. Rochester, Minnesota: American Sleep Disorder Association.
- Czeiler, C.A., Weitzman, E., Moore-Ede, M.C., Zimmerman, J.C. and Knauer, R.S. (1980). *Human Sleep Science*, **210**, 1264-1267.

- De Gennaro, Luigi, Martina, Mariangela, Curcio, Giuseppe, Ferrara and Michele (2004). Relationship between alexithymia, depression and sleep complaints. *Psychiatry Research*, **128**, 253-258.
- Dinges, D.F., Pack, F., Williams, K., Gillen, K.A., Powell, J.W., Ott, G.E., Aptowicz, C. and Pack A.I. (1997). Cumulative sleepiness, mood disturbance, and psychomotor vigilance performance decrements during a week of sleep restricted to 4-5 hours per night. *Sleep*, **20**, 267-267.
- Dirksen, Shannon, R.; Epstein and Dana, R. (2008). Efficiency of an insomnia intervention on fatigue, mood and quality of life in breast cancer survivors. *Journal of Advanced Nursing*, **61**, 23-29.
- Doghramji and Paul, P. (2004). Recognizing sleep disorders. *Journal of Clinical Psychiatry*, **65**, 23-26.
- Dohrenwend, B.S. (1970). Social class and stressful events. *Psychiatric Epidemiology*. New York: Oxford University Press.
- Douglass, A.B., Bornstein, R., Nino-Murcia, G., Keenan, S., Miles, L., Zarcone, V. P. and Guilleminault C. and Dement, W.C. (1994). The Sleep Disorders Questionnaire: Creation and multivariate structure of SDQ. *Sleep*, **17**, 160-167.
- Eaton, W.E., Badawi, M. and Melton, B. (1995). Prodromes and precursors: epidemiologic data for primary prevention of disorders with slow onset. *American Journal of Psychiatry*, **152**, 967-72.
- Edgar, D.M. (1996). *Circadian control of sleep\wakefulness: implications in shift work and therapeutic strategies*. Netherland: Amsterdam Academic Publishing.
- Edinger, J.D., Olsen, M.K., Stechuchak, K.M., Means, M.K., Limberger, M.D., Kirby A. and Carney C.E. (2009). Cognitive behavioral therapy for patients with primary insomnia or insomnia associated predominantly with mixed psychiatric

- disorders: a randomized clinical trial. *Sleep*, **32**, 499-510.
- Edinger, J.D., Wohlgemuth, W.K. and Radtke R.A. (2007). Does-response effects of cognitive-behavioral insomnia therapy: a randomized clinical trial. *Sleep*, **30**, 203-212.
- Edinger, J.D., Wohlgemuth, W.K., Radtke, R.A., Marsh, G.R. and Quillian, R.E. (2003). Cognitive behavioral therapy for treatment of chronic primary insomnia: a randomized controlled trial. *Journal of American Medical Association*, **285**, 1856-1864.
- Edward, F., Pace-Schott, M.A., Robert Stickgold; Michael, W. and Otto (2004). "CBT for insomnia". *Archives of Internal Medicine*, **164**, 1888-1896.
- Espie, C. A., Lindsay, W. R., & Brooks, D. N. (1988). Substituting behavioural treatment for drugs in the treatment of insomnia: An exploratory study. *Journal of Behavior Therapy*, **27**, 79-88.
- Evans, R.W. (1991). Recombinant human erythropoietin and the quality of life of end-stage renal disease patients: a comparative analysis. *American Journal of Kidney Disorders*; **18**, 62-70.
- Evans, R.W., Rader, B. and Manninen, D.L. (1990). The quality of life of hemodialysis recipients treated with recombinant human erythropoietin. Cooperative Multicenter EPO Clinical Trial Group. *Journal of American Medical Association*, **263**, 825-830.
- Feinberg I., Koresko R.L. and Heller N. (1967). EEG: sleep patterns as a function of normal and pathological aging in man. *Journal of Psychiatry Research*, **5**, 107-144.
- Ferrans, C.E. and Powers, M.J. (1985). Quality of life index: development and

- psychometric properties. *Advanced Nursing Science*, **8**, 15-24.
- Ferrans, C.E. and Powers, M.J. (1992). Psychometric assessment of the Quality of Life Index. *Research in Nursing Health*, **15**, 29-38.
- Fetveit, Arne, Skjerve, Arvid, Bjorvatn and Bjorn (2003). Bright light treatment improves sleep. *International Journal of Geriatric Psychiatry*, **18**, 520-526.
- Foley, D.J., Monjan, A., Simonsick, E.M., Wallace, R.B. and Blazer, D.G. (1999). Incidence and remission of insomnia among elderly adults: an epidemiologic study of 6,800 persons over three years. *Sleep*, **22**, S366–S372.
- Foley, D.J., Monjan, A.A., Brown, S.L., Simonsick, E.M., Wallace, R.B. and Blazer, D.G. (1995). Sleep complaints among elderly persons: an epidemiologic study of three communities. *Sleep*, **18**, 425-432.
- Foulds, G., and Bedford, A. (1975). 'Hierarchy of classes of personal illness'. *Psychology Medicine*, **5**, 181-92.
- Fry, A. (1963). Hypnosis in the treatment of insomnia. *Medicine and World*, **99**, 194-199.
- Gaillard, J.M. (1978). Chronic primary insomnia: Possible physiopathological involvements of slow wave sleep deficiency. *Sleep*, **1**, 133-147.
- Gander, P.H., Marshall, N.S., Harris, R. and Reid, P. (1999). The Epworth Sleepiness Scale: influence of age, ethnicity, and socio-economic deprivation. *American Academy of Neurology*, **52**, 125-138.
- Gislason, T., Reynisdottir, H. and Kristbjarnarson, H. (1993). Sleep habits and sleep disturbances among the elderly—an epidemiological survey. *Journal of International Medicine*, **234**, 31-39.
- Gluckman and Jason (1994). Effects of insomnia. *Ezine Articles*, **17**, 18-20.
- Goldberg, D.P., (1972). *The detect of Psychiatric illness by Questionnaire*. Oxford: Oxford



University Press.

Goldfried, M. and Goldfried, A. (1975). Cognitive change methods. *Helping People Change*. New York: Oxford University Press.

Gottlieb, D.J., Redline, S., Nieto, F.J., Baldwin, C.M., Newman, A.B. and Resnick, H.E. (2006). Association of usual sleep duration with hypertension: The Sleep Heart Health Study. *Sleep*, **29**, 1009–1014.

Hajak, G. (2001) Epidemiology of severe insomnia and its consequences in Germany. *European Architecture of Psychiatry and Clinical Neuroscience*, **251**, 49–56.

Hamond, E.C. (1964). Some preliminary findings on physical complaints from a prospective study of 1,064,004 men and women. *American Journal of Public Health*, **54**, 11-23.

Hanley, F.W. (1965). Modern hypnotherapy. *Applied Therapeutics*, **7**, 625-628.

Harding, S.M. (1998). Sleep in fibromyalgia patients: subjective and objective findings. *American Journal of Medical Science*; **315**, 367-376.

Hauri, P.J. (1983). A cluster analysis of insomnia. *Sleep*, **6**, 326-338.

Hauri, P.J. (1993). Consulting about insomnia: a method and some preliminary data. *Sleep*; **16**, 344-350.

Haynes, S.N., Price, M.G. and Simons, J.B. (1975). Stimulus control treatment of insomnia. *Journal of Behavioral and Experimental Psychiatry*, **6**, 279-282.

Hoagland, A., Michall, L.P., Boehmler, J., Millikan, A. and Greenblatt, D. (1999). Prediction of treatment outcome in Insomnia: A Clinical Case Series Study. *Sleep*, **22**, 7-11.

Hoddes, E., Zarconce, V., Smythe, H., Philips, R. and Dement, W. (1973).

Quantification of sleepiness: a new approach. *Psychophysiology*, **10**, 431-436.

Hohagen, F., Kappler, C., Schramm, E., Riemann, D. and Weyerer, S. (1994). Sleep

onset insomnia, sleep maintaining insomnia, and insomnia with early morning awakening: temporal stability of subtypes in a longitudinal study on general practice attenders. *Sleep*, **17**, 551–554.

Hollingshead, A., Redlich, R.C. (1958). *Social Class and Mental Illness*. New York: John Wiley and Sons.

Horne, J. A. (1978). A review of the biological effects of total sleep deprivation in man. *Biological Psychology*, **7**, 55-102.

J.P. (1991). Employee and job attributes as predictors of absenteeism Leigh in a national sample of workers. *Social Science and Medicine*, **33**, 127-137.

Jacobs, Gregg, Edward, F., Pace-Schott, Robert, Stickgold, Michael, W., Otto. (2004). "Cognitive Behavior Therapy and Pharmacotherapy for Insomnia: A Randomized Controlled Trial and Direct Comparison". *Archives of Internal Medicine*, **164**, 1888-1896.

Jacobson, E. (1938). *Progressive Relaxation*. Chicago: University of Chicago.

Janson, C., Lindberg, E. and Gislason, T. (2001). Insomnia in men - A 10-year prospective population based study. *Sleep*, **24**, 425-430.

Janson—Frojmark, M. and Linton S.J. (2008). The course of insomnia over one year: a longitudinal study in the general population in Sweden. *Sleep*, **31**, 881-886.

Jean-Louis, G., Magai, C.M., Cohen, C.I., Zizi, F., von Gizyeki, M. and DiPalma, J. (2001). Ethnic differences in self-reported sleep problems in older adults. *Sleep*, **24**, 926–933.

Jefferson, C.D., Drake, C.L. and Scofield H.M. (2005). Sleep hygiene practices in a population-based sample of insomniacs. *Sleep*, **28**, 611-615.

Johns, M.W., Egan, P., Gay, T.J.A. and Masterton J.P. (1970). Sleep habits and

- symptoms in male medical and surgical patients. *Brain and Medical Journal*, **2**, 509-512.
- Johnson, L. C. and McLeod, W.C. (1973). Sleep and awake behavior during gradual sleep reduction. *Perceptual motor skills*, **36**, 87-97.
- Kales A. and Kales J.D. (1974). Sleep disorders: recent findings in the diagnosis and treatment of distributed sleep. *New England Journal of Medicine*, **290**, 487-99.
- Karacan, I., Thornby, J.I., Anch, M., Holzer, C.E., Warheit, G.J., Schwab, J.J. and Williams, R.L. (1978). Prevalence of sleep disturbance in a primarily urban Florida country. *Social Science and Medicine*, **10**, 239-244.
- Karakan, I., Bonnet, M.H., Orr, W.C., Ware, J.C., Kramer, M., Bingham, S.F., Thornby, J., Salis, P.J. and Roth, T. (1980). VA cooperative study on drugs and sleep: reliability of baseline sleep parameters. *Sleep Research*, **9**, 292-312.
- Katz, D.A., McHorney, C.A. (1998). Clinical correlates of insomnia in patient with chronic illness. *Archives of Internal Medicine*, **158**, 1099–1107.
- Kirmil-Gray, K., Eagieston, J. R., Thoresen, C. E., & Zarcone, V. P. (1985). Brief consultation and stress management treatments for drug-dependent insomnia: Effects on sleep quality, self-efficacy, and daytime stress. *Journal of Behavioral Medicine*, **8**, 79-99.
- Klink, M.E., Quan, S.F., Kaltenbor, W.T. and Leibowitz, M.D. (1992). Risk factors associated with complaints of insomnia in a general adult population: influence of previous complaints of insomnia. *Archives of Internal Medicine*, **152**, 1634-1637.
- Kryger, M.H., Roth, T. and Dement, W.C. (2000). *Principles and Practice of Sleep Medicine*. 3rd Ed. Philadelphia: W.B. Saunders Co.
- Kupfer, D.J. and Reynolds, C.F. (1997). Management of insomnia. *New England Journal of Medicine*, **33**, 341-6.

- Lacks, P., & Morin, C. M. (1992). Recent advances in the assessment and treatment of insomnia. *Journal of Consulting and Clinical Psychology*, **60**, 586-594.
- Lacks, P., & Powlishta, K. (1989). Improvement following behavioral treatment for insomnia: Clinical significance, long-term maintenance, and predictors of outcome. *Behavior Therapy*, **20**, 117-134.
- Lazarus, A.A. (1976). *Multimodal Behavior Therapy*. New York: Springer Publishing Company.
- LeBlanc, M., Merette, C., Savard, J., Lvers, H., Baillargeon, L. and Morin C.M. (2009). Incidence and risk factors of insomnia in a population-based sample. *Sleep*, **32**, 1027-1037.
- Leger, D., Guilleminault, C. and Bader, G. (2002). Medical and socioprofessional impact of insomnia. *Sleep*, **25**, 625-629.
- Leigh, J.P. (1991). Employee and job attributes as predictors of absenteeism in a national sample of workers. *Social Science Medicine*, **33**, 127-137.
- Li R.H., Wing Y.K. and Fong S.Y. (2002). Gender differences in insomnia: a study in the Hong Kong Chinese population. *Journal of Psychosomatic Research*, **53**, 601-609.
- Lichstein, K. L., Durrence, H. H., Taylor, D. J. , Bush, A. J. and Riedel, B. W. (2003). Quantitative criteria for insomnia. *Behaviour Research and Therapy*, **41**, 427-445.
- Lichstein, K. L. & Johnson, R. S. (1993). Relaxation for insomnia and hypnotic medication use in older women. *Psychology and Aging*, **8**, 103-111.
- Lichstein, K.L., Wilson, N.M., Noe, S.L., Aguillard, R.N. and Bellur, S.N. (1994). Daytime sleepiness in insomnia: behavioral, biological and subjective e indices. *Sleep*, **17**, 693-702.

- Lin, S.C., Kaplan, J., Burger, C.D. and Fredrickson, P.A. (1998). Effect of pramipexole in treatment of resistant restless legs syndrome. *Mayo Clinical Proceedings*, **73**, 497-500.
- Loney, P.L., Chambers, L.W. and Bennett, K.J. (1988). Critical appraisal of the health research literature: prevalence or incidence of a health problem. *Chronic Disorder Can*, **19**, 170-6.
- Mahowald, M.W., Mahowald, M.L. and Bundlie, S.R. (1989). Sleep fragmentation in rheumatoid arthritis. *Rheumatology*, **32**, 974-983.
- Mari, J.J. and Williams, P. (1985). 'A comparison of the validity of 2 psychiatric screening question in Brazil using ROC analyses'. *Psychology Medicine*, **15**, 651-659.
- Marshall, Nathaniel, Bolger, Warren and Gander and Phillipa. (2004). Abnormal sleep duration and motor vehicle crash risk. *Journal of Sleep Research*, **13**, 177-178.
- McGaugh, J.L., Jensen, R.A. and Martinez, J.L. (1979). Sleep, brain state and memory. *The functions of sleep*, **40**, 295-299.
- McGhee A., Russell S.M. (1962). The subjective assessment of normal sleep patterns. *Journal of Mental Science*, **108**, 642-654.
- Mellinger, G.D., Balter, M.B. and Uhlenhuth, E.H. (1985). Insomnia and its treatment, prevalence and correlates. *Archives of General Psychiatry*, **42**, 225-232.
- Menninger, K., Mayman, M. and Pruyser, P. (1963). *The Vital Balance*. New York: Viking.
- Mitler, M.M., Carskadon, M.A., Czeisler, C.A., Dement, W.C., Dinges, D.F. and Graeber R.C. (1988). Catastrophes, sleep and public policy: consensus report. *Sleep*, **11**, 100-109.

- Montgomery, I., Perkin, G. and Wise, D. (1975). A review of behavioral treatment for insomnia. *Journal of Behaviour Therapy and Experimental Psychiatry*, **6**, 93-100.
- Moran, M.G. and Stoudemire, A. (1992). Sleep disorders in the medically ill patient. *Journal of Clinical Psychiatry*, **53**, 29-36.
- Morawetz, D. (1989). Behavioral self-help treatment for insomnia: A controlled evaluation. *Behavior Therapy*, **20**, 365-379.
- Morin, C. M., Kowatch, R. A., & Wade, J. (1989). Behavioral management of sleep disturbances secondary to chronic pain. *Journal of Behavior Therapy and Experimental Psychiatry*, **20**, 295-302.
- Morin, C.M. (1993). *Insomnia: Psychological Assessment and Management*. New York: Guilford.
- Morin, C.M., Bastien, C., Guay, B., Radouco-Thomas, M., Leblanc, J. and Vallières, A. (2004). Randomized clinical trial of supervised tapering and cognitive behavior therapy to facilitate benzodiazepine discontinuation in older adults with chronic insomnia. *American Journal of Psychiatry*, **161**, 332–342.
- Morin, C.M., Beaulieu, S. and LeBlanc, M. (2005). Self-help treatment for insomnia: A randomized controlled trial. *Sleep*, **28**, 1319-1327.
- Morin, C.M., Bootzin, R.R., Buysse, D.J., Edinger, J.D., Espie, C.A. and Lichstein, K.L. (2006). Psychological and behavioral treatment of insomnia: an update of recent evidence. *Sleep*, **29**, 1398–1414.
- Morin, C.M., Colecchi, C. and Stone, J. (1999). Behavioral and pharmacological therapies for late-life insomnia: a randomized controlled trial. *Journal of American Medicine Association*, **281**, 991-999.
- Morin, C.M., Culbert, J.P. and Schwartz, S.M. (1994). Nonpharmacological interventions

for insomnia: A meta-analysis of treatment efficacy. *American Journal of Psychiatry*, **151**, 1172-1180.

Morin, C.M., Espie, C.A. (2003). *Insomnia: a clinical guide to assessment and treatment*. New York: Plenum Publishers.

Morin, C.M., Gaullier, B., Barry, T. and Kowatch, R.A. (1992). Patients' acceptance of psychological and pharmacological therapies for insomnia. *Sleep*, **15**, 302-305.

Morin, C.M., Kowatch, R.A. and O'Shanick, G. (1990). Sleep restriction for the inpatient treatment of insomnia. *Sleep*, **13**, 183-186.

Morphy, H., Dunn, K.M. and Lewis, M. (2007). Epidemiology of Insomnia: a Longitudinal Study in a UK Population. *Sleep*, **30**, 274-280.

Moul, D.E., Nofzinger, E.A., Pilkonis, P.A., Houck, P.R., Miewald, J.M. and Buysse, D.J. (2002). Symptom reports in severe chronic insomnia. *Sleep*, **25**, 553-563.

Naitoh, P. (1976). Sleep deprivation in human subjects: a reappraisal. *Waking Sleeping*, **1**, 53-60.

National Heart, Lung, and Blood Institute Working Group on Sleep Apnea (1996). Sleep apnea: is your patient at risk? *American Family of Physician*, **53**, 247-253.

National Institutes of Health State of the Science Conference Statement on Manifestations and Management of Chronic Insomnia in Adults (2005). *Sleep*, **28**, 1049-1057.

National Institutes of Health: Drugs and Insomnia (1984): The Use of Medications to Promote Sleep: NIH Consensus Development Conference. National Institutes of Health Consensus Development Conference Summary.

Nierenberg, A.A., Keefe, B.R., Leslie, V.C., Alpert, J.E., Pava, J.A., Worthington, J.J.,

- Rosenbaum, J.F. and Fava, M. (1999). Residual symptoms in depressed patients who respond acutely to fluoxetine. *Journal of Clinical Psychiatry*, **60**, 221–225.
- Nowell, P.D., Buysse, D.J. and Reynold, C.F. III. (1997). Clinical factors contributing to the differential diagnosis of primary insomnia and insomnia related to mental disorders. *American Journal of Psychiatry*, **154**, 1412-1416.
- Nowell, P.D., Mazumdar S., Buysse, D.J., Dew, M.A., Reynolds, C.F. and Kupfer, D.J. (1997). Benzodiazepines and zolpidem for chronic insomnia: a meta-analysis of treatment efficacy. *Journal of American Medical Association*, **278**, 2170–2177.
- O’Leary, K.D., and Wilson, G.T. (1975). *Behavior therapy: application and outcome*. Englewood Cliffs: Prentice Hall.
- Ohayon, M. (1997). Epidemiological study on insomnia in the general population. *Sleep*, **19**, S7-S15.
- Ohayon, M.M. (2002). Epidemiology of insomnia: what we know and what we still need to learn. *Sleep Medicine Revised*, **6**, 97–111.
- Paine, S.J., Gander, P.H., Harris, R and Reid, P. (2004). Who reports insomnia? Relationship with age, sex, ethnicity, and socioeconomic deprivation. *Sleep*, **27**, 1163-1169.
- Perlis, M.L., Smith, L.J., Lyness, J.M., Matteson, S.R., Pigeon, W.R., Jungquist, C.R., Tu, X. (2006). Insomnia as a risk factor for onset of depression in the elderly. *Behavioral Sleep Medicine*, **4**, 104–113.
- Perlis, M.L., Smith, M.T. and Pigeon, W.R. (2005). Etiology and pathophysiology of insomnia. *Principles and Practice of Sleep Medicine*. Edited by Kryger, M.H., Roth, T. and Dement, W.C. Philadelphia: Elsevier Saunders.



- Pesic and Milos. (2007). Effects of Insomnia can be crippling. *Ezine Articles*, **22**, 12-29.
- Philip, Pierre, Taillard, Jacques, Sagaspe, Patricia, Valtat and Cedric (2004). Age, performance and sleep deprivation. *Journal of Sleep Research*, **13**, 105-110.
- Phillips, B, Mannino, D.M. (2005). Does insomnia kill? *Sleep*, **28**, 965-971.
- Quan, S.F., Howard, B.V., Iber, C., Kiley, J.P., Nieto, F.J. and O'Connor, G.T. (1997). The Sleep, heart, health study: design, rationale and methods. *Sleep*, **20**, 1077-1085.
- Radavanovic and Eric, L.J. (1983). Validity of GHQ in a 4 Yugoslav student population'. *Psychology Medicine*, **13**, 205-207.
- Rajagopal, K.R., Abbrecht, P.H., Derderian, S.S., Pickett, C., Hofeldt, F. and Tellis, C.J. (1984). Obstructive sleep apnea in hypothyroidism. *Archives of Internal Medicine*, **104**, 491-494.
- Reimann, Dieter, Voderholzer and Ulrich, (2003). Insomnia: a risk factor to develop depression. *Journal of Affective Disorders*, **76**, 255-259.
- Reynolds, C. E, Kupfer, D. J., Buysse, D. J., Coble, P., & Yeager, A. (1991). Subtyping DSM-III-R primary insomnia: A literature review by the DSM-IV work group on sleep disorders. *American Journal of Psychiatry*, **148**, 432-438.
- Reynolds, C.F. III, Frank, E., Houck, P.R., Mazumdar, S., Dew, M.A., Cornes, C., Buysse, D.J., Begley, A. and Kupfer, D.J. (1997). Which elderly patients with remitted depression remain well with continued interpersonal psychotherapy after discontinuation of antidepressant medication? *American Journal of Psychiatry*, **154**, 958-962.
- Ribordy, S.C. and Denny, D.R. (1977). The behavioral treatment of insomnia: an alternative drug therapy. *Behaviour and Residential Therapy*, **1**, 39-50.
- Roberts, R.E., Shema, S.J. and Kaplan, G.A. (1999). Prospective data on sleep

- complaints and associated risk factors in an older cohort. *Psychosomatic Medicine*, **61**, 188-196.
- Roehrs, T. and Roth, T. (2003). Hypnotics: an update. *Current Neurology & Neuroscience Reports*, **3**, 181-184.
- Ronald, D.C. and Michael, S.A. (1999). The Epworth Sleepiness Scale may not reflect objective measures of sleepiness or sleep apnea. *Journal of sleep and Sleep Disorders research*, **22**, 78-87.
- Sadeh, A., Hauri, P.J. and Kripke, D.F. (1995). The role of actigraphy in the evaluation of Sleep disorders. *Sleep*, **18**, 288-302.
- Sateia, M.J., Doghramji, K. and Hauri, P. (2000). Evaluation of chronic insomnia. An American Academy of Sleep Medicine Review. *Sleep*, **23**, 243-308.
- Sawhney, I.M.S and Chopra, J.S. (1986). Treatment of insomnia. *Drugs Bulletin*, **9**, 1-10.
- Scharf, M.B., McDannold, M.D., Stover, R., Zaretsky, N. and Berkowitz, D.V. (1997). Effects of estrogen replacement therapy on rates of cyclic alternating patterns and hot-flush events during sleep in postmenopausal women: a pilot study. *Clinical Therapy*, **19**, 304-11.
- Schultz, J.H. and Luthe, W. (1959). *Autogenic Training*. New York: Grune and Stratton.
- Schweitzer, P.K., Englehardt, C.L., Hilliker, N.A., Muehlbach, M.J. and Walsh, J.K. (1992). Consequences of reported poor sleep. *Sleep Research*, **21**, 260-265.
- Seidel, W.F., Ball, S., Cohen, S., Patterson, N., Yost, D. and Dement, W.C. (1984). Daytime alertness in relation to mood, performance, and nocturnal sleep in chronic insomnia and non complaining sleepers. *Sleep*, **7**, 230-238.
- Selected Symptoms of Psychological Distress. (1970). Rockville MD: US Department of HEW.

- Shah, P.J. (1986). Have a sound sleep. *Modern Practical Psychology*, **3**, 9-12.
- Shamasunder, C., Murthy, S.K., Prakash, O.M., Prabhakar, N. and Krishma, D.K.S. (1986). 'Psychiatric morbidity in a general practice in an Indian City'. *British Medical Journal*, **292**, 1713-1715.
- Shochat, T., Umphress, J. and Israel, A.G. (1999). Insomnia in primary care patients. *Sleep*, **22**, S359-S365.
- Silber, M. (2005). Chronic insomnia. *New England Journal of Medicine*, **353**, 803–810.
- Simon, G.E. and VonKorff, M. (1997). Prevalence, burden, and treatment of insomnia in primary care. *American Journal of Psychiatry*, **154**, 1417-23.
- Simonds, J.F. and Parraga, H. (1982). Prevalence of sleep disorders and sleep behaviors in children and adolescents. *Journal of American Academy of Child Psychiatry*, **21**, 383-388.
- Sivertsen, B., Omvik, S., Pallesen, S., Bjorvatn, B., Havik, O.E. and Kvale, G. (2006). Cognitive behavioral therapy vs zopiclone for treatment of chronic primary insomnia in older adults. *Journal of American Medicine Association*, **295**, 2851–2858.
- Spielman, A.J., Saskin, P. and Thorpy, M.J. (1987). Treatment of chronic insomnia by restriction of time in bed. *Sleep*, **10**, 45-56.
- Srole, L., Langner, T.S., Michael, S.T., Opler, M.K. and Rennie, T.A.C. (1962). *Mental Health in the metropolis: The Midtown Manbatten Study*. New York: McGraw-Hill.
- Sutton, D.A., Moldofsky, H. and Badley, E.M. (2001). Insomnia and Health Problems in Canadians. *Sleep*, **24**, 665-670.
- Tan, T.L. and Pertshuk, M. (1978). Behavior therapy in primary care practice. *Pennsylvania Medicine*, **81**, 56-57.

- Taylor, D.J., Lichstein, K.L. and Durrence, H.H. (2005). Epidemiology of insomnia, depression, and anxiety. *Sleep*, **28**, 1457-1464.
- Taylor, D.J., Mallory, L.J. and Lichstein, K.L. (2007). Comorbidity of chronic insomnia with medical problems. *Sleep*, **30**, 213-218.
- Taylor, Daniel, J., Lichstein, Kenneth, L., Durrence, H. and Heith (2003). Insomnia as a health risk factor. *Behavioral Sleep Medicine*, **1**, 227-247.
- The Gallup Organization (1979). *Sleep in America*. Princeton, N.J.: Gallup Organization.
- Thoresen, C.E., Coates, T.J., Kirmil-Gray, K. and Rosekind, M.R. (1981). Behavioral self management in treating sleep maintenance insomnia. *Journal of Behavioral Medicine*, **4**, 41-52.
- Thoreson, C. E., Burnett, K. F., Rosekind, M. R., George, J. M., Clark, J. R. and Hamilton, S. (1980). Chronic stress and reported sleep disturbance. *Sleep Research*, **9**, 250-258.
- Tsoi, W.F., Kua, E.H. (1984). Psychiatry in general practice. *Singapore Family Physician*, **10**, 141-144.
- Tune, G.S. (1968). Sleep and wakefulness in normal human adults. *Sleep*, **2**, 269-271.
- Vgontzos, A.N., Liao, D., Bixler, E.O., Chrousos, G.P. and Vela-Bueno, A. (2009). Insomnia with objective short sleep duration is associated with a high risk for hypertension. *Sleep*, **32**, 491-497.
- Vincent, N. and Lionberg, C. (2001). Treatment preference and patient satisfaction in chronic insomnia. *Sleep*, **24**, 411-417.
- Vogel, G.W. (1975): A review of REM sleep deprivation. *Archives general psychiatry*, **32**, 749-761.
- Walsh and James, K. (2004). Pharmacologic management of insomnia. *Journal of*

*Clinical Psychiatry*, **65**, 41-45.

- Walsh, J.K. and Engelhardt, C.L. (1999). The direct economic costs of insomnia in the United States for 1995. *Sleep*, **22**, S386-S393.
- Walsh, J.K., Roehrs, T. and Roth, T. (2005). Pharmacologic treatment of primary insomnia. *Principles and Practice of Sleep Medicine*. Edited by Kryger, M.H., Roth, T. and Dement, W.C. Philadelphia: Elsevier Saunders.
- Wechsler, D. (1987). *Wechsler Memory Scale- Revised*. San Antonio, TX: Psychological Corporation.
- Wechsler, D. (1994). Technical manual for the Wechsler Memory Scale-III. New York, NY: Psychological Corporation.
- Weiss, H.R., Kasinoff, B.H. and Bailey, M.A. (1962). An exploration of reported sleep disturbance. *Journal of Nervous and Mental Disorders*, **134**, 528-534.
- Williams, R.L., Karacan, I. and Frazier, S.H. (1978). *Sleep disorders: diagnosis and treatment*. New York: Wiley and Sons.
- Willinson, R.T., Edwards, R.S. and Haines, E. (1966). Performance following a night of reduced sleep. *Psychosomatic Science*, **55**, 471-472.
- Woodward, S. and Freedman, R.R. (1994). The thermoregulatory effects of menopausal hot flashes on sleep. *Sleep*, **17**, 497-501.
- Woolfolk, R.L. (1975). Psychophysiological correlates of meditation. *Archives of General Psychiatry*, **32**, 1326-1333.
- Yamadara, H., Takahashi, K. and Okawa, M. (1996). A multicenter study of sleep – wake rhythm disorders: clinical features. *Psychiatry Clinical Neuroscience*, **50**, 195-201.
- Zorick, F.J., Roth, T. and Hartse, K. (1981). Evaluation and diagnosis of persistent insomnia. *American Journal of Psychiatry*, **138**, 769-773.

Zorick, F.J., Walsh, J.K., Kryger, M.H., Roth, T. and Dement W.C. (2000). *Principles and Practice of Sleep Medicine*. Philadelphia, PA: W.B. Saunders Co.