

LIST OF TABLES AND FIGURES

TABLES

Sl No.	TITLE	Pg No.
1	Segregation of insomniacs and matched controls	41
2	Categorization of insomniacs into groups	41
3	Between and within comparisons before and after management	42
4	Significance of difference between mean scores of control group (n = 100) and insomniacs (n = 100) on various variables [df = 198]	50
5	Means of sleepiness score for four groups (condition) under four time levels (N = 384: 4X96)	53
6	Summary of ANOVA for sleepiness	53
7	Pairwise comparison between sleepiness (condition-1: both management and prescription)	56
8	Pairwise comparison between sleepiness (condition-2: only management and no prescription)	57
9	Pairwise comparison between sleepiness (condition-3: only prescription and no management)	57
10	Pairwise comparison between sleepiness (condition-4: neither management nor prescription)	58
11	Means of SRT (sec) for four groups (conditions) under four time levels (N = 384: 4 x 96)	59
12	Summary Table of ANOVA for Simple Reaction Time	60

13	Means of learning score (Trials) for four groups (conditions) under four time levels (N = 384: 4 X 96)	62
14	Summary of ANOVA for learning	63
15	Pairwise comparison between learning (condition-1: both management and prescription)	66
16	Pairwise comparison between learning (condition-2: only management and no prescription)	66
17	Pairwise comparison between learning (condition-3: only prescription and no management)	67
18	Pairwise comparison between learning (condition-4: neither management nor prescription)	67
19	Means of memory score for four groups (conditions) under four time levels (N = 384: 4X96)	68
20	Summary Table of ANOVA	69
21	Pairwise comparison between memory (condition-1: both management and prescription)	72
22	Pairwise comparison between memory (condition-2: only management and no prescription)	72
23	Pairwise comparison between memory (condition-3: only prescription and no management)	73
24	Pairwise comparison between memory (condition-4: neither management nor prescription)	74
25	Mean general health score for four groups (conditions) under four time level (N = 384: 4 X 96)	75
26	Summary of ANOVA for health (GHQ scores)	76

27	Pairwise comparison between health (condition-1: both management and prescription)	79
28	Pairwise comparison between health (condition-2: only management and no prescription)	79
29	Pairwise comparison between health (condition-3: only prescription and no management)	80
30	Pairwise comparison between health (condition-4: neither management nor prescription)	81

FIGURES

1	Means of Sleepiness for all the four time intervals	54
2	Mean sleepiness score of four groups (conditions) under four time intervals	55
3	Means of SRT for all the four conditions (groups)	61
4	Means of learning for all the four time levels	64
5	Mean learning trials of four groups (conditions) under four time interval.	65
6	Means of memory for all the four time intervals	70
7	Interactive means of memory for time and conditions	71
8	Means of health for all the four time levels	77
9	Mean health scores of four groups (conditions) under four time intervals	78