

LIST OF TABLES

No.	Title	Page
3.1	Genotypes used during the present study and their sources	44
3.2	Characteristics of twenty three genotypes used in the line x tester crosses	51
4.1.	(a) Analysis of variance, coefficient of variation, ranges and means for seed and seedling vigor traits in 40 genotypes of pea raised at location I during 2009-2010	60
4.1.	(b) Analysis of variance for seed and seedling vigor traits in 40 genotypes of pea raised at location I during 2009-2010	60
4.1.	(c) Analysis of variance, coefficient of variation, ranges and means for seed and seedling vigor traits in 40 genotypes of pea raised at location II during 2009-2010	61
4.1.	(d) Analysis of variance for seed and seedling vigor traits in 40 genotypes of pea raised at location II during 2009-2010	61
4.1.	(e) Mean, range, coefficient of variation, heritability and genetic advance for laboratory characters in 40 genotypes of pea raised location I during 2009-2010	63
4.1.	(f) Mean, range, coefficient of variation, heritability and genetic advance for laboratory characters in 40 genotypes of pea raised at location II during 2009-2010	63
4.1.	(g) Analysis of variance, coefficient of variation, ranges and means for agronomic traits in 23 parents of pea raised at location II during 2010-2011	65
4.2.	(h) Analysis of variance for field characters in 23 parents of pea raised at location II during 2010-2011	65
4.1.	(i) Mean, range, coefficient of variation, heritability and genetic advance for field characters in 23 parents of pea raised at location II during 2010-2011	65
4.2.	(a) Estimates of phenotypic correlation coefficient (P) and genotypic correlation coefficient (G) among seed and seedling vigor traits in 40 pea genotypes of pea raised at location I during 2009-2010	67
4.2.	(b) Estimates of phenotypic correlation coefficient (P) and genotypic correlation coefficient (G) among seed and seedling vigor traits in 40 genotypes of pea raised at location II during 2009-2010	68
4.2.	(c) Estimates of genotypic direct (in bold letters) and indirect effect on vigor index II for 11 laboratory characters in 40 genotypes of pea raised at location I during 2009-2010	71

4.2.	(d)	Estimates of genotypic direct (in bold letters) and indirect effect on vigor index II for 11 laboratory characters in 40 genotypes of pea raised at location II during 2009-2010	72
4.2.	(e)	Estimates of phenotypic correlation coefficient (P) and genotypic correlation coefficient (G) among agronomic traits in 23 parents of pea raised at location II during 2010-2011	74
4.2.	(f)	Estimates of genotypic direct (in bold letters) and indirect effect on seed yield per plant for 4 agronomic characters in 23 parents of pea raised at location II during 2010-2011	74
4.3.	(a)	ANOVA for line x tester analysis in pea for field characters carried out at location II during 2011-2012	76
4.3.	(b)	ANOVA for line x tester analysis in pea for laboratory characters carried out at location II during 2011-2012	76
4.3.	(c)	Mean performance of parents (line x testers) and hybrids for the field characters in pea	78
4.3.	(d)	Mean performance of parents (line x testers) and hybrids for the laboratory characters in pea	82
4.3.	(e)	Heterosis (%) over mid parent (MP) and better parent (BP) for the field characters in pea	88
4.3.	(f)	Heterosis (%) over mid parent (MP) and better parent (BP) for the laboratory characters in pea	94
4.3.	(g)	Analysis of variance for combining ability for the field characters	99
4.3.	(h)	Analysis of variance for combining ability for the laboratory characters	99
4.3.	(i)	Estimates of general combining ability effects of lines and testers for the field characters in pea	101
4.3.	(j)	Estimates of specific combining ability effects of hybrids for the field characters in pea	102
4.3.	(k)	Estimates of general combining ability effects of lines and testers for the laboratory characters in pea	107
4.3.	(l)	Estimates of specific combining ability effects of hybrids for the laboratory characters in pea	108
4.3.	(m)	Components of genetic variance for 5 field characters in pea	113
4.3.	(n)	Components of genetic variance for 12 laboratory characters in pea	113
5.3		Best five cross combinations in heterosis	122
5.4		Best four cross combinations and their respective parents	125