Bibliography

- Acree ET, Cottrell ET. 1985. Chemical indices of wine quality. In: *Alcoholic Beverages*. Birch G, Lindley M (eds). Elsevier Applied Sciences Publishers, London: 145-150
- Adsule RN & Kadam SS. 1995 Preparation of wine from pomegranate

 *Phalasamaskaran.** Poster Session. 2: 392-395
- Amerine MA, Berg HW, Cruess WV.1972. *The Technology of Wine Making*, 3rd
 Edition, The AVI Publ. Co. Inc., Westport, Connecticut:88-100
- Amerine, MA, Berg HW, Kunkee RE, Ough CS, Singleton VL and Webb AD.1980.

 *Technology of Wine Making, 4th Edn., The AVI Publ. Co. Inc., Westport, Connecticut: 523-547
- Andrade MC & Andrade JS.2012. Physicochemical changes in cubiu fruits

 (Solanum sessiliflorum Dunal) at different ripening stages. Food

 Science and Technology. 32(2): 250-254
- AOAC 1984. Official Methods of Analysis.12th Edn., Association of Official Analytical Chemists, Washington DC.
- Ashwah EI, Abd FA, Baki NM, Samahy SK, Abd EI, Fadeel MH. 1982 Effect of storage on the characteristics of the concentrated orange and lime juice. *Agric. Res. Rev.* 38: 275-288
- Askar A. 1999 Flavour changes during processing and storage of fruit juices & interaction with packaging materials. *Fruit Processing*. 11: 432-439.

- Avsar YK, Karagul-Yuceer Y, Drake MA, Singh TK, Yoon Y & Cadwallader KR.

 2004. Characterization of nutty flavor in Cheddar cheese. *J. Dairy Sci.*87: 1999–2010
- Aydin N & Kadioglu A. 2001. Changes in the chemical composition, polyphenol oxidase and peroxidase activities during development and ripening of Medlar fruits (Mespilus germanica L.). Bulg. J. Plant Physiol. 27(3-4): 85-92
- Ayhan Z, Yeom HW, Zhang QH & Min DB. 2001. Flavor, color, and vitamin C retention of pulsed electric field processed orange juice in different packaging materials. J. Agric. Food Chem. 49: 669-674
- Bal JS. 1981. A note on sugars and amino acids in ripe ber. *Progressive Horticulture*.

 13: 41–42.
- Bal SS, Singh P. 1978. Development physiology of ber (*Zizyphus mauritiana Lamk*.)

 Var. Umran. *Ind. Fd. Packer*. **32(3)**: 62-65
- Balaji V & Prasad VM. 2014. Studies on value added kinnow-aonla blended Readyto-Serve beverage. *Journal of Food Processing & Technology*. **5(1)**: 2-4
- Balamohan TN & Easwaran S .2013. Preservation and processing of fruits & vegetables. Proceedings of 3rd INCOFTECH 2013: 9-13
- Balamurugan S .2014. Fruit maturity phenolic content and antioxidant activity of Eugenia jambolana lam fruit. International Letters of Natural Sciences, 8(1): 41-44

- Balaswamy K, PrabhakarRao P, Nagender A, Satyanarayana A. 2011. Preparation of Sour Grape (Vitis vinifera) Beverages and Evaluation of their Storage Stability. Journal of Food Processing Technology. 2(3): 2-4
- Balaswamy K, Rao PP, Rao GN, Nagender A & Satyanarayana A. 2014. Production of low calorie Ready-to-Serve fruit beverages using a natural sweetener Stevia (Stevia Rebaudiana L.). Focussing on Modern Food Industry. 3: 59-65
- Baruah PJ & Mohan NK .1985. Some aspects of developmental physiology of sapida fruit. J. Res. Assam Agric. Univ. 6(1): 59-61
- Beach FW & Carr JG .1977. Cider and Perry, In: *Economic Microbiology*, Vol 6, Rose, A.H. (ed.), Acad. Press, London: 139-313
- Benzic IEF & Strain JJ. 1996. The Ferric Reducing Antioxidant of Plasma (FRAP) as a measure of antioxidant power: The FRAP assay. *Analytical Biochemistry*. **239**: 70–76
- Berry CJJ .1987. First Steps in Winemaking, Amateur Winemaker Publications Ltd: 79-80
- Bezman Y, Russell L, Rouseff and Naim M. 2001. 2-Methyl-3-furanthiol and methional are possible off-flavors in stored orange juice. *J. Agric. Food Chem.* 49(5): 425-432
- Bhagwati S & Deka BC .2004. Screening of bamboo species for pickle preparation, *Indian Food Packer*: 49-53.

- Bhardwaj RL & Mukherjee S. 2011. Effects of fruit juice blending ratios on kinnow juice preservation at ambient storage condition. *African Journal of Food Science*. 5(5): 281-286
- Bille PG, Shikongo NB, Cheikhyoussef A. 2013. Value addition and processed products of three indigenous fruits in Namibia. *African Journal of Food, Agriculture, Nutrition and Development*. **13(1)**: 7192-7212
- Bof CMJ, Fontana RC, Piemolini-Barreto LT & Sandri IG. 2012. Effect of freezing and processing technologies on the antioxidant capacity of fruit pulp and jelly. *Brazilian Archives of Biology and Technology*. **55** (1): 107-114
- Buluk RE, Babiker FE, Tinay AH. 1996. Changes in sugar, ash and minerals in four cultivars during ripening. *Plant Foods for Human Nutrition*. **49**: 147-154
- Bureau S, Renard CM, Reich M, Ginies C & Audergon J. 2009 Change in anthocyanin concentrations in red apricot fruits during ripening.

 LWT-Food Science and Technology. 42(1): 372-377
- Cadwallader KR, Drake MA, McGorrin R. 2007. Flavor of Chemistry Dairy Products, ed. ACS Publishing, Washington, DC.
- CarunchiaWhetstine ME & Drake MA .2007. The flavor and flavor stability of skim and whole milk powders, *J. Dairy Sci.* 73: 217-252
- CarunchiaWhetstine, ME, Drake MA, Broadbent JB & McMahon DJ. 2006.

 Enhanced nutty flavor formation in Cheddar cheese made with a "malty" *Lactococcuslactis* adjunct culture. *J. Dairy Sci.* 89: 3277–3284.

- Childs JL, Yates MD & Drake MA. 2007. Sensory properties of meal replacement bars and beverages made from whey or soy proteins. *J. Food Sci.* 72: 5425–5434
- Chothe A, Patil S & Kulkarni DK. 2014. Unconventional wild fruits and processing in tribal area of Jawhar, Thane District. *Bioscience Discovery*. **5(1)**: 19-23
- Chumillas RS, Belissario, Y, Iguaz A, Lopez A. 2007. Quality and shelf life of orange juice aseptically packaged in PET bottles. *Journal of Food Engineering*. **79**: 234-242
- Clifford FG, William JD & Thomas BT. 1979. In: Fermented Food Beverages in Nutrition, Acad. Press, New York, London
- Curiale MS. 1998. Limiting growth: Microbial Shelf Life Testing (www.foodproductdesign.com)
- D' Amore T and Stewart GG. 1987. Ethanol tolerance of yeast. Review Article.

 Enzyme Microbiol. Technol. 9: 322-329
- Davies JN & Kempton RJ. 2006. Some changes in the composition of the fruit of the Glasshouse cucumber (*Cucumis sativus*) during growth, maturation and senescence, *Journal of the Science of Food and Agriculture*. 27(5): 413-418
- Deka BC. 2000. Preparation and storage of mixed fruit juice spiced beverage, 2000 Ph.D. Thesis, IARI, New Delhi,
- Deka BC, Sethi V. 2001. Preparation of mixed fruit juice spiced RTS beverages. *Ind. Fd. Packer.* 42(3): 58-61.

- Delin CR and Lee TH. 1991. The J shaped curve revisited. Wine and cardiovascular health update. J. Aust. New Zealand Wine Industry. 6: 15-16
- Desrosier NW and Desrosier JN. 1978. *The technology of food preservation*. 4th Edn. AVI Publishing Comp. Inc. Westport, Connecticut, 164-165.
- Dhaliwal M, Hira KC. 2001. Effect of storage on physico-chemical and nutritional characteristics of carrot-beet root and carrot-black carrot juices. *J. Food Sci. Technol.* **38(4)**: 343-347
- Dhatt AS, Mahajan BVC, Sandhu KS, Garg A & Sharma SR. 2007. Handbook on

 Post harvest Handling of Fruits and Vegetables. 3 edition, PHPTC,

 PAU, Ludhiana
- Dhuria HS, Kar PL, Tripathi SN, Sood G .1978. Studies on the maturity standard of plum Cv. Santa Rosa. *Prog. Hort.* **9**: 63-94
- Drake MA .2007. Invited Review: Sensory analysis of dairy foods, *Journal of Dairy Science*. **90**: 4925-4937
- Dubey RK, Tiwari S. 2009. Ginger: production and postharvest management,

 Technical Bulletin, College of Horticulture and Forestry, Central

 Agricultural University, Pasighat, Arunachal Pradesh
- Dumbrava D, Moldvan C, Raba D and Popa M. 2012. Comparative analysis of vitamin C content and antioxidant activity of some fruits extracts. J. Agro. Pro. Technol. 18: 223-228
- Ebbesen A .1998. Effect of temperature, oxygen and packaging material on orange juice quality during storage. *Fruit Processing*. 11: 446–455

- Efiuvwevwere BJO & Akoma O. 1997. The effects of chemical preservatives and pasteurization on the microbial quality of kunun-zaki. *J. Food Safety*. 17: 203-213
- Ehsan EB, Naeem ZP, Ghafoor A, Bahtti MS. 2002. Development, standardization and storage studies on watermelon lemon jam. *Pak. J. Food Sci.*12(3-4): 21-24
- Eiroa, MNU, Junqueira VCA & Schmidt FL. 1999. Alicyclobacillus in orange juice: occurrence and heat resistance of spores. *Journal of Food Protection*. **62(8)**: 883-886.
- El-MardiMO, EsechieH and Al-Kharousi LM .2002. Effect of pollination method on changes in physical and chemical characteristics of date fruit during development. *Agric. Sci.* 7: 21-27
- Falcone PM and Giudici P. 2008. Molecular size and molecular size distribution affecting traditional balsamic vinegar aging. *J. Agric. Food Chem.* 56: 7057-7066
- Feng P. 2001. Rapid Methods for Detecting Foodborne Pathogens. In: *Bacteriological Analytical Manual Online*, 8th Ed. Appendix 1, Center for Food Safety & Applied Nutrition, US Food and Drug Administration
- Fernandes L, Rodrigues N, Pereira JA & Ramalhosa E. 2014. Physico-chemical and sensory characteristics of jellies made from seven grapevine (*Vitis vinifera* L.) varieties. *Acta agriculturae Slovenica*. **103(1)**: 37-38

- Fernando CAUM, Marilia LSF, Ricardo LC, Daniel CF. 2004. Sensory acceptance of mixed nectar of papaya, passion fruit and acerola. *Scientia Agricola*, (*Piracicaba*, *Braz.*).61: 604-608.
- Ficzek G, Végvári G, Sándor G, Máté MS, Kállay E, Szügyi S & Tóth M. 2011.

 HPLC evaluation of anthocyanin components in the fruits of

 Hungarian sour cherry cultivars during ripening. Food, Agriculture and

 Environment. 9(1): 30-35
- Fuke Y & Matsuoka H. 1984. Changes in content of pectic substances, ascorbic acid and polyphenol and activity of pectinesterase in kiwi fruit during growth and ripening after harvest. J. Japanese Soci. Food Sei. Tech. 31: 31-37.
- Gajanana TM, Gowda IND & Reddy BMC. 2010. Exploring market potential and developing linkages- A case of underutilized fruit products in India.

 *Agricultural Economics Research Review. 23: 437-443
- Gangwar BM. 1972. Biochemical studies on growth and ripening of Guava. *Ind. Fd. Packer.* **26**: 13
- Garcia VC, Zafrilla P, Romero F, Abellan P, Artes F & Tomas BFA .1999. Colour stability of strawberry jam as affected by cultivar and storage temperature. *J. Food Sci.* **64(2)**: 243
- Gasteineau FC, Darby JW and Turner TB .1979. Fermented Food Beverages in Nutrition. Acad. Press, New York

- Gayon PR. 1978. Wine flavor In: Flavour of Food and Beverages Chemistry and Technology, Chariamous G and Inglett GE (eds.), Acad. Press Inc., New York and London, 335
- Geeta T & Prakash J. 2006. Quality characteristics of lime pickles prepared using different salts. *The Ind. J. Nutr. Dietet.***43**: 103-111.
- Ghanbarian D, Shojaei ZA, Ebrahimi A & Yuneji S. 2007. Physical properties and compositional changes of two cultivars of cantaloupe fruit during various maturity stages. *Iran Agricultural Research*. **25(2)**: 117-126
- Gibson L, Rupasinghe HPV, Forney CF & Eaton L. 2013. Characterization of changes in polyphenols, antioxidant capacity and physico-chemical parameters during Lowbush blueberry fruit ripening. *Antioxidants*. 2: 216-229
- Giudici P and Rinaldi G .2007. A theoretical model to predict the age of traditional balsamic vinegar. J. Food Eng. 82: 121-127
- Goncalves B, Silva AP, Pereira JM, Bacelar E, Rosa E & Meyer AS. 2007. Effect of ripeness and post harvest storage on the evolution of colour and anthocyanins in cherries (*Prunus avium L.*). Food Chemistry. 103: 976-984
- Gonzales ON, Alejo JV, Brillante J, Valdecanas M. 1985. Process for preparing non-carbonated and carbonated coconut water. Cocomunity APCC/QS/03: 31-42.

- Gullo M and Giudici P. 2008. Acetic acid in traditional balsamic vinegar, phenotypic traits relevant for starter cultures selection. *International Journal of Food Microbiology*. **125**: 46-43
- Gupta AK, Panwari HS & Vashishtha BB. 1984. Growth and developmental changes in Ber (Zizyphus Mauritian A Lamk.). Indian Journal of Horticulture.

 41(1): 52-57
- Gupta N & Jawandha SK. 2010. Influence of maturity stage on fruit quality storage of 'Earli Grande' peaches. *Notulae Scientia Biologicae*. **2 (3)**: 96-99
- Herzog F, Farah Z, Amado R. 1995. Chemical composition and nutritional significance of wines from the palms *Elaeisguineensis* and *Borassusaethiopum* in the V-Baoule. *Côte d'Ivoire*. *Trop Sci.* **35**: 30-39
- Hiremath JB &Rokhade AK. 2012. Preparation of sapota candy. *International Journal of Food, Agriculture and Veterinary Sciences*. **2(1)**: 107-112
- Horiuchi J, Kanno T & Kobayashi M. 2000. Effective Onion Vinegar Production

 Fermentation System by a Two-Step. *Journal Of Bioscience And Bioengineering*. **90(3)**: 289-293
- Huber DJ, Karakurt Y & Jeong J. 2001. Pectin Degradation in Ripening and Wounded Fruits. R. Bras. Fisiol. Veg. 13(2): 224-241
- Hussain I & Shakir I. 2010. Chemical and organoleptic characteristics of jam prepared from indigenous varieties of apricot and apple. *World Journal of Dairy and Food Sciences*. **5(1)**: 73-78

- Isabel MP, Pestana N, Alves MR, Mota JM, Reu C, Cunha S, Oliviera M. 2004.

 Quince jam quality: microbiological, physicochemical and sensory evaluation. *Food Control*: **15**: 291-295
- Jackson T and Badrie N. 2003. Utilization of banana (*Musa acuminata*) peel in wine produced in the Caribbean: Effects on physico-chemical, microbiological and sensory quality of wines. *Journal of Food Science* & *Technology*. **40(2)**: 153-156
- Jain N, Dhawan K, Malhotra SP, Siddiqui S & Singh R. 2001. Compositional and enzymatic changes in guava (*Psidium guajava* L.) fruits during ripening. *Acta Physiologiae Plantarum*. **23(3)**: 357-362
- Jain S, Sankhla APK, Dashora A & Sankhla AK. 2003. Physiochemical and sensory properties of orange drink. *J. Food Sci. Tech. India.* **40(6)**: 656-659
- James CS. 1995. Analytical Chemistry of foods. Chapmann and Hall, NewYork
- Jeeva SRDN, Laloo RC, Mishra BP. 2006. Traditional agricultural practices in Meghalaya, North East India. *Indian Journal of Traditional Knowledge*. **5(1)**: 7-18
- Joshi VK (1993) Studies on alcoholic fermentation of apple juice and pomace utilization. Ph.D. Thesis, Guru Nanak Dev University, Amritsar
- Joshi VK, Sharma, PC and Attri BL. 1991. Studies on deacidification activity of Schizosaccharomyces pombe in plum must of variable composition. J. Appl. Bacteriol. 70: 386-390

- Kader Adel A and Merita Cantwell. 2006. Produce Quality Rating Scales and Color Charts. Postharvest Horticulture Series No 23. Post harvest Technology Research & Information Center University of California, Davis
- Kader M, Mamun AA, Islam T & Sultana N. 2014. Bacteriological analysis of some commercially packed and fresh fruit juices available in Jessore city: a comparative look. *International Journal of Biosciences*. **5(1)**: 415-420
- Kadioglu A & Yavru I. 1998. Changes in the chemical content and polyphenol oxidase activity during development and ripening of cherry laurel fruits. *Phyton (Horn, Austria)*. 37(2): 241-251
- Karagozlu C, Kinik O & Akbulut N. 2008. Effects of fully and partial substitution of NaCl by KCl on physico-chemical and sensory properties of white pickled cheese. *International Journal of Food Sciences And Nutrition*. **59 (3)**: 181-191.
- Kayang H. 2007. Tribal knowledge on wild edible plants of Meghalaya, Northeast India, *Indian Journal of Traditional Knowledge*. **6(1)**: 177-181
- Kayshar MS, Rahman A, Sultana MS, Fatema K & Kabir MF. 2014. Formulation, preparation and storage potentiality study of mixed squashes from papaya, banana and carrot in Bangladesh. *Journal of Agriculture and Veterinary Science*. **7 (2)**: 47-51

- Kennedy JF, Rivera ZS, Lloyd LL, Warner FP, & Jumel K. 1992. L-Ascorbic acid stability in aseptically processed orange juice in TetraBrik cartons and the effect of oxygen. *Food Chemistry*. **45**: 327–331
- Kirshinbaum LM, Sadowsky A & Porat R. 2014. Definition of minimum maturity indices for harvesting of early season sweet pomegranate (*Punica granatum* L.) fruit. *Journal of Horticultural Science & Biotechnology*.

 89(1): 17-22
- Kivi AR, Sartipnia N & Nikmanesh L. 2014. Chemical and physical changes during ripening raspberry (Rubus caesius L.) fruits. Journal of Biodiversity and Environmental Sciences. 4(2): 421-425
- Kocher GS, Singh R, Kalra KL. 2007. Preparation of value added vinegar using apple juice. *Journal of Food Science & Technology*. **44(2)**: 226-227
- Kocher, GS, Kalra, KL & Phutela RP. 2006. Comparative production of sugarcane vinegar by different immobilization techniques. *J. Inst. Brew.* 112: 264-266
- Kratchanova M, Benemou C and Kratchanov C. 1991. On the pectic substances of mango fruits. *Carbohydrate Polymer*. **15**: 271-282
- Kulkarni JH, Singh H & Chadha KL. 1980. Preliminary screening of mango varieties for wine making. Journal of Food Science and Technology. 17: 218-220
- Kumar KN. 2004. Exotic fruit trees of Meghalaya. India Perspectives. 17(11): 6-7

- Kumar P. 1985. Water melon Utilization of peel waste for pickle processing. *Indian*Food Packer: 49-52.
- Kumar R, Kaushik RA, Chharia AS. 1992. Effect of post harvest treatment on the quality of mango during storage. *Haryana J. Hort. Sci.* 21(1-2): 49
- Kumar S, Singh IS. 2001. Storage studies of aonla fruit products at ambient temperature. *Progress. Hort.* 33(2): 169-173
- Lafourcade SL & Ribereau-Gayon P. 1979. In: Biotechnology-Food and Feed

 Production with Microorganisms. Reed et al. (eds.). Florida. Basal.

 Vol 5. 81-161
- Lamare RL, Deka BC, Nath A & Patel RK .2013. Dynamics of Physico-Chemical Values in Sohshang (*Elaegnus latifolia* L.) across Maturity. *Indian Journal of Hill Farming*. **26(2)**: 49-53
- Lane JH, Eynon L. 1923. Determination of reducing sugar by Fehling's solutions with methylene blue as indicator. *J. Soc. Chem. Ind.* 42:32
- Lawless HT & Heymann H. 1999. Consumer field tests and questionnaire design. In:

 Sensory Evaluation of Food, 1st ed., Chapman and Hall, New York,

 480-514
- Lawless HT and Heyman H. 2010. Acceptance testing. In: Sensory Evaluation of Food, 2nd SpringerScience+Business Media, LLc, New York, 326-325
- Liu-Jiunian. 1982. Studies on the stability of chaosihua rice wine using glutinous rice and fruit of Rosa roxburghii as raw material. Food and Fermentation Industries. 3: 43-51

- Livani F, Ghorbanli M, Sateeyi A. 2013. Changes in antioxidant activity and content of phenolic compounds during the ripening process of elm-leaved blackberry fruit. *International Journal of Agronomy and Plant Production.* **4** (1): 88-93
- Lysiak G, Kurlus R, Zydlik Z & Tomczak DW. 2014. Apple skin colour changes during harvest as an indicator of maturity. *Acta Sci. Pol. Hortorum Cultus.* 13(3): 71-83
- Maier T, Fromm M, Schieber A, Kammerer DR, Carle R. 2009. Process and storage stability of anthocyanins and non-anthocyanin phenolics in pectin and gelatine gels enriched with grape pomace extracts. *Eur. Food Res. Technol.* **229**: 949–960.
- Maldonado O, Rolz C, Schneider C. 2006. Wine and vinegar production from tropical fruits. *Journal of Food Science*. **40(2)**: 262-265
- Manivasagan S, Rana GS, Kumar S, Joon MS. 2006. Qualitative changes in karonda (Carissa carandas Linn.) candy during storage at room temperature. Haryana J. Hort. Sci. 35(1&2): 19-21
- Mapson LW. 1970. Vitamins in fruits. In: The Biochemistry of Fruits and their Products, Hulme AC (Edn.) Academic Press, London, 1: 369-384
- Marcy JE, Graumlich TR, Grandall PG & Marshall MR. 1984. Factors affecting storage of orange concentrate. J. Food Sci. 49(6). 1628-1629
- Mas A, Torija MJ, Parrilla MCG & Troncoso AM. 2014. Acetic acid bacteria and the production and quality of wine vinegar. *The Scientific World Journal*.

 1-6

- McGuire RG. 1992. Reporting of objective color measurements. *Hort Science*. **27(12)**:1254–1255.
- Meilgaard MC, Daiglish CE & Clapperton JF. 1979. Beer flavor technology. *J. Inst.*Drew. 85: 38-42
- Meilgaard MM, Civille GV & Carr T. 2007. Affective tests: Consumer tests and inhouse panel acceptance tests. In: *Sensory Evaluation Techniques*. 4th ed. CRC Press, New York, NY, 225-309
- Menager I, Jost M & Aubert C. 2004. Changes in physicochemical characteristics and volatile constituents of strawberry (Cv. Cigaline) during maturation.

 **Journal of Agriculture Food Chemistry. 52(5): 1248-1254*
- Menon SV & Ramana Rao TV. 2012. Nutritional quality of muskmelon fruit as revealed by its biochemical properties during different rates of ripening. *International Food Research Journal*. **19(4)**: 1621-1628
- Meydev S, Saguy I, & Kopelman I. 1977. Browning determination in citrus products.

 **Journal of Agricultural and Food Chemistry. 25(3): 602–604.
- Mgheni ASM. 1983. Bamboo wine from Oxytenantherabraunii. Indian Forester.

 109(5): 306-308
- Miljic UD & Puskas VS. 2014. Influence of fermentation conditions on production of plum (*Prunus domestica L.*) wine: A response surface methodology approach. *Hem.Ind.* **68(2)**: 199-206
- Morales ML, Gustavo A, Gonzalez Jose A, Troncoso Ana M. 2001. Multivariate analysis of commercial and laboratory produced sherry wine vinegar: influence of acetification and aging. *Journal of food technology.* 212: 676-682

- Mowlah G & Itoo S. 1982. Guava (*Psidium guava* L.) sugar components and related enzyme at stages of fruit development and ripening. *Journal of Japanese Society of Food Science and Technology*. **29(8)**: 472-476
- Moyssiadi T, Badeka A, Kondyli E, Vakirtzi T, Savvaidis I & Kontominas MG. (2004). Effect of light transmittance and oxygen permeability of various packaging materials on keeping quality of low fat pasteurized milk: chemical and sensorial aspects. *International Dairy Journal*. 14: 429-436
- Muhammad R, Ahmed M, Chaudhry MA, Hussain B & Khan I. 1987. Ascorbic acid quality retention in orange squashes as related to exposure to light and container type. *Pak. J. Sci. Ind. Res.* 30(6): 480-483
- Muratore G, Lanza CM, Baiano, A Tamagnone, P, Nicolosi Ausmundo C & Del Nobile MA. 2005. The influence of using different packaging on the quality decay kinetics of Cucci'a. *Journal of Food Engineering*. 73: 239–245
- Murtaza MA, Nuzhat H, Javaid J, Shabbir MA, MueenUd Din G and Mahmood S. 2004. Studies on stability of strawberry drink stored at different temperatures. *International Journal of Agriculture & Biology*. **06(1)**: 1560–853
- Nag AR, Chatterjee DD, Roy T, Hossain AM & Haque A. 2011. Study on chemical changes of different guava varieties during different ripening stage.

 *Bangladesh Research Publications Journal. 6(2): 217-224

- Narang FP. 2004. Food Micro Biology, Methods of enumeration, APH Publishing Corporation, New Dehli, India. 1, 23-29
- Narayana CK and Maini SB. 1989. Methods of storage of turnips and its effect on quality of the pickle. *Indian Food Packer*. **43**: 10-17.
- Nath A, Deka BC, Jha AK, Paul D, Misra LK. 2012. Effect of slice thickness and blanching time on different quality attributes of instant ginger candy.

 **Journal of Food Science and Technology. 50(1): 197-202
- Nayak P, Tandon DK, Bhatt DK. 2011. Study on changes of nutritional and organoleptic quality of flavoured candy prepared from aonla (Emblicaofficinalis G.) during storage. International Journal of Nutrition and Metabolism. 4(7): 100-106
- Nemanja M, Branko P, Olga M, Miodrag K. 2012. Phenolic content and antioxidant capacity of fruits of plum cv. 'Stanley' (*PrunusdomesticaL.*) as influenced by maturity stage and on-tree ripening. *Australian Journal of Crop science*. **6(4)**: 681-687
- Ngwira TN. 1996. Utilization of local fruit in wine making in Malawi. FAP

 Corporate Document Repository. http://www.fao.org/docrep/
 w3735e/w3735e00.htm
- Nilugin SE, Mahendran T. 2010. Preparation of ready-to-serve (RTS) beverage from palmyrah (Borassus flabellifer L.) fruit pulp. The Journal of Agricultural Sciences. 5(2): 80-88
- Okafor N. 1990. Traditional alcoholic beverages of tropical Africa-strategies for scale-up. *Process Biochem.* 25: 213-220

- Otto K. 1984. Minimum shelf life of fruit juices. Flur. Siges. Obst. 51: 574-580
- Pandey G, Sharma BD, Hore DK & Rao NV. 1993. Indigenous minor fruit genetic resources and their marketing status in north eastern hill of India.

 **Journal of Hill Research. 6(1): 1-4*
- Pandey RC, Pathak RA & Pathak RK. 1990. Physico chemical changes associated with growth and development of fruits in ber. *Ind. Jr. Hort.* 47(3): 286-290
- Pandey RC, Pathak RA and Pathak RK. 1990. Physico-chemical changes associated with growth and development of fruits in ber (*Ziziphus mauritiana* Lamk.). *Indian Journal of Horticulture*. 47: 266–270
- Param Pal S, Davneet K, Gulab P. 2010. Studies on the preparation of low alcoholic naturally carbonated blended beverage from guava and lemon.

 International Journal of Food Safety. 12: 165-180
- Park Y, Gerard PD & Drake MA. 2006. Impact of frozen storage on flavor of caprine milk cheeses. *J. Sens. Stud.* 21: 654–663
- Park Y, Kim SH, Choi SH, Han J and Chung HG. 2008. Changes of antioxidant capacity, total phenolics, and vitamin C content during *Rubus coreanus* fruit ripening. *Food Sci. Biotech.* 17: 251-256
- Patel RK, Singh A, Yadav RK, Sharma VP, De LC. 2008. Enjoying Sohiong an unexploited fruit in Meghalaya. *Indian Horticulture*. **53(4)**: 17-18
- Patel RK, Verma VK, Deshmukh NA, Jha AK, Nath A & Patel RS. 2013.

 Underutilized fruits of Meghalaya: An option for food and nutritional security. Horticulture for Economic prosperity and Nutritional security in 21st Century edited by Hazarika and Nautiyal, Westville Publishing House, New Delhi, 256-263

- Patel RK, Verma VK, Deshmukh NA, Nath A, Deka BC and Ngachan SV. 2013.

 Underutilized Horticultural crops of Meghalaya, In: Developing the potential of Underutilized Horticultural crops of hill regions edited by N. Prakash et al., Today & Tomorrow's Printers and Publishers, New Delhi, 205-215
- Patel RK, Deshmukh NA, Nath A, Deka BC & Patel RS. 2013. Sohiong (*Prunus nepalensis*) and Sohshang (*Elaeagnus latifolia* Linn.): Potential fruits of Meghalaya need commercialization. *Developing the potential of Underutilized Horticultural crops of hill regions* edited by N. Prakash *et al.*, Today & Tomorrow's Printers and Publishers, New Delhi, 456-467
- Pawar CD, Patil AA & Joshi GD. 2011. Physico-chemical parameters of sapota fruits at different stages of maturity. *Karnataka Journal of Agriculture*. **24(3)**: 420-421
- Peter KV. 2008. *Under Utilized and Underexploited Horticultural Crops*. Vol 4. New India Publishing, 233-244
- Pfoze NL, Kumar Y, Sheikh N & Myrboh B. 2012. Assesment of Local Dependency on Selected Wild Edible Plants and Fruits from Senapati District, Manipur, North East India. Ethnobotany Research & Applications. 10: 357-367
- Possner DRE, Kliewer WM. 1985. The localization of acids, sugars, potassium and calcium in developing grape berries. *Vitis.* **24**: 229-240

- Pota SO, Ketsa S & Thongtham MLC. 1987. Effect of packaging material and temperature on quality and storage life of pomegranate fruits. *Kestsari*J. Nat. Sci. 23: 328-333
- Prasanna V, Prabha TN & Tharanathan RN. 2007. Fruit Ripening Phenomena-An Overview. Critical Reviews in Food Science and Nutrition. 47(1): 1-19
- Proctor A & Peng LC. 1989. Pectin transitions during blueberry fruit development and ripening, *Journal of Food Science*. **54(2)**: 385-387
- Rahman M, Fakir SA & Rahman M. 2010. Fruit Growth of China Cherry (Muntingia calabura). Botany Research International. 3(2): 56-60
- Rahman MM, Moniruzzaman M, Ahmad MR, Sarker BC & Alam MK. 2014.

 Maturity stages affect the postharvest quality and shelf-life of fruits of strawberry genotypes growing in subtropical regions. *Journal of the Saudi Society of Agricultural Sciences*. 1-10
- Ranganna S. 1997. Handbook of analysis and quality control for fruit and vegetable products. Tata McGraw Hills Publishing Company Limited, New York, 91-105
- Rani U, Bhatia BS. 1985. Studies pear candy processing. Indian Food Packer. 29: 40
- Rao MSS. 1985. Scope for development of alcoholic beverage from cashew apple. *Acta Horticulturae*. **108**: 160-164
- Rathod AS, Shakya BR & Ade KD. 2014. Studies on effect of thermal processing on preparation of bael fruit RTS blended with aonla. *International Journal of Research in Engineering & Advanced Technology*. **2(3)**: 1-6

- Rayaguru K , Khan Md. K, Sahoo NR. 2008. Effect of storage on quality of stone apple Ready-to-Serve beverage. *Journal of Agricultural Engineering*. 45(1): 80-8
- Riaz MN, Mohyuddin G & Haq MI. 1999. Physical, chemical and sensory characteristics of jam made from fresh and frozen strawberries. *Pak. J. Arid Agri.* 2: 51-60
- Rodriguez J, Rios D, Rodriguez E & Diaz C. 2006. Physico-chemical changes during ripening of conventionally, ecologically and hydroponically cultivated tyrlain (TY 10016) tomatoes. *International Journal of Agricultural Research*. 1: 452-461.
- Roe B and Bruemmer JH. 1981. Changes in pectic substances and enzymes during ripening and storage of "keitt" mango. J. Food Sci. 46: 186-189.
- Ruck, JA. 1963. Chemical methods for analysis of fruit and vegetable products,

 Canadian dept. Agri. Pub.No. 1154.
- Sadasivam S & Manickam A. 2005. *Biochemical Methods*, New Age International (P)

 Ltd, New Delhi, 18-19
- Saeki A. 1990 Continuous production of vinegar with immobilized Saccharomyco desludwigii cells and immobilized Acetobacter aceti cells entrapped in calcium alginate gel beads. Nippon Shokuhin Kogyo Gakkaishi. 37: 722-725
- Sahu C, Choudhary PL & Patel S. 2005. Techno-economic feasibility of Ready-to-Serve whey based mango-herbal (Lemongrass) beverage. *Indian J. Dairy Sci.* 8(4): 258-263

- Sandhu DK & Joshi VK. 1995. Technology, quality and scope of fruit wines especially apple beverages. *Ind. Fd. Industry*. **14**: 24
- Sastry MV & Krishnamurthy N. 1974. Studies on Indian pickles I. Preparation and storage of pickles from mangoes. *Indian Food Packer*.32-44.
- Seal T. 2011. Evaluation of antioxidant activity of some wild edible fruits of Meghalaya State in India. *International Journal of Pharmacy and Pharmaceutical Sciences*. **3(4)**: 233-236
- Selvamuthukumaran M & Khanum F. 2014. Development of spiced seabuckthorn mixed fruit squash. *Indian Journal of Traditional Knowledge*. **13(1)**: 132-141
- Selvaraj Y, Pal DK, Edward RM & Rawal RD. 1999. Changes in chemical composition of guava fruits during growth and development. *Indian Journal of Horticulture*. **56(1)**:10-18
- Shakir I, Durrani Y, Hussain I, Qazi IM and Zeb A. 2007. Physicochemical analysis of apple and pear mixed fruit jam prepared from varieties grown in Azad Jammu and Kashmir. *Internet Journal of Food Safety.* 9: 22-24
- Sharma S (1993) MSc Thesis H.P. KrishiVishvavidyalaya, Palampur, India.
- Sharma SR & Sharma SD. 1990. Studies on the physico-chemical changes during fruit development of some cultivars of apricot (*Prunusarmeniaca* L.). *Haryana Journal of Horticultural Sciences*. **19(1-2)**: 33-38

- Siegmud B, Derler K & Pfannhauser W. 2004. Chemical and sensory effects of glass and laminated carton packages on fruit juice products. *Food Science and Technology.* 37: 481–488.
- Sindumathi G & Amutha S. 2014. Processing and quality evaluation of coconut based jam. Journal of Environmental Science, Toxicology and Food Technology. 8(1): 10-14
- Singh A, Sharma HK, Kaushal P & Upadhyay A. 2014. Bael (Aegle marmelos Correa) products processing: A review. African Journal of Food Science. 8(5): 204-215
- Singh AK, Ngachan SV, Prakash N, Patel RK & Roy SS. 2013. Natural Resource

 Management for Underutilized Horticultural Crops of Hill

 Regions. Developing the potential of Underutilized Horticultural crops

 of hill regions edited by N. Prakash et al., Today & Tomorrow's

 Printers and Publishers, New Delhi, 1-2
- Singh M, Panesar PS & Marwaha SS. 1998. Studies on the suitability of Kinnow fruits for the production of wine. *Journal of Food Science & Technology*. **35(5)**: 455-457
- Soares NFF & Hotchkiss JH .1999. Comparative effects of de-aeration and package permeability on ascorbic acid loss in refrigerated orange juice.

 Packaging Technology and Science. 12: 111–118.
- Sobek A. 2003. Evaluation of the storage stability of multilayer PET bottles.

 FluessigesObst. 70(12): 708-711.

- Solomon O, Svanberg U, & Sahlstrom A. 1995. Effect of oxygen and fluorescent light on the quality of orange juice during storage at 8 °C. Food Chemistry. 53: 363–368.
- Sonia, Gehlot R, Singh R & Yadav BS. 2010. Changes in chemical constituents and overall acceptability of jamun ready-to-serve (RTS) drink and nectar storage. *Haryana Journal of Horticultural Sciences*. **39 (1)**: 142-144
- Srinivas KN, Revanna ML & Jamuna KV. 2007. Standardization of recipes for production of squash in pomegranate (*Punicagranatuml.*) Cv Ganesh and Mridula. *Journal of Dairying, Foods & H.S.* **26 (2)**: 133-136
- Srivastava S, Neerubala, Verma A, Kumari N & Singh N. 2014. Development of flavored preserved products using bael. *International Journal of Food and Nutritional Sciences*. **3(1)**: 80-86
- Subra MS. 1981. Yeast and wines, Indian J. Microbiol. 21: 248-253
- Sudheer KP, Indira V. 2007. Post Harvest Technology of Horticultural Crops, New India Publishing Agency, New Delhi, pp 87-90
- Syed HM, Ghatge, PU, Machewad G and Pawar S. 2012. Studies on Preparation of Squash from Sweet Orange. 1:311. doi: 10.4172/ scientificreports.311
- Talukdar NC, Baruah M, Deka PC. 1997. Practical Manual on Applied Microbiology,

 AAU Publ., Jorhat
- Tandon DK, Kumar S, Dikshit, A, Shukla DK. 2007. Storage study on bael-papaya blended RTS beverage. *Indian Food Packer*. **73**: 91

- Tandon DK, Yadav RC, Sood S, Kumar S, Dixit A. 2003. Effect of blanching and lye peeling on the quality of aonla candy. *Indian Food Packer*. **57(6)**: 147-152
- Tapre AR & Jain RK. 2012. Study of advanced maturity stages of banana.

 International Journal of Advanced Engineering Research and

 Studies. 1(3): 272-274
- Tawfik MS & Huyghebaert A. 1998. Effect of storage temperature, time, dissolved oxygen and packaging materials on the quality of aseptically filled orange juice. *ActaAlimentaria*, **27(3)**: 231–244.
- Teotia MS, Manan JK, Berry SK & Sehgal RC. 1991. Beverage development from fermented muskmelon (C. melo). Ind. Fd. Packer. 45: 49-55
- Tewari HK, Marwaha SS, Kennedy JF & Rupal K. 1987. Bioutilization of pineapple waste for ethanol generation. In: *Biotechnology-Structure and Properties*. Ellis Howard Ltd., U.K, 251-259
- Thomas P, Paul P, Nagaraja, N & Dalal VB. 1983. Physico-chemical and respiratory changes in Dwarf Cavendish variety of bananas during growth and maturation. *Journal of Food Science and Technology*. **20** (2): 50-56
- Tiwari RB. 2000. Studies on blending of guava and papaya pulp for RTS beverages. *Indian Food Packer*. 54: 68.
- Tosun I, Ustun NS & Tekguler B. 2008. Physical and chemical changes during ripening of blackberry fruits. Scientia Agricola. 65(1): 87-90

- Tripathi VK, Singh MB, Singh S. 1988. Studies on comparative compositional changes in different preserved products of amla (*Emblica officinalis* Gaertn.) var. Banarasi. *Indian Food Packer*. **42(4)**: 60-66
- Tripathi, A, Diwate R, Kute LS, Chavan JK. 2004. Preparation of toffees from papaya pulp. *Beverage Food World*. **31:** 65-66
- Trivedi LS & Ethiraj SJ. 1979. Yeast flora from must, fermented must and wines with and without spices. J. Fd. Sci. Technol. 16: 143
- Ullah N, Ali J, Khan S, Khan FA, Rehman Z & Hussain A. 2014. Production and quality evaluation of garlic (Allium sativum) vinegar using acetobacter aceti. Life Science Journal. 11(4s): 158-160
- Verma R, Kalia M, Sharma HR. 2006. Effect of method of preparation and storage on the chemical characteristics of peel candy of Darunj (*Citrus medica*).

 Journal of Dairying, Foods & H.S. 25(2): 113-116
- Vidhya R & Narain A. 2011. Development of preserved products using under exploited fruit, wood Apple (Limonia acidissima). American Journal of Food Technology, 6(4): 279-288
- Vondracek J, Blazek J & Kloutvor J. 1981. Evaluation of sour cherry varieties.

 Zahradnictvi. 8(4): 249-260
- Vyas KK & Kochhar APS. 1993. Studies on cider and wine from culled apple fruit available in Himachal Pradesh. *Indian Food Packer*. 47: 15-21
- Wicklund T, Rosenfeld HJ, Martinsen BK, Sundfor MW, Lea P, Bruun T, Blomhoff R, Haffner K. 2005. Antioxidant capacity and colour of strawberry jam as influenced by cultivar and storage conditions. *LWT*. **38**: 387-391

- Wright JM, CarunchiaWhetstine ME, Miracle RE & Drake MA. 2006.

 Characterization of a cabbage off-flavor in whey protein isolate. J.

 Food Sci. 71: 91–96.
- Yang HY. 1953. Fruit wines: requisites for successful fermentation. J. Agri. Fd.

 Chem. 1: 331-333
- Yang J, Gadi R and Thomson T. 2011. Antioxidant capacity, total phenols, and ascorbic acid content of noni (*Morinda citrifolia*) fruits and leaves at various stages of maturity. *Micronesica*. 41: 167-176
- Young NM, Drake A, Lopetcharat K & McDaniel M. 2004. Preference mapping of Cheddar cheeses. *J. Dairy Sci.* 87: 11–19.
- Younis K, Siddiqui S, Jahan K & Dar MS. 2014. Production of wine from over ripe guava (*Psidium guajava* L Cv. Safada) and ber (*Ziziphus mauritiana* L Cv. Umran) fruits using *Saccharomyces crevices* Var. HAU 1. *Journal of Environmental Science, Toxicology and Food Technology.* 8(1): 93-96
- Zarei M, Azizi M & Bashir-Sadr Z. 2011. Evaluation of physicochemical characteristics of pomegranate (*Punica granatum* L.) fruit during ripening. *Fruits*. **66**: 121-129
- Zerdin K, Rooney ML & Vermue J. 2003. The vitamin C content of orange juice packed in an oxygen scavenger material. *Food Chemistry*. **82**: 387–395.
- Zhang XM, Jia HJ. 2005. Changes in aroma volatile compounds and ethylene production during "Hujingmilu" peach (*Prunuspersica L.*) fruit development. *Journal of plant physiology and molecular biology*.

 31(1): 41-6

- Zhao D & Ding X. 2008. Studies on the low-salt Chinese potherb mustard (*Brassica juncea*, coss.) pickle. I— The effect of a homofermentative l (+) lactic acid producer Bacillus coagulans on starter culture in low-salt Chinese potherb mustard pickle fermentation. Food Science and Technology. 41(3): 474-482
- Zygoura P, Moyssiadi T, Badeka A, Kondyli E, Savvaidis I & Kontominas MG.

 2004. Shelf life of whole pasteurized milk in Greece: effect of packaging material. *Food Chemistry*. 87: 1–9