

References

- [AAP00] R. C. Agarwal, C. C. Aggarwal, V. V. V. Prasad. Depth first generation of long patterns. In *Proc. 6th Int. Conf. Knowledge Discovery and Data Mining (KDD'00)*, pp 108–118, Boston, MA, USA, Aug. 2000.
- [AAP01] R. C. Agarwal, C. C. Aggarwal, V. V. V. Prasad. A tree projection algorithm for generation of frequent itemsets. *J. Parallel and Distributed Computing*, 61(3):350–371, March 2001.
- [AFLM99] Y. Aumann, R. Feldman, O. Lipshtat, H. Manilla. Borders: An efficient algorithm for association generation in dynamic databases. *J. Intelligent Information Systems*, 12(1):61–73, April 1999.
- [AIS93] R. Agrawal, T. Imielinski, A. Swami. Mining association rules between sets of items in large databases. In *Proc. 1993 ACM-SIGMOD Int. Conf. Management of Data (SIGMOD '93)*, pp 207–216, Washington, DC, May 1993.
- [AS94] R. Agrawal and R. Srikant. Fast algorithms for mining association rules. In *Proc. 1994 Int. Conf. Very Large Data Bases (VLDB '94)*, pp 487–499, Santiago, Chile, Sept 1994.
- [AY98] C. C. Aggarwal, P. S. Yu. Mining large itemsets for association rules. *Bulletin of the IEEE Computer Society Technical Committee on Data Engineering*, 21(1):23–31, March 1998.
- [BCFG⁺03] D. Burdick, M. Calimlim, J. Flannick, J. Gehrke, T. Yiu. MAFIA: A Performance Study of Mining Maximal Frequent Itemsets. In *Proc. IEEE ICDM '03 Workshop on Frequent Itemset Mining Implementations (FIMI'03)*, pp 89–97, Melbourne, Florida, USA, Nov. 2003.

- [BCFG⁺05] D. Burdick, M. Calimlim, J. Flannick, J. Gehrke, T. Yiu. MAFIA: A maximal frequent itemset algorithm. *IEEE Transactions on Knowledge and Data Engineering*, 17(11):1490–1504, Nov. 2005.
- [BCG01] D. Burdick, M. Calimlim, J. Gehrke. MAFIA: A maximal frequent itemset algorithm for transactional databases. In *Proc. 17th Int. Conf. Data Engineering (ICDE'01)*, pp 443–452, Heidelberg, Germany, April 2001.
- [Bay98] R.J. Bayardo. Efficiently mining long patterns from databases. In *Proc.1998 ACM-SIGMOD Int. Conf. Management of Data (SIGMOD'98)*, pp 85–93, Seattle, WA, June 1998.
- [BMUT97] S. Brin, R. Motwani, J.D. Ullman, S. Tsur. Dynamic itemset counting and implication rules for market basket analysis. In *Proc. 1997 ACM-SIGMOD Int. Conf. Management of Data (SIGMOD'97)*, pp 255–264, Tucson, Arizona, USA, May 1997.
- [CL03] S.M. Chung, C. Luo. Parallel mining of maximal frequent itemsets from databases. In *Proc.15th IEEE Int. Conf. Tools with Artificial Intelligence (ICTAI'03)*, pp 134–139, Sacramento, California, USA, Nov. 2003.
- [CYNW96] D. W. Cheung, J. Han, V. Ng, C. Y. Wong. Maintenance of discovered association rules in large databases: An incremental updating technique. In *Proc.1996 Int. Conf. Data Engineering (ICDE'96)*, pp 106–114, New Orleans, LA, Feb.1996.
- [DS99] B. Dunkel, N. Soparkar. Data Organization and Access for Efficient Data Mining. In *Proc.15th Int. Conf. Data Engineering (ICDE'99)*, pp 522–529, Sydney, Australia, March 1999.
- [Dud09] D. Dudek. RMAIN: Association rules maintenance without reruns through data.

Information Sciences, 179(24):4123–4139, Dec. 2009.

- [DZ05] B. Dudek, A. Zgrzywa. The incremental method for discovery of association rules. *Advances in Soft Computing*, 30:153–160, 2005.
- [GKMS⁺03] D. Gunopulos, R. Khardon, H. Mannila, S. Saluja, H. Toivonen, R. S. Sharma. Discovering all most specific sentences. *ACM Transactions on Database Systems (TODS)*, 28(2):140–174, June 2003.
- [GZ01] K. Gouda, M.J. Zaki. Efficiently Mining Maximal Frequent Itemsets. In *Proc. 2001 IEEE Int. Conf. Data Mining (ICDM'01)*, pp 163–170, San Jose, Nov. 2001.
- [GZ03a] G. Grahne, J. Zhu. High Performance Mining of Maximal Frequent Itemsets. In *SIAM'03 Workshop on High Performance Data Mining: Pervasive and Data Stream Mining*, pp 135–143, San Francisco, CA, May 2003.
- [GZ03b] G. Grahne, J. Zhu. Efficiently using prefix-trees in mining frequent itemsets. In *Proc. IEEE ICDM'03 Int. Workshop on Frequent Itemset Mining Implementations (FIMI'03)*, pp 123–132, Melbourne, FL, Nov. 2003.
- [GZ04a] G. Grahne, J. Zhu. Reducing the main memory consumptions of FPmax* and FPclose. In *Proc. IEEE ICDM'04 Workshop on Frequent Itemset Mining Implementations (FIMI 2004)*, Brighton, UK, Nov. 2004.
<http://ceur-ws.org/Vol-126/>
- [GZ04b] B. Goethals, M. J. Zaki. Advances in frequent itemset mining implementations: report on FIMI'03. *ACM SIGKDD Explorations Newsletter – Special issue on learning from imbalanced datasets*, 6(1):109–117, June 2004.
- [HCXY07] J. Han, H. Cheng, D. Xin, X. Yan. Frequent pattern mining: current status and

- future directions. *Data Mining and Knowledge Discovery*, 15(1):55–86, Aug. 2007.
- [HGN00] J. Hipp, U. Guntzer, G. Nakhaeizadeh. Algorithms for association rule mining – a general survey and comparison. *ACM SIGKDD Explorations Newsletter*, 2(1):58–64, June 2000.
- [HKMT95] M. Holsheimer, M. Kersten, H. Mannila, H. Toivonen. A perspective on databases and data mining. In *Proc. 1995 Int. Conf. Knowledge Discovery and Data Mining (KDD '95)*, pp 150–155, Montreal, Quebec, Canada, Aug. 1995.
- [HPY00] J. Han, J. Pei, Y. Yin. Mining frequent patterns without candidate generation. In *Proc. 2000 ACM-SIGMOD Int. Conf. Management of Data (SIGMOD '00)*, pp 1–12, Dallas, TX, May 2000.
- [Lin03] J.-L. Lin. Mining maximal frequent intervals. In *Proc. Eighteenth Annual ACM Symposium on Applied Computing (SAC 2003)*, pp 426–431, Melbourne, Florida, USA, March 2003.
- [LK98] D. Lin, Z. M. Kedem. Pincer Search: A new algorithm for discovering the maximal frequent set. In *Proc. 6th Int. Conf. Extending Database Technology (EDBT'98)*, pp 105–119, Valencia, Spain, March 1998.
- [LK02] D. Lin, Z.M. Kedem. Pincer search: An efficient algorithm to discover the maximal frequent set. *IEEE Transactions on Knowledge and Data Engineering*, 14(3):553–566, May 2002.
- [LLY⁺03] G. Liu, H. Lu, J.X. Yu, W. Wei, X. Xiao. AFOPT: An efficient implementation of pattern growth approach. In *Proc. IEEE ICDM'03 Workshop on Frequent Itemset Mining Implementations (FIMI'03)*, pp 115–124, Melbourne, Florida, USA, Nov.

2003.

- [LNWJ03] Y. Li, P. Ning, X. S. Wang, S. Jajodia. Discovering calendar-based temporal association rules. *Data and Knowledge Engineering – Special Issue: Temporal representation and reasoning*, 44(2):193–218, Feb. 2003.
- [LOP04] C. Lucchese, S. Orlando, R. Perego. DCI-Closed: A fast and memory efficient algorithm to mine frequent closed itemsets. In *Proc. IEEE ICDM'04 Workshop on Frequent Itemset Mining Implementations (FIMI'04)*, Brighton, U.K., Nov. 2004. <http://ceur-ws.org/Vol-126/>
- [LOP06] C. Lucchese, S. Orlando, R. Perego. Fast and memory efficient mining of frequent closed itemsets. *IEEE Transactions on Knowledge and Data Engineering (TKDE)*, 18(1):21–36, Jan. 2006.
- [LWJ00] Y. Li, X. S. Wang, S. Jajodia. Discovering temporal patterns in multiple granularities. In *Proc. First Int. Workshop on Temporal, Spatial and Temporal-Spatial Data Mining – Revised Papers (TSDM'00)*, pp 5–19, Lyon, France, Sept. 2000.
- [MMB08] A. K. Mahanta, F. A. Mazarbhuiya, H. K. Baruah. Finding calendar-based periodic patterns. *Pattern Recognition Letters*, 29(9):1274–1284, July 2008.
- [PBTL99a] N. Pasquier, Y. Bastide, R. Taouil, L. Lakhal. Discovering frequent closed itemsets for association rules. In *Proc. 7th Int. Conf. Database Theory (ICDT'99)*, pp 398–416, Jerusalem, Israel, Jan. 1999.
- [PBTL99b] N. Pasquier, Y. Bastide, R. Taouil, L. Lakhal. Efficient mining of association rules using closed itemset lattices. *Information Systems*, 24(1):25–46, March 1999.

- [PCY95] J. S. Park, M. S. Chen, P. S. Yu. An effective hash-based algorithm for mining association rules. In *Proc.1995 ACM-SIGMOD Int. Conf. Management of Data (SIGMOD '95)*, pp 175–186, San Jose, CA, May 1995.
- [PHM00] J. Pei, J. Han, R. Mao. CLOSET: An efficient algorithm for mining frequent closed itemsets. In *Proc. 2000 ACM-SIGMOD Int. Workshop Data Mining and Knowledge Discovery (DMKD '00)*, pp 11–20, Dallas, TX, May 2000.
- [QL06] Y. Qiu, Y.-J. Lan. Mining Closed Itemsets with one database scanning. In *Proc. 2006 Int. Conf. Machine Learning and Cybernetics (ICMLC '06)*, pp 1326–1331, Dalian, China, Aug. 2006.
- [ORS98] B. Ozden, S. Ramaswamy, A. Silberschatz. Cyclic association rules. In *Proc.14th Int. Conf. Data Engineering (ICDE'98)*, pp 412–421, Orlando, Florida, USA, Feb. 1998.
- [RMS98] S. Ramaswamy, S. Mahajan, A. Silberschatz. On the discovery of interesting patterns in association rules. In *Proc. 24th Int. Conf. Very Large Data Bases (VLDB '98)*, pp 368–379, New York City, New York, USA, Aug. 1998.
- [SHSB⁺00] P. Shenoy, J. Haritsa, S. Sudarshan, G. Bhalotia, M. Bawa, D. Shah. Turbo-charging vertical mining of large databases. In *Proc. ACM-SIGMOD Int. Conf. Management of Data (SIGMOD '00)*, pp 22–33, Dallas, Texas, May 2000.
- [SON95] A. Savasere, E. Omiecinski, S. Navathe. An efficient algorithm for mining association rules in large databases. In *Proc.1995 Int. Conf. Very Large Data Bases (VLDB '95)*, pp 432–443, Zurich, Switzerland, Sept. 1995.
- [SSM05] N. G. Singh, S.R. Singh, A.K. Mahanta. CloseMiner: Discovering frequent closed itemsets using frequent closed tidsets. In *Proc. Fifth IEEE Int. Conf. Data Mining*

- (*ICDM'05*), pp 633–636, Houston, Texas, Nov. 2005.
- [SSMP06] N.G. Singh, S. R. Singh, A.K. Mahanta, B. Prasad. An algorithm for discovering the frequent closed itemsets in a large database. *J. Experimental & Theoretical Artificial Intelligence*, 18(4):481–499, Dec. 2006.
- [SYX08] W. Song, B. Yang, Z. Xu. Index-CloseMiner: An improved algorithm for mining frequent closed itemset. *Intelligent Data Analysis*. 12(4):321–338, Nov. 2008.
- [Toi96] H. Toivonen. Sampling large databases for association rules. In *Proc.1996 Int. Conf. Very Large Data Bases (VLDB '96)*, pp 134–145, Bombay, India, Sept.1996.
- [UAUA03] T. Uno, T. Asai, Y. Uchida, H. Arimura. LCM: An efficient algorithm for enumerating frequent closed item sets. In *Proc. IEEE ICDM'03 Workshop on Frequent Itemset Mining Implementations (FIMI'03)*, pp 79–88, Melbourne, Florida, USA, Nov. 2003.
- [UAUA04] T. Uno, T. Asai, Y. Uchida, H. Arimura. An efficient algorithm for enumerating closed patterns in transaction databases. In *Proc.7th Int. Conf. Discovery Science*, pp 16–31, Padova, Italy, Oct. 2004.
- [UKA04] T. Uno, M. Kiyomi, H. Arimura. LCM ver. 2: Efficient mining algorithms for frequent/closed/maximal itemsets. In *Proc. IEEE ICDM'04 Workshop on Frequent Itemset Mining Implementations (FIMI'04)*, Brighton, UK, Nov. 2004.
<http://ceur-ws.org/Vol-126/>
- [WHP03] J. Wang, J. Han, J. Pei. CLOSET+: searching for the best strategies for mining frequent closed itemsets. In *Proc. Ninth ACM SIGKDD Int. Conf. Knowledge Discovery and Data Mining (KDD '03)*, pp 236–245, Washington, DC, Aug. 2003.
- [Yan04] G. Yang. The complexity of mining maximal frequent itemsets and maximal