

---

## LIST OF FIGURES

Page

---

Figure 4.1	The I-Tree structure.....	22
Figure 4.2	The I-Tree constructed from Table 4.2 in the first stage of Lin's method.....	25
Figure 4.3	The I-Tree in Figure 4.2 after it is processed by the PT algorithm in the second stage of Lin's method.....	26
Figure 4.4	$l_{max} = 800, m = 500, \text{minsup} = 0.05$ .....	67
Figure 4.5	$l_{max} = 850, m = 450, \text{minsup} = 0.1$ .....	68
Figure 4.6	$l_{max} = 900, m = 400, \text{minsup} = 0.05$ .....	69
Figure 4.7	$l_{max} = 800, n = 200K, \text{minsup} = 0.05$ .....	71
Figure 4.8	$l_{max} = 850, n = 300K, \text{minsup} = 0.1$ .....	72
Figure 4.9	$l_{max} = 900, n = 400K, \text{minsup} = 0.05$ .....	73
Figure 4.10	$l_{max} = 800, n = 200K, m = 400$ .....	75
Figure 4.11	$l_{max} = 850, n = 300K, m = 450$ .....	76
Figure 4.12	$l_{max} = 900, n = 400K, m = 500$ .....	77
Figure 4.13	$n = 200K, m = 400, \text{minsup} = 0.05$ .....	79
Figure 4.14	$n = 300K, m = 450, \text{minsup} = 0.1$ .....	80
Figure 4.15	$n = 400K, m = 500, \text{minsup} = 0.05$ .....	81
Figure 4.16	Growth of total computational time of the Chk_Freq algorithm with $ M(k, TK1) $ , for k varying from 2050 down to 1920 in steps of 10.....	83
Figure 5.1	The IS-Tree structure.....	100

Figure 5.2	The IS-Tree when the CMiner algorithm terminates for the data in Table 5.2.....	105
Figure 5.3	The IR-Tree structure.....	113
Figure 5.4	The IS-Tree obtained after the CMiner algorithm is executed on the data in Table 5.2 for $k = 1$ .....	118
Figure 5.5	The IR-Tree obtained after Step 1(b) of the Organize algorithm for the IS-Tree in Figure 5.4. The $m_{ij}$ fields are not shown.....	119
Figure 5.6	The IR-Tree obtained after termination of the Organize algorithm for the IS-Tree in Figure 5.4.....	119
Figure 5.7	$l_{max} = 800, m = 500, minsup = 0.1$ .....	125
Figure 5.8	$l_{max} = 850, m = 450, minsup = 0.1$ .....	126
Figure 5.9	$l_{max} = 900, m = 400, minsup = 0.05$ .....	126
Figure 5.10	$n = 1K, l_{max} = 800, minsup = 0.05$ .....	127
Figure 5.11	$n = 2K, l_{max} = 850, minsup = 0.1$ .....	128
Figure 5.12	$n = 3K, l_{max} = 900, minsup = 0.05$ .....	128
Figure 5.13	$n = 1K, l_{max} = 800, m = 400$ .....	129
Figure 5.14	$n = 2K, l_{max} = 850, m = 450$ .....	130
Figure 5.15	$n = 3K, l_{max} = 900, m = 500$ .....	130
Figure 5.16	$n = 1K, m = 400, minsup = 0.05$ .....	131
Figure 5.17	$n = 2K, m = 450, minsup = 0.1$ .....	132
Figure 5.18	$n = 3K, m = 500, minsup = 0.05$ .....	132
Figure 5.19	Growth of total computational time of the CloSup algorithm with the number of closed intervals in an interval transaction database.....	134

Figure 6.1	Characteristics of a local maximum of the certainty function in CSTD.....	156
Figure 6.2	Detection of the start of a local maximum (Step 2(a) of the LocMax algorithm).....	160
Figure 6.3	Detection of the end of the peak of a local maximum (Step 2(b) of the LocMax algorithm).....	161
Figure A.1	A warping path $W = (w_1, w_2, w_3, \dots, w_p)$ .....	197