

REFERENCES



REFERENCES

- Abel, K.H., Deschmering, and Peterson, J.I., 1963. Classification of microorganisms by analysis of chemical composition. I. Feasibility of Utilizing gas Chromatography. *J. Bacteriol.*, **85**: 1039-44.
- Alazard, D., Ndoye, I. and Dreyfus, B., 1988. *Sesbania rostrata* and stem nodulation legumes. In **Nitrogen fixation: Hundred years after**, Brother, H., De Brawin, F., Newton, W. (eds.), Fischer, Stuttgart, pp.765-69.
- Allen, O.N. and Allen, E.K., 1936. Root nodule bacteria of some tropical leguminous plants. I. Cross inoculation studies with *Vigna sinensis* L., *Soil Sci.*, **42**: 61-77.
- Allen, O.N. and Allen, E.K., 1947. *Soil Sci. Proc.*, **12**: 203-08.
- Allen, O.N. and Allen, E.K., 1961. The scope of nodulation in leguminosae. *Recent Advt. Bot.*, **1**: 585-88.
- Allen, O.N. and Allen, E.K., 1981. **The Leguminosae. A source book of characteristics, uses and nodulation.** University of Wisconsin Press, Madison.
- Amerger, N., Macheret, V. and Lagurre, G., 1997. *Rhizobium gallicum* sp. nov. and *Rhizobium giardinii* sp. nov. Hov. from *Phaseolous vulgaris* nodule. *Int. J. Syst.. Bacteriol.*, **47**(4): 996-1006.
- Atlas, M.R., 1995. **Principles of Microbiology**, 1st Edition, Van Hoffman Press, Inc., USA, pp.650
- Banados, L.L. and Fernandez, W.L., 1954. *Philipp. Agric.*, **37**: 529-33.
- Basak, M.K. and Goyal, S.K., 1975. Studies on tree legumes. Nodulation pattern and characterization of the symbiont. *Ann. Arid. Zone.*, **14**: 367-70.

- Becana, M. and Sprent, J.I., 1989. Effect of nitrate on components of nodule leghaemoglobins. *Ann. Exp. Bot.*, **40**: 725-31.
- *Beijerinck, M.W., 1988. *Bot. Ztg.*, **46**: 726-804.
- Bergersen, F.J., 1971. Biochemistry of symbiotic nitrogen fixation in legumes. *A. Rev. Pt. Physiol.*, **22**: 121.
- *Bergerson, F.J. and Briggs, M.J., 1958. *J. Gen. Microbiol. I*, **19**: 482-90.
- Bergersen, F.J. and Turner, G.L., 1980. Properties of terminal oxidase systems of bacteroids from root nodules of soybean and cowpea and of N₂ fixing bacteria grown in continuous culture. *J. Gen. Microbiol.*, **118**: 235-52.
- Bergerson, F.J. and Turner, G.L., 1980. Glutamate as a carbon source for N₂-fixing bacteroids prepared from soybean nodules. *J. Gen. Microbiol.*, **134**: 2441-48.
- Bernaerts, M.J. and Deley, J., 1963. A biochemical test for crown gall bacteria., *Nature*, **197**: 406-07.
- Bhuiyan, M.A.H., Khanam, D., Rahman, M.H.H., Islam, M.Z., Hossain, A.K.M. and Hoque, A.K.M.S., 1995. Growth, yield and economic performance of soybean at two agro-econological zones of Bangladesh influenced by *Bradyrhizobium* and fertilizer application. *Ann. Bangladesh Agric.*, **5**(1): 55-59.
- Bishnoi, K.C. and Dutt, R., 1983. Studies on the effect of method of inoculation on yield and yield attributes of soybean under varying nitrogen levels. *Ind. J. Agron.*, **28**(1): 79-81.
- Borthakur, D., Barbur, C.E., Latchford, J.W., Rossen, L. and Johnson, A.W.B., 1988. *Molecular General Genetics*, **203**: 320-23.
- Bottomley, P.J., 1992. Ecology of *Bradyrhizobium* and *Rhizobium*. In **Biological Nitrogen Fixation**, G. Stacey, R.H. Burris and H.J. Evans (eds.), Chapman and Hall, New York, pp.293-348.

- *Bowen, G.D., 1956. Queensl. *J. Agric. Sci.*, **13**: 47-60.
- Brewin, N., 1991. Development of the legumes root nodule. *Ann. Rev. Cell. Biol.*, **7**: 191-226.
- Brewin, N.J., Wood, E.A. and Young, J.P.W., 1983. Contribution of the symbiotic plasmid to the competitiveness of *Rhizobium leguminosarum*. *J. Gen. Microbiol.*, **129**: 2973-77.
- Brom, S., de los Santos, A.G., Stepkowski, T., Flores, M., Davila, G., Romero, D. and Palacios, R., 1992. Different plasmids of *Rhizobium leguminosarum* bv. *Phaseoli* are required for optimal symbiotic performance. *J. Bacteriol.*, **174**: 5183-89.
- Bromfield, E.S.P., Lewis, D.M. and Barran, L.R., 1985. Cryptic plasmid and rifampin resistance in *Rhizobium meliloti* influencing nodulations competitiveness. *J. Bacteriol.*, **164**: 410-13.
- Broughton, W.J., Samrey, V. and Stanley, J., 1987. Ecological genetics of *Rhizobium meliloti* symbiotic plasmid-transfer in the *Medicago sativa* rhizosphere. *FEMS Microbiol. Let.*, **40**: 251-255.
- Burton, J.C., 1967. *Rhizobium* culture and use. In *Microbial Technology*, J. Pepler (ed.), Reinhold Publishing Corporation, New York, pp.1-33.
- Cappuccino, J.G. and Sherman, N., 1999. *Microbiology A Laboratory Manual* Rockland Community College, Suffern: New York.
- Casse, F., Boucher, C., Julliot, J.S., Michel, M. and Denarte, J., 1979. Identification and characterization of large plasmids in *Rhizobium meliloti* using agarose gel electrophoresis. *J. Gen. Microbiol.*, **113**: 229-242.

- Chen, W.X., Yan, G.H. and Li, J.L., 1988. Numerical taxonomic study of fast growing soybean rhizobia and a proposal that *Rhizobium fredii* be assigned to *Sinorhizobium* *gen. nov.* *Intl. J. Syst. Bacteriol.*, **38**: 392-97.
- Chen, WX, Li, GS., Qi, YL., Wang, E.T, Yuan, H.L and Li, JL., 1991. *Rhizobium unakii* sp. nov. isolated from the root nodules of *Astragalus sinicus*. *Intl. J. Systema. Bacteriol.*, **41**(2): 275-80.
- Cooke, R.J. and Draper, S.R., 1986. Potential applications of ultra thin layer isoelectric focusing for characterization of cultivars of crop species. *J. Natl. Inst. Agri. Bot.*, **16**: 173-81.
- Cooper, J.E., Wood, M. and Bjourson, A.J., 1985. Nodulation of *Lotus pedunculatus* in acid rooting solutions by fast and slow-growing rhizobia. *Soil. Biol. Biochem.*, **17**: 487-92.
- *Corby, H.D.L., 1974. *J. Nat. Herb. Salisbury*, **9**: 301-29.
- Corby, H.D.L., 1988. Types of Rhizobial nodules and their distribution among the *Leguminosae*. *Kirkia*, **13**: 53-123.
- Crow, V.L., Jarvis, B.D.W. and Greenwood, R.M. 1981. Deoxyribonucleic acid homologies among acid producing strains of *Rhizobium*. *Intl. J. Syst. Bacteriol.*, **31**: 152-72.
- Cummins, C.S. and Harris, H., 1956. The chemical composition of the cell wall in some gram positive bacteria and its possible value as a taxonomic character. *J. Gern. Microbiol.*, **14**: 583-600.
- Dadarwal, K.R., Grover, R. and Tauro, P., 1982. Uptake hydrogenase in *Rhizobium* and nodules leghaemoglobin in cowpea miscellany hosts. *Arch. Microbiol.*, **133**: 303-306.
- Dahiya, T.S. and Khurana, A.L., 1981. Chillum Jar, a better technique for screening of rhizobia under summer conditions. *Plant Soil*, **63**: 229-302.

- Dart, P.J., 1977. Infection and development of leguminous nodules. *In A treatise on dinitrogen fixation section III Biology*, R.W.F. Hardy and W.S. Silver, Wiley (eds.), *Interscience*, New York, pp.367-412.
- De Lajudie, P., Fulele, E.L., Willems, A., Torck, U., Coopman, R., Collins, M.D., Kersters, K., Drefuys, B. and Monique Gillis, 1998. *Allorhizobium undicola* gen nov., sp. nov., nitrogen fixing bacteria that efficiently nodulate *Naptunia natans* in Senegal. *Intl. J. Syst. Bacteriol.*, **48**: 1277-90.
- De Lajudie, P., Willems, A., Pot, B., Dewettinck, D., Maestrestjunan, G., Neyra, M., Collins, M.D., Dreyfus, D., Kersters, K. and Gillis, M., 1994. Polyphasic taxonomy of rhizobia: emendation of the genus *Sinorhizobium* and description of *Sinorhizobium meliloti* Comb. nov., *Sinorhizobium saheli* sp. nov. and *Sinorhizobium teranga* sp. nov., *Intl. J. Syst. Bacteriol.*, **44**: 715-33.
- *De Souza, D.I.A., 1966. *Trop. Agric.*, **54**: 143-47.
- Delay, J., 1968. DNA base composition and hybridization in the taxonomy of phytopathogenic bacteria. *Ann. Rev. Phytopath.*, **6**: 63-90.
- Delay, J. and Rassel, 1965. DNA base composition, Hagellation and taxonomy of the genus *Rhizobium*. *J. Gen. Microbiol.*, **41**: 85-91.
- Delgado, M.J., Yeoman, K.H., Wu, G.H., Vargas, C., Davies, A.E., Poole, R.K. and Jonston, A.W.B., 1995. Characterization of the *cyc HJKL* gene involved in cytochrome C biogenesis and symbiotic nitrogen fixation in *Rhizobium leguminosarum*. *J. Bacteriol.*, **177**(7): 4927-34.

- Denarie, J., Debelle, F. and Rosenberg, C., 1992. Signalling variation and host range variation in nodulation. *Ann. Rev. Microbiol.*, **46**: 497-531.
- Diebold and Noel, K.D., 1989. *R. leguminosarum* exopolysaccharide mutants, biochemical and genetic analyses and symbiotic behaviour on three hosts. *J. Bacteriol.*, **171**: 4821-30.
- Dixon, R.O.D., 1969. Rhizobia, with particular reference to relationships with host plants. *Ann. Rev. Microbiol.*, **23**: 137-58.
- Doudoroff, M. and Palleroni, N.J., 1974. *Pseudomonas migula* 1894.. In R.E. Buchanan and N.F. Gibbons (eds.), **Bergey's Manual of Determinative Bacteriology**, 8th edn., The Williams & Wilkins Co., Baltimore. pp.217-43
- Dreyfus, B. and Dommergues, Y.R., 1981. Nitrogen-fixing nodules induced by *Rhizobium* on the stem of the tropical legumes *Sesbania rostrata*. *FEMS Microbiol. Lett.*, **10**: 313-17.
- Dreyfus, B., Alazard, D. and Dommergues, Y., 1986. Stem nodulating rhizobia. In **Current perspectives in microbiology**, Washington, D.C., PP.161-69.
- Dreyfus, B., Garcia, J.L. and Gillis, M., 1988. Characterization of *Azorhizobium caulinodans* nov. sp., a stem nodulating nitrogen fixing bacterium isolated from *Sesbania rostrata*. *Intl. J. Syst. Bacteriol.*, **38**: 89-98.
- Drouin, P., Prevost, D. and Antonn, H., 1996. Classification of bacteria nodulating *Lathyrus japonicus* and *Lathyrus pratensis* in northern Quebec as strains of *Rhizobium leguminosarum* biovar *viciae*. *Intl. J. Syst. Bacteriol.*, **46**(4): 1016-24.
- *Dullart, J., 1970. *Acta, Bot. Neerl.*, **19**: 576.

- Eckhardt, T., 1978. A rapid method for the identification of plasmid deoxyribonucleic acid in bacteria. *Plasmid*, **1**: 584-88.
- Evans, L.S., Lewin, K.F. and Vella, F.A., 1980. Effect of nutrient medium pH on symbiotic nitrogen fixation by *Rhizobium leguminosarum* and *Pisum sativum*. *Plant Soil*, **56**: 71-80.
- Fakir, M.S.A., Muhsi, A.A.A. and Alam, S.M.M., 1988. Effect of *Rhizobium* inoculum, nitrogen and phosphorus on yield contributing characters of soybean. *Bangladesh J. Agric. Sci.*, **15**(2): 211-15.
- Frank, B., 1889. Ueber die pflanzsymbiose der Leguminosen. *Ber. Deut. Bot. Gesell*, **7**: 332-46
- Fred, E.B., Baldwin, I.L. and Mc Coy, F., 1932. Root nodule bacteria and leguminous plants: Studies No.52, *Science* No.5, 343 pp (Madison: University of Wisconsin).
- Gaur, Y.D., Sarma, K.B., Sundara Rao, W.V.B. and Subba Rao, N.S., 1973. Survey and isolation of root nodule bacteria in Indian soils, PL 480 project A7-SWC-46 Final Technical Report No.6, Microbiology IARI, New Delhi, pp.66.
- Gaur, Y.D., Sarma, K.B., Sundara Rao, W.V.B. and Subba Rao, N.S., 1972. Survey and isolation of root nodule bacteria in Indian soils, PL 480 Project A7-SWC-46 Final Technical Report No.6, Microbiology IARI, New Delhi, pp.66.
- George, MLC, Young, JPW and Borthakur, D., 1994. Genetic characterization of *Rhizobium* sp. Strain TAL 1145 that nodulates tree legumes. *Can. J. Microbiol.*, **40**(3): 208-15.
- Graham, P.H. and Parker, C.A., 1964. Diagnostic features in the characterization of the root nodule of bacteria of legumes. *Plant Soil*, **20**: 383-96.

- Graham, P.H., 1964. The application of computer techniques to the taxonomy of the root-nodule bacteria of legumes. *J. Gen. Microbiol.*, **35**: 511-17.
- Graham, P.H., 1976. Identification and classification of root nodule bacteria, *In* P.S. Nutman (ed.), **Symbiotic Nitrogen Fixation in Plants**, Cambridge University Press, London, pp.99-112.
- Granhall, U., 1987. Leguminous trees, Potential and Utilization. *Actes. des Seminaires 17-25 Mars, Daker, Senegal*, **33**: 42.
- *Grobbeelaar, N. and Clarke, B., 1964. *Agroplanatae*, **6**: 59-64.
- *Grobbeelaar, N., Clarke, B. and Todd, C.M., *Publ. Univ. Protoria. New Ser.*, No.38: 1-9.
- Grobbeelaar, N., Van Beyma, M.C. and Synnove Saubert, M., 1964. *South Afr. J. Agric. Sci.*, **7**: 265-70.
- Growford, D.J., 1990. **Plant Molecular Systematics**, John Wiley, New York.
- Hahn, N.J., 1966. The congo red reaction in bacteria and its usefulness in the identification of rhizobia. *Can. J. Microbiol.*, **12**: 725.
- Halliday, J., 1982. **Technical Bulletin. No.16**, Food and Fertilizer Technology Centre, Taiwan, pp.32.
- Harris, J.O., Allen, Ethel, K. and Allen, O.N., 1949. Morphological development of nodules on *Sesbania grandiflora* with reference to the origin of nodule rootlets. *Am. J. Bot.*, **36**: 651-61.
- Hashem, FM, Swelim, DM, Kuykendall, LD, Mogamed, AI, Abdel Wahab, SM and Hegazi, NI., 1998. Identification and characterization of salt-and thermo tolerant *Leucana* – nodulating *Rhizobium* strains. *Biology Ferti. Soils*, **27**(4): 335-441.

- Heywood, V.H., 1971. *In Chemotaxonomy of the Leguminosae*, J.B. Harborne, D. Boulter and B.L. Turner (eds.), Academic Press, London.
- Hofer, A.W., 1941. A characterization of *Bacterium radiobacter* (Beijerinck and Van Deldel) Lohnis. *J. Bacteriol.*, **41**: 193-224.
- *Hollrigel, H., 1886. Z. Ver. Rubenzucker, *Ind. Dt. Reichs*, , **36**: 863-77.
- Hoque, M.S., Ali, M. and Mannan, M.A., 1980. Response of Bragg soybean to inoculation with different strains of *Rhizobium japonicum* I. Nodulation and dry matter production. *J. Agric. Sci.*, **13**: 303-14.
- Horta-de-sa, NM, Scotti, MRMML, Pariva, E., Franco, AA and Dobereiner, J., 1993. Selection and characterization of *Rhizobium* spp. strains stable and capable in fixing nitrogen in bean (*Phaseolus vulgaris* L.). *Revista-d-Microbiologia*, **24**(1): 38-48.
- Hossain, A.K.M. and Alexander, M., 1986. Effect of effective strains of *Rhizobium japonicum* on the growth and yield of soybean. *Bangladesh J. Agric.*, **11**(2): 35-44.
- Hutchinson, J., 1964. The genera of flowering plants. Clarendon Press, Oxford.
- Jackwood, M.W., Sasser, M. and Saif, Y.M., 1985. Contribution to the taxonomy of the turkey coryza agent; cellular fatty acid analysis of the bacterium. *Avian Dis.*, **30**: 172-78.
- Jarvis, B.D.W., Gillis, M. and Deley, J., 1986. Intra-and intergeneric similarities between the ribosomal ribonucleic acid cistrons of *Rhizobium* and *Bradyrhizobium* species and some related bacteria. *Intl. J. Syst. Bacteriol.*, **36**: 129-138.

- Jarvis, B.D.W., Van Berkum, P., Chen, W.X., Nour, S.M., Fernandez, M.P., Cheyet-Marel, J.C. and Gillis, M., 1997. Transfer of *Rhizobium loti*, *Rhizobium huakuii*, *Rhizobium ciceri*, *Rhizobium mediterraneum* and *Rhizobium tianshanense* to *Mesorhizobium* gen. nov.. *Intl. J. Syst. Bacteriol.*, **47**: 895-98.
- Jarvis, B.W., Downer, H.L. and Young, J.P., 1982. Phylogeny of fast growing soybean-nodulating rhizobia supports synonymy of *Sinorhizobium* and *Rhizobium* and assignment to *Rhizobium fredii*. *Intl. J. Syst. Bacteriol.*, **42**: 93-96.
- Jayaraman, J., 1981. Colorimetric estimation of amino acids. *In Laboratory Manual in Biochemistry*, Wiley Eastern Ltd., New Delhi, p.64.
- Jimenez-Zurdo, JI, Dillewijn, P.Van, Soto, MJ, Felipe, MP de, Olivares, J., Toro, N., Van Dillewijn, P. and De-Felipe, MP., 1995. Characterization of a *Rhizobium meliloti* proline dehydrogenase mutant altered in nodulation efficiency and competitiveness on alfalfa groups. *Molecular Pl. Microb Interact.*, **8**(4): 492-98.
- Jones, D.J. and Burrows, C., 1969. Acid production and symbiotic effectiveness in *Rhizobium trifolii*. *Soil Biol. Biochem.*, **1**: 57-61.
- Jordan, D.C., 1982. Transfer of *Rhizobium japonicum* Buchanan 1980 to *Bradyrhizobium* gen. nov., a genus of slow growing, root nodule bacteria from leguminous plants. *Intl. J. Syst. Bacteriol.*, **32**: 136-39.
- Jordan, D.C., 1984. Family III. Rhizobiaceae Conn 1938-321. *In Bergey's Manual of Systematic Bacteriology*, 9th edn., N.R. Krieg and J.G. Holt (eds.), Williams and Wilkins, Baltimore, pp.234-56.

- Josey, D.P., Beynon, J.I., Johnston, A.W.B. and Beringer, J.E., 1979. Strain identification in *Rhizobium* using intrinsic antibiotic resistance. *J. Appl. Bacteriol.*, **46**: 343-50.
- Kalisch, J. and Hoflich, G., 1988. Effect of inoculating lucerne with *Rhizobium* shoot and root growth and available inorganic nitrogen content of soil. *J. Arid. Environ.*, **32**: 187-96.
- Kandaswamy, R. and Prasad, N.N., 1971. Lignite as a carrier of rhizobia. *Curr. Sci.*, **40**: 496.
- Keka-Sarkar, Pal SC, Sen SK and Sarkar, K., 1997. Selection of efficient rhizobial strains of tree-legumes for wasteland management of lateritic soil. *Ind. J. Experi. Biol.*, **35**(7): 722-26.
- Kerstens, K., 1985. Numerical methods in the classification of bacteria by protein electrophoresis. In **M. Good folrial systematics**, Academic Press, Inc. (London), Ltd., London, pp.337-368.
- Khan, I.A., 1994. Present status and improvement of pulse crops in India. "National Symposium on Frontiers in Plant Science Research". **Abstracts**, Hyderabad, India, pp.108.
- KleczKowska, J., Nutman, P.S., Skinner, F.A. and Vincent, J.M., 1968. The identification and classification of *Rhizobium*. In **Identification Methods for microbiologists**, B.M. Gibbs and D.A. Shapton (eds.), Academic Press, New York and London, pp.51-65.
- Krieg, N.R., 1984. Aerobic/Microaerophilic, Motile, helical, vibroid gram-negative bacteria, In N.R. Kreig and J.G. Hott (eds.), **Bergey's Manual of Systematic Bacteriology**, pp.71-95.
- Ladizinsky, G. and Hymowitz, T., 1979. Seed protein electrophoresis in taxonomic and evolutionary studies. *Theor. Appl.Genet.*, **54**: 145-51.

- Ladizinsky, G. and Hamel, A., 1980. Seed protein profiles of pigeon pea (*Cajanus cajan*) and some *Atylosia* species. *Euphytica*, **29**: 313-17.
- Ladizinsky, G., 1983. Study of evolutionary problems by means of seed protein electrophoresis. In **Seed proteins: Biochemistry, genetics and nutritie values** (eds.W.K. Gottschalk and Muller, H.P.), Nijhoff/Junk, the Hague, The Netherlands, pp.481-98.
- Laemmli, U.K., 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T₄. *Nature* (London), **227**: 680-85.
- Lange, R.T., 1959. Antonie Van Leeuwenhoek, 1959. *J. Microbiol., Serol.*, **25**: 272-76.
- *Larsen, J.A., 1979. *Univ. Indi. Res. News Lett.*, **13**: 5-7.
- Lim, S.u., 1970. Physiological and biochemical studies on legume nodule bacteria. *J. Korean Agric. Chem. Soc.*, **13**: 51-57.
- Lindstrom, K., Van Berkum, P., Gillis, M., Martincz, E., Novikova, N. and Jarvis, B., 1995. Report from the round table on *Rhizobium* taxonomy. In **Nitrogen Fixation: Fundamentals of Applications**, I.A. Tikhonovich, NA. Provorov, VI Romanov and W.E. Newton (eds.), Kluwer Acad. Publ. Dordrecht the Netherlands, pp.807-10.
- Long, S.R., 1989. *Rhizobium*-legume nodulation. Life together in the undergrounds. *Cell.*, **56**: 203.
- Lopez, RC, Gonzalez, LM, Ramirez, R., Cordovi, E., Gomez, I. and Castillo, P., 2000. Isolation and Characterization of native *Rhizobium* strains isolated from legumes in soils affected by salinity. *Pastos, Y. Forraijes*, , **23**(2): 129-34.

- Lopez-Lara, I.M., Orgambide, G., Dazzo, F.B., Olivares, J. and Toro, N., 1995. Surface polysaccharide mutants of *Rhizobium* sp. (Acacia) strain GRH₂: Major requirement of Lipopolysaccharide for successful invasion of Acacia nodules and host range determination. *Microbiology*, **141**: 573-81.
- Lopez-Lara, I.M., Orgambide, G., Dazzo, F.B., Olivares, J. and Toro, N., 1993. Characterization and symbiotic importance of acidic extra cellular polysaccharides of *Rhizobium* sp. strain GRH₂ isolated from Acacia nodules. *J. Bacteriol.*, **175**(10): 2826-32.
- Loveless, M.D. and Hamrick, J.L., 1984. Ecological determinants of genetic structure of plant populations. *Ann. Rev. Ecol. Syst.*, **15**: 65-95.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randali, R.J., 1951. Protein measurement with the Folin-phenol reagent. *J. Biol. Chem.*, **193**: 265-75.
- Mannetje, I., 1967. A re-examination of the taxonomy of the genus. *Rhizobium* and related genera using numerical analysis. *Antonie Van Leeuwen hook*, **33**: 477-91.
- *Martin, W.P., 1948. USDA Reg. Bull. No.107, *Plant Study Ser.* No.4: 1-10.
- Martinez, Romero, E., 1994. Recent developments in *Rhizobium* taxonomy. *Plant Soil*, **161**(1): 11-20.
- Martinez Romero, E., Segovia, L., Marcante, FM, Franco, AA, Graham, P. and Pardo, MA., 1991. *Rhizobium* tropici, a novel species nodulating *Phaseolus vulgaris* L. beans and *Leucaena* sp. trees. *Intl. J. Syst. Bacteriol.*, **41**(3): 417-26.
- *Masefield, G.B., 1958. *Emp. J. Agric.*, **23**: 17-33.

- Masterson, R.V., Russell, P.R. and Atherly, A.G., 1982. Nitrogen fixation (nif) genes and large plasmids of *Rhizobium japonicum*. *J. Bacteriol.*, **152**: 928-31.
- Mc Kinney, R., 1953. Staining bacterial polysaccharides. *J. Bact.*, **66**: 453-54.
- Miller, L. and Berger, T., 1985. Bacteria identification by gas chromatography of whole cell fatty acids. *Gas chromatography Appl. Note*, Hewlett Packard pp.228-41.
- Moenne Loccoz, Y. and Weaver, R.w., 1995. Plasmids influence growth of rhizobia in the rhizosphere clover., *Soil Biol. Biochem.*, **27**: 1001-04.
- Moffett, M.L. and Colwell, R.R., 1968. Adanson analysis of the Rhizobiaceae. *J. Gen. Microbiol.*, pp.245-66.
- Moore, L.V.H., Johnson, J.L. and Moore, W.E.C., 1987. *Selenomonas noxin* sp. nov. *Scelenomonas flueggei* sp. nov. *Selenomonos infelix* sp.nov. *Selenomonas diana*e sp. nov. and *Selenomonas artemidis* sp. nov. from humar gingival cevices. *Intl. J. Syst. Bacteriol.*, **36**: 271-280.
- Moss, C.N., 1981. Gas-Liquid chromatography as an analytical tool in microbiology. *J. Chromatogr.*, **203**: 337-47.
- Muthuswamy, S., Vidyasekaran, P. and Govindaswamy, C.V., 1973. Studies of *Rhizobium* strains of groundnut. *Ind. J. Microbiol.*, **13**: 143-48.
- Ndoye L, Dreyfus, B., 1988. N₂ fixation by *Sesbania rostrata* and *Sesbania sesbania* estimated using ¹⁵N and total N difference methods. *Soil. Biol. Biochem.*, **20**: 209-213.

- Neeru Bala, Sharma, PK and Lakshminarayana, K., 1990. Nodulation and nitrogen fixation by salinity-tolerant rhizobia in symbiosis with legumes. *Agriculture. Ecosys. Environ.*, **33**(1): 33-46.
- Noel, T.C., Sheng, C.K., Yost, R.P. Pharis and Hynes, M.F., 1996. *Rhizobium leguminosarum* as plant growth-promoting rhizobacterium: direct growth promotion of canola and lettuce. *Can. J. Microbiol.*, **42**: 279-83.
- *Norris, D.O., 1969. *Trop. Agric.*, **46**: 145-51.
- Norvis, D.O., 1956. Legumes and the legume symbiosis. *Emp. J. Exp. Agric.*, **24**: 247-70.
- Nour, SM, Cleyet Marel, JC. Beck, D., Effose, A. and Fernandez, MP., 1994. Genotypic and phenotypic diversity of *Rhizobia* isolated from chickpea (*Cicer arietinum* L.). *Can. J. Microbio.*, **40**(5): 345-54.
- Nour, SM, Fernandez, MP, Normand, P, Cleyet-Marel, JC., 1994. *Rhizobium ciceri* sp. nov. Consisting of strains that nodulate chickpeas (*Cicner arietium* L.). *Intl. J. Systematic Bacteriol.*, **44**(3): 511-522.
- Odee, D.W., 1989. A cross-inoculation study on indigenous rhizobia and selected tree legumes. *Res. Note Kneya Forest. Res. Inst.*, No.3: i+21 pp.
- Pabwa, M.R. and Patil, B.D., 1983. Response of some pasture legumes to cow-pea *Rhizobium* inoculation. *Legume Res.*, **6**: 89-90.
- Padmanabhan, S., Hirtz, R.D. and Broughton, 1990. Rhizobia in tropical legumes: Cultural Characteristics of *Bradyrhizobium* and *Rhizobium* sp. *Soil. Biol., Biochem.*, **22**(1): 23-28.
- Pandler, M.S. and Khalan, S.S., 1978. PH and salt tolerance of *Rhizobium leguminosarum* isolates from pea. *Ind. J. Microbiol.*, **18**: 81-84.

- Pankhurst, C.E., and Biggs, D.R., 1980. Sensitivity of *Rhizobium* to selected isoflavonoids. *Can. J. Microbiol.*, **26**: 542-45.
- Pankhurst, C.E., Mc Donald, P.E. and Reeves, J.M., 1986. Enhanced nitrogen fixation and competitiveness for nodulation of *Lotus pedunculatus* by a plasmid cured derivatives of *Rhizobium loti*. *J. Gen. Microbiol.*, **132**: 2321-28.
- Penalooa, V.A. and Marquez, R.C., 1988. Biochemistry and physiology of *Rhizobium loti* isolated from *Leucaena esculenta*. *Revista Latinoamericana de Microbiol.*, **30**(4): 341-50.
- Povolo, S., Tombolini, R. Morea, A. Anderson, AJ, Casella, S. and Nuti, MP., 1994. Isolation and characterization of mutants of *Rhizobium meliloti* unable to synthesize poly- β hydroxyloutyrate. *Can. J. Microbiol.*, **40**(10): 823-29.
- Prescott, L.M., Harley, J.P. and Klein, D.O., 1996. **Microbiology** IIIrd Edition. The Mc Graw-Hill Companies Inc., U.S.A., pp.392-93.
- Rahman, A. Das and Khan, M.H.R., 1982. Effect of inoculation and nitrogen fertilizer on soybean. *Bangladesh J. Bot. l*, **11**(1): 33-36.
- Ranganathan, T.V. and Sundaram, M.D., 1992. Comparative performance of stem nodulating legumes on the growth and yield of ADT 46 rice. *In 32nd Annual Conference of Association of Microbiologist of India*, Madurai Kamaraj University, Madurai, p.30.
- Ranjit Singh, Nirmaljit Singh and Sindhu, L.G., 1967. Biochemical characteristics of *Rhizobium* spp. isolated from summer legumes in Punjab. *Ind. J. Microbiol.*, **7**: 143-50.

- Reddy, SR, Rao, MS, Reddy, VK, Reddy, MM. and Manoharachary, C. (ed.), Purohit, DK (ed.), Reddy,S. (ed.), Singaracharya, MA (ed.) and Girisham, S., 2002. *Rhizobium*-legume symbiosis – a review. *Front. Microbiol Biotech. Pl. Patho.*, **17**(8): 795-99.
- Reinhold, B., Hurek, T. and Fendrik, I., 1985. Strain specific chemotaxis of *Azospirillum* spp. *J. Bact.*, **162**: 190-95.
- Reinhold, B., Hurek, T. and Fendrik, I., 1987. *Azospirillum balopraeferens* sp.nov., a nitrogen-fixing organism associated with roots of Kallar grass, *Leptochloa fusea* (L.) Kunth). *Int. J. Syst. Bacteriol.*, **37**: 43-51.
- Rewari, R.B., 1978. Report of All India Co-ordinated project on pulse improvement; Indian Council of Agricultural Research, New Delhi.
- Roberts, R.J., 1968. A numerical Taxonomic study of 100 isolates of *Corynebacterium pyogenes*. *J. Gen. Microbiol.*, **53**: 299-303.
- Roberts, G.P., Leps, W.T., Silver, L.E. and Brill, W.J., 1980. Use of two diamentional polyacrylamide gel electrophoresis to identify and classify *Rhizobium* strains. *Appl. Environ. Microbiol.*, **39**: 414-22.
- Rome, S., Pernandez, M.P., Brunel, B., Normand, P. and Cleyetmarei, J.C., 1996. *Sinorhizobium medicae* sp.nov., isolated from annual *Medicago* spp.. *Intl. J. Syst. Bacteriol.*, **66**: 972-80.
- Roughley, R. and Dart, P.J., 1970. Root temp. and root hair infection of *Trifolium subterraneum* L.. *Plant Soil*, **32**: 518-20.
- Sadowsky, M.J. and Bobwol, B.B., 1983. Possible involvement of a megaplasmid in nodulation of soybeans by fast-growing rhizobia from China. *Appl. Environ. Microbiol.*, **46**: 906-11.
- Sanginga, N., 1988. Nodulation and growth of some nitrogen fixing trees in relations to nutrient levels and *Rhizobium* Nigeria, Zaire and Zimbabwe. *Nitrogen Fixing Tree Res. Repts.*, **6**: 3-5.

- Sanjuan, J. and Olivares, J., 1991. Multicopy plasmids carrying the *Klebsiella pneumoniae* nif. A gene enhance *Rhizobium meliloti* nodulation competitiveness on alfalfa. *Mol. Plant Microbe Interact.*, **4**: 365-69.
- Sato, N. and Murata, N., 1988. Membrane Lipids. *In Methods in Enzymology*, Packer, L. and Glazer, A.N. (eds.), **167**: 251-59.
- Sawada, H., Leki, H., Oyaizuh, W. and Matstimotos, S 1993. Proposal for rejection of *Agrobacterium tumifaciens* and revised descriptions for *Agrobacterium radiobacter* and *A. rhizogens*. *In. J. Syst. Bacterol.*, **43**: 694-704.
- Scanlan, D.J. and Carr, N.G., 1988. Extracellular proteins. *In Methods in enzymology*, Packer, L. and Glazer, A.N. (eds.), Academic Press, New York, **167**: 599-605.
- Schenk, S.V. and Werner, D., 1988. Fatty acid analysis of four *Azospirillum* species reveals three groups. *Arch. Microbiol.*, **149**: 580-82.
- Schulte, M. and Kondorosi, A., 1998. Regulation of symbiotic root nodule development. *Ann. Rev. Genet.*, **32**: 33-57.
- Sharma, P.K. and Lakshminarayana, K., 1990. Physical characterization of plasmids of cowpea *Rhizobium*. *Microbios Letters*, **43**: 170, 73-79.
- Shatters, R.G., Liu, Y. and Kahn, M.L., 1993. Isolation and characterization of a novel glutamine synthetase from *Rhizobium meliloti*. *J. Biol. Chem.*, **268**(1): 469-75.
- Skinner, F.H., . Roughley, R.J., and. Chandler.N.R. 1977. Effect of yeast extract concentration on viability and cell distortion in *Rhizobium* spp. *J. Appl. Bacteriol.*, **43**: 287-97.

- Sneath, P.H.A. and Sokal, R.B., 1973. **Numerical taxonomy. The Principles and Practice of numerical classification.** W.H. Freeman and Co., San Francisco.
- Stewart, W.D.P., Fitzgerald, G.P. and Burris, R.H., 1967. *In situ* studies on N₂ fixations using the acetylene reduction technique. *Proc. Natl. Acad. Sci., U.S.A.*, **58**: 2071-78.
- Subba Rao, N.S., Lakshmi-Kumari, M., Singh, C.S. and Biswas, A., 1974. Salinity and alkalinity in relation to legume-*Rhizobium* symbiosis. *Proc. Indian Natl Sci. Academy. B. Biological Sciences*, **40**: 544-47.
- *Subba Rao, N.S., Magu, S.P. and Sarma, K.S.B., 1971. *Arch. Microbiol.*, **77**: 96.
- Subba Rao, N.S., Mateos, P.F. Baker, D., Pankratz, H.S. Palma, L. Dozzo, F.B. and Sprent, J.I., 1985. The unique root nodule symbiosis between *Rhizobium* and the aquatic legume, *Neptunia natans* (L.f.) Druce. *Planta*, **196**: 311-20.
- Subba Rao, N.S., Tilak, K.V.B.R. and Singh, C.S., 1980. Root nodulation studies in *Aeschynomene aspera*. *Plant Soil*, **56**: 491-94.
- Subramanya, P.G. and Gopala Gouwda, 1994. Effect of *Rhizobium* inoculation on nodulation drymatter production and N-content of *Stylosanthes namata* and *S. scabra.*, *J. Soil Biol.*, **14**(2): 87-93.
- Sundara Rao, W.V.B., 1971. Field experiments on nitrogen fixation by nodulated legumes. *Plant Soil* (Special Volume), pp.281-91.
- Surange, B., Wollum, A.G. II, Kumar, N. and Nautiyal, C.S., 1997. Characterization of *Rhizobium* from root nodules of leguminous trees growing in alkaline soils. *Can. J. Microbiol.*, **43**(9): 891-94.
- Surendragopal, K. and Shivappashetty, K., 1996. Green manuring for rice with *Rhizobium* inoculated *Sesbania grandiflora*. *Madras Agric. J.*, **83**(4): 249-50.

- Tan, I.K.P. and Broughton, W.J., 1981. Rhizobia in tropical legumes, XIII. Biochemical basis of acid and alkali reactions. *Soil Biol. Biochem.*, **13**: 389-93.
- Thakur, B.K. and Hassian, W., 1976. Effect of nitrogen and inoculum on the yield and yield contributes of soybean. *Ind. J. Agron.*, **17**(5): 303-05.
- Thurman, N.P., Lewis, D.M. and Jones, D.G., 1985. The relationship of plasmid number of growth, acid tolerance and symbiotic efficiency in isolates of *Rhizobium trifolii*. *J. Appl. Bacteriol.*, **58**: 1-6.
- Tighe, SW, Lajudie, P de, Dipietro, K., Lindstrom, K, Nick, G., Jarvis, BDW and de-lajudie, P., 2000. Analysis cellular fatty acids and phenotypic relationships of *Agrobacterium*, *Bradyrhizobium*, *Mesorhizobium*, *Rhizobium* and *Sinorhizobium* species using the Sherlock Microbial Identification System. *Intl. J. Syst. Evolutionary Microbiol.*, **50**(2): 787-801.
- Tilak, K.V.B.R., Saxena, A.K. and Prasad, A.D. (ed.). Vaishampayan, A., 1994. Competition among *Rhizobium strains* for nodulation of legumes. *Biol. Appl. Nitrogen fixing Org. Prob. Prospect.*, 241-56.
- Trinick, M.J., 1982. *In Nitrogen fixation is legumes*, J.M. Vincent (ed.), Academic Press, Inc., New York, p.229.
- Turk, D. and Keyser, H.H., 1992. Rhizobia that nodulate tree legumes: Specificity of the host for nodulation and effectiveness. *Can. J. Microbiol.*, **38**(6): 451-60.
- Turk, D. and Keyser, H.H., 1993. Accuracy of Most-probable number estimates of rhizobia for tree legumes. *Soil Biol. Biochem.*, **25**(1): 69-74.

- Turk, D., Keyser, H.H. and Singletom, P.W., 1993. Response of tree legumes to rhizobial inoculation in relation to the population density of indigenous rhizobia. *Soil Biol. Biochem.*, **25**(1): 75-81.
- Uheda, E. and Syono, K., 1982. Effects of legneemoglobin components on nitrogen fixation and oxygen consumption. *Plant Cell Physiol.*, **23**: 85-90.
- Vest, G., Weber, D.F. and Slogar, C., 1973. *In Soybeans, Improvement, production and uses*, B.E. Cladwell (ed.), ASA Monograph, **16**: 353-90, *Am. Soc. Agronomy*, Madison.
- Vincent, J.M., 1970. A manual for the practical study of root-nodule bacteria. *In International Biological Programme Hand Book*, No.15, Oxford Blackwell, pp.73-97.
- Vincent, J.M., 1974. Root nodule symbiosis with *Rhizobium*. *In The Biology Nitrogen fixation* A. Quispel (ed.), North-Holland Publishing Co., Amsterdam, pp.263-341.
- Vincent, J.M., 1977. *Rhizobium*: General microbiology. *In A Treatise on dinitrogen fixation*, R.W.F. Hardy and W.S. Silver (eds.), Sect.3. Biology. John Wiley & Sons, Inc., New York, pp.277-366.
- *Vincent, J.M., Thompson, J.A. and Donovan, K.O., 1962. *Aust. J. Agric. Res.*, **13**: 258.
- Virtanen, Al. Erkama, J. and Lincola, H., 1947. On the relation between nitrogen fixation and leghaemoglobin content of leguminous-root nodules 1. *Acta. Chem. Scand Ser.*, **1**: 861-70.
- Wedlock, D.N. and Jarvis, B.D.W., 1986. DNA homologies between *Rhizobium fredii*, rhizobia the nodulate *Galega sp.* and other *Rhizobium* and *Bradyrhizobium* speices. *Intl. J. Syst. Bacteriol.*, **36**: 550-58.

- Willems, A. and Collins, M.D., 1993. Phylogenetic analysis of rhizobia and agrobacteria based on 16S rRNA gene sequences. *Intl. J. Syst. Bacteriol.*, **45**: 706-11.
- Wilson, D.O. and Relsennayer, 1963. Determination of leghaemoglobin in legume nodules. *Anal. Chem.*, **6**: 21-30.
- Yanagi, M. and Yamasato, K., 1993. Phylogenetic analysis of the family *Rhizobiaceae* and related bacteria sequencing of 16s / RNA gene using PCR and DNA sequencer. FEMS, *Microbiol. Lett.*, **107**: 115-20.
- Yoshioka, K. and Marumaya, Y., 1991. Characterization and symbiotic nitrogen fixation of *Rhizobium* that nodulates Chinese milk vetch (*Astragalus sinicus* L.). *Soil Sci. Pl. Nutn.*, **36**(1): 83-90.
- Young, J.P.W. and Haukka, K.E., 1996. Diversity and Phylogeny of rhizobia. *New Phytol.*, **133**: 87-94.
- Young, J.M., Kuykendall, L.D., Martinez-Romero, E., Kerr, A. and Sawada, H., 2001. A revision of *Rhizobium* frank 1889, with an emended description of the genus, and the inclusion of all species of *Agrobacterium* conn 1942 and *Allorhizobium undicola* de Lajudie *et al.*, 1998 as new combinations: *Rhizobium radiobacter*, *R. rhizogenes*, *R. rubi*, *R. undicola* and *R. vitis*. *Intl. J. Syst. Evolutionary Microbiol.*, **51**(1): 89-103.
- Zhang, X., Harper, R., Karsisto, M. and Lindstrom, K., 1991. Diversity of *Rhizobium* bacteria isolated from root nodules of leguminous trees. *Intl. J. Syst. Bacteriol.*, **41**(1): 104-13.

*Original not seen.