

BIBLIOGRAPHY

1. Y.W. Chien, Concepts and system design for rate-controlled drug delivery, in: Y.W. Chien (Ed.), *Novel Drug Delivery Systems*, Marcel Decker, Inc; New York, (1992), pp. 1-42.
2. The Drug Delivery Arena – In Brief; An Authoritative Round-up of Trends, Statistics and clinical Research. Touch briefings, *Future Drug Delivery* (2006), pp. 12-13.
3. L.F. Prescott, W.S. Nimmo, The need for improved drug delivery in clinical practice, in: L.F. Prescott (Ed.), *Novel Drug Delivery*, John Wiley and Sons Ltd, Chichester, West Sussex, England (1988), pp. 1-11.
4. M.J. Rathbone, G. Ponchel, F.A. Ghazali, Systemic oral mucosal drug delivery and delivery systems, in: M.J. Rathbone (Ed.), *Oral Mucosal Drug Delivery*, Vol. 74, Marcel Decker, New York, (1996), pp. 241-284.
5. G. DeGrande, L. Benes, F. Horriere, H. Karsenty, C. Lacoste, Specialized oral mucosal drug delivery systems: patches, in: M.J. Rathbone (Ed.), *Oral Mucosal Drug Delivery*, Vol. 74, Marcel Decker, New York, (1996), pp. 241-284.
6. Y. Sudhakar, K. Kuotsu, A.K. Bandyopadhyay, Buccal bioadhesive drug delivery-A promising option for orally less efficient drugs, *J. Contr. Rel.* 114 (1) (2006), pp. 15-40.
7. M. Rowland, T.N. Tozer, Absorption, in: M. Rowland, T.N. Tozer (Eds.), *Clinical pharmacokinetics*, Malvern, PA: Lea & Febiger, (1989), pp. 113-130.
8. C. Graffner, Clinical experience with novel buccal and sublingual administration, in: L.F. Prescott, W.S. Nimmo (Eds.), *Novel Drug Delivery*, Chichester, West Sussex, England: John Wiley and Sons Ltd, (1988), pp. 159-166.
9. S. Bouckaert, R.A. Lefebvre, F. Colardyn, J.P. Remon, Influence of the application site on bioadhesion and slow-release characteristics of a bioadhesive buccal slow-release tablet of miconazole. *Eur. J. Clin. Pharmacol.* 44 (1993), pp. 331-335.
10. Y.W. Chien, Oral drug delivery and delivery systems, in: Y.W. Chien (Ed.), *Novel drug delivery systems*, Vol. 50, Marcel Decker, New York, (1992), pp. 139-196.

11. R.M. Hernandez, A.R. Gascon, M.B. Calvo, C. Caramella, U. Conte, Influence of route of administration and dosage form in the pharmacokinetics and bioavailability of salbutamol. *Eur. J. Drug Metab. Pharmacokinet.* 22 (1997), pp. 145-150.
12. P.W. Wertz, C.A. Squier, Cellular and molecular basis of barrier function in oral epithelium, *Crit. Rev. Ther. Drug carr. Sys.* 8 (1991), pp. 237-269.
13. J. Hao, P.W.S. Heng, Buccal delivery 145, *Drug Dev. Ind. Pharm.* 29 (8) (2003), pp.821 – 832.
14. W.R. Galey, H.K. Lonsdale, S. Nacht, The in vitro permeability of skin and buccal mucosa to selected drugs and tritiated water, *J. Invest. Dermat.* 67 (1976), pp. 713-717.
15. D. Harris, J.R. Robinson, Drug delivery via the mucous membrane of the oral cavity. *J. Pharm. Sci.* 1 (1992), pp. 81.
16. E. Odeblad, The discovery of different types of cervical mucus, *Bulletin of the ovulation method research and reference center, Australia*, 21, (1994), pp. 3-35.
17. Y.W. Chien, Mucosal drug delivery: potential routes for noninvasive systemic administration. in: Y.W. Chien (Ed.), *Novel Drug Delivery Systems*, Vol. 50, Marcel Decker, New York, (1992), pp. 197-228.
18. A.H. Shojaei, B. Berner, L. Xiaoling, Transbuccal delivery of acyclovir I, in vitro determination of routes of buccal transport. *Pharm.l Res.* 15 (1998), pp. 1182-1188.
19. A. Allen, Salivary, Gastric and Hepatobiliary secretions, in: J.G. Forte (Ed.), *Handbook of Physiology – The gastrointestinal Physiology*, Vol. III, American Physiological Society, Bethesda, MD, (1989), pp. 359-382.
20. F.S. Rosen, B.J. Bailey, Anatomy and Physiology of salivary glands, Grand rounds presentation, UTMB, Department of Otolaryngology.
21. N.A. Peppas, P.A. Buri, Surface, interfacial and molecular aspects of polymer bioadhesion on soft tissues, *J. Control. Rel.* 2 (1985), pp.257-275.
22. S.E. Harding, J.M. Creeth, A.J. Rowe, in: A. Chester, D. Heinegard, A. Lundblad, S. Svensson (Ed.), *Proceedings of the 7th International Glucoconjugates Conference* Olsson Reklambyra, Sweden, (1983), pp. 558-559.
23. D. Harris, J.R. Robinson, Drug delivery via the mucous membranes of the oral cavity, *J. Pharm. Sci.* 81 (1992), pp. 1-10.

24. M.R. Jimenez-Castellanos, H. Zia, C.T. Rhodes, Mucoadhesive drug delivery systems, *Drug Dev. Ind. Pharm.* 19(1&2) (1993), pp. 143 - 194.
25. R.B. Gandhi, J.R. Robinson, Bioadhesion in drug delivery, *Ind. J. Pharm. Sci.* 50(3) (1988) , pp.145-152.
26. M.J. Levine, P.C. Jones, R.E. Looms, M.S. Reddy, I. Al-Hashimi, E.J. Bergey, Biology, Etiology and Therapy, in: I.C. Mackenzie, C.A. Squier and Dablesteen (Eds.), *Oral Mucosal Diseases*, Laege-foreningens Folag, Copenhagen, (1987), pp. 7-9.
27. T.C. Kontis, M.E Johns, *Anatomy and physiology of salivary glands*. Head and Neck surgery-Otolaryngology, Lippincott_raven publishers, Philadelphia, PA, (1998), pp. 531-539.
28. R.D. Mattes, Physiologic responses to sensory stimulation by food: Nutritional Implications, *J. Am. Diet. Assoc.* 97 (1997), pp. 406-410.
29. K.L. Moore, *Clinically oriented anatomy*. Third edition. Williams and Wilkins. MD. Baltimore, (1992), pp. 751-752.
30. J. Hao, P.W.S. Heng, Buccal delivery systems, *Drug Dev. Ind. Pharm.* 29(8) (2003), pp. 821 – 832.
31. M.E. deVries, H.E. Bodde, J.C. Verhoef, H.E. Junginger, Developments in buccal drug delivery, *Crit. Rev. Ther. Drug. Carrier. Syst.* 8(3) (1991), pp. 271-303.
32. A.J. Hoogstraate, S. Senel, C. Cullander, J. Verhoef, H.E. Junginger, H.E. Bodde, Effects of bile salts on transport rates and routes of FTIC-labelled compounds across porcine buccal epithelium in vitro, *J. Control. Rel.* 40 (1996) , pp.211-221.
33. M.A. Longer, J.R. Robinson, Fundamental aspects of bioadhesion, *Pharm. Int.* 7 (1986), pp. 114-117.
34. D.S. Jones, A.D. Woolfson, A.F. Brown, Pharmaceutical gels composed of cellulose polymers. *Int. J. Pharm.* 151 (1997), pp. 223-233.
35. H. Batchelor, Novel bioadhesive formulations in drug delivery. The drug delivery companies report Autumn / Winter, PharmaVentures Ltd, (2004).
36. P.R. Mishra, A. Namdeo, S. Jain, N.K. Jain, Hydrogels as drug delivery system, *Indian Drugs*, 33(5) (1996), pp. 181-186.

37. A. Lowman, N.A Peppas, Complexation Graft Copolymers as Oral Drug Delivery Systems, *Polym Preprints*, 38(2) (1997), pp. 566-567.
38. M.D. Hornof, W. Weyenberg, A. Ludwig, A. Bernkop-Schnurch, *J. Control. Rel.* 89 (2003), pp. 419-428.
39. P.L. Soo, L. Luo, D. Maysinger, A. Eisenberg, Incorporation and release of hydrophobic probes in biocompatible polycaprolactone- block-poly (ethylene oxide) micelles: Implications for drug delivery, *Langmuir*, 18 (2002), pp. 9996-10004.
40. R. Saviae, L.L.A. Eisenberg, D. Maysinger, Micellar nanocontainers distribute to defined cytoplasmic organelles, *Science*, 300 (2003), pp. 615-618.
41. C. Allen, D. Maysinger, A. Eisenberg, *Engineering Block Copolymer Aggregates for Drug Delivery*, *Colloids and Surfaces: Biointerfaces Special Issue, Polymeric Micelles in Biology and Pharmaceutics*, 10 (1999), pp.3-27.
42. C.E. Kast, D. Guggi, N. Langoth, Bernkop-Schnürch, *Pharm. Res.* 20 (2003), pp.931-936.
43. V.M. Leitner, D. Guggi, A. Bernkop-Schnürch, 5th Central Eur. Symp. Pharm. Technology, Ljubljana, Slovenia, (2003).
44. J. Aiache, D. Costantini; C. Chaumont, Prolonged release bioadhesive therapeutic systems, U.S. Patent: 6,916,485, July 12, (2005) .
45. F. Veuillez, Y.N. Kalia, Y. Jacques, J. Deshusses, P. Buri, Factors and strategies for improving buccal absorption of peptides, *Eur. J. Pharm. Biopharm.* 51(2) (2001), pp. 93-109.
46. M. Ishida, Y. Machida, N. Nambu, T. Nagai, *Chem. Pharm. Bull. (Tokyo)*, 29(3) (1981) , pp.810-816.
47. N.A. Peppas, P. Buri, Surface, interfacial and molecular aspects of polymer bioadhesion on soft tissues, in: J.M. Anderson, S.W. Kim (Ed.) *Advances in Drug Delivery Systems*, Elsevier, Amsterdam, (1986), pp. 257-275.
48. M.K. Marschutz, A. Bernkop-Schnurch, *Eur. J. Pharm. Sci.* 15(4) (2002) , pp.387-394.
49. C.E. Kast, A. Bernkop-Schnurch, *Biomaterials*, 22(17) (2001), pp. 2345-2352.
50. A. Bernkop-Schnurch, S. Scholler, R.G. Biebel, *J. Control. Release*, 66(1) (2000), pp. 39-48.
51. T. Nagai, Y. Machida, *Adv. Drug Deliv. Rev.* 11 (1993), pp. 179-191.

52. L. Martin, C.G. Wilson, F. Koosha, I.F. Uchegbu, *Eur. J. Pharm. Biopharm.* 55(1) (2003), pp. 35-45.
53. D.S. Jones, A.D. Woolfson, J. Djokic, W.A. Coulter, *Pharm. Res.* 3(11) (1996) pp.1734-1738.
54. J. Watanabe, S. Yakou, K. Takayama, Y. Machida, T. Nagai, *J. Pharm. Sci. Techn.* 51 (1991), pp. 29-35.

55. M. Ishida, N. Nambu, T. Nagai, *Chem. Pharm. Bull. (Tokyo)*, 30(3) (1982), pp. 980-984
56. H.P. Merkle, R. Anders, J. Sandow, W. Schur, *Proc. Int. Symp. Control. Rel. Bioact. Mater.* 12 (1985), pp.85.
57. M. Veillard, M.A. Longier, T.W. Martens, C. Robinson, *J. Control. Rel.* 6 (1987), pp. 123-131.
58. M.L. Bruschi, O. deFreitas, *Drug Dev. Ind. Pharm.* 31(3) (2005) , pp.293-310.
59. K.K. Peh, C.F. Wong, *J. Pharm. Pharm. Sci.* 2(2) (1999), pp. 53-61.
60. Z. Cui, R.J. Mumper, Bilayer films for mucosal (genetic) immunization via the buccal route in rabbits, *Pharm. Res.* 19 (2002), pp. 947-953.
61. P. Perugini, I. Genta, B. Conti, T. Modena, F. Pavanetto, Periodontal delivery of ipriflavone: new chitosan/PLGA film delivery system for a lipophilic drug, *Int. J. Pharm.* 18 (2003),pp. 1-9
62. .S. Senel, G. Ikinici, S. Kas, A. Yousefi-Rad, M.F. Sargon, A.A. Hıncal, Chitosan films and hydrogels of chlorhexidine gluconate for oral mucosal delivery, *Int. J. Pharm.* 193 (2000), pp. 197-203.
63. D.Tiwari, D. Goldman, R. Sause, P.L. Madan, Evaluation of Polyoxyethylene Homopolymers for Buccal Bioadhesive Drug Delivery Device Formulations, *AAPS PharmSci.*1 (1999), pp. 1-8.
64. R. Anders, H. Merckle, Evaluation of laminated mucoadhesive patches for buccal drug delivery, *Int. J. Pharm.* 49 (1989) , pp.231-240.

65. R. Anders, H.P. Merckle, W. Schurr, R. Ziegler, Buccal absorption of Protirelin: an effective way to stimulate Thyrotropin and Prolactin, *J. Pharm. Sci.* 72 (1983), pp. 1481-1483.
66. J.H. Guo, Investigating the surface properties and bioadhesion of buccal patches, *J. Pharm. Pharmacol.* 46 (1994), pp. 647-650.
67. K. Danjo, H. Kato, A. Otsuka, K. Ushimaru, Fundamental study on the evaluation of strength of granular particles, *Chem. Pharm. Bull.* 42 (1994), pp. 2598-2603.

68. M. Ishida, N. Nambu, T. Nagai, Mucosal dosage form of lidocaine for toothache using hydroxypropyl cellulose and carbopol, *Chem. Pharm. Bull.* 30 (1982), pp. 980-984.
69. N.A. Nafee, F.A. Ismail, A. Nabila, Boraie, L.M. Mortada, Mucoadhesive buccal patches of miconazole nitrate: in vitro/in vivo performance and effect of ageing, *Int. J. Pharm.* 264 (2003), pp. 1-14.
70. T. Save, U.M. Shah, A.R. Ghamande, P. Venkatachalam, Comparative study of buccoadhesive formulations and sublingual capsules of nifedipine, *J. Pharm. Pharmacol.* 46(3) (1994), pp. 192-195.
71. A.H. Shojaei, X. Li, Mechanisms of buccal mucoadhesion of novel copolymers of acrylic acid and polyethylene glycol monomethylether monomethacrylate, *J. Control. Rel.* 47 (1997), pp. 151-161.
72. M.J. Rathbone, B. Drummond, I. Tucker, *Adv. Drug Deliv. Rev.* 13 (1994), pp.1-22.
73. N. Chidambaram, A.K. Srivatsava, *Drug Dev. Ind. Pharm.* 21(9) (1995), pp. 1009-1036.
74. K. Yukimatsu, Y. Nozaki, M. Makumoto, M. Ohta, *Drug Dev. Ind. Pharm.* 20 (1994) pp.503-534.

75. S. Miyazaki, A. Nakayama, M. Oda, M. Takada, D. Attwood, Chitosan and sodium alginate based bioadhesive tablets for intraoral drug delivery, *Biol. Pharm. Bull.* 17 (1994), pp. 745-747.
76. C. Remunan-Lopez, A. Portero, J.L. Vila-Jato, M.J. Alonso, Design and evaluation of chitosan/ethylcellulose mucoadhesive bilayered devices for buccal drug delivery, *J. Control. Rel.* 55 (1998), pp. 143-152.
77. B. Taylan, Y. Capan, O. Guven, S. Kes, A.A. Hincal, Design and evaluation of sustained release and buccal adhesive propranolol hydrochloride tablets, *J. Control. Rel.* 38(1) (1996), pp. 11- 20.
78. K.G.H. Desai , T.M.P. Kumar, Preparation and Evaluation of a Novel Buccal Adhesive System, *AAPS Pharm. Sci. Tech.* 5 (2004), pp. 1-9.

79. B. Taylan, Y. Capan, O. Güven, S. Kes, A.A. Hincal, Design and evaluation of sustained-release and buccal adhesive propranolol hydrochloride tablets, *J. Control. Rel.* 38 (1996), pp. 11-20.
80. N.A. Nafee, F.A. Ismail, N.A. Boraie, L.M. Mortada, Mucoadhesive Delivery Systems. II. Formulation and In-Vitro/In-Vivo Evaluation of Buccal Mucoadhesive Tablets Containing Water-Soluble Drugs, *Drug Dev. Ind. Pharm.* 30 (2004) , pp.995-1004.
81. J.M. Labot, R.H. Manzo, A. Allemandi, Double layered Mucoadhesive Tablets Containing Nystatin, *AAPS PharmSciTech.* 3(3) (2002), pp. 22.
82. S. Bouckaert, H. Schautteet, R.A. Lefebvre, J.P. Remon, R.V. Clooster, Double-layered mucoadhesive tablets containing nystatin, *Eur. J. Clin. Pharmacol.* 43 (1992), pp. 137.
83. A. Gupta, S. Garg, R.K. Khar, Interpolymer complexation and its effect on bioadhesion strength and dissolution characteristics of buccal drug delivery systems, *Drug Dev. Ind. Pharm.* 20 (1994), pp. 315-325.
84. T. Nagai, Adhesive topical drug delivery system, *J. Control. Rel.* 2 (1985), pp. 121-134.

85. T. Nagai, Y. Machida, Buccal delivery systems using hydrogels, *Adv. Drug. Del. Rev.* 11 (1993), pp. 179-191.
86. G. Ponchel, F. Touchard, D. Wouessidjewe, D. Duchêne, N.A. Peppas, Bioadhesive analysis of controlled release systems. III. Bioadhesive and release behaviour of metronidazole containing poly (acrylic acid)-hydroxypropyl methylcellulose systems, *Int. J. Pharm.* **38** (1987), pp. 65–70.
87. P. Bottenberg, R. Cleymaet, C.D. Mynck, J.P. Remenn, D. Coomans, Y. Michotte, D. Slop, Comparison of salivary fluoride concentration after administration of a bioadhesive slow-release tablet and a conventional fluoride tablet, *J. Pharm. Pharmacol.* 43 (1991), pp. 457.

88. S. Bouckaert, H. Schautteet, R.A. Lefebvre, J.P. Remon, R. Van Clooster, Comparison of salivary miconazole concentrations after administration of a bioadhesive slow-release buccal tablet and an oral gel, *Eur. J. Clin. Pharmacol.* **43** (1992), pp. 137–140.
89. V. Agarwal, B. Mishra, Design, development, and biopharmaceutical properties of buccoadhesive compacts of pentazocine, *Drug Dev. Ind. Pharm.* 25 (1999), pp. 701-709.
90. H.H. Alur, S.I. Pather, A.K. Mitra, T.P. Johnston, Transmucosal sustained-delivery of chlorpheniramine maleate in rabbits using a novel natural mucoadhesive gum as an excipient in buccal tablets, *Int. J. Pharm.* 188 (1999), pp. 1-10.
91. H.G. Choi, C.K. Kim, Development of omeprazole buccal adhesive tablets with stability enhancement in human saliva, *J. Control. Rel.* 68 (2000), pp. 397-404.
92. C.R. Park, D.L. Munday, Development and evaluation of a biphasic buccal adhesive tablet for nicotine replacement therapy, *Int. J. Pharm.* 237 (2002), pp. 215-226.
93. K. Rajesh, S.P. Agarwal, A. Ahuja, Buccoadhesive erodible carriers for local drug delivery: Design and standardization, *Int. J. Pharm.* 138 (1996), pp. 68-73

94. G. İkinci, S. Senel, C.G. Wilson, M. Şumnu, Development of buccal bioadhesive nicotine tablet formulation for smoking cessation, *Int. J. Pharm.* 277(1-2) (2004), pp. 173-178.
95. B. Mizrahi, J. Golenser, J.S. Wolnerman, A.J. Dombi, Adhesive tablet effective for treating canker sores in humans, *Association J. Pharm. Sci.* 93 (2004), pp. 2927-2935.
96. Q. Du, Q.N. Ping, G.J. Liu, Preparation of Buspirone hydrochloride buccal adhesive tablet and study on its drug release mechanism, *Yao Xue Xue Bao.* 37(8) (2002), pp.653-656.
97. H. Choi, J. Jung, C. S. Yong, C. Rhee, M. Lee, J. Han, K. Park, C. Kim, Formulation and in vivo evaluation of Omeprazole buccal adhesive tablet, *J. Control Rel.*, 68(3) (2000) , pp.405-412.

98. G.C. Ceschel, P. Maffei, S.L. Borgia, C. Ronchi. Design and evaluation of buccal adhesive hydrocortisone acetate tablets, *Int. J. pharm.* 238 (2002), pp. 161-170.
99. K. Tsutsumi, Y. Obata, T. Nagai, T. Loftsson, K. Takayama, Buccal absorption of ergotamine tartrate using the bioadhesive tablet system in guinea-pigs, *Int. J. Pharm.* 238(1-2) (2002), pp. 161-170.
100. Dinsheet, S.P. Agarwal, A. Ahuja, Preparation and evaluation of buccal adhesive tablets of Hydralazine hydrochloride, *Ind. J. Pharm. Sci.* 59(3) (1997), pp. 135-141.
101. M. Rafiee-Tehrani, G. Jazayeri, T. Toliyat, K. Bayati, K. Khalkhali, K. Shamimi, A. Miremadi, F.A. Dorkoosh, Development and in-vitro evaluation of novel buccoadhesive tablet formulation of prednisolone, *Acta Pharm.* 52 (2002), pp. 123-130
102. J.P. Cassidy, N.M. Landzert, E. Quadros, Controlled buccal delivery of buprenorphine, *J. Control. Rel.* 25 (1993), pp. 21-29.

103. S. Anlar, Y. Capan, O. Guven, A. Gogus, T. Dlakara, A.A. Hincal, Formulation and in vitro and in vivo evaluation of buccoadhesive morphine sulphate tablets, *Pharm. Res.* 11(2) (1994), pp. 231-236
104. G.C. Ceschel, P. Maffei, S.L. Borgia, Design and evaluation of a new mucoadhesive bilayered tablet containing nimesulide for buccal administration, *Drug Delivery*, 11 (2004) , pp.225-230.
105. A.E. Collins, P.B. Deasy, Bioadhesive lozenge for the improved delivery of cetylpyridinium chloride, *J. Pharm. Sci.* 79(2) (1990), pp. 116.
106. M. Artusi, P. Santi, P. Colombo, H.E. Junginger, Buccal delivery of thiocolchicoside: in vitro and in vivo permeation studies. *Int. J. Pharm.* 250(1) (2003), pp.203-213.
107. H, Desai, T.M. Pramod Kumar, K. Goud, Preparation and Evaluation of a Novel Buccal Adhesive System, *AAPS PharmSciTech.* 5 (2004), Article 35.
108. Jaeger, Edmund Carroll (1959). *A source-book of biological names and terms.* Springfield, Ill: Thomas. ISBN [0-398-06179-3](#).

109. The Nature Conservancy – Hawai‘i Operating Unit (March 2004). *Kānepu‘u Preserve Lāna‘i, Hawai‘i Long-Range Management Plan Fiscal Years 2005–2010* . Hawaii Department of Land & Natural Resources Natural Area Partnership Program. p. 3. Retrieved 2009-04-09.
110. Huxley, A., ed. (1992). *New RHS Dictionary of Gardening*. Macmillan ISBN 0-333-47494-5.
111. *The Morton Arboretum Quarterly*, Morton Arboretum/University of California, (1965), p. 36.
112. Clarke, D. L. (1988). *W. J. Bean Trees and Shrubs Hardy in the British Isles*, Supplement. John Murray ISBN 0-7195-4443-2.
113. Mahajan R.T., Chopda M.Z. "Phyto-pharmacology of Ziziphus jujuba mill - A plant review" Mahajan R.T., Chopda M.Z. *Pharmacognosy Reviews*(2009) 3:6

pp.320–329

114. S.A. Mortazavi, J.D. Smart, An investigation of some factors influencing the in vitro assessment of mucoadhesion. *Int. J. Pharm.* 116 (1995) , pp.223–230.
115. H. Park, J.R. Robinson, Bioadhesive polymers as platforms for oral controlled drug delivery, Method to study bioadhesion, *Int. J. Pharm.* 19 (1984) , pp.107-127.
116. D. Train, Some aspects of the property of angle of repose of powders, *J. Pharm. Pharmacol.* 10 (1958) , pp.127T-134T.
117. T.A. Barber, *Pharmaceutical Particulate Matter, Analysis and Control*. Interpharm Press, Buffalo Grove, IL, (1993) pp. 266-349.
118. J.W. Lee, J.H. Park, J.R. Robinson, Bioadhesive based dosage forms: the next generation, *J. Pharm. Sci.* 89 (2000), pp. 850-866.
119. D. Duchene, F. Touchard, N.A. Peppas, Pharmaceutical and medical aspects of bioadhesive systems for drug administration, *Drug Dev. Ind. Pharm.* 14 (1998) , pp. 283-318.
120. N.A. Nafee, F.A. Ismail, N.A. Boraie, L.M. Mortada, *Mucoadhesive Delivery Systems. I. Evaluation of Mucoadhesive Polymers for Buccal Tablet Formulation*, *Drug Dev. Ind. Pharm.* 30 (2004), pp. 985–993.

121. H.K. Goud, T.M.P. Kumar, Preparation and evaluation of a novel buccal adhesive systems, *AAPS Pharm. Sci. Tech.* 5(3) (2004), pp. 35.
122. C.S. Yong, J.H. Jung, J.D. Rhee, C.K. Kim, H.G. Choi, Physicochemical characterization and evaluation of buccal bioadhesive tablets containing omeprazole. *Drug Dev. Ind. Pharm.* 27 (2001), pp. 447–455.
123. J.D. Smart, Drug delivery using buccal adhesive systems, *Adv. Drug Del. Rev.* 11 (1993), pp. 253–270.

124. N.A. Nafee, F.A. Ismail, N.A. Boraie, L.M. Mortada, Mucoadhesive Delivery Systems. I. Evaluation of Mucoadhesive Polymers for Buccal Tablet Formulation, *Drug Dev. Ind. Pharm.* 30(9) (2004), pp. 985–993.
125. C.S. Yong, J.H. Jung, J.D. Rhee, C.K. Kim, H. G. Choi, Physicochemical characterization and evaluation of buccal bioadhesive tablets containing omeprazole, *Drug Dev. Ind. Pharm.* 27 (2001), pp. 447–455.
126. C. Li, P.P. Bhatt, T.P. Johnston, Transmucosal delivery of Oxytocin to rabbits using a mucoadhesive buccal patch, *Pharmaceutical Development and Technology*, 2(3) (1997), pp. 265-274.
127. B.D. Spiegeleer, L.V. Vooren, J. Voorspoels, D. Thone, J. Rosier, Dissolution stability and IVIVC investigation of a buccal tablet, *AnalChim Acta.* 446 (2001), pp. 345-351.
128. P.L. Ritger, N.A. Peppas, A simple equation for description of solute release. II. Fickian and anomalous release from swellable devices, *J. Control. Rel.* 5 (1987), pp. 37–42.
129. C.R. Lopez, A. Portero, J.L. Vila-Jato, M.J. Alonso, Design and evaluation of chitosan/ethylcellulose mucoadhesive bilayered devices for buccal drug delivery. *J. Control. Rel.* 55 (1998), pp. 143-152.
130. S.W. Frantz, Instrumentation and Methodology for in vitro Skin Diffusion Cells in Methodology for Skin Absorption, in: B.W. Kemppainen, W.G. Reifenrath (Ed.), *Methods for Skin Absorption*, CRC Press, Florida, (1990), pp. 35-59.

130. K. Li, X. Zhang, F. Zhao, HPLC determination of diltiazem in human plasma and its application to pharmacokinetics in humans, *Biomed. Chromatogr.* 17 (2003), pp. 522-525.
131. W.V. Lumb, E.W. Jones, Veterinary Anesthesia, in: *Methods and equipment for administration of inhalation anesthetics*, Lea and Febiger, Philadelphia, PA. (1984), pp. 265

132. D.F. Kohn, S.K. Wixson, W.J. White, G.J. Benson, Anesthesia and Analgesia in Laboratory Animals, Academic Press, New York,(1997).
133. A. Pablo, M. Quiroga, G.V. Yuln, M. Palummo, A. Cingolani, L.L. Dall, M.G.Volonte, Comparative bioavailabilty of Diltiazem in prolonged -release oral preparations, Drug Dev. Ind. Pharm. 27 (2001), pp. 1099-1106.
134. W.A. Ritschel, Bioavailability and bioequivalence, in: W.A. Ritschel (Ed.), Handbook of Basic Pharmacokinetics, in: I.L. Hamilton (Ed.), Drug Intelligence Publications, (1992), pp. 493-526.
135. H. Boxenbaum, Pharmacokinetics tricks and traps: flip-flop models, J. Pharm. Pharmaceut. Sci. 3 (1998), pp. 90-91.
136. G.W. Snedecor, W.G. Cochrun, Statistical methods applied to experiments in agriculture and biology, Iowa State University Press, Ames, Iowa, (1956).
137. S.A. Mortazavi, J.D. Smart, An in-vitro method for assessing the duration of mucoadhesion, J. Control. Rel. 31 (1994), pp. 207–212.
138. H. Park, J.R. Robinson, Bioadhesive polymers as platforms for oral controlled drug delivery, Method to study bioadhesion. Int. J. Pharm. 19 (1984), pp. 107-127.
139. J.N. Staniforth, Powder flow, in: M.E. Aulton (Ed.), Pharmaceutics -The Science of Dosage form Design, Churchill Livingston, (1996), pp. 600 -615.
140. M. Landin, R. Martinez-Pacheco, J.L. Gomez-Amoza, C. Souto, A. Concheiro, R.C. Rowe, Effect of batch variation and source of pulp on the properties of microcrystalline cellulose, Int. J. Pharm. 91 (1993) , pp. 133-141.
141. Indian Pharmacopeia, 2nd ed., Government of India, New Delhi (1996), pp. 736.