

BIBLIOGRAPHY

- Abdul Jaleel, Omar W, Preparation and Characterization of Orally Disintegrating Loratadine Tablets from PVP Solid Dispersions, INT.J.PH.SCI. 2010; 2(3):759-770.
- Abdul S, Poddar SS. A flexible technology for modified release of drugs: multi layered tablets. J. Control. Release. 2004; 97: 393–405.
- Abebe, A., Akseli, I., Martin, K., Sprockel, O., Cuitino, A. Challenges in developing bilayer tablets. In: AICHE Annual Meeting, Salt Lake City, UT.2010.
- Abebe, A., Martin, K., Patel, J., Desai, D., Timmins. P. Bilayer tablet formulations. US Patent No. 8,535,715; 2013.
- Abul Kalam Lutful Kabir et al., Formulation Development and Evaluation of Mouth Dissolving Tablets of Loratadine. Stamford Journal of Pharmaceutical Sciences. 2009; 2(2): 59-65.
- Adel M, Semreen M K, Qato M K. 2005. Fast dissolving dosage forms – technique. Pharm Tech. 2005; 25: 68-75.
- Ahmed Abd Elbary, Adel A. Ali, Heba M. Aboud. Enhanced dissolution of meloxicam from orodispersible tablets prepared by different methods. Bulletin of Faculty of Pharmacy, Cairo University. 2012; 5: 89–97.
- Akseli, I., Abebe, A., Sprockel, O., Cuitino, A. Mechanistic characterization of bilayer tablets. Powder Technol. 2013; 236: 30–36.
- Alderborn G, Nystrom C. Studies on direct compression of tablets IV, The effect of particle size on the mechanical strength of tablets, Acta Pharma., Sue., 1982; 19: 381-390.

- Aloysius UI, Achike FI, Mustafa MR. Mechanisms underlining gender differences in Phenylephrine contraction of normoglycaemic and short-term Streptozotocin-induced diabetic WKY rat aorta. *Vascular Pharmacology*.2012; 57: 81–90.
- Andreas M. Abend, Le Chung, David G. McCollum, W. Peter Wuelfing. Development and validation of an automated extraction method (accelerated solvent extraction) and a reverse-phase HPLC analysis method for assay of ivermectin in a meat-based chewable formulation. *Journal of Pharmaceutical and Biomedical Analysis*. 2003; 31: 1177-1183.
- Anil Chaudhary, Neha Tiwari, Vikas Jain, Ranjit Singh. Microporous bilayer osmotic tablet for colon-specific delivery. *European Journal of Pharmaceutics and Biopharmaceutics*. 2011; 78: 134–140.
- Anuar MS, Briscoe BJ. Interfacial elastic relaxation during the ejection of bi-layered tablets. *International Journal of Pharmaceutics*. 2010; 387: 42–47.
- Anuar, M.S., Briscoe,P.J. Interfacial elastic relaxation during the ejection of bilayered tablets. *Int. J. Pharm.* 2010; 387, 42–47.
- Association of the European Self-Medication Industry Database (AESMID). Loratadine OTC regulation Page accessed. 2015.
- Aurora J, Pathak V. Oral disintegrating technologies: Oral disintegrating dosage forms: An overview. *Drug Deliv Technol*, 2005; 5(3): 50-54.
- Bangalore, S., Kamalakkannan, G., Perker, S., Messerli, F.H. Fixed dose combinations improve medication compliance: a meta-analysis. *Am. J. Med.* 2007; 120: 713–719.
- Bankar UV, Sharma MM. *Pharmaceutical dissolution testing*, Marcel Dekker, NY, 1992.

- Behzad Sharif Makhmal Zadeh et al., Preparation and evaluation of the self emulsifying drug delivery system containing loratadine. *International Journal of Advances in Pharmaceutical Sciences*. 2010; 1: 239-248.
- Benkerrou, L., Galley, O., Quinet, F., Abebe, A., Timmins, P. Multilayered tablet containing pravastatin and aspirin and method. US Patent No. US2004/0115265; 2004.
- Bharat Damle, Gregory Duczynski, Barrett W. Jeffers, Penelope Crownover, Alastair Coupe, Robert R. LaBadie. Pharmacokinetics of a Novel Orodispersible Tablet of Sildenafil in Healthy Subjects. *Clinical Therapeutics*. 2014; 36(2): 236-244.
- Biradar SS, Bhagavati ST and Kuppasad IJ. Fast dissolving drug delivery systems: A brief overview. *Internet. J. Pharmacology*. 2006; 4(2): 122-155.
- Biradar SS, Bhagwati ST, Kuppasad IJ, *Internet J. Pharmac.* 2006; 4: article 2.
- Bogner RH, Wilkosz MF. Fast dissolving tablet. <http://www.uspharmacist.com>, Accessed 16 May 2008.
- British Pharmacopoeia, Vol.-2, The Stationary Office, London, U.K., 2007; pp.1384.
- Brown D. Orally disintegrating tablets: Taste over speed. *Drug Deliv Tech*, 2001; 3(6): 58-61.
- Bruce D Anderson, Steven G Turchen, Anthony S Manoguerra, Richard F Clark. Retrospective analysis of ingestions of iron containing products in the united states: Are there differences between chewable vitamins and adult preparations?. *The Journal of Emergency Medicine*, 2000; 19 (3): 255-258.
- Capkova et al., Formulation of Loratadine into Hydrogels, *Acta Facultatis Pharmaceuticae Unversitatis Comenianae Tomous L*. 2005.

Carmen Remunan-Lopez , Ana Portero, Jose Luis Vila-Jato, Maria Jose Alonso.
Design and evaluation of chitosan / ethylcellulose mucoadhesive bilayered devices
for buccal drug delivery. *Journal of Controlled Release*. 1998; 55: 143–152.

Carolina Visser J, Herman J Woerdenbag, Stefan Crediet, Edwin Gerrits, Marjan A
Lesschen, Wouter LJ Hinrichs, Jörg Breitzkreutz, Henderik W Frijlink.
Orodispersible films in individualized pharmacotherapy: The development of a
formulation for pharmacy preparations. *International Journal of Pharmaceutics*.
2015; 478: 155–163.

Carolina Visser J, Willem MC Dohmen, Wouter LJ Hinrichs, Jörg Breitzkreutz,
Henderik W Frijlink, Herman J Woerdenbag. Quality by design approach for
optimizing the formulation and physical properties of extemporaneously
prepared orodispersible films. *International Journal of Pharmaceutics*. 2015; 485:
70–76

Carolina Visser J, Willem MC Dohmen, Wouter LJ Hinrichs, Jörg Breitzkreutz,
Henderik W Frijlink, Herman J Woerdenbag. Quality by design approach for
optimizing the formulation and physical properties of extemporaneously prepared
orodispersible films. *International Journal of Pharmaceutics*. 2015; 485: 70–76.

Chang RK, Guo X, Burnside BA, Couch RA. Fast dissolving tablets. *Pharm Tech*,
2000; 24: 52-58.

Charlton,S.T., Nicholson,S.J. A novel immediate release film coat formulation for use
with an extended release gel matrix tablet core. *J. Pharm. Pharmacol.* 2010; 62:
1397–1398.

- Charman, S.A., Charman, W.N. Oral modified-release delivery systems. In: Rathbone, M.J., Hadgraft, J., Roberts, M.S. (Eds.), *Modified-Release Drug Delivery Technology*. Informa Healthcare, London, 2002; 1–19.
- Chavkin et al., United state patents, 5,753,255, Chewable molded tablets containing medicinally active substances. 1998.
- Chemate SZ, Chowdary KPR. A Factorial study of Enhancement of Solubility and Dissolution Rate of Lornoxicam Employing β -Cyclo Dextrin and surfactants. *International Journal of Pharmaceutical Research and Development*, 2011; 4(03) : 350-356.
- Cherkuri SR. Process for forming quickly dispersing comestible unit and product there from, U.S. Patent US 5587172, 1996.
- Chidambaram, N., Porter, W., Flood, K., Qiu, Y. Formulation and characterization of new layered diffusional matrices for zeroorder sustained release. *J. Control. Release*. 1998; 52, 149–158.
- Christy S. Scott, George Z Retsch-Bogart, Robert P. Kustra, Katie M. Graham, Bradley J. Glasscock, and Philip C. Smith. The pharmacokinetics of ibuprofen suspension, chewable tablets, and tablets in children with cystic fibrosis. *The Journal of Paediatrics*. 1999; 134(1): 58- 63.
- Cohen JP et al. Switching prescription drugs to over the counter. *BMJ*. 2005; 330 (7481):39- 41.
- Committee on Drugs. Transfer of drugs and other chemicals into human milk. *Pediatrics*. 2001; 108 (3): 776–89.

Conte, U., Maggi, L., Columbo, P., La Manna, A. Multi-layered hydrophilic matrices as constant release devices (Geomatrix Systems). *J. Control. Release.* 1993; 26, 39–47.

Cooper B E. Review and Update on Inotropes and Vasopressors. *AACN Advanced Critical Care.* 2008; 19: 5–15.

DailyMed - PREPARATION H- cocoa butter and phenylephrine hydrochloride suppository.nih.gov. Retrieved 4. 2015.

DailyMed-PHENYLEPHRINE HYDROCHLORIDE- phenylephrine hydrochloride injection.nih.gov. Retrieved 4. 2015.

Dalise Zancheta, Jéssica A. Troiano, Simone R. Potje, Priscila Cavalari, Doris H. Sumida, Cristina Antoniali. The PI3K–Akt–eNOS pathway is involved in aortic hyporeactivity to Phenylephrine associated with late pregnancy in spontaneously hypertensive rats. *Life Sciences.*2015; 122: 78–86.

Darna B., Kandikonda S., Uppuluru A., Gade S. and Bhupathi S., Fast dissolving tablets. *Int. Res. J. Pharm.* 2011; 2: 45-53.

Day J H, Briscoe M P, Ratz J D, Danzig M, Yao R. Efficacy of loratadinemontelukast on nasal congestion in patients with seasonal allergic rhinitis in an environmental exposure unit. *Annals of Allergy, Asthma & Immunology.* 2009; 102 (4): 328.

Debetti L. “Fast disintegrating tablets”, PCT Patent WO99/44580-A1., 1999.

DeRoche CC. Consumer preference for orally disintegrating tablets over conventional forms of medication: Evolving methodology for medication intake in dysphagia. Lecture presented at the 12th Annual Meeting of the Dysphagia Research Society, San Francisco, CA, 2-4 Oct., 2003, *Dysphagia*, 2005; 20(1):77-88.

- Desai, D., Wang, J., Wen, H., Li, X., Timmins, P. Formulation design, challenges, and development considerations for fixed dose combination of oral solid dosage forms. *Pharm. Dev. Technol.* 2013; 6: 1265–1276.
- Desjardins PJ & Berlin RG. Efficacy of phenylephrine. *British Journal of Clinical Pharmacology.* 2007; 64 (4): 555–556.
- Dietrich, P., Bauer-Brandl, A., Schubert, R. Influence of tableting forces and lubricant concentration on the adhesion strength in complex layer tablets. *Drug Dev. Ind. Pharm.* 2000; 26: 745–754.
- Dobetti L. Fast-melting tablets: Development and technologies. *Pharm. Technol. Drug Deliv.* 2001; 44-45.
- Doheny K. You really expect me to swallow those horse pills? *Am Druggist*, 1993; 208: 34-35.
- Dong Y., Kulkarni R., Behme R.J. and Kotiyan P.N. Effect of the melt granulation technique on the dissolution characteristics of griseofulvin. *Int. J. Pharm.* 2007; 329: 72-80.
- Dorrit Østergaard Nilausen, RGJA Zuiker, Joop van Gerven. The Perception and Pharmacokinetics of a 20-mg Dose of Escitalopram Orodispersible Tablets in a Relative Bioavailability Study in Healthy Men. *Clinical Therapeutics.* 2011; 33: 1492-1502.
- Drug Dosage Form IIa (PHR312), Advantages of chewable tablets, Lecture 6, Pharos University Alexandria. 2011.
- Drug Dosage Form IIb (PHR312), Advantages of chewable tablets, Lecture 7, Pharos University Alexandria. 2011.
- DrugBank: Phenylephrine (DB00388). drugbank.ca. Retrieved 4 April 2015.

Drwis Gates, L Greiding, F Ramon, K Heirhofi L Salmun. Loratadine Use Leads to Increased Wakefulness and Motivation When Compared to Cetrizine in Patients With Allergic Rhinitis. *J Allergy Clin Immunol.*2000; 104(1): S391.

Efentakis, M., Peponaki, C. Formulation study and evaluation of matrix and three-layer tablet sustained drug delivery systems based on carbopols with isosorbite mononitrate. *AAPS Pharm SciTech.* 2008; 9: 917–923.

European Patent Application, EP 0 3 49 103 A1, Smith Kline and French Lab. Ltd., 1990. Gary ML, Patrick M. Effectiveness of Fluoxetine Chewable tablets in treatment of Canine separation anxiety,*Journal of veterinary behavior.* 2008; 3:12-19.

Felix Joe V et al., Formulation and evaluation of Pseudoephedrine hydrochloride and Loratadine extended release tablet, *J. Ph. Res.* 2011;4 (2):507-508.

Fridrun Podczeck, Emad Al-Muti. The tensile strength of bilayered tablets made from different grades of microcrystalline cellulose. *European Journal of Pharmaceutical Sciences.* 2010; 41: 483–488.

Fridrun Podczeck. Theoretical and experimental investigations into the delamination tendencies of bilayer tablets. *International Journal of Pharmaceutics.* 2011; 408: 102–112.

Fuisz RC. Rapidly dissoluble medicinal dosage unit and method of manufacture.

Gabriel Marcelín-Jiménez, Alionka P. Ángeles-Moreno, Leticia Contreras-Zavala, Alberto García-González, Eduardo Ramírez-San Juan. Comparison of Fasting Bioavailability Among 100-mg Commercial, 100-mg Generic, and 50-mg Chewable Generic Sildenafil Tablets in Healthy Male Mexican Volunteers: A

Single-Dose, 3-Period, Crossover Study. *Clinical Therapeutics*. 2012; 34(3): 689-698.

Gandhi PP, Vaidya KA, Shelake GT *et al.* "Formulation and evaluation of Metformin hydrochloride fast disintegrating tablets by using polacrillin potassium NF from different sources as superdisintegrants". *Int.J.Pharmacy Pharm Sci*. 2010; 2(2).

Georgeta Pavalache *et al.*, Validation of UV molecular absorption spectrometric method for loratadine determination, *Ovidius University Annals of Chemistry*, 2010; 21 (2): 157- 162.

Ghosal A, Gupta S, Ramanathan R *et al.* Metabolism of loratadine and further characterization of its *in vitro* metabolites. *Drug Metab Lett*. 2009; 3 (3): 162-70.

Affrime M, Gupta S, Banfield C, Cohen A. A pharmacokinetic profile of desloratadine in healthy adults, including elderly. *Clinical pharmacokinetics*. 2002; 41(1): 13-9. *Drugs.com*. Loratadine at *drugs.com* international listings Page accessed April 11, 2015.

Ghosh TK, Chatterjee DJ, Pfister WR. Quick dissolving oral dosage forms: Scientific and regulatory considerations from a clinical pharmacology and biopharmaceutical perspective. In: Ghosh TK and Pfister WR (Eds). *Drug Delivery to the Oral Cavity: Molecules to Market*. NY, USA: CRC Press, 2005; 337-356.

Giselle F. Passos, Elizabeth S. Fernandes, Fernanda M. da Cunha, Juliano Ferreira Luiz F. Pianowski, Maria M. Campos, Joao B. Calixto. Anti-inflammatory and anti-allergic properties of the essential oil and active compounds from *Cordia verbenacea*. *Journal of Ethnopharmacology*. 2007; 110: 323-333.

- Habib W, Khankari R, Honts J. Fast dissolving drug delivery systems. *Crt Rev Ther Drug Carrier Syst*, 2000; 17(1): 61-72.
- Hagen Trommer, Klaus Raith, Reinhard HH Neubert. Investigating the degradation of the sympathomimetic drug phenylephrine by electrospray ionisation-mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*. 2010; 52: 203–209.
- Hall, Stephen S. *The Claritin Effect; Prescription for Profit*. The New York Times. 2001; Retrieved 2010.
- Hamilton EL, Luts EM. Advanced Orally disintegrating tablets bring significant benefits to patients and product life cycle. *Drug Deliv Technol*, 2005; 5(1): 34-37.
- Hancock, B.C., Clas, S.D., Christensen, K. Micro-scale measurement of the mechanical properties of compressed pharmaceutical powders. 1: The elasticity and fracture behavior of microcrystalline cellulose. *Int. J. Pharm.* 2000; 209: 27–35.
- Harshal Pawar, Chhaya Varkhade, Pravin Jadhav, Kavita Mehra. Development and evaluation of orodispersible tablets using a natural polysaccharide isolated from *Cassia tora* seeds. *Integr Med Res*. 2014; 3: 91–98.
- Hatton RC et al. Efficacy and Safety of Oral Phenylephrine: A Systematic Review and Meta- Analysis (ABSTRACT). *Annals of Pharmacotherapy*. 2007; 41 (3): 381–390.
- Heldeles L and Hatton R. Oral phenylephrine: An ineffective replacement for pseudoephedrine?. *Journal of Allergy and Clinical Immunology*. 2006; 118 (1): 279–280.

Hema Chaudhary, Samita Gauri, Permender Rathee, Vikash Kumar. Development and optimization of fast dissolving oro-dispersible films of granisetron HCl using Box-Behnken statistical design. Bulletin of Faculty of Pharmacy, Cairo University.2013; 51: 193-201.

Hiestand, E.N.E., Wells, J.E., Peot, C.B., Ochs, J.F. The physical process of tableting. J. Pharm. Sci.1977; 66: 510-518.

Hilenmeyer K. All stuffed up. Southwest Florida Herald-Tribune. 2007.

Hiroyuki Suzuki, Hiraku Onishi, Seiji Hisamatsu, Kosuke Masuda, Yuri Takahashi, Masanori Iwata, Yoshiharu Machida. Acetaminophen-containing chewable tablets with suppressed bitterness and improved oral feeling. International Journal of Pharmaceutics. 2004; 278: 51-61.

Hiroyuki Suzuki, Hiraku Onishi, Yuri Takahashi, Masanori Iwata, Yoshiharu Machida. Development of oral acetaminophen chewable tablets with inhibited bitter taste. International Journal of Pharmaceutics. 2003; 251: 123-132.

Holdcroft C. Terfenadine, astemizole and loratadine: Second generation antihistamines. The Nurse practitioner.1993; 18 (11): 13-14.

Horak F, Zieglmayer P, Zieglmayer R, Lemell P, Yao R, Staudinger H, Danzig M. A placebo-controlled study of the nasal decongestant effect of phenylephrine and pseudoephedrine in the Vienna Challenge Chamber. Annals of Allergy, Asthma & Immunology. 2009; 102 (2): 116-20.

http://akorn.com/documents/catalog/sell_sheets/17478-205-10.pdf

http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/203826s000lbl.pdf.

<http://www.mayoclinic.org/diseases-conditions/hemorrhoids/basics/definition/con-20029852>

Hyesun Jun, Mee-Ree Han, Nae-Gyu Kang, Jung-Hwan Park, Jung Ho Park. Use of hollow microneedles for targeted delivery of phenylephrine to treat fecal incontinence. *Journal of Controlled Release*. 2015; 207: 1–6.

ICH harmonised tripartite guideline on stability testing for new drugs and products Q1C, Current Step 4 version dated 6 November 1996.

Inman, S.J., Briscoe, B.J., Pitt, K.G. Topographic characterization of cellulose bi-layered tablets interfaces. *Chem. Eng. Res. Des.* 2007; 85: 1005–1012.

Jagdale S, Gattani M, Bhavsar D. Formulation and evaluation of chewable tablet of Levamisole. *Int. J. Res. Pharm. Sci.* 2010; 1: 282-289.

Jasek W. *Austria-Codex Vienna: Österreichischer Apothekerverlag.* 2007;1: 1731–34.

Jasek, W. *Austria-Codex* (in German) Vienna: Österreichischer Apothekerverlag. 2007; pp. 1768–71.

Jashanth Singh and Rajmeet Singh. Optimization and Formulation of Orodispersible tablets of Meloxicam. *Tropical Journal of Pharmaceutical research*, April 2009; 8(2):153-159.

Jayadev Patil et al., Formulation, Design And Evaluation of Orally Disintegrating Tablets of Loratadine Using Direct Compression Process, *International Journal of Pharma and Bio Sciences*. 2011; 2(2).

Jaysukh J Hirani, Dhaval A Rathod, Kantilal R Vadalía. Orally Disintegrating Tablets: A Review. *Tropical Journal of Pharmaceutical Research*, 2009; 8 (2): 161-172.

- Jinhong Wu, Chunmei Yang, Yuzhi Rong, Zhengwu Wang. Preparation and Nutritional Characterization of Perilla Chewable Tablet. *Procedia Engineering*. 2012; 37: 202 – 207.
- Jones, R.M. Mechanism of Composite Materials, 2nd ed. Taylor & Francis, Philadelphia, PA. 1999; 245–246.
- Joshi AA, Xavier D. Added functionality excipients. *Pharm.Technol. (Excipients and solid dosage forms)*,2004; 12-19.
- Jun Ho Lee, Na Young Ko, Nam Wook Kim, Se Hwan Mun, Jie Wan Kim, Bo Kyung Kim, Dong Wan Seo, Hyun Wook Chang, Tae Chul Moon, Erk Her, Jeung Whan Han, Young Mi Kim, Wahn Soo Choi. *Meliae cortex* extract exhibits anti-allergic activity through the inhibition of Syk kinase in mast cells. *Toxicology and Applied Pharmacology*.2007; 220: 227–234
- Jussi P Posti, Laura Valve, Saku Ruohonen, Juha Akkila, Mika Scheinin, Amir Snapir. Dorsal hand vein responses to the α_1 -adrenoceptor agonist phenylephrine do not predict responses to the α_2 -adrenoceptor agonist dexmedetomidine. *European Journal of Pharmacology*. 2011; 653: 70–74.
- Kadria A. Elkhodairy, Maha A. Hassan, Samar A. Afifi. Formulation and optimization of orodispersible tablets of flutamide. *Saudi Pharmaceutical Journal*. 2014; 22: 53–61.
- Kanfer I, Dowse R, Vuma V. Pharmacokinetics of oral decongestants. *Pharmacotherapy*. 1993; 13(6).
- Karehill, P.G., Glaser, M., Nystrom,C. Studies on direct compression of tablets. XXIII. The importance of surface roughness for the compactability of some

directly compressible materials with different bonding and volume reduction properties. *Int.J.Pharm.*1990; 64: 35–43.

Kashid et al., United state patents, 2009/0269393., Chewable bilayer formulation. 2009. Kanig JL and Rudnic EM. The mechanism of disintegrant action, *Pharm tech.* 2006; 50-63.

Kathiresan K et al., Formulation and evaluation of loratadine chewable tablets, *Research Journal of Pharmaceutical, Biological and Chemical Sciences.* 2010; 1(4): 763.

Kay GG, Harris AG. *Clin Exp Allergy.* 1999; 3: 147-150.

Kay GG, Harris AG. Loratadine: a nonsedating antihistamine. Review of its effects on cognition, psychomotor performance, mood and sedation. *Clinical and experimental allergy: journal of the British Society for Allergy and Clinical Immunology.* 1999; 29 (3): 147–50.

Kei-ichi Koizumi et al., New method of preparing high-porosity rapidly saliva soluble compressed tablets using mannitol with camphor, a subliming material, *J Pharm Res.* 1997; 152: 127-131.

Kizumi K., Watanabe Y., Morita K., Utoguchi N. and Matsumoto M. New method of preparing high porosity rapidly saliva soluble compressed tablets using Manitou with camphor: A sublimating material. *Int. J. Pharm.* 1997; 152: 127-31.

Kollar C, Schneider H, Waksman J, Krusinska E. Meta-analysis of the efficacy of a single dose of phenylephrine 10 mg compared with placebo in adults with acute nasal congestion due to the common cold. *Clinical Therapeutics.* 2007; 29 (6): 1057- 1070.

- Kottala, N., Abebe, A., Sprockel, O., Bergum, J., Nikfar, F., Cuitino, A. Evaluation of the performance characteristics of bilayer tablets: Part I. Impact of material properties and process parameters on the strength of bilayer tablets. *AAPS Pharm SciTech*. 2012a; 13: 1236–1242.
- Kottala, N., Abebe, A., Sprockel, O., Akseli, I., Nikfar, F., Cuitino, A. Characterization of interfacial strength of layered powder-compacted solids. *Powder Technol*. 2013; 239: 300–307.
- Kristi Monson, PharmD. Claritin and Alcohol. emedtv.com.
- Kyo E, Uda N, Kakimoto M, Yokoyama K, Ushijima M, Sumioka I, Kasuga S, Itakura Y. Anti-allergic effects of aged garlic extract. *Phytomedicine*. 1997; 4 (4): 335-340.
- La Force, C., Gentile, D.A., Skoner, D.P. A randomized, double-blind, parallel group, multicenter, placebo-controlled study of the safety and efficacy of extended release of guaifenesin/pseudoephedrine hydrochloride for symptom relief as an adjunctive therapy to antibiotic treatment of acute respiratory infections. *Post Grad. Med*. 2008; 120: 53–59.
- Lacombe, R. *Adhesion Measurement Methods: Theory and Practice*. Taylor & Francis, Boca Raton, 2006; 14–15.
- Lakshmi CSR et al., Formulation And Evaluation of Oral Dispersible Tablets of Cinnarizine Using Sublimation Technique, *International Journal of Pharmaceutical Sciences Review and Research*, 2011; 6(2): 032.
- Lalita, L.K., Banerjee, S.K., Gadhawe, M.V., Gaikwad, D.D., Gaykar, A.J., 2013. Review on bilayer floating tablet. *Asian J. Pharm. Res. Dev*. 2013; 1: 31–39.

- Lars Pedersen et al., Maternal use of Loratadine during pregnancy and risk of hypospadias in offspring, "International Journal of Medical Sciences", 2006 3(1):21-25.
- Li, S.P., Karth, M.G., Feld, K.M., Dipalo, L.C., Pendaharkar, C.M., Williams, R.O. Evaluation of bilayer tablet machines – a case study. Drug Dev. Ind. Pharm. 1995; 21: 571–590.
- Lies MC, Atherton AD, Copping NM. Freeze-dried dosage forms and methods for preparing same. US Patent 5,188,825 (1993).
- M. Zahirul I. KHAN et al., Classification of Loratadine Based on the Biopharmaceutics Drug Classification Concept and Possible *in Vitro–in Vivo* Correlation, Biol. Pharm. Bull. 2004; 27(10): 1630-1635.
- M. Zahirul I. KHAN et al., Classification of Loratadine Based on the Biopharmaceutics Drug Classification Concept and Possible *in Vitro–in Vivo* Correlation, "Biol. Pharm. Bull.", 2004; 27(10): 1630-1635.
- Maren Preis, Klaus Knop, Jörg Breitzkreutz. Mechanical strength test for orodispersible and buccal films. International Journal of Pharmaceutics. 2014; 461: 22–29
- Martin, K., Abebe, A., Raghavan, K., Stamato, H., Timmins, P. Bilayer tablets: effects of upper punch penetration on the potency of the second layer. In: AAPS Annual Conference, Chicago, IL.2012.
- Masahiro Niwa, Yasuhiro Hiraishi, Norio Iwasaki, Katsuhide Terada. Quantitative analysis of the layer separation risk in bilayer tablets using terahertz pulsed imaging. International Journal of Pharmaceutics. 2013; 452: 249– 256.

- Mashadi, A.B., Newton, J.M. The characterization of the mechanical properties of microcrystalline cellulose: a fracture mechanics approach. *J. Pharm. Pharmacol.* 1987; 39: 961–965.
- Matthew P. Mullarney, Bruno C. Hancock, Glenn T. Carlson, Dauda D. Ladipo, Beth A. Langdon. The powder flow and compact mechanical properties of sucrose and three high-intensity sweeteners used in chewable tablets. *International Journal of Pharmaceutics.* 2003; 257: 227–236.
- McCann, Nangia, A., Molly, T., Fahie, B.J., Chopra, S.K. Novel regulated release system based on geometric configuration. *Proc. Int. Symp. Control. Release Bioactive Mater.* 1995; 22: 294–295.
- Medscape: Medscape Access. [medscape.com](https://www.medscape.com). Retrieved 4 April 2015.
- Miller, T.A., York, P. Pharmaceutical tablet lubrication. *Int. J. Pharm.* 1998; 41: 1–19.
- Min Li, Aixin Shi, Hongxian Pang, Wei Xue, Yang Li, Guoying Cao, Fan Dong, Kexin Li, Wei Xiao, Guorong He, Guanhua Du, Xin Hu, Bei Yan. Safety, tolerability, and pharmacokinetics of a single ascending dose of baicalein chewable tablets in healthy subjects. *Journal of Ethnopharmacology.* 2014; 156: 210–215.
- Misra TK, Currington JW, Kamath SA, Sanghvi PP, Sisak JR, Raiden MG. Fast dissolving comestible units formed under high speed/ high pressure conditions. U.S Patent US 5869098, 1999.
- Mithal BM. A textbook of pharmaceutical formulation, sixth edition, Vallabh Prakashan 1997.
- Mizumoto T, Masuda Y, Fukui M. Intrabucally dissolving compressed moldings and production thereof. U.S. Patent US 5576014, 1996.

- Mohana Raghava Srivalli K, Lakshmi PK, Balasubramaniam J. Design of a novel bilayered gastric mucoadhesive system for localized and unidirectional release of lamotrigine. *Saudi Pharmaceutical Journal*. 2013; 21: 45–52.
- Molet S, Gosset P, Vasseur F, Czarlcwski W, Tonnel AB. Inhibitory activity of Loratadine and descarboxyethoxyloratadine on histamine induced activation of human endothelial cells. *J Allergy Clin Immunol*. 1996; 97(1); 279.
- Mullarney MP et al. The powder flow and compact mechanical properties of sucrose and three high intensity sweeteners used in chewable tablets. *International journal of pharmaceutics*.2003; 257: 227-236.
- Mutschler Ernst, Gerd Geisslinger, Heyo K Kroemer, Monika Schäfer-Korting. *Arzneimittelwirkungen* .Stuttgart: Wissenschaftliche Verlagsgesellschaft.2001; 8: 456–461.
- Myers GL, Battist GE, Fuisz RC. Process and apparatus for making rapidly dissolving dosage units and product therefrom, U.S. Patent US 5622719, 1996.
- Myers GL, Battist GE, Fuisz RC. Process and apparatus for making rapidly dissolving dosage units and product therefrom, U.S. Patent US 5866163, 1999.
- Nelson Wendel L. Antihistamines and related antiallergic and antiulcer agents. In Williams, David H.; Foye, William O.; Lemke, Thomas L. *Foye's principles of medicinal chemistry*. Hagerstown, MD: Lippincott Williams & Wilkins. 2002; p. 805.
- Neo-Synephrine Nasal Spray Drug Information, Professional". drugs.com. Retrieved 4. 2015.

Nirmal, J., Saisivam, S., peddanna, C., Muralidharan, S., Nagrarajan, M. Bilayer tablets of atorvastatin calcium and nicotinic acid: formulation and evaluation. Chem. Pharm. Bull. 2008; 56: 1455–1458.

NZ Medicines and Medical Devices Safety Authority recommendation on phenylephrine. 2004.

Okan Erdogan, Armagan Altun, Sabri Gazi, and Gultac Ozbay. Loratidine improves ischemic parameters of exercise stress test in patients with acute myocardial infarction. American Heart Journal. 2004; 148(6): c1-c5.

Ostrander K. Advances in fast dispersing technologies-zydis. Paper presented at the Annual Meeting of the AAPS, Salt Lake City, UT, 29 Oct., 2003.

Ozeki, Y., Ando, M., Watanabe, Y., Danjo, K. Evaluation of novel one-step dry coated tablets as a platform for delayed-release tablets. J. Control. Release. 2004; 95: 51–60.

Pahwa R. and Gupta N. Superdisintegrants in the Development of Orally Disintegrating Tablets: A Review. Int. J. Pharm. Sci. Res. 2011; 2: 2767-2780.

Park, C.R., Munday, D.L. Evaluation of a biphasic buccal adhesive tablet for nicotine replacement therapy. Int. J. Pharm. 2002; 237: 215–226.

Péter Szabó, Barnabás FKállai-Szabó, István Sebe, Romána Zelkó. Preformulation study of fiber formation and formulation of drug-loaded microfiber based orodispersible tablets for *in vitro* dissolution enhancement. International Journal of Pharmaceutics (2014); 477: 643–649.

Pfister WR, Ghosh TK. Intraoral delivery systems: An overview, current status and future trends. In: Pfister WR, Ghosh TK (Eds). Drug delivery to the oral cavity: Molecules to Market. CRC Press, NY, USA, 2005, 1-40.

- Pfister WR, Ghosh TK. Orally Disintegrating Tablets: Products, Technologies and Development issues. *Pharm Tech*, 2005; October: 136-150.
- Phenylephrine Rectal. webmd.com. Retrieved 4. 2015.
- Podczeczek F, K.R. Drake KR, Newton JM, Haririan I. The strength of bilayered tablets. *European Journal of Pharmaceutical Sciences*. 2006; 29: 361–366.
- Podczeczek, F. Methods for the practical determination of the mechanical strength of tablets – from empiricism to science. *Int. J. Pharm.* 2012; 436: 214–232.
- Podczeczek, F., Al-Muti, E. The tensile strength of bilayered tablets made from different grades of microcrystalline cellulose. *Eur. J. Pharm. Sci.* 2010; 41: 483–488.
- Podczeczek, F., Drake, K.R., Newton, J.M., Haririan, I. The strength of bilayer tablets. *Eur. J. Pharm. Sci.* 2006; 29, 361–366.
- Pons-Guiraud A, Nekam K, Lahovsky J, Costa A, Piacentini A. Emedastine difumarate versus loratadine in chronic idiopathic urticaria: A randomized, double-blind, controlled European multicentre clinical trial. *European journal of dermatology : EJD*. 2006; 16(6): 649–54.
- Poon, C.Y., Bhushan, B. Comparison of surface roughness measurements by stylus profiler, AFM and non-contact optical profiler. *Wear*. 1995; 190: 76–88.
- Priapism : American Urological Association. auanet.org. Retrieved 4. 2015.
- Puttewar TY, Kshirsagar MD, Chandewar AV, Chikhale RV. Formulation and evaluation of orodispersible tablet of taste masked doxylamine succinate using ion exchange resin. *Journal of King Saud University (Science)*. 2010; 22: 229–240.
- Qing-Ri Cao, Yun-Woong Choi, Jing-Hao Cui, Beom-Jin Lee. Formulation, release characteristics and bioavailability of novel monolithic

- hydroxypropylmethylcellulose matrix tablets containing acetaminophen. *Journal of Controlled Release*. 2005; 108: 351–361.
- Rajkumar Pyla, Islam Osman, Prahalathan Pichavaram, Paul Hansen, Lakshman Segar. Metformin exaggerates phenylephrine-induced AMPK phosphorylation independent of CaMKK β and attenuates contractile response in endothelium- denuded rat aorta. *Biochemical Pharmacology*. 2014; 92: 266–279.
- Ranade, A.N., Wankhede, S.S., Ranpise, N.S., Mundada, M.S. Development of bilayer floating tablet of amoxicillin and Aloe vera gel powder for treatment of gastric ulcers. *AAPS PharmSciTech*. 2012; 13: 1518–1523.
- Reddy LH, Ghosh BR. Fast dissolving drug delivery systems: A review of the literature. *Ind J Pharm Sci*, 2002; 64(4): 331-336.
- Ritesh M Pabari, Zebunnissa Ramtoola. Application of face centred central composite design to optimise compression force and tablet diameter for the formulation of mechanically strong and fast disintegrating orodispersible tablets. *International Journal of Pharmaceutics*. 2012; 430: 18– 25.
- Sahu et al., *Novel Science International Journal of Pharmaceutical Science*. 2012; 1(3): 204- 211.
- Sang-Hyun Kim, Seung-Bin Park, Sin-Myoung Kang, Hoon Jeon, Jong-Pil Lim, Won-Hwan Park, Hyung-Min Kim, Tae-Yong Shin, Taeg Kyu Kwon. Anti-allergic effects of *Teucrium japonicum* on mast cell-mediated allergy model. *Food and Chemical Toxicology*. 2009; 47: 398–403.
- Savan R. Vachhani et al., Formulation and *in-vitro* evaluation of floating capsules of Loratadine, *J. Chem. Pharm. Res*. 2010; 2(2): 57-64.

- Schenkel E, Cox F, Goodwin B, Picene F, Aaronson D, K Rç~I, Cook C, Rogenes P. Patient satisfaction with seasonal allergic rhinitis therapy in a clinical trial comparing fluticasone with loratadine. *J Allergy Clin Immunol.*1996; 97(1); 433.
- Seager H. Drug-delivery products and Zydis Fast dissolving dosage form. *J. Pharm. Pharmacology*, 1998; 50: 375-382.
- Seager H.J., Drug delivery products and zydis fast dissolving dosage forms, *Pharm.Pharmacol.*1998; 50: 375-382.
- See Sharon. Desloratadine for Allergic Rhinitis. *American Family Physician.*2003.
- Serebruany, V.L., Malinin, A.I., Sane, D.C., Jilma, B., Takserman, A., Atar, D., Henneckens, C.H. Aggrenox and aspirin in patients after ischemic stroke: the Aggrenox versus aspirin therapy evaluation trial. *Eur.J. Pharmacol.* 2004; 3: 315–324.
- Shangraw R., Mitrevej A. and Shah M. A new era of tablet disintegrants. *Pharm. Technol.* 1980; 4:49-57.
- Shashi Kiran Mishra et al., Formulation and evaluation of oil entrapped gastroretentive floating gel beads of loratadine, *Acta Pharm.*2008; 58: 187–197.
- Shen,Howard. Illustrated Pharmacology Memory Cards: PharMnemonics. Minireview.2008; p. 3.
- Shih JC, Chen K, Chen. Regulation of MAO-A and MAO-B gene expression. *Curr. Med. Chem.* 2004; 11 (15): 1995-2005.
- Shivanand, P., Sprockel, O. A controlled drug delivery system. *Int. J. Pharm.* 1998; 167, 83–96.

- Shiyani, B., Gattani, S., Surana, S. Formulation and evaluation of bi-layer tablet of metoclopramide hydrochloride and ibuprofen. *AAPS Pharm SciTech*. 2008; 9: 818–827.
- Singhavi I, Bhatia N. *Indian J Pharm Sci*. 2006; 68: 72-75.
- Slowson M, Slowson S. What to do when patients cannot swallow their medications. *Pharm Times*, 1985; 51: 90-96.
- Srećo D. Škapin et al., Preparation and coating of finely dispersed drugs 4.Loratadine and danazol, *Journal of Colloid and Interface Science*. 2004; 272: 90–98.
- Sugihara M, Hidaka M, Saitou A. Discriminatory features of dosage form and package. *Jpn J Hosp Pharm*, 1986; 12: 322-328.
- Sugisawaa, K., Kanekob, T., Tsuyoshi, S., Tomonobu, S. Rapid quantitative analysis of magnesium stearate in pharmaceutical powders and solid dosage forms by atomic absorption: method development and application in product manufacturing. *J. Pharm. Biomed. Anal*. 2009; 49: 858–861.
- Tae-Yong Shin, Sang-Hyun Kim, Kyoungsoo Suk, Jeoung-Hee Ha, Maan-Gee Lee, Chang-Duk Jun, Sang-Yong Kim, Jong-Pil Lim, InKyeom Kim, Jae-Soon Eun, Hye-Young Shin, Hyung-Min Kim. Anti-allergic effects of *Lycopus lucidus* on mast cell-mediated allergy model. *Toxicology and Applied Pharmacology*. 2005; 209: 255 – 262.
- Tae-Yong Shin, Seung-Bin Park, Jin-Su Yoo, In Kyeom Kim, Hyun-Shik Lee, Taeg Kyu Kwon, Moon Kyu Kim, Jung Chul Kim, Sang-Hyun Kim. Anti-allergic inflammatory activity of the fruit of *Prunus persica*: Role of calcium and NF- κ B. *Food and Chemical Toxicology*. 2010; 48: 2797–2802.

Tamara Iosio, Dario Voinovich, Mario Grassi, Joao F. Pinto, Beatrice Perissutti, Marina Zacchigna, Ugo Quintavalle, Francesca Serdoz. Bi-layered self-emulsifying pellets prepared by co-extrusion and spheronization: Influence of formulation variables and preliminary study on the *in vivo* absorption. *European Journal of Pharmaceutics and Biopharmaceutics*. 2008; 69: 686–697.

Tilo Görnemann, Carlos M Villalón, David Centurión, Heinz H Pertz. Phenylephrine contracts porcine pulmonary veins via α_{1B} -, α_{1D} -, and α_2 -adrenoceptors. *European Journal of Pharmacology*. 2009; 613: 86–92.

Tye, C.M., Sun, C., Amidon, G.E. Evaluation of the effects of tableting speed on the relationships between compaction pressure, tablet tensile strength and tablet solid fraction. *J. Pharm. Sci.* 2005; 94: 465–472.

UCSF drug learning module: Phenylephrine. UCSF. UCSF. Retrieved 5 February 2015.

Ueda T, Arai S, Amoh Y, Katsuoka K. Kimura's disease treated with suplatast tosilate and loratadine. *European journal of dermatology : EJD*; 2011; 21 (6): 1020–1.

United State Pharmacopoeia -30: National Formulary -25, Vol.3, Asian edition. United State Pharmacopoeial Convention, Inc; 2007; p. 2647.

Vaithiyalingam, S.R., Sayeed, V.A. Critical factors in manufacturing multilayered tablets – assessing material attributes, in-process controls, manufacturing process and product performance. *Int. J. Pharm.* 2010; 398: 9–13.

Vazculep_FINAL_PI.pdf (PDF). google.com. Retrieved 4. 2015.

Veroma, R.K., Garg, S. Current status of drug delivery technologies and future directions. *Pharm. Technol.* 2001; 25: 1–14.

- Witold Brniak, Ewelina Mas lak, Renata Jachowicz. Orodispersible films and tablets with prednisolone microparticles. *European Journal of Pharmaceutical Sciences*. 2015; 1- 10.
- Witold Brniak, Renata Jachowicz, Przemyslaw Pelka. The practical approach to the evaluation of methods used to determine the disintegration time of orally disintegrating tablets (ODTs). *Saudi Pharmaceutical Journal* (2015) 1-7.
- Wong, P.S.L., Gupta, S.K., Stewart, B.E. Osmotically controlled tablets. In: Rathbone, M.J., Hadgraft, J., Roberts, M.S. (Eds.), *Modified-Release Drug Delivery Technology*. Informa Healthcare, London, 2002; 101–114.
- Wu, C.Y., Seville, J.P.K. A comparative study of compaction properties of binary and layered tablets. *Powder Technol.* 2009; 189: 285–294.
- Xiaofeng Xu, Yan Shen, Wei Wang, Chunmeng Sun, Chang Li, Yerong Xiong, Jiasheng Tu. Preparation and *in vitro* characterization of thermosensitive and mucoadhesive hydrogels for nasal delivery of phenylephrine hydrochloride. *European Journal of Pharmaceutics and Biopharmaceutics*. 2014; 88: 998–1004.
- Yaling Lee, Yie W Chien. Oral mucosa controlled delivery of LHRH by bilayer mucoadhesive polymer systems. *Journal of Controlled Release*. 1995; 37: 251-261.
- Yarwood R. Zydis – A novel fast dissolving dosage form. *Man Chem*, 1990; 61:36-37.
- Yedurkar, P., Dhiman, M.K., Petkar, K., Sawant, K. Mucoadhesive bilayer buccal tablet of cardedilol-loaded chitosan microspheres: in-vitro, pharmacokinetic and pharmacodynamic investigations. *J. Microencapsul.* 2012; 29: 126–137.

York, B., Bassam, F., Rowe, R.C., Roberts, R.J. Fracture mechanics of microcrystalline cellulose powders. *Int. J. Pharm.* 1990; 66, 143–148.

Zerbe, H.G., Krumme, M. Smatrix system: design characteristics and release properties of a novel erosion-controlled oral delivery system. In: Rathbone, M.J., Hadgraft, J., Roberts, M.S. (Eds.), *Modified-Release Drug Delivery Technology*. Informa Healthcare, London, 2002; 59–76.

ZHANG Yi-Fan et al., Pharmacokinetics of loratadine and its active metabolite descarboethoxyloratadine in healthy Chinese subjects, *Acta Pharmacol Sin.* 2003; 24 (7): 715-718.

Zhongming Liang, Corrine Bonneville, Terrin Senez, Todd Henderson. Development and validation of a photometric titration method for the quantitation of sodium chondroitin sulfate (bovine) in Cosequin DS chewable tablet. *Journal of Pharmaceutical and Biomedical Analysis.* 2002; 28: 245–249.