

VII. REFERENCES

- Anderson, K. 1968. Variation in infection ability of cysts of Heterodera avenae. *Nematologica* 14 : 149.
- Andrassy, I. 1956. Uber das system der Mononchiden (Monochidae, Chitwood, 1937; Nematoda). *Annls. Hist. Natn. Mus. Natn. Hung.* 50 : 151-171.
- Barat, C.K., H. Hirata, K. Kumazawa and S. Mitusy. 1969. Studies on the change of respiratory system in roots in relation to the growth of plants. II. Activity of iron containing oxidases in roots of cereal crops with the aging of plants. *Plant and Cell Phisio.* 10 : 545-553.
- Bassen, T.L. 1940. Panagrolaimus hygrophilus n.sp., a nematode found in decayed tubers of the water lily root, Nelumbium nucifera Gaertn. *Proc. Helminth. Soc. Wash.* 7 : 101-103.
- Bedding, R.A. 1967. A technique for displaying the surface structure of nematodes. *Nematologica* 13 : 643.
- Bianco, M., A. Prencipe, D.R. Viglierchio and A. Scognamiglio. 1984. Response of Panagrolaimus siliusuae males (Nematoda) to hypertonic solutions of selected salts. *Helminthological Abstracts*. P. 53.
- Bird, A.F. and G.E. Rogers. 1965. Ultra-structural and histochemical studies of the cells producing the gelatinous matrix in Meloidogyne. *Nematologica* 11 : 231-238.
- Bird, G.W. and W.F. Mai. 1967. Morphometric and allometric variations of Trichodorus christiei. *Nematologica* 13 : 617-632.
- Bray, H.C. and W.V. Thorpe. 1954. Analysis of phenolic compounds of interest in metabolism. *Noth. Biochem. Anal.* 1 : 27-52.
- Brown, B.J. and E.G. Platzer. 1978. Oxygen and the infectivity of Romanomermis calicivorax. *J. of Nematology* 10 : 110-113.
- Buchner, E.J., E.L. Hansen and E.A. Yarwood. 1970. Growth of nematodes in defined medium containing haemin and supplemented with commercially available

- proteins. *Nematologica* 16 : 403-410.
- Bucher, E.J., E.L. Hansen and R.F. Myers. 1970. Continuous axenic culture of Aphelenchoides sp. *J. of Nematology* 2 : 189-190.
- Bucher, E.J., E.L. Hansen and T. Gottfried. 1970. A nematode growth factor from baker's yeast. *J. of Nematology* 2 : 93-98.
- Burraclough, R. and R.E. Blackith. 1962. Morphometric relationships in the genus Ditylenchus. *Nematologica* 8 : 51-58.
- Cayrol, J.C. 1964. Studies preliminaries our le cycle involutif de Ditylenchus myceliophagus Goodey. *Nematologica* 10 : 361-368.
- Chance, B. and A.C. Maehly. 1955. Assay of catalase and peroxidase. In *Methods in Enzymology*, Vol. II : 764. Ed. by Colowick and Kuplan. Academic Press Inc., New York.
- Chin, D.A. and D.P. Taylor. 1970. Observations on moulting in species of Cylindrocorpus. *Nematologica* 16 : 1-5.
- Chitwood, B.G. 1984. Sterol metabolism in the nematode Caenorhabditis elegans. *Helminthological Abstract*, 155.
- Chuang, S.H. 1962. The embryonic and post-embryonic development of Rhabditis teres (A. schneider). *Nematologica* 7 : 317-330.
- Clark, W.C. 1962. Measurements as taxonomic criteria in nematology. *Nematologica* 7 : 10.
- Cobb, N.A. 1918. Estimating the nema population in soil. *Agr. Technol. Circ.*, 1-48 pp.
- Coel, R.J. and S.R. Dusky. 1969. A sterol requirement in Turbatrix aceti and Panagrolaimus redivivus. *J. of Nematology* 1 : 72-75.
- Cryan, W.S., E. Hansen, F.W. Sayre, M. Martin and E.A. Yarwood. 1963. Axenic cultivation of the dioecious nematode Panagrolaimus redivivus. *Nematologica* 9 : 313-319.
- Dasgupta, D.R. and D.J. Raski. 1968. The biology of Rotylenchus darvus. *Nematologica* 14 : 429-440.

- Deubert, K.H. and B.M. Zuckerman. 1967. Development of Panagrolaimus redivivus (Nematoda : Rhabditidae) in chemically defined media. *Exp. Parasitol.* 21 : 209-214.
- Deubert, K.H. and R.A. Rohde. 1971. Nematode enzymes. In *Plant Parasitic Nematodes*, Vol. 2 : 73-90. Ed. by B.M. Zuckerman, W.F. Mai and R.A. Rohde. Academic Press, New York.
- Doncaster, C.C. and S.A. Clark. 1964. Observations of gut pH and absorption of methyl-red and neutral red in the intestinal walls of Pelodera and Mesodiplogaster. *Nematologica* 10 : 136-140.
- Dougherty, E.C. 1959. Axenic cultivation of C. briggsae (Nematoda : Rhabditidae) with unsupplemented and supplemented chemically defined media. *Ann. N.Y. Acad. Sc.* 77 : 176-217.
- Dougherty, E.C. 1960. Cultivation of Aschelminths, especially Rhabditids nematodes. In *Nematology* : 297-318. Ed. by J.N. Sasser and W.R. Jenkins. University of North Carolina Press, Chapel Hill.
- Dougherty, E.C. and H.G. Calchaun. 1948. Experiences in culturing Rhabditids pellio (Schneider 1866) Butschi 1873 (Nematoda : Rhabditidae) related soil nematodes. *Proc. Helminth. Soc. Washington* 15 : 55-68.
- Dougherty, E.C. and E.L. Hansen. 1957. The folic acid requirement and its antagonism by amino protein in the nematode Caenorhabditis briggsae (Rhabditidae). *Anat. Rec.* 128 : 541-542.
- El-Sherif, A.G. 1972. The influence of host nutrition on the morphometrics of three Aphelenchoides species (Nematoda : Aphelenchoidea). *Nematologica* 18 : 174-178.
- Evans, A.A.P. and J.M. Fisher. 1970. The effect of environment on nematode morphometrics. Comparison of Ditylenchus myceliophagus and D. destructor. *Nematologica* 16 : 113-122.
- Farkas, G.L. and Z. Kiraly. 1962. Role of phenolic contents in the physiology of plant disease and disease resistance. *Phytopathology* 2. 44 : 105-150.
- Franklin, M.T. 1949. A quick method of demonstrating nematodes of the genus Aphelenchoides in leaves. *J. Helminth.* 23 : 91-93.

- Geraert, E. 1968. Morphometric relations in nematodes. *Nematologica* 14 : 171-183.
- Geraert, E. 1969. Morphology and morphometrics of the sub-genus Cephalenchus Goodey 1962, Genus Tylenchus Bastain 1865 (Nematoda). *Meded Rijksfac. Landbwet Gent.* 33 : 669-678.
- Geraert, E. 1971. Observations on the genera Boleodorus and Boleodoroides (Nematoda : Tylenchoidea). *Nematologica* 17 : 263-276.
- Geraert, E. 1979. Growth and form in nematodes. III. Composition of oesophagus and body shape. *Nematologica* 25 : 1-21.
- Glazer, I. and D. Orion. 1984. Influence of urea, hydroxyurea and thiourea on Melodogyne javanica and infected excised tomato roots in culture. *J. of Nematology* 16 : 125.
- Goodey, T. 1963. Soil and fresh water nematodes. Revised by J.B. Goodey, London, Methuen : 544 pp.
- Goulden, C.H. 1968. *Methods of Statistical Analysis.* 1939-52. 2nd edition.
- Gysels, H. 1962. Post-embryonic development of Panagrellus silusae (de Man). *Nematologica* 7 : 11.
- Gysels, H. and H.H.W. Vander. 1962. Post-embryonic ontwikkeling en vervellingen van de vrijlevende nematode Panagrellus silusae (de Man 1913) Goodey 1945. *Naturw Tijdschr* 44 : 3-20.
- Hansen, E.L. and W.S. Cryan. 1966. Continuous axenic culture of free-living nematodes. *Nematologica* 12 : 138-142.
- Hansen, E.L. and E.J. Bucher Jr. 1970. Biochemical approach to systematic studies with axenic nematodes. *J. of Nematology* 2 : 1-6.
- Hansen, E.L., E.J. Bucher and A.A.F. Evans. 1970. Axenic culture of Aphelenchus avenae. *Nematologica* 16 : 328-330.
- Harris, J.E. and H.D. Croftan. 1957. Structure and function in the nematodes, internal pressure and cuticular structure in Ascaris. *J. Exp. Biol.* 34 : 116-130.

- Hieb, W.F. and M. Rothstein. 1968. Sterol requirement for reproduction of a free-living nematode. *Science* 168 : 143-144.
- Hieb, W.F., E.L.R. Stockstad and M. Rothstein. 1970. Heme requirement for reproduction of a free living nematode. *Science* 168 : 143-144.
- Hirschmann, H. 1952. Die nematodes der wassergrewze miteltrankischer Grewasser. *Zoo. Syst.* 33 : 313-436.
- Hirschmann, H. 1962. The life cycle of Ditylenchus triformia (Nematoda : Tylenchida) with emphasis on post-embryonic development. *Proc. Helminth. Soc. Wash.* 29 : 30-43.
- *Hyman, L.H. 1951. The Invertebrates, Acanthocephala, Aschelminthes and Entoprocta. Vol.III, McGraw Hill Books Co., Inc., New York, 572 pp.
- Kar, M. and D. Mishra. 1976. Catalase, peroxidase and polyphenol oxidase activities during rice leaf senescence. *Plant Physiology* (in press). Personal Communication.
- Kleschinova, E.A. 1983. The development of Neoplectana glaseri in a synthetic medium. *Nauka* (1980) : 17-75. *Helmintho. Abstract* 1983, 451.
- Kline, J.P. 1976. Morphometric variation in A. avenae with varied nutrition and time. *Nematologica* 22 : 94-102.
- Krusberg, I.R. 1967. Pectinases in Ditylenchus dipsae. *Nematologica* 13 : 443-451.
- Lam, A.B.Q. and J.M. Webster. 1971. Morphology and biology of Panagrolaimus tipulae n.sp. (Panagrolaimidae) and Rhabditis (Rhabditella) tipulae n.sp. (Rhabditidae) from leather jacket larvae, Tipulae paludora (Diptera : Tipulidae). *Nematologica* 17 : 201-213.
- Lu, N.C., G. Hugenberg Jr., G.M. Briggs and E.L.R. Stockstad. 1978. The growth promoting activity of several lipid related compounds in the free living nematode Caenorhabditis briggsae. *Proceedings of Society for Experimental Biology and Medicine* 158 : 187-191.
- Mahadevan, A. and R. Sridhar. 1982. *Methods in Physiological Plant Pathology*. Sivakami Publications, Madras.

- Mahadevan, A., J. Kugi and B.B. Williams. 1965. Biochemistry of resistance in cucumber against Cladosporium cucumarinum. Presence of a pectinase inhibitor in resistant plants. *Phytopathology* 55 : 1000-1003.
- Mahapatra, N.K. and Y.S. Rao. 1976. Reproductive physiology of the rice root nematode H. mucronata. *Proc. Ind. Sci. Congr.* 1976.
- 'MB' or Olowe, T. and 'PO' D.C.M.'s Corbetts. 1984. Morphology and morphometrics of Pratylenchus brachyurus and P. zaeae. Effect of fixative and processing. *Proc. Ind. J. Nematology* 13 : 141-154.
- Metcalf, H. 1903. Cultural studies of nematodes associated with plant decay. *Trans. American Micr. Soc.* 24 : 91-102.
- Mishra, D. and B. Mohanty. 1967. A survey of the inhibitor of the cowpea leaf phosphatase. *Turrialba* 17 : 179-181.
- Monoson, H.L. 1977. Effect of nematodes trapping media and temperature on the morphometrics of Aphelenchus avenae. *Nematologica* 17 : 219-224.
- Moore, S. and W.H. Stein. 1948. Photometric method for use in the chromatography of amino acids. *J. Biol. Chem.* 176 : 367-388.
- Myers, R.F. 1966. Osmoregulation in Panagrellus redivivus and Aphelenchus avenae. *Nematologica* 12 : 579-586.
- Nancy, Lu., C. Newton and E.L.R. Stockstad. 1977. The requirement of sterol and various sterol precursors in free-living nematodes. *Nematologica* 23 : 57-61.
- Narang, H.K. 1970. The excretory system of nematodes, structure and ultra structure of the excretory system of Enoplus brevis. *Nematologica* 16 : 517-522.
- Nelson, H. 1944. A photometric adaptation of the Somogyi method for the determination of glucose. *J. Biol. Chem.* 153 : 375-380.
- Nelson, C.O. 1949. Studies on the soil micro-fauna. II. The soil inhabiting nematodes. *Nature Jutiandica* 2 : 1-131.
- Olowe, T., D.C. Corbett and D.C. Rothanosted. 1984. Morphology and morphometrics of Pratylenchus brachyurus

and P. zeae. III. Influence of environmental factors. Ind. J. of Nematology 14 : 6.

*Osche, G. 1952. Systematik Und phylogenic der Gattung Rhabditis (Nematoda). Zool. Jb. Syst. 82 : 618-654.

Panwar, M.S. and Y.S. Rao. 1979. Parasitic nematode fauna of rice grains. Oryza 14 : 2.

Paramanov, A.A. 1962. Plant parasitic nematodes. Published for U.S. Deptt. of Agric. and National Science Foundation, Washington DC (Translated from Russian) 1 : 390.

Petriello, R.P. and R.F. Myers. 1971. Nutrient media for plant parasitic nematodes. III. Carbohydrate investigations on Aphelenchoides sp. Expl. Parasit. 29 (Cited by N.K. Mohapatra, Ph.D. thesis).

Roberts, D.W.A. 1956. The wheat leaf phosphatase. I. A survey of the inhibitors at pH 5.7. J. Biol. Chem. 219 : 711-718.

Roman, J. and H. Hirschmann. 1969. Development, morphology and cytology of certain species of Pratylenchus. J. of Nematology 1 : 25.

Rothstein, M. and E. Cork. 1966. Nematode biochemistry. VI. Comp. Bioch. Physiol. 17 : 683-692.

Roy, T.K. 1973. Selection of media for culturing nematodes. Axenic culture of Chiloplectus lentus Thorne (Nematoda : Rhabditidae). Ind. J. Nematol. 3 : 64.

Seinhorst, J.W. 1962. On the killing, fixation and transferring to glycerine of nematodes. Nematologica 8 : 29-32.

Southey, J.P. 1970. Laboratory methods for work with plant and soil nematodes. Tech. Bull. 2 H.M.S. Office, London, pp. 148.

Stephenson, W. 1942. The effects of variations in osmotic pressure upon a free-living soil nematodes. Parasitology 34 : 253-265.

Stephenson, W. 1945. The effects of acids on the nematodes. Parasitology 36 : 158-164.

Thomas, P.R. 1965. Biology of Acrobeles complexus Thorne cultivated on agar. Nematologica 11 : 395-408.

- Thorne, G. 1937. A revision of the nematode family Cephalobidae, Chitwood and Chitwood. Proc. Helminth. Soc. Wash. 4 : 1-16.
- Thorne, G. 1961. Principles of nematology. McGraw Hill Book Co., New York, pp. 553.
- Toyoda, S. and N. Sujuki. 1960. Histochemical changes caused by Piricularia oryzae Cav. IV. Changes in the activity of oxidases in infected tissue. Ann. Phytopath. Soc. Japan 25 : 172-177.
- Turlygina, E.S. and N.D. Kasyanova. 1979. The ecology of the nematode (Panagrolaimus rigidus). Trudy gel'minthologicheskoy kollokatorii (gel'minty zhivotnykh rasteni 1979) 29 : 154-157. Helminthological Abstracts (English Abstract).
- Van Fletern, J.R. 1973. Amino acid requirements of the free living nematodes, Caenorhabditis briggsae. Nematologica 19 : 93-100.
- Viglierchio, D.R., N.A. Croll and J.H. Gortz. 1969. The physiological response of nematodes to osmotic stress and osmotic treatment for separating nematodes. Nematologica 15 : 15-21.
- Vuong, Huu Hai. 1968. Note preliminaire sur la presence des nematode parasites, du ris A. madagascar. Doc. No. 138 (Memiogr.).
- Wallace, H.R. 1968. The influence of aeration on survival and hatch of Meloidogyne javanica. Nematologica 14 : 223-230.
- *Wessing, A. 1953. Histologische studien zu den, problemen der Zollkonstann : Untersuchungen an Rhabditis anomola. P. Hertwig Zoo Jahrb. Abst. 2 : 73.
- Wrinkler, E.J. and D. Praver. 1961. A chamber for culturing and collecting the nematode Panagrellus redivivus. Nature Lond. 192 : 472-473.
- Wu, L.Y. 1960. Comparative study of Ditylenchus destructor Thorne 1945 (Nematoda : Tylenchidae) from potato, bulb, iris and dalia, with discussion of deMan's ratios. Can. J. Zool. 38 : 1175-1187.
- Yeates, G.W. 1969. A note on the function of the pre-rectum in Diploenteron potchikus (Yeates, 1969) (Nematoda : Diplogasteridae). Nematologica 15 : 430.

- Yeates, G.W. 1969. Three new Rhabditida (Nematoda) from Newzealand. *Nematologica* 15 : 115-128.
- Yeates, G.W. 1969. Predation by Mononchoides potohikus (Nematoda : Diplogasteridae). *Nematologica* 15 : 1-9.
- Zuckerman, B.M. and S. Himmelhoch. 1971. Aging in Caenorhabditis briggsae. *Nematologica* 17 : 478-487.
- Zuckerman, B.M. and M.A. Giest. 1983. Effects of vitamin-E on the nematode, Caenorhabditis elegans. *Age* 6 : 1-4.

*Original not seen