

REFERENCES

REFERENCES

- Allen, J.R.L. (1963). The classification of cross-stratified units, with notes on their origin, *Sedimentology*, v.2, pp. 93 - 114.
- Allen, J.R.L. (1964). Studies in fluvial sedimentation: six cyclothems from the Lower Old Red sandstone, Anglo welsh Basin, *Sedimentology*, v.3, pp. 163 - 198.
- Allen, J.R.L. (1965). Fining upward cycles in alluvial successions, *Geol. Jour.*, v.4, pp. 229 - 246.
- Allen, J.R.L. (1970). Studies in fluvial sedimentation: a comparison of fining upward cyclothems, with special reference to coarse member composition and interpretation, *Jour. Sed. Pet.*, v.40, pp. 298 - 323.
- Anderton, R. (1985). Clastic facies model and facies analysis, In *sedimentology-recent developments and applied aspects*, P.J. Brenchley and B.P.J. Williams (eds.), Blackwell scientific publications, Oxford, pp. 33 - 48.
- Basu, A., Young, S.W., Suttner, L.J., James, W.C. and Mack, G.H., (1975). Reevaluation of the use of undulatory extinction and polycrystallinity in detrital quartz for provenance interpretation, *Jour. Sed. Pet.*, v.45, No.4, pp. 873 - 882.
- Basu, A. (1976). Petrology of Holocene fluvial sand derived from plutonic source rocks: implications to paleoclimatic interpretation, *Jour. Sed. Pet.*, v.46, No.3, pp. 694 - 709.
- Basu, A. (1985). Reading provenance from detrital quartz, provenance of arenites, G.G. Zuffa (ed.), Reidel, pp. 231 - 274.
- Bhattacharya, B. and De, A. (1964). The sequence of deformation metamorphism and igneous intrusion in the area around Angul (Orissa), *Jour. Geol. Soc. India*, v.5, pp. 159.

- Bhattacharyya, C. (1966). Comparative study of conglomerate from a part of northern and eastern Talchir coalfield, Dist. Dhenkanal, Orissa, Quart. Jour. Geol. Min. Met. Soc. India, v.38 (3), pp. 169 - 176.
- Blanford, W.T. , Blanford, H.F. and Theobald, W. (1856). On the geological structures and relations of the Talchir coal field in the district of Cuttack, Mem. Geol. Surv. India, v.1, pp. 33 - 85.
- Blatt, H. (1967). Original characteristics of quartz grains, Jour. Sed. Pet., v.37 (2) pp. 401 - 424.
- Bull, W.B. (1972). Recognition of alluvial fan deposits in the stratigraphic record. In Rigby, K.J. and Hamblin, W.K. (eds.). Recognition of ancient sedimentary environments, Spl. Publ., Soc. Econ. Palaeonto. Mineral., No.16, pp. 63 - 83.
- Cadigan, R.A. (1961). Geological interpretation of grain size distribution measurements of Colorado plateau sedimentary rocks, Jour. Geol., v.69 (2), pp. 121 - 144.
- Casshyap, S.M. (1970). Sedimentary cycles and environment of deposition of the Barakar coal measures of Lower Gondwana, India, Jour. Sed. Pet., v.40, pp. 1302 - 1317.
- Casshyap, S.M. and Tewari, R.C. (1984). Fluvial models of the lower Permian coal measures of Son-Mahanadi and Koel- Damodar valley Basins, India, In: Sedimentology of coal and coal- bearing sequences, R.A. Rahmani and R.M. Flores (eds.), Spl. Publ., Int. Ass. Sediment, v.7, pp. 121 - 147.
- Das, D.K. (1958 a). On the occurrence of limestone (fresh water) in the southeastern portion of Talchir coal field, Orissa, Geol. Min. Metall. Soc. India, Quart. Jour. v.30 (4), pp. 237 - 238.
- Das, D.K. (1958 b). On the occurrence of varved clays on the bank of river Brahmani in the southeastern portion of the Talchir coal field, Orissa, Geol. Min. Metall. Soc. India, Quart. Jour. v.30 (4), pp. 239 - 242.

- Das, D.K. (1958 c). On the microfloral content of the Barakar coals of the Talchir coalfield, Orissa, Geol. Min. Metall. Soc. India, Quart. Jour. v.30 (4), pp. 233 - 234.
- Das, D.K. (1958 d). A note on the presence of Germanium in coals of Talchir coalfield, Orissa, Geol. Min. Metall. Soc. India, Quart. Jour. v.30 (4), pp. 235 - 236.
- Das, N. K. and Rath, B.D. (1974). A note on the coal exploration in the western extension of Talchir coalfield, Explorer, Jour. Direct. Mines, Orissa, pp. 5 - 13.
- Das, R. and Pandya, K. L. (1995). Lithofacies and environment of deposition of a part of Damuda Group, Talchir Basin, Orissa, Vistas in Geol. Res., Utkal University, Spl. Publ. in Geol., No.1, pp. 152 - 159.
- De Raaf, J.F.M., Reading, H.G. and Walker, R.G. (1965). Cyclic sedimentation in the Lower Westphalian of North Devon, Sedimentology, v. 4, pp. 1 - 52.
- Dickinson, W.R. and Suczek, C.A. (1979). Plate tectonics and sandstone compositions, Bull. Am. Asso. Pet. Geologist, v.63, No.12, pp. 2164 - 2182.
- Dickinson, W.R., Beard, L.S., Brakenridge, G.R., Erjavec, J.R., Ferguson, R.C., Inman, K.F., Knepp, R.A., Lindberg, F.A. and Ryberg, P.T. (1983). Provenance of North American phanerozoic sandstones in relation to tectonic setting, Bull. Geol. Soc. Am., v.94, pp. 222 - 235.
- Dickinson, W.R. (1985). Interpreting provenance relations from detrital modes of sandstones, Provenance of Arenites, G.G. Zuffa (ed.), Reidel, pp. 331 - 361.
- Diessel, C.F.K. (1992). Coal-bearing depositional systems, Springer-Verlag, Berlin, p.721.
- Dott, R.H., Jr. (1964). Wacke, graywacke and matrix - What approach to immature sandstone classification?, Jour. Sed. Pet. v.34, pp. 625 - 632.

- Duff, P. Mc. D., Hallam, A. and Walton, E.K. (1967). Cyclic sedimentation, Dev. in Sed., 10, Elsevier Publishing Co., Newyork, p.280.
- Fox, C.S. (1931). Gondwana system and related formations, Mem. Geol. Surv. India, v.58, p. 241.
- Fox, C.S. (1934). The lower Gondwana coalfields of India, Mem. Geol. Surv. India, v.58, pp. 162 - 169.
- Galloway, W.E. and Hobday, D.K. (1996). Terrigenous clastic depositional systems, Springer- Verlag, Newyork, p.489.
- Ghosh, P.K. and Mitra, N.D. (1972). A review of recent progress in the studies of the Gondwanas of India, IInd. Int. Gond. Symp., Pretoria, S. Africa, pp. 23 - 47.
- Heward, A.P. (1978). Alluvial fan sequence and mega sequence models: with examples from Westphalian D – Stephanian B coal fields, Northern Spain: In fluvial sedimentology, A.D. Miall (ed.), Mem. Can. Soc. Petrol. Geol., v.5, pp. 669 – 702.
- Jopling, A.V. and Walker, R.G. (1968). Morphology and origin of ripple-drift cross-laminations with examples from the Pleistocene of Massachusetts, Jour. Sed. Pet., v.38 (4), pp. 971 – 984.
- Khan, A.M. (1969). Senia reticulata - A new plant fossil from the Raniganj rocks of the Talchir coalfield, Orissa, India, J. Sen. Mem. Vol., Bot. Soc. Bengal, pp. 335 - 337.
- Kleispehn, K.L., Steel, R.J., Johannessen, E. and Netland, A. (1984). Conglomeratic fan delta sequences, Late carboniferous – Early Permian, Western Spitsbergen. In: Sedimentology of gravels and conglomerates (E.H. Koaster and R.J. steel eds.), Mem. Can. Soc. Petrol. Geol., v.10, pp. 279 – 294.

- Krishnan, M.S. (1982). Geol. of India and Burma, C.B.S. Publishers, India, p.536.
- Krumbein, W.C. and Pettijohn, F.J. (1938). Manual of Sedimentary Petrography, Appleton Century Co., New York, p. 549.
- Krumbein, W.C. and Sloss, L.L. (1953). Stratigraphy and sedimentation, W.H. Freeman and Co., California, p. 497.
- Lambert, A. and Hsu, K.J. (1979). Non-annual cycles of varve like sedimentation in Walensee, Switzerland, *Sedimentology*, v.26, pp. 453 – 461.
- Lindsay, J.F. (1987). Sequence stratigraphy and depositional control in Late Proterozoic – Early Cambrian sediments of Amadeus basin, Central Austria, *Bull. Amer. Asso. Petro. Geol.* v.71 (II), pp. 1387 – 1403.
- Lowe, D.R. (1982). Sediment gravity flows : II. Depositional models with special reference to the deposits of high-density turbidity currents, *Jour. Sed. Pet.*, v.52, pp. 279 – 297.
- Manjrekar, V.D., Choudhary, V. and Gautam, K.V.V.S. (1995). Coal, Geol. and Min. Res. of Orissa, *Soc. Geol. and Allied Tech.*, pp. 145 – 169.
- Mc Cabe, P.J. (1984). Depositional environments of coal and coal bearing rocks, In: *Sedimentology of coal and coal bearing sequences*, R.A. Rahmani and R.M. Flores (eds.) Spl. Publ. Int. Asso. Sed., v.7, pp. 13 – 42.
- Narayanaswamy and Soman, K. (1990). Morphological characteristics of zircon from khondalite-charnockite assemblages of south Kerala, India, *Jour. Geol. Soc. India*, v.35 (1), pp. 46 – 54.
- Navale, G.K.B. and Tewari, R.S. (1965). A preliminary sporological analysis of some coals from Talchir coalfield, India, *Palaeobotanist*, v.15, pp. 47 – 51.

- Nemec, W. and Steel, R.J. (1984). Alluvial and coastal conglomerates: their significant features and some comments on gravelly massflow deposits, In E.H. Koaster and R.J. steel (eds.), *Sedimentology of gravels and conglomerates*, Mem. Can. Soc. Pet. Geol., v.10, pp. 1 – 31.
- Nemec, W., Steel, R.J., Povebski, S.J. and Sprinnangi. (1984). Domba conglomerate, Devonian, Norway: Process and lateral variability in a mass flow dominated, Lacustrine fan-delta, In E.H. Koaster and R.J. steel (eds.), *Sedimentology of gravels and conglomerates*, Mem. Can. Soc. Pet. Geol., v.10, pp. 295 - 320.
- Nemec, W. and Steel, R.J. (1988). What is a fan delta and how do we recognize it ? *Fan Deltas: Sedimentology and Tectonic settings*, W. Nemec and R.J. Steel (eds.), Blackie and Son. pp. 3 - 13.
- Pandya, K.L. (1974). Turbidites structure from a sandstone – shale sequence of Talchir Group, Talchir Basin, Orissa, *Current science*, v.43 (14), pp. 447 – 448.
- Pandya, K.L. (1979). Carbonate rocks in the Talchir Group, Talchir Basin, Orissa, *Abst. Proc. Orr. Asso. Adv. Sc.*, pp. 88 - 89.
- Pandya, K.L. (1987). Some unusual structures in the Talchir Group, Talchir Gondwana Basin, Orissa, *Jour. Geol. Soc. India*, v.30 (10), pp. 305 – 308.
- Pandya, K.L. (1989). Undaturbidite in the Talchir Group, Talchir Gondwana Basin, Orissa, *Jour. Geol. Soc. India*, v.33 (6), pp. 556 – 565.
- Pandya, K.L. (1990). Lithofacies and environments of deposition of a part of Talchir Group, Talchir Gondwana Basin, Orissa, *Jour. Geol. Soc. India*, v.36 (2), pp. 175 – 186.

- Pandya, K.L. and Das, Rajashree (1998). Carbonate sedimentation and mineralisation in Talchir Gondwana Basin, Orissa, Jour. Direct. Min. and Geol., Orissa, v.17, pp. 37 – 43.
- Pareek, H.S. (1963). Petrology of Talchir coals, Econ. Geol., v.58 (7), pp. 1089 – 1109.
- Pascoe, E.H. (1959). A manual of the Geology of India and Burma, Govt. of India, Publ., v.2, pp. 1036 – 1038.
- Pettijohn, F.J. (1984). Sedimentary Rocks, C.B.S. Publishers and Distributors, Delhi, 3rd edition, p. 628.
- Pettijohn, F.J., Potter, P.E. and Siever, R. (1972). Sand and Sandstones, Springer – Verlag, Berlin, p. 618.
- Potter, P.E. and Pettijohn, F.J. (1963). Paleocurrents and basin analysis, New York, Springer, p. 296.
- Raja Rao, C.S. (1982). Coal fields of India, Bull. Geol. Surv. India, II, Ser. A, v.45, pp. 41 - 52.
- Reading, H.G. (1986). Facies, In: Sedimentary environment and facies, H.G. Reading (ed.), Blackwell scientific publications, Oxford, pp. 4 – 19.
- Roy, R.K. (1963). On the occurrence of the Barakar pebble bed in the Talchir coalfield, Orissa, Geol. Min. Metall. Soc. India, Quart. Jour., v.35 (2), pp. 155 – 158.
- Roy, R. and Bhattacharyya, C. (1967). Palaeontology of the Gondwana rocks with a note on the correlation of coal seams of Talchir coalfield, Orissa, Geol. Min. Metall. Soc., India, Quart. Jour., v. 39 (1), pp. 27 – 34.

- Rust, B.R., and Gibling, M.R. (1990). Three dimensional antidunes as HCS mimicks in a fluvial sandstone: The Pennsylvanian South Bar Formation near Sydney, Nova Scotia, *Jour. Sed. Pet.*, v.60, pp. 540 – 548.
- Rust, B.R., Gibling, M.R. and Legun, A.S. (1984). Coal deposition in an anastomising fluvial system: the Pennsylvanian Cumberland Group South of Joggins, Nova Scotia, Canada, In: *Sedimentology of coal and coal bearing sequences*, R.A. Rahmani and R.M. Flores (eds.), Spl. Publ. Int. Asso. Sed., v.7, pp. 105 – 120.
- Sahu, R. (1998). *Subsurface geology and coal seam geometry: A synthesis of a part of Karharbari Formation, Talchir Gondwana Basin, Orissa*, Unpub. M. Phil. Dissert., Utkal Univ., Orissa, p. 55.
- Selley, R.C. (1970). *Ancient sedimentary environments*, Chapman and Hall Ltd., London, p. 237.
- Sengupta, S.M. (1994). *Introduction to Sedimentology*, Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi, p. 314.
- Stanley, D.J. (1965). Heavy minerals and provenance of sands in flysch of central and southern Prech Alps, *Bull. Amer. Asso. Petrol. Geol.*, v.49 (1), pp. 22 - 40.
- Steel, R. J., Maehle, S., Nilsen, H., Roe, S.L., Spinnangr, A. (1977). Coarsening-upward cycles in the alluvium of Hornelen basin (Devonian), Norway: Sedimentary response to tectonic events, *Eull. Geol. Soc. Amer.*, v.88, pp. 1124 – 1134.
- Subramaniam, K.S. (1971). Coal reserves of India, *Mem. Geol. Surv. India*, v.88, pp. 211 – 217.

- Subramaniam, K.S. and Nageswar Rao, C. (1960). *Glossopteris* from Mahadevas of Hinjrida, Talchir coal field, Orissa, Abst. Proc. 47th Ind. Sc. Cong., Bombay, p. 278.
- Visher, G.S. (1965). Use of vertical profile in environmental reconstruction, *Bull. Amer. Asso. Petrol. Geol.*, v.49 (1), pp. 41 – 61.
- Walker, R.G. (1978). Deep water sandstone facies and ancient submarine fans: Models for exploration for stratigraphic traps, *Bull. Amer. Asso. Petrol. Geol.* v.62, pp. 932 – 966.
- Walker, R.G. (1984). Turbidites and associated coarse clastic deposits, In: *Facies Models*, 2nd ed, (Walker, R.G., ed.), Geo Sci., Canada Reprint, Ser.1, pp. 171 – 188.
- Walker, R.G. (1985). Mudstones and thin-bedded turbidites associated with the Upper Cretaceous Wheeler Gorge conglomerates, California: a possible channel - levee complex. *Jour. Sed. Pet.* v.55, pp. 279 – 290.
- Weller, J.M. (1956). Argument for diastrophic control of Late Paleozoic cyclothems, *Bull. Amer. Asso. Petrol. Geol.*, v.40, pp. 17 – 50.
- Williams, P.F. and Rust, B.R. (1969). The sedimentology of a braided river, *Jour. Sed. Pet.*, v.39 (2), pp. 649 – 679.

249883