

BIBLIOGRAPHY

1. Allison, J. C. S and Watson, D.J. (1966). Production and distribution of dry matter in maize after flowering.
Annals Bot., 30 : 365-81.
2. Asada, K., Konishi, S., Kawashima, Y. and Kasai, Z. (1960). Translocation of photosynthetic products, assimilated by the top leaf to the ear of rice and wheat plants.
Mem. Res. Inst. Food. Sci. Kyoto Univ., 22: 1-11.
3. Bhan, V.M. (1968). Influence of row spacing on upland paddy.
Riso 17 (2) : 149-54.
4. Bhan, V. M. and Pande, H.K. (1966). Tiller emergence effect on yield contributory characters in upland paddy.
Indian J. Agron., 11 (1):19-21.
5. Chandler, R. F. Jr. (1969). New horizons for ancient crop; science applied to the improvement and management of rice.
Presented at All Congress Symp. World Food Supply. 11th Int. Bot. Congress. Seattle.
6. Daynard, T. B., Tanner, J. W. and Duncan, W. G. (1971). Duration of grain filling period and its relation to grain yield in corn, Zea mays L.
Crop. Sci., 11 : 45-48.
7. De Datta, S. K. (1970). Fertiliser and soil amendment for tropical rice.
Int. Rice Res. Conf. IRRI. (1970).
8. De Datta, S. K. and Zarate, P. (1970). Environmental conditions affecting the growth characteristics, nitrogen response and grain yield of tropical rice.
Biometeorol., 4: 71-89.
9. Donald, C. M. (1962). In search of yield.
J. Aust. Inst. Agr. Sci., 28 : 171-78.
Ann. Rev. Pl. Physiol. 23 : 437-64.
10. Enyi, B.A.C. (1964). Effect of varying phosphorus and water supply on growth and yield of an upland rice variety (O. sativa L).
Trop. Agric. Trinidad 41 (1):47-53.
11. Evans, L. T. (1970). Presented at Symp. Plant response to clim. factors UNESCO, Uppsala, Sweden. Physiological aspects of grain yield by Yoshida, S.
Ann. Rev. of Pl. Phy. 23: 437-64.

12. Fiske, C.H. and Subbarao, Y. (1925). The colorimetric determination of phosphorus.
J. Biol. Chem., 66:375-400.
13. Forde, B.J. (1966). Translocation in grasses.
Newzealand. J. Bot., 4: 469-478 and 479-495.
14. Friend, J. (1966). The growth of cereals and grasses (ed) Milthorpe.
J.D.Ivins. 181-99 London, Butterworths: 358 pp.
15. Fujiwara, A. (1964). The specific roles of nitrogen phosphorus and potassium in the metabolism of rice plant.
The Mineral nutrition of the rice plant Published for IRRI by The Johns Hopkins Press: 93-105.
16. Fujiwara, A. and Suzuki, M. (1957). Studies on the carbon metabolism in higher plants II. Structural distribution of the carbon 14 absorbed through the leaf in rice plant.
Tohoku. J. Agr. Res., 3: 89-97.
17. Ghose, R.L.M., Ghatge, M.B. and Subrahmanyam, V. (1960).
Rice in India published by I.C.A.R. New Delhi.
18. Hamid Auda, Blaser, R.E. and Brown, R.H. (1966). Tillering and carbohydrate contents of orchard grass as influenced by environmental factors.
Crop. Sci., 6: 139-43.
19. Honya, K. (1958). In " Some notice on phosphorus nutrition" pp. 1-55 (in Japanese).
20. Ishizuka, Y. (1932). Studies on utilisation of nitrogen, phosphorus and potassium at different stages of growth of rice under water culture.
(in Japanese) J. Agri. Chem. Japan, 8:849-67.
21. Ishizuka, Y. (1971). Physiology of rice plant.
Adv. in Agro., 23: 241-315.
22. Ishizuka, Y. and Tanaka, A. (1952). Biochemical studies on the life history of rice plants. I. Absorption and translocation of inorganic elements.
J. Sci. Soil and Manure Japan., 23(1):23-28.
23. Ishizuka, Y. and Tanaka, A. (1953). Biochemical studies, on the life history of rice plant. part 22. Synthesis and translocation of organic constituents.
J. Sci. Soil and manure, Japan, 23:112-116.
24. Ishizuka, Y. and Tanaka, A. (1960). Inorganic nutrition of rice plants(5) physiological significance of macro elements.

24. Ishizuka, Y. and Tanaka, A. (1960). Inorganic nutrition of rice plants (5) physiological significance of macro elements. J. Soil. Sci. and Manure Japan 31 (10): 491-94.
25. Ishizuka, Y. and Tanaka, A. (1963). Nutrio-physiology of rice plant. Yokendo press Tokyo. 307 p.
26. IRRI, (1964). The mineral nutrition of the rice plant. Published for IRRI by the Johns Hopkins press.
27. IRRI, (1965). International Rice Research Institute, Annual Report, 1965.
28. IRRI (1968). International Rice Research Institute, Annual Report, 1968: 25-27.
29. IRRI, (1968). International Rice Research Institute, Annual Report, 1968. 31-35.
30. IRRI, (1970). International Rice Research Institute, Annual Report, 1970. 38-39.
31. IRRI, (1970). International Rice Research Institute, Annual Report, 1970. 67-68.
32. IRRI, (1971). International Rice Research Institute, Annual Report, 1971. 54-55.
33. IRRI, (1972). International Rice Research Institute, Annual Report, 1972. 21-46.
34. Johnson, C.M. and Ulrich, A. (1959). Analytical methods for use in plant analysis. Calif. Agric. Exptl. Sta. Bull. No.766. 26-76.
35. Kakizaki, Y. (1965). Correlation between light and temperature effecting the tillering in rice plant. Agric. Horti. Tokyo., 40 (4) : 621-22.
36. Kasai, Z. and Asada, K. (1964). Translocation of mineral nutrients and other substances within the rice plant. Mineral nutrition of rice plant. IRRI:75-92.
37. Kasugai, S. (1939). Studies on water culture of crops (in Japanese) Tokyo, Univ. Agric. Coll. Soil. and Manure Theatre Rept., 1: 1-151.
38. Katayama, T. (1949). Studies on tillering in cereals. Yokendo, Tokyo (in Japanese).

39. King, R.W., Wardlaw, I.F. and Evans, L. T. (1967).
Effect of assimilate utilisation on photo-
synthetic rate in wheat.
Planta 77 :261-276.
40. Kiuchi, T. and Ishizaka, H. (1961). Effect of nutrients
on the yield constituting factors of rice
(potassium).
J. Sci. Soil and Manure Japan. 32 (5):
198-202.
41. Kiuchi, T., Omukai, S., Usami, T., Ishizaka, H. and
Takahashi, K. (1962). Influence of nutritional
status of rice plant and soil conditions of
paddy field on process of rice growth.
Bull. Tohoku Natl. Agri. Exptl. Sta. 24:1-59.
42. Kumura (1956). Studies on the effect of internal nitrogen
concentration of rice plants on the consti-
tutional factors of yield.
Proc. Crop. Sci. Soc. Japan. 24 (3):177-80.
43. Kumura (1957). Studies on the production and behaviour of
carbohydrates in rice plants V. Influence of
nitrogen on ripening.
Proc. Crop. Sci. Soc. Japan. 25(4):214-218.
44. Lei, H.S. and Xi, D.B. (1962). On tillering rate of rice
plant.Acta. Biol. Exptl. Sinica, 8(1):35-44.
45. Lizandr, A. A. and Brovtsyna, V.L. (1964). Physiological
role of cauline leaves of rice during
formation and maturing of caryopses.
Fiziol Rast 11:391-97.
46. Lupton, F.G.H. (1966). Translocation of photosynthetic
assimilates in wheat.
Ann. Appl. Biol., 57:355-64.
47. Matsubayashi (1968). Theory and practice of growing rice.
Fuji Pub.,Tokyo.
48. Matsushima, S. (1970) Crop Science in rice. Fuji Pub.Tokyo.
49. Matsushima, S. (1964). Nitrogen requirements at different
stages of growth.
In the Mineral nutrition of rice plant.
Johns Hopkins Press 219-242.
50. Matsushima, S. (1967). Ecology of ripening in rice with
special reference to raising the percentage
of ripened grains under luxurious growth
conditions for maximising grain yield.
IRC news letter. Spl. Issue 1967: 61-82.

51. (b) Moomaw, J.C., Baldazo, P.G. and Lucas, L. (1961). Effects of ripening period environment on yields of tropical rice. I.R.C. News Letter (Special Issue). 18-25.
51. Mayer, A. and Porter, H.K. (1960). Translocation from leaves of Rye. Nature 188 :921.
52. Moss, D. W. and Musgrave, R.B. (1971). Photosynthesis and crop production. Adv. Agro. 23:317-336.
53. Munakata, K., Kawasaki, T. and Kariya, K. (1967). Bull. Chugoku. Agri. Expt. Sta. Ser A 14:59-95. In Physiological aspects of grain yield by Yoshida, S. (1972). Ann. Rev. Pl. Phy. 23: 437-64.
54. Murata, Y. (1957). Photosynthetic characteristics of rice varieties. Nogyo Gijitsu (Tokyo). 12(10):460-62.
55. Murata, Y. (1961). Studies on photosynthesis of rice plants and its culture significance. Bull. Natl. Inst. Agr. Sci. Japan. Ser.D. 9: 1-169.
56. Murata, Y. (1964). On the influence of solar radiation and air temperature upon the local differences in the productivity of paddy rice in Japan. Proc. Crop. Sci. Soc. Japan, 33 : 59-63.
57. Murata, Y. (1969). Physiological aspects of crop yield Ed: J.D. Eastin. Amer. Soc. Agron. Crop. Sci. Soc. Amer. Madison. Wis. 235-59.
58. Murata, Y. (1970). Recent advances in the research of rice photosynthesis. Int. Rice. Res. Conf. IRRI. 1970.
59. Murayama, N. (1967). Nitrogen nutrition of rice plant. Jap. Agr. Res. Quart., 2: 1-5.
60. Murayama, N., Yoshino, M., Oshima, M., Tsukahara S. and Kawarasaki, U. (1955). Studies on the accumulation Process of carbohydrates associated with growth of rice plants. Bull. Natl. Inst. Agric. Sci. Japan. Ser.B.,
61. Murty, K.S. (1969). Effect of topdressing nitrogen at heading time on carbon assimilation of rice plant during the ripening period. Ind. J. Pl. Physiol. 12(12):202-210.
62. Murty, K.S. and Nayak, S.K. (1970). Photosynthetic efficiency and translocation of photosynthates in some rice varieties. Proc. Sym. radiation and radio-isotopes in soil studing and Pl. Nutr. Bangalore 187.

63. Murty, K. S., S.K. Nayak and Sahu, G. (1972). Photosynthetic efficiency and translocation of photosynthates in rice varieties.
Symposium on the use of Isotopes and radiation in agriculture biology and Animal Sciences. Punjab Agric. Univ. Chandigarh.
64. Nichiporovich, A. A. (1954). Photosynthesis and the theory of obtaining high crop yields.
15th Timiryazev Lect. AN SSSR, Moscow, 1956. Engl. Transl. Dep. Sci. Ind. Res. Great Britain, 1969.
65. Okuda, A. and Takahashi, E. (1964). The role of silicon. In the mineral nutrition of rice plant.
Johns Hopkins Press. pp 123-146.
66. Osada, A. (1971). Bull. Natl. Inst. agr. Sci. D(14) 117-88
Physiological aspects of Grain yield by Yoshida, S (1972). Ann. Rev. Pl. Phy., 23:437-64.
67. Oshima, M. (1962). Studies on nitrogen nutrition of rice plant (4). Effect of nitrogen nutrition on tillering in rice plant.
J. Soil. Sci. and Manure. Japan, 33(5):243-6.
68. Osugi, S., Aoki, M., Nishigaki, N., Yoshimi, M. and Nagaoka, Z. (1938). Basic studies on manuring in rice, wheat and barley cultivation (In Japanese)
Agri. and Horti., 13(3) (4) (5) : 731-37; 945-48; 1159-69.
69. Quinlan, J.D. and Sagar, G.R. (1962). An autoradiographic study of movement of C¹⁴ labelled assimilates in developing wheat plant.
Weed research. 2 : 264-73.
70. Rao, Ch.N. (1970). Radiotracer studies on translocation of photosynthates in rice.
Proc. Sym. radiation and radioisotopes in soil studies and Pl. nutrition.
Bangalore December. 21-23, 1970. 199-206.
71. Rao, Y.Y., Saxena, R.N., Rao, V.S. and Rao, P.G. (1966). A constant for calculating leaf area in paddy varieties.
Andhra agri. J. 13(2):65-8.
72. Saini, S.S. and Ram, J. (1966). Studies on tillering behaviour in three improved varieties of rice.
J. Res. Punjab Agric. Univ. 3(3):389-94.
73. Sakanoue, Y. and Mizunuma, Y. (1962). Effect of harrowing upon the behaviour of nitrogen in well drained paddy field inter gravel layer.
J. Sci. Soil. Manure Japan 33: 386-390.

74. Sanchez, P.A. and Bradfield, R. (1970). Puddling tropical Rice Soils (i) Effects on plant performance and nutrient uptake. Proc. Annual International Rice Res. Conf. IRRI (1970).
75. Sekiya, F. (1963). Studies on tillering primordium and tillering bud in rice seedlings VIII. Effect of nitrogen deficiency on the development of tillering bud. Proc. Crop. Sci. Soc. Japan, 32(1):53-56.
76. Sekiya, F. (1963). Effect of phosphorus deficiency on the development of tillering bud. Proc. Crop Sci. Soc. Japan, 32(1):57-60.
77. Sekiya, F. (1968). Studies on tillering primordium and tillering bud in rice seedlings XI. Effect of calcium deficiency on the development of tillering bud. Proc. Crop. Sci. Soc. Japan, 37(4):465-71.
78. Shimizu, T., Sekiguchi, T., Morita, H. and Susaki, M. (1962). Studies on yield forecast in main crop (8) Effect of light intensity on tillering of rice plant. Proc. Crop. Sci. Soc. Japan, 31(2):141-44.
79. Shimizu, T. (1967). Sakumotsuno Buttshitsu Seisan 4:12-26. From Physiological aspect of grain yield by yoshida. Ann. Rev. Pl. Physiol. 23:437-64.
80. Somogyi, M. (1945). Determination of reducing sugars. J. Biol. Chem. 160:61.
81. Stoy, V. (1963). Translocation of the C^{14} labelled photosynthetic products from leaf to the ear in wheat. Phy. Plantarum. 16:851-66.
82. Takahashi, N. et al. (1956). Studies on mechanism of tiller development in rice plants. Bull. Instt. Agric. Res. Tohoku, 8(2):91-117.
83. Takano, Y. and Tsunoda, S. (1970). Light reflection, transmission and absorption rates of rice leaves in relation to their chlorophyll and nitrogen contents. Tohoku, J. Agric. Res., 21(3-4):111-117.
84. Takeda, T. (1960). Structure and function of rice plants (in Japanese) Matsuo T. Ed. Nogyo Gizitsukyokai. Tokyo: pp.131-178.

85. Takeda, T. (1961). Studies on photosynthesis and production of dry matter in community of rice plants.
Jap. J. Bot. 17:403-37.
86. Tanaka, A. (1958). Studies on the characteristics of the physiological function of leaves at a definite position on the stem of rice plant. XI comparison of photosynthetic activity of leaves at various positions on main stem and translocation of photosynthetic products within the plant.
J. Sci. Soil. and Manure, 29(8):327-33.
87. Tanaka, A. and Garcia, C.V. (1965). Studies on relationship between tillering and nitrogen uptake of rice plant (2) Relation between tillering and nitrogen metabolism of the plant.
Soil. Sci. and Pl. nutr. (Tokyo), 129-135.
88. Tanaka, A., Garcia, C.V. and Nguyen-Thi-Diem (1965). Studies on the relationship between tillering and nitrogen uptake by rice plant.
Soil. Sci. and Pl. nutr. 11 (1) : 9-13.
89. Tanaka, A., Kawano, K. and Yamaguchi, T. (1966). Photosynthesis, respiration and plant type of tropical rice.
IRRI technical bulletin No.7 IRRI. The Philippines.
90. Tanaka, A. and Vergara, B.S. (1967). Growth habit and ripening of rice plants in relation to environmental conditions in the Far East.
I.R.C. News Letter. Spl. Issue, 26-42.
91. Tanaka, T., Matsushima, S., Kojo, S. and Nitta, H. (1969). Analysis of yield determining process and its application to yield prediction and cultural improvement of low land rice. XC. On the relation between plant type of rice plant community and the light curve of carbon assimilation.
Proc. Crop. Sci. Soc. Japan, 38:287-93.
92. Tanaka, T. and Matsushima, S. (1971). Analysis of yield determining process and its application to yield prediction and cultural improvement of low land rice xc VIII. Effects of nitrogen content and thickness of leaf blade on light curves of carbon assimilation of observe the reverse and both sides of leaf blade.
Proc. Crop. Sci. Soc. Japan, 40:(2):164-70.
93. Tanaka, A. (1972). The relative importance of the source and the sink as the yield limiting factors of rice.
Tech. Bull. Food and Fertiliser Technology Centre, Taiwan.

94. Togari, Y. Takeda, T., and Warata, H. (1956). Studies on CO₂ exchange in crop plants. Proc. Crop. Sci. Soc. Japan. 24: 254-59.
95. Tsunoda, S. (1964). A developmental analysis of yielding ability in varieties of field crops. Nihon-Gakujitsu Shinkokai, Maruzen, 135 pp.
96. Vega M.R. (1970) $\left\{ \begin{array}{l} \text{From Physiological aspects of grain} \\ \text{yield by Yoshida, S.} \\ \text{Ann. Rev. Pl. Physiol., 23:437-64.} \\ \text{Control of weeds in upland rice.} \\ \text{Int. Natl. rice. res. Conf. IRRI. April, 20,} \\ \text{24, 1970.} \end{array} \right.$
97. Wada, G. (1969). The effect of nitrogen nutrition on the yield determining process of rice plant. Bull. Natl. Inst. Agr. Sci. Ser. A. 16:27-167.
98. Wardlaw, I.F., Carr. D.J. and Anderson, M.J. (1965). The relative supply of carbohydrate and nitrogen to wheat grains and an assessment of the shading and defoliation techniques used for these determinations. Aust. J. Agric. Res. 16:893-901.
99. Wardlaw, I.F. (1968). The control and pattern of movement of carbohydrates in plants. Bot. Rev. 34: 79-105.
100. Watson, D.J. (1951). The Physiological basis of variation in yield. Adv. Agronomy, 4: 101-44.
101. Watson, D.J. (1956). Leaf growth in relation to crop yield. In Milthorpe, F.L. The growth of leaves (Butterworths London) 187-191.
102. Whyte, R.O. (1960). Crop production and environment. Faber and Faber. London, pp.70
103. Yamada, N., Ota, Y. and Kushibuchi, K. (1957). Studies on ripening of rice. I. Role of nitrogen in the process of ripening of rice. Proc. Crop. Sci. Soc. Japan, 26(2):111-15.
104. Yamagata, M. (1958). Studies on the limit of possibility of increase in number of leaves and grains on the main stem of rice varieties (4). Influence of sun light intensity. Bull. Fac. Agric. Yamaguti, 9:1001-10.
105. Yin.H.C., Shen, Y.K. and Shen, K.M. (1958). Translocation of assimilates between tillers and leaves in rice plant during ripening. Act. Biol. Expt. Sinica, 6:105-110.

106. Yoshida, S. and Hayakawa, Y (1971). Effect of mineral nutrition on tillering of rice. Soil. Sci. and Pl. Nutr., 16(5):186-91.
107. Yoshida, S. (1972). Physiological aspects of grain yield. Ann. Rev. Plant. Physiol. 23:437-64.
108. Yu, S.V, Wang, H.C., Kung, T.H., Sung, F.S. and Chien, R. (1963). Effect of food materials supply on development of wheat grains and inter-relationship of main stem and tiller in wheat. Acta. Bot. Sinica., 11:350-58.