

# ***REFERENCES***

## CHAPTER VII

### REFERENCES:

- Abhishek Niranjana, Tewari, S.K. and Alok Lehri, 2010. National Botanical Research Institute, Lucknow, U.P. Biological activities of Kalmegh (*Andrographis paniculata* Nees) and its active principles. **Indian Journal of Natural Products and Resources** 1 (2), pp. 125-135
- Ali Masood, 2007. Global pulse – production- trends and challenges. National Symposium on legumes for Ecological sustainability: **Emerging challenges and opportunities. 3-5th November at IIPR, Kanpur.**
- Anchal Dass, Lenka, N. K., Sudhishri, S. and Patnaik, U.S. 2006. Influences of INM on production, economics and soil properties in tomato (*Lycopersicon esculentum*) under on farm conditions in eastern ghats of Orissa. **Indian Journal of Agricultural Sciences**. 78 (1); 40-43.
- Andre Guinard (1982) Economic optimization of fertilizer application-A method for field staff based on response curves and surfaces. **Tropical Agriculture**. 59: 257-264.
- Anon. (2009). Agricultural Statistics at a Glance. Directorate of Economics and Statistics, Department of Agricultural and cooperation. **Ministry of Agricultural, Government of India, New Delhi.**
- Arun Kumal, K., Karuna Sagar, G., Prabhakar Reddy, G. and Reddy P.M. 2008. Effect of integrated nitrogen management on growth, yield and quality of baby corn. **Crop Research**. 36 (1, 2 & 3): 60-62.
- Arya, R.L., Kushwaha, B.L., Singh, B.N. 2002. Effect of phosphorus management on the growth, yield attributes and yield of maize-chick pea cropping system. **Indian Journal of pulses Research**; 15 (2): 161-165.
- Ashoka, P., Anand, S.R., Mudalagiriappa and Smitha.R. 2009. Effect of macro and micro nutrients with organics on growth, quality yield and economics of baby corn (*Zea mays* L) in Thugabhadra Command area. **Crop Research**. 37 (1, 2&3): 15-18.
- Asiegbu, J.E. and Oikeh, S. 1995. Evaluation of chemical composition of manures from different organic wastes and their potential for supply of nutrients to tomato in a Topical Ultisol. **Biological Agriculture and Horticulture** 12: 47-60.

- Bairwa, H.L., Mahawer, L.N., Shukla, A.K., Kaushik, R.A. and Sudhar Mathur, A.D. 2009. Response of integrated nutrient management on growth, yield and quality of okra (*Abelmoschus esculentus*). **Indian Journal of Agricultural Sciences**. 79 (5); 381-4,
- Bajpai, N.K. and Sehgal, V.K. 2000. Efficacy of neem, karanj (Pongamia) and tobacco formulations against *H.armigera* in chickpea crop. **Indian Journal of Entomology**, 64(4) pp 467-470.
- Bajpai, N.K. and Sehgal, V.K. 2003. Effect of botanicals on oviposition behavior of *Helicoverpa armigera* moths at Panthnagar, India. **Indian Journal of Entomology (India)** vol.64 (4) pp.427-433.
- Bajpai, N.K. and Sehgal, V.K. 2003. Morphogenic effect of botanicals on three day larvae of *H.armigera*. **Indian Journal of Entomology**. 65(4) p 474-482.
- Baljeet Kaur and Misra, K.K. 2009. Effect of zinc on vegetative growth, chlorophyll and nutrient uptake of Karonda (*Carissa carandas*) seedlings under sand culture. **Indian Journal of Agricultural Sciences**. 79(12): 142-5
- Barhate, B.C., Bendre, N.J., Mhase, L.B., Aher R.P. 2004. Effect of rhizobium strains on nodulation and grain yield of chickpea (*Cicer arietinum* L.). **Indian Journal of Legume Research**. 27 (2); 151-152.
- Barik, A.K., Raj, A. and Saha, R.K. 2008. Yield performance economics and soil fertility through organic sources (Vermin compost) of nitrogen as substitute to chemical fertilizers in wet season rice. **Crop Research**. 36 (1,2 & 3): 4-7.
- Basir, A., Zada, K., Shah, Z., Sarhad, 2009. Effect of phosphorus and FYM on nitrogen nutrition and grain yield of chickpea. **Indian Journal of Agriculture**. 79(5); 261-5
- Beg, M.A. and Singh, J.K. 2008. Effects of bio fertilizers and fertility levels on growth, yield and nutrient removal of green gram (*Vigna radiata*) under Kashmir Conditions. **Indian Journal of Agricultural Sciences** 79 (5); 388-90.
- Bhagwat, V.R. and Wightman J. A. 2001. NPV based management for *Helicoverpa armigera* (Hub) in chickpea. **International Crops Research Institute for the Semi-Arid Tropics, Patancheru (India)**

- Bhakani, P.A. 1989. Suitability of host plants for growth and development of leaf eating caterpillar, *Spodoptera litura* (F). **Indian journal of Entomology. 51 (3): 427-430.**
- Bhakani, P.A. and Talali, G.M. 1984. Growth and development of *Spodoptera litura* (Fabricius) on certain food plants, **Gujarat Agri. Univ. Res. J., 9:60-62.**
- Biradar, A.P. Balikai, R.A. and Teggeli, R.G. 1998. Development of spray schedule in chick pea due to pod borer and loss estimation. **Karnataka Journal of Agricultural Sciences. 11 (3): 662-664**
- Brajesh Gupta, Shrivastava, G.K. and Lakhera, M.L. 2003. Character association and regression analysis in chick pea. (*Cicer arietinum*). **Annals of Agriculture Research. 24 (2): 416-420.**
- Bridges, E.M. 1978. World Soils. Second Edition. Cambridge University press, Cambridge pp128. **AgroBios News letter 9(4) : 28-30.**
- Burali, A.V., More, S.M., Gare, B.N. and Dodake, S.S. 2004. Studies on genetic variability and heritability in chick pea under residual soil moisture condition. **Journal of Maharashtra Agricultural University 29 (3): 353-4.**
- Chander, H., Ahuja, D.K., Nagender, A. and Berry, S.K. 2000. Repellency of different plant extracts and commercial formulations used as prophylactic sprays to protect bagged grain against *Tribolium castaneum*, a field study. **Journal of food Science and Technology. 37 (6): 582-5.**
- Chari, M.S., Bharpoda, T.M. and Patel, N.C.M. 1985. Studies on integrated management of *Spodoptera litura* F. in tobacco nursery. **Tobacco Research. 11 (2): 93-97.**
- Chari, M.S. 1987. Management of insect pests of tobacco and Plant protection in field crops. Eds. M. Veerabhadra Rao and S. Sithanatham. **Plant protection association of India, Rajendranagar, Hyderabad, India pp. 349-368.**
- Chari, M.S., Rao, R.S.N., Prabhu, S.R. and Gunneswara Rao, S. 1990. Nicotine sulphate, an effective botanical pesticide. **Indian farming, 39 (11): 28-29.**
- Chari, M.S. and Ramaprasad, G. 1992. Pest epidemics in tobacco recent trends. In. Proc. of Nat. Symp. Changing scenario in pests and pest management in India, **CPPTI, Rajendranagar, Hyderabad.**

- Chaturvedi, S. and Chandel, A.S. 2005. Influence of organic and inorganic fertilization on soil fertility and productivity of Soybean (*Glycine max*) . **Indian Journal of Agronomy** **50** (4): 311-3.
- Chawdary, R.P., Sharma, S.K. and Dahama, A .K. 2003. Yield components of green gram (*Vigna radiata* (L) as influenced by phosphorous and thiourea. **Annals of Agricultural Research** . **24** (1): 2003-2004.
- Chowdar, G.R., Jain, N.K. and. Jati,N.L. 2008. Response of coriander to inorganic nitrogen, FYM and bio fertilizer. **Indian Journal of Agricultural Science**. **78** (9): 761-3.
- Chellaiah, S. 1985. The tobacco cutworm *S.litura* ; Integrated pest and diseases management, Ed. S.Jayaraj, TNAU, Coimbatore. **Problems and prospects of management, 139-159,**
- Chellamuthu, V. 2000. Effect of Bio fertilizers and inorganic fertilizer on the fodder yield of bajra. **Madras Agricultural Journal** **87** (4-6) : 183-5.
- Chesti, M.H. and Tahirai, 2008. Integrated phosphorus management in green gram (*Vigna radiata*) under temperate condition of Kashmir. **Indian Journal of Agricultural Science**. **78** (5): 473-5
- Cimirin, K.M., Togay , Y. and Sonmezy, P. 2007. Effects of different sulphur and pyrite levels on yield, yield components and nutrients up take of lentil (*Lens culinaris*). **Indian Journal of Agrl. sciences** **78** (6): 543-7.
- CTRI,2006.Annual Report of Central Tobacco Research Institute,Rajahmundry,AP.
- Dagar, J.C. 2008. Organic amendments in the reclamation and management of problem soils by P.K. THAMPAN, Ed: **Peekay Tree Crops Development Foundation Gandhi Nagar, Cochin, KERALA, INDIA.**
- Deshpande, A., Warade, S.D., Anarse, S.A., Bhoge Rashmi, and Amolic, V.L. 2006. Effect of organic manures on growth, yield and keeping quality of Okra (*Abelmoschus esculentus*) cv. Phule Kirti. **Annals of Plant Physiology**. **20**: 65-8.
- Dhaliwal, G.S. and Koul, O. 2007. Bio pesticides in pest management conventional and biotechnological approaches. **Botanical pesticides : 72-122. Kalyani publishers, New Delhi.**
- Dhar, N.R. 1962. Nitrogen fixation by organic matter in soil improvement. **Journal of Indian Society of Soil Science**, **10**:76-91

- Dharpure, S.R. 2002. Effectiveness of botanicals and ethofenprox with phorate against *Myzus persicariae* in seed potato production. **Journal of the Indian potato Association (India)** . 29 (1-2) 55-59.
- Din ,J., Rashid, A., Zahid, M.A. 2001. Optimizing productivity and profitability in rain fed legume crops through balanced nutrient management. **Pakistan Journal of Soil Science** .20(4). 70-74.
- Dosi and Thampan,P.K. 1995. Pest control by adopting natural methods.Case studies by P K Thampan, in **Organic Agricultural** 349-50.
- Dube, B.K., Sharama, C.P., Chatterjee, C. 2001. Response of pigeon pea to applied zinc in ustifluent soils of Western U.P. **Journal of Indian Society of Soil Science**. vol.49 (3) pp. 471-475
- Durga, K.K., Murthy, S.S.N., Rao, Y.K. and Reddy, M.V. 2002. Genetic studies on yield and yield components of chickpea. **Agricultural Science Digest** 27 (3).
- Elsokkary, I.H., Attar, H.A. and Amer, M.A. 1981. Influence of phosphorus and zinc fertilizers on the uptake of phosphorus and Zinc by corn plants grown on highly calcareous soils. **Plant and Soil**, 59 (2): 227-236.
- Everton, M., Silva, Amubio Valencia, Maria Fatima Grossde ,S.A. and Thales L. 2009. Inhibitory action of Cerrado plants against mammalian and insect & amylases. **Pesticides bio chemistry and physiology**.95 9#0 141-146.
- Farah, M.A. and Solimal, M.F. 1986. Phosphorus interactions in wheat plants. **Agrochemica**, 30 (b) : 419-426.
- Fathurrahman, 2003. Effect of Rice straw mulching and P fertilizer on leaf area-index, chlorophyll content, and yield of pigeonpea (*Cajanus cajan*) at different planting distances. **AGROLAND (INDONESIA)** . 10 (1) 16-22.
- Fernande, P.G., Pranee and Rattananupon, 1997. Productivity and seed quality of corn and seed mungbean in relation to pest management, fertilizer sources and cropping patterns. Lampang. **Journal of Thailand**.1997. 147-159.
- Garcia, Hernandez, T., Costa , F. and Ceccart, B. 1994. Bio chemical parameters in soil regenerated by addition of organic waste. **Waste Management Research** 12;.457-466.

- Gaur, C. 2001. Organic manure: a basic input in organic farming. **Indian Farming. 26: 3-7.**
- Gedam, V.B., Rametke, J.R., Rudragouda and Mahskar, N.V. 2008. Organic resource management for sustaining the productivity of groundnut – Rice cropping system. **Crop Research. 36 (1,2 & 3): 16-18.**
- Gedam, V.B., Rametke, J.R., Rudragouda and Pawar, M.S. 2008. Influence of organic manures on yield, nutrient uptake of groundnut and change in physico-chemical properties of soil after harvest of groundnut. **Crop Research. 36 (1,2 & 3): 111-114.**
- Ghandour, E.L., Galal, A. and Y.G.M. 2002. Nitrogen fixation and seed yield of chickpea cultivars as affected by microbial inoculation, crop residue and inorganic N fertilizer. **Egyptian Journal of Microbiology .37 (3) 233-246**
- Gomez, K.A. and Gomez, A. 1984. **Statistical procedures for Agricultural Research, 393-5.** 2<sup>nd</sup> ed, John Wiley and sons, Inc., New York.
- Govindan, K. and Thirumurugan, V. 2005. Synergistic association of rhizobium with phosphate-solubilizing bacteria under different sources of nutrient supply on productivity and soil fertility in soybean (*Glycine max*). **Indian Journal of Agronomy 50 (3): 214-17.**
- Gowda, D.K.S., Dhana Raj Halle, and Sharanabasappa, 2004. Evaluation of different IPM modules and intercropping systems for the management of pod borer in chickpea. **Karnataka Journal of Agricultural Sciences.; 17 (3); 586-589.**
- Grainge, M., Ahmed, S., Mitchell, W.C. and Hylton, L.W. 1984. Plant species reportedly possessing pest control properties, an EKIC/UN data base. Resource system institute, **EKIC Honolulu College of Tropical Agriculture and Human Resources. U W V of HAWAII.**
- Grant, C.A. and Bailey, L.D. 1989. Zinc and phosphorus interactions in flax growth. **Annual meetings of Am. Soc. Agron – 240.**
- Gujar, G.T. and Mehrutra, K.N. 1983. Juveniling effect of azadirachtin on a noctuid moth. *Spodoptera litura* F. **Indian Journal of Experimental Biology.21(5): 292-3.**
- Gupta, A.K. and Rai, R.K. 1999. Phosphorus use efficiency of intercropping versus sole cropping. **Journal of Eco Physiology 2(2-3); 59-62.**
- Gunneswarao, S., Rao, R.S.N. and Sitaramaiah, S. 1998. Potentiation of entomopathogens against *Spodoptera litura* and *Helicoverpa armigera*. In

tobacco symposium on Indian tobacco; problems and prospects, **Indian society of Tobacco Science, CTRI. Rajahmundry.**

Gurmani, A.H., Bakhsh, A. and Bhatti, A. 2003. Effect of rhizobium inoculation and different P levels on the yield and economics of chickpea under arid conditions. **Pakistan Journal of Soil Science. 31:(4) 117-21**

Hakoomat Ali, Khan, M.A. , Randhawa, S.A.2004. Interactive effect of seed inoculation and phosphorus application on the growth and yield of chick pea. (*Cicer arietinum* L) **International Journal of Agriculture and Biology . 6(1); 110-112.**

Harish, C., Nagender, A., Ahuja, D.K. and Berry, S.K. 2003. Effect of plant materials on the breeding of lesser grain borer (*Rhyzopertha dominica*) in milling rice in laboratory. **Journal of Food Science and Technology. 40 (5): 482-5.**

Hegde.B.R, Krishna gouda ,K.P. and Parvathappa ,H.C.1988.Recent advances in dryland agriculture , Part 2 .**Somani,L.L.Scientific publishers Jodhpur. 277-285.**

Hegde.B.R, 1988.Organic farming in rainfed agriculture .**Net work project on IPM under the NATP.**

Hulagur, B.F., Dangarwala, R.T. and Mehta, B.V. 1975. Interrelationship among available zinc, copper and phosphorus in Soil. **J. Indian soc. Soil, Sc.23(2) : 231-235.**

Hemantaranjan, A. and Garg, O.K. 1984. Effect of zinc fertilization on the senescence of wheat varieties. **Indian Plant Physiol. 27 (3): 239-246.**

Jack, E., Rechigl, and Nancy, A. 2008 . Biological and biotechnological control of insect pests. Organic Farming in rain fed Agriculture .**Net work project on IPM under the NATP.**

Jackson,M.L. 1973. Soil chemical analysis, prentice hall, New Delhi.

Jadhav, D.K. and Ghonsikar, C.P. 1977. Influence of Zinc and phosphorus interaction on zinc content in wheat. **J. Maharashtra .Agrl. Univ. 2(3): 272-273.**

Jai Paul, Sanjeev, K., Sandal, V.K., Suri, and Dhiman, A.K. 2007. Validation of fertilizer adjustment equations based on yield target concept and complementary use of organic and bio fertilizers along with inorganic



fertilizers in rain fed Maize- Wheat system in wet temperate zone. **Central Research Institute for Dry Land Agriculture, Hyderabad. 379-94.**

Jai Paul, Sanjeev, K., Sandal, V.K., Suri, and Dhiman, A.K. 2008. Verification of fertilizer recommendation modules for conjoint use of organic and inorganic fertilizers for specific yield in rain fed soybean (*Glycine max*) - Wheat cropping sequence. **The Indian Journal of Agricultural Sciences. 63 (06). 622-625.**

Jat ,R.S., Ahlawat, I.P.S. 2004. Effect of verm compost bio fertilizer and phosphorus on growth, yield and nutrient up take by gram (*Cicer arietinum*) and their residual effect on fodder maize. (*Zea mays*). **Indian Journal of Agricultural Sciences. 74 (7), 359-361.**

Jayarama Soundari, R., Jagannathan, N.T., Balasubramanian .T.N. 2003. Residual effect of phosphorus on the growth, yield and economics of green gram. **Legume Research. 26 (4): 307-309.**

Jazzar, C. and Hammad , E.A.F. 2003. The efficacy of enhanced aqueous extract of *Melia azadirachta* leaves and fruits integrated with the *Compoletes reverteri* releases against sweet potato whitefly nymphs. **Bulletin of Entomology , 56 (2): 269-75.**

Joshi, R.C., Khanvilkar, G.S. and Patil, N.D. 1974. Response of soybean to Zinc. **Indian J. Agril.chem. 7(2): 181-190.**

Kanwar Kamala, and Paliyal , S.S. 2002. Influence of phosphorus management and organic manuring on up take and yield of chick pea (*Cicer arietinum*). **Annals of Agricultural Research. 23 (4). 642-645.**

Khan, A.A. and Zinde, G.K. 1976. The effect of zinc and phosphorus fertilization on the content and up take of N.P.K. Ca, Mg, Fe, Mn & Zn by maize and wheat. **Mysore J. Agril.Sci. 10 (4) :574-584.**

Kleeberg, H. 1996. The neemal conception: future possibilities of the use of neem in biological and integrated pest management in **Neem and Environment, 875-82.**

Koul, O. (2004) Utilization of plant products in pest management: A global perspective in frontier areas of **Entomological Research, IARI, New Delhi, India, Nov. 5-7, 2003, 331-342.**

Kuchenbuch, R.O. and Ingram, K.T. 2004. Effect of soil bulk density on seminal and lateral roots of young maize plants (*Zea mays*) **Journal of Plant Nutrition and Soil Science. 167: 229-35.**

- Kumar, K.S.M. and Nair, S.K. 2003. Use of acid tolerant strains of Bradyrhizobium sp. For blackgram and greengram. **Legume Research. 26 (1): 60-62.**
- Kumar, S., Prasad, S. and Singh, R.N. 2002. Resurgence of two spotted mite, *Tetranychus urticae* Koch (*Acarina tetranychidae*) due to Acaricides and Botanicals on Okra. **Annals of Plant Protection Sciences. 10(2) . 239-242.**
- Lal, S. and Maurya, A.N. 1981. Effect of zinc on onion. **Haryana J. Hort.Sci. 10 (3/4):231-235.**
- Lanna Cone Oliver, J.A. and Mantoro Zamura , 2002. Impact of two bio insecticides botanical products (Azadiractin and Rotenone) on the arthropod fauna captured by pit fall traps on tomatoes in ICA, Peru. **Revista Colombiana de Entomologia 28 (2):191-8.**
- Lindsay, W.L. 1972. Zinc in soils and plant nutrition **Adv. Agron. 24: 147-186.**
- Lingle, J.C., Holberg, D.M. and Zobel, M.P. 1958. The correction of zinc deficiency of tomatoes in California. **Proc. Am. Soc. Hort. Sci. 72: 397-402.**
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the phenol reagent. **Journal of Biological Chemistry 193:265.**
- Madhavi, Y., Veeranna Goud, P., Malla Reddy, K. and Saidulu, A. 2009. Effect of different levels of vermi compost, castor cake, poultry manure and bio fertilizers on growth and yield of Indian spinach. ( *Beta vulgaris* ). **Hort. Crop Research. 37 (1,2 & 3): 148-151**
- Maitra, D.N., Sarkar, S.K., Saha, S., Tripathi, M.K., Majumdar, B. and Saha, A.R. 2008. Effect of phosphorus and FYM applied to sunn hemp-wheat (*Triticum aestivum*) cropping system and fertility status in a Typic ustrocept of U.P. **Indian Journal of Agricultural Sciences. 78 (1) 70-4.**
- Maity, S.K. and Giri, G. 2003. Influence of Phosphorus and sulphur fertilizers on productivity and oil yield of groundnut (*Arachis hypogea*) and sun flower (*Helianthus annuus*) in inter cropping with simultaneous and stressed planting. **Indian Journal of Agronomy 48 (4): 267-70.**
- Mali, G.C., Sharma, N.N. , Acharya, H.K., Gupta, S.K. and Gupta, P.K. 2003. Response of Pigeonpea to Sulphur and Zinc fertilization on vertisols in

South-Eastern plain of Rajasthan. **Advances in Arid Legumes Research. 267-271.**

Maskina, M.S. and Randhawa, N.S. 1983. Effect of organic manure and Zinc levels on the availability of Zinc, iron, manganese and copper to wetland rice. **Indian.J. Agric.Sci 53 (1): 48-52.**

Meena, M.C., Patel, K.P., Dhyan Singh and Dwivedi, B.S. 2008. Long term effect of sewage sludge and FYM on grain yields and availability of Zinc and iron under pearl millet (*Pennisitum glaucum*) Indian Mustard (*Brassica juncea*) cropping sequence. **Indian Journal of Agricultural Sciences. 78 (12). pp.1028-32.**

Motsara, 2002. Available nitrogen, phosphorous and potassium status of Indian soils as depicted by soil fertility maps. **Fertil. News:47(8),15-21.**

Muthukumar, M. and Sharma, R.K. 2009. Eco-friendly management of insect pests of cauliflower with intercropping and botanicals. **The Indian Journal of Agricultural Sciences Contents Index. 108.**

Muthuvel, P.P. Purusothaman, K. and Kothandaraman, S. 1982. Efficient recycling of farm and industrial wastes. In: proc. Summer institute in fertilizer use efficiency in crop production. AC & RI. Madurai, TNAU. Published in **Agro Bios News Letter 9(4): 23-30**

Nancye Becka, and Morgan, G.E. 1968. Insect growth regulators. Bio logical and bio technological control of insect pests. **Agriculture & Environment series.**

Narayanan, K. and Gopalakrishnan, C. 1987. Effect of nuclear polyhedrosis virus for the control of *Heliothis armigera* on tomato, **International Heliothis Biol. Cont. News. 6:10.**

Nigam, A.K. and Gupta, V.K. 1979. Hand Book on Analysis of Agricultural Experiments published by I.A.S.R.I., **Libray Avenue, New Delhi, First Edition.**

Olsen, S.R., Cole, C.V., Watenabe, F.S. and Dean, L.A. 1954. Estimation of available phosphate in soils by extraction with sodium bicarbonate. **Circ. U.S.Dept. Agric.939.**

Orabi, A.A., Ismail, A.S. and Mashadi, H. 1982. Zinc, phosphorus relationship in nutrition of tomato plants as affected both by soil and by the rate of applied Zinc. **Plant and Soil. 69 (1) 67-72.**

- Ozanne, P.G. 1955. The effect of nitrogen on zinc deficiency in subterranean clover. **Aust. J. Bio.Sci. 8: 47-55.**
- Palaniappan,S.P. and Natarajan, 1993.The effect and importance of FPC, Press mud and bagasse. Organics in soil health and crop production **Peekay Tree Crops development foundation,Cochin, 23-42, by P.K.Thampan,Organic Farming,163.**
- Palaniappan,S.P. and Annadurai,K.1999.Organic farming theory and practice.**Scientific Publishers,Jodhpur,India. 257.**
- Panse, V.V. and Sukhatme, P.V. 1957. **Statistical methods for agricultural workers. Ed. 2. 1957.**
- Panwar, A.S. 2008. Effect of integrated nutrient management in maize (*Zea mays*)-mustard (*Brassica campestris varitoria*) cropping system in mid hills altitude. **Indian Journal of Agricultural Sciences 78(1): 1-106.**
- Patel, C.C., Koshiya, D.J. 1997. Seasonal abundance of American boll worm, *Helicoverpa armigera* on different crop hosts at Junagadh .
- Patel, R.C., Singh, R. and Patel, P.B. 1968. Nuclear polyhedrosis virus on gram pod borer *Helicoverpa armigera*, **Journal of Parasitology, 61:191-193.**
- Patil, R. and Mukhopadhyay,D.2009. Effects of organics influencing the arsenic transport in soil-plant systems. **Indian Journal of Agricultural Sciences 79(12): 996-9.**
- Patra, A.P., Panda, D., Patra, B.C. and Karmakar, A.S. 1998. Effect of FYM, Zinc and NPK fertilization on yield components and yield of wheat after winter rice in West Bengal. **Journal of Intra academia 2: 1-6.**
- Pokharel, R.R. 2000. Effect of organic manures, fertilizers, and nematode (nematicide) on the control of root-knot nematode and yield in chickpea. **International chickpea and pigeonpea. News Letter. 2000. (7): 18-19.**
- Poonkodi, A .and Manikandan, P.S. 2001. Effect of levels of phosphorus on the growth, yield and protein content of greengram (**Andhra Agricultural Journal (India) .48 (3 &4) .227-230.**
- Prabhakar,M. and Venkateswarlu,B.2007.A report of Pongamia and custard apple or other plant species with good potential in IPM. **ICAR Winter School, CRIDA. 112.**

- Pramanic, K. and Singh,R.K. 2003. Effect of phosphorus and biofertilizers on growth, yield attributes, yield and nutrient up take of greengram (*Phaseolus radiatus*). **Agronomy Digest 3: 35-6.**
- Price, C.A., Clark, H.E. and Funkhouser, E.A. 1972. In "Micronutrients in Agriculture" **231-242. Soil Sci Soc. Am. Madison Wisconsin.**
- Pujar, B.T., Gundappagol, R.C., Patil, J.R., Yelshetty Suhas, and Mannur, D.M. 1998. Conjunctive use of chemical fertilizers, FYM and triaconol on the performance of pigeon pea. **Karnataka Journal of Agricultural Sciences. 11 (3): 607-609.**
- Punwar, J.P., Yadav, S.R. 2003. Field efficacy of pest controlling agents from different origins against tobacco caterpillar, *Spodoptera litura* on soybean. **Indian journal of Entomology. (India). 65(3) 382-385.**
- Purohit,S.S.2006. Explained the national Agricultural policy (NAP) 2000 in prospects of organic food production published in trends in organic farming in India by **AGROBIOS (INDIA) 3-5.**
- Puste,A.M., Bandyopadhyay,S. and Das, D.K. 1999 . Economy of fertilizer nitrogen through organic sources in rain fed rice - legume cropping systems in West Bengal, India. **Department of Agronomy, Bidhan Chandra Krishi Viswavidyalaya , Mohanpur-741252 NADIA, West Bengal, India.**
- Radheshukla, Upadyay, S. and Rathore, H.S. 2006. Efficacy and economics of neem (*Azadirachta indica*) based products on incidence of pod borer complex of pigeon pea. (*Cajanus cajan*). **Indian Journal of Agricultural sciences 78(6): 567-8 .**
- Rajat and Ahlawat , I.P.S. 2009. Effect of Farm yard manure, source and level of Sulphur on growth attributes, yield, quality and total nutrient up take in pigeonpea ( *Cajanus cajan* ) and groundnut inter cropping system (*Arachis hypogea*). **Indian Journal of Agricultural Science. 79 (12): 1016-9 .**
- Rajiv Kumar, Kuhad, M.S., Kumar, M. and Singh, A.P. 2005. Influence of potassium and phosphorus on growth and yield in chick pea under water stress. **Annals of Biology . 21 (1), 7-11.**
- Rai, R. and Singh, S.N. 1981. Interaction effects of Zinc and potassium on synthesis of carbohydrates and amino acids in maize. **Ind. J. Agril. Chemistry. 14 (1/2) 183-185.**
- Raj, H. and Gupta, V.K. 1986. Influence of organic matter and Zinc on wheat yield and Zinc content in Wheat. **Agri. Wastes. 16(4) : 255-263.**

- Ramakrishnan, N., saxena, V.S. and Dhingra, S. 1984. Insecticide resistance in the population of *Spodoptera litura* (F). In Andhra Pradesh. **Pesticides**, **18:9,23,27**.
- Ramaprasad,G., Seetharamaiah,S., Gunneswara Rao, S. 1997.Bio environmental control of *H.armigera* .**Tob Research** ,**21:1 pp 41-44**.
- Ramaprasad,G., Rao,R.S.N. and Chari,M.S. CTRI, 1998. Final report of DBT Mission Mode project on development, production and demonstration of Bio control agents under IPM. **Central Tobacco Research Institute, Rajahmundry. 1996-97, 46**.
- Ramesh, P. 2006. Effective source of organic nutrients in comparison to chemical fertilizers on pigeonpea under rainfed conditions, **Organic farming in Rainfed Agriculture, IISS, Bhopal.16**
- Ramesh,P., Panwar, N.R., Sing, A.B. and Ramana,S. 2006. Effect of organic manures on productivity, soil fertility and economics of soybean (*Glycine max*) durum wheat (*Triticum durum*) cropping system under organic farming in vertisols. **Indian Journal of Agricultural Science. 78(12): 1033-37**,
- Rao, N.S. , Rajendran, R. 2003. Efficacy of botanical mixtures against Bhendi shoot borer *Earias vitella* (Fab).**Andhra Agricultural Journal India. 50 (1&2) pp.69-74**.
- Rao, R.S.N., Gunneswara Rao, S. and Chandra, I.J. 1987, Biochemical potentiation of NPV of *Spodoptera litura* F. **J.Biol. Cont. 1: 36-39**.
- Rao, R.S.N., Sreedhar, U., Gunneswara Rao, S. and Satyavani, J.V.R. 1994. Bio environmental control of *Heliothis armigera* in tobacco. **Tob. Res. 20: 1) . 36-39**.
- Ramved, Misra, S.K. and Upadyay, R.M. 2002. Effect of sulphur, Zinc and bio fertilizers on yield and nutrient, up take in mung bean. **Indian Journal of Pulses Research 15 (2): 169-71**.
- Ravi, K.H., Nagaraju, A.P., Yogananda, S.B. and Sree Ramulu, K.R. 2001.Activated rock phosphate improves , nutrient up take and protein content in pigeonpea. **Crop Research, Hissar. 22:2, 2001-205, 12**.
- Reed, W., Cardona,C., Sithanatham, S. and Lateef, S.S. 1987. Chickpea insect pests and their control. **The chickpea.283-316**.

- Ronald,A. and Fisher,Sc.D. 1954. Statistical Methods for Tesearch workers. Published by OLIVER and Boyd Edinburgh: Tweeddale court London:39A welbeck Street, W.1
- Roy, S., Sham N.K., Bano,R., Saxena,P., Azmi, M. and Tyagi, P.K. 2008. Effect of pest control measures on beneficial soil micro arthropods in a year round fodder production system. **Indian Journal of Agricultural Sciences** 79 (5); 406-8.
- Rudresh, D.L., Shivaprakash, M.K. and Prasad,R.D. 2005. Effect of combined application of Rhizobium, Phosphate solubulising bacteria and Trichoderma Spp. on growth, nutrient uptake and yield of chickpea (Cicer arietinum L ), **Applied Soil Ecology** 28 : 139-46.
- Saad, A.A. and Sharma, H.M. 2003. Efficacy of PSB with phosphatic fertilizers on the yield of chick pea grown on calcareous soil of North Bihar. **Indian Journal of Pulses Research**. 16 (1),63-6.
- Sachithanandam, S., Rabindra, R.J. and Jayaraj, S. 1989. Pot culture studies on the efficiency of NPV formulations against the tobacco cut worm Spodaptera litura ( F) larvae on groundnut, **J. Biol. Control**.3: 44-46.
- Saha,L.R.and Dhaliwal,G.S. 2006. Worked out the Economic Threshold Limit (ETL) of Helicoverpa armigera . **Hand book of Plant Protection 2006**.
- Sammavria, R. and Yadav , R.S. 2007. Effect of phosphorus and zinc application on growth and yield of fenugreek ( Trigonella foenum-greecum) and their residual effect on succeeding pearl millet ( Pennisetum glaucum) **Indian Journal of Agricultural Sciences** 78 (1): 61-4, 1-2008
- Samui, R.C., Jana, P.K. and Bhattacharya, 1975. Effect of different levels of phosphorus and Zinc on high yielding wheat variety. Sonalika. **Ind. Agriculturist**. 19 (1) : 135-140.
- Sangeetha, S.P., Bhuvanewari, J., Satya Priya, R. and Bridges, 1978, .MUTHUVEL (1982). Organic manures on physical properties of soil. **Agro BIOS. News letter** .2010.
- Sangeetha, S.P., Bhuvanewari, J., Satya Priya. R. 2009 . Effect of organic manures on soil biological properties. **Agro Bios News letter**.9
- Sangeetha, S.P., Bhuvanewari, J., R. Satya Priya. 2009. Importance of organic manures on soil health. **Agro BIOS Newsletter**. 9

- Sangwan, P.S. and Raj, M. 2004. Effect of zinc nutrition on yield of chick pea (*Cicer arietinum*) under dry land conditions. **Indian Journal of Dry Land Agricultural Research and Development**. 19 (1):
- Sanjeev Kumar, Upadhyay, J.P. and Roy, S. 2002. Effect of pesticide seed dressing and rhizobium inoculation on nodulation and yield of chickpea (*Cicer arietinum* L.). **Journal of Applied Biology**. ,12(1/2): 81-83.
- Sankaralingappa, B.C., Srivaraj, B., Sudhir, K. and Viswanatha, K.P. 2000. Interaction effect of phosphorus and Sulphur on up take of NPK and Sulphur by pigeonpea. (*Cajanus cajan*). **Indian Journal of Agronomy**. 45 (2): 348-352.
- Sardhana, H.R., Bambawale, O.M., Singh, D.K. and Kadu, L.N. 2008. Large area validation of adaptable integrated pest management technology in okra (*Hibiscus esculentus*) through farmers' participation. **Indian Journal of Agricultural Sciences** 78 (12); 1063-66
- Sarkar, R.K., Shit, D. and Chakraborty, A. 2008. Effect of levels and sources of phosphorus with and without farm yard manure on pigeonpea under rainfed condition. **Indian Journal of Agronomy**. 1197,42 (1): 120-123.
- Schmutterer H. 1990. Properties and potential of natural pesticides from the neem tree *Azadirachta indica*. **Annual Review of Entomology**. 35, 271-297.
- Schmutterer, H. 1995. The Neem Tree and other meliaceous plants, sources of unique Natural products for integrated pest management, medicines, industry and other purposes, VCH, Weinheim, Germany.
- Seiter, S. and Horwath, W.R. 2004. Strategies for managing soil organic matter to supply plant nutrients. **Soil organic matter in sustainable Agriculture**, 269-94. Magdoff, F. Weil, R.R. (Eds), C R C Press, New York, USA.
- Sen Gupta, B.S., Goel, S.K. and Narula, P.N. 1975. Effect of nitrogen, phosphorus and zinc application of barley yield on calcareous soils. **Technology, India**. 12 (1): 21-23.
- Shakya, S., Patel, M.M. and Singh, V.B. 2008. Knowledge level of chickpea growers about chick pea production technology. **Indian Research Journal of Extension and Education** 8.(2&3): 65-8.
- Sharma, K.L., Vittal, K.P.R., Srinivas, K., Venkateswarlu, B. And Neelaveni, K. 1999. Prospects of organic farming in dryland agriculture. **Central Research Institute for Dryland Agriculture, Santoshnagar, Hyderabad**. 369-378.



- Sharma, K.L., Srinivas, K., Das, S.K., Vittal, K.P.R. and Kusuma Grace, J. 2002. Conjunctive use of inorganic and organic sources of nitrogen for higher yield of sorghum in dryland Alfisol. **Indian Journal of Dryland Agricultural & development** 17 (2). 79-88.
- Sharma, K.L., Srinivas, K., Mandal, U.K., Vittal, K.P.R. and Kusuma Grace, J., and Maruthi Sankar, G. 2004 Integrated Nutrient Management Strategies for Sorghum and Green gram in semi arid Tropical Alfisols. **Indian Journal of Dryland Agricultural Research and Development** 19(1): 13-23.
- Sharma, K.L., Ramakrishna, Y.S., Vittal, K.P.R., Balloli, S.S., Mandal, U.K. and Kusuma Grace, J. 2005 Role of inorganic and organic sources of nutrients and their integration in rainfed agriculture in India. **Indian Fertilizer Scene Annual**. 23-25.
- Sharma, K.L., Srinivas, K., Mandal, U.K., Ramakrishna, Y.S., Vittal, K.P.R., Das, S.K., Martin D., Kusuma Grace, J. And Balloli, S.S. 2007. Kinetics of decomposition of unconventional farm –based crop residues, and their composting and quality monitoring, **Communications in Soil Science and Plant Analysis** 38 (17&18): 2423-2444.
- Schmuttere, H. 1990 Properties and potential of natural pesticides from the neem tree. *Azadirachtin indica*. **Annual Review of Entomology**. 35: 271-297.
- Sharma, K.C., Krantz, B.A., Brown, A. L. and Quick, J. 1968 . Interaction of zinc and phosphorus in tap and root of corn and tomato. **Agron. J.** 60 : 453-456.
- Sharma, O.P., Garg, D.K., Triwedi, T.P. Satpal Chahar and Singh, S.P. 2008. Evaluation of pest management strategies in organic and conventional Tarai Basmati rice (*Oryza sativa*) farming system. **Indian Journal of Agricultural Sciences** 78 (10); 862-7.
- Shivashankar, K., Veeranna, V.S. and Krishnamurty, K. 1974. Response of soybean to phosphate and zinc application. **Mysore. J. Agril. Sc.** 8 (3) : 370-375.
- Shivram, P.L., Ahlawat, I.P.S. and Shivran, D.R. 2000. Effect of phosphorous and Sulphur on pigeonpea (*cajanus cajan*) and succeeding wheat (*Triticum aestivum*) in pigeon pea- wheat cropping system. **Indian Journal of Agronomy. India.** 45(1) 25-30.

- Shukla, L. and Tyagi, S.P. 2009. Effect of integrated application mung bean (*Vigna radiata*). **The Indian Journal of agricultural sciences.108**
- Shukla,U.C. , Raj, H. and Kuldeep Singh, 1978. Effect of farmyard manure and wheat straw on the response of maize to zinc in zinc deficient soil. **Ind.J. Sci. 48(8): 483-486.**
- Singh, A.B., Ramesh,P., Panwar,N.R. and Ramana, S. 2008. Nutritional quality of soybean (*Glycine max*) - wheat ( *Triticum durum*) and chickpea (*Cicer arietinum*) and soil biological properties as influenced by different organic manures. **Indian Journal of Agricultural Sciences 78 (9); 781-4. .**
- Singh, A.B., Saha, J.K. and Ghosh,P.K. 2008. Effect of nutrient management practices on soybean (*Glycine max*) - chick pea (*Cicer arietinum*) cropping system for improving seed yield, quality and soil biological health under rain fed condition. **Indian Journal of Agril. Sciences 78 (6): 485-9,**
- Singh, A.P., Mitra, B.N., and Tripathi, R.S. 1999. Effect of soil enrichment in conjunction with organics and chemical fertilizer in rice( *Oryza sativa*) chick pea (*Cicer arietinum*) cropping system. **Indian Journal of Agronomy (India). 44 (2) 223-227.**
- Singh, B.P. 2004. Persistence of HNPV on chick pea crop. **Insect Environment., 10 (3): 141-142.**
- Singh, A.K., Srivastava, C.P. and Nitinjoshi. 2009. Evaluation of integrated pest management modules against gram pod borer in chickpea. (*Cicer arietinum*).**Indian Journal of Agricultural Sciences Contents index. 107.**
- Singh, N.T.and Dagar, J.C. 1993. New research and development experiences of salt effected soil in India. **Journal of Environmental resources. 1 (1-2):68-88**
- Singh, B.L., Singh, K.D.A. and Tripathi,S.N. 1986. Studies on the effect of different levels of liming and FYM on yield and quality of cigar filler tobacco. **Tob. Res. 9 (2): 83-87.**
- Singh, B.N. and Ali, M.1994. Response of kharif pulses to phosphorus and Sulphur. **Fertilizer News 39 (9) : 43-5.**
- Singh,N .T. and Dagar, J.C. 1993. Sugar factory wastes as organic Amendments in the reclamation and management of problem soils. Research and development experience of salt affected soils in India .**Journal of Environmental resources 1 (1-2):68-88 by P K Thampan,in Organic Agriculture.160**

- Singh, M., Mittal, S.B., Sing, A.P. and Singh,R. 1985. Effect of zinc and organic manures on yield and zinc uptake in rice on normal and sodic soils. **Agrochimica. 29(5/6): 377-382.**
- Singh, Y.P. 2004. Role of Sulphur and phosphorus in blackgram production. **Fertilizer News 49 (2): 33-36.**
- Sivaprakasam, N., Balasubramania., G.,Venkatesan, S. and Chandra Sekharan, J. 1988. Control of *Spodoptera litrua* F. with Nuclear polyhedrosis virus and chlorphyrifos on cow pea. **Madras Agri. J. 75: 9-10.**
- Snedecor and Cochran 1967. Statistical methods for research workers.
- Soltanpour, P.N. 1969. Effect of nitrogen, phosphorus and zinc placement on yield and composition of potatoes. **Agron. J. 61 : 288-289.**
- Srinivasan, K. 1992. Effect of amendment and Zinc levels on the growth and yield of maize. **Indian J. Agron.7 (2) :246-249.**
- Srivastava, T.K., Menhilal, K.P., Singh, Archanasuman and Pradip Kumar, 2001. Enhancing soil health and sugarcane productivity in a plant-ratoon system through organic nutrition modules in sub tropics. **Indian Journal of Agricultural Sciences 79 (5); 346-50 .**
- Struckenholtz, D.D., Olsen, R.J., Gogan,G. and Olson, R.A. 1966. On the mechanism of phosphorus, Zinc interaction in corn nutrition. **Soil Sci. Soc. Amer. Proc. 30 : 759-763.**
- Subbaiah and Asija, 1956. Soil chemistry.
- Subramanian, R., Asmawi, M.Z. and Sadikun, A. 2008. Inhibitory action of cerradoplants. **Acta Biochim. Pol. 55, 391-398.**
- Suganthy M. and Tejkumar, S. 2000. IPM Strategies against gram pod borer, *Helicoverpa armigera* (Hubner). **Annals of Plant Protection Sciences (India) . 8(2) 136-139.**
- Sundararaju, P., Padmanaban, B. and Sathiamoorthy, S. 2003. Efficacy of certain botanicals against root-lesion nematode-pratylenchus coffee - banana ( *Musa* spp). **Nematologia Mediterranea (Italy).31 (2) 201-205.**
- Surekha, K. Rao, K.V. and Sam, T.K. 2008. Improving productivity and nitrogen use efficiency through integrated nutrient management in irrigated rice (*Oryza Sativa*). **Journal of Agricultural Sciences 78 (2) : 173-6.**

- Suri, V.K., Verma, T.S. and Gupta, M. K. 2002. Complementary use of FYM and bio fertilizers for specific yield in rain fed soybean- wheat cropping system. pp. 18-21. Proceedings of National Seminar on Development and Use of Bio-fertilizer, **Bio-pesticides and organic manures**. 10-12 Nov. 2000 at BCKV Kalyani .
- Suri , V K., Verma, T.S. and Jaipaul ,2002. Nutrients efficiencies and their evaluation in Toria ( *Brassica campestris* (v.Bawani) on farmers fields for prescription based fertilizer recommendations. **Indian Journal of Agricultural Sciences** 72,464-6.
- Suri, V.K., Verma, T.S., Jaipaul and Sandal, S.2005. Validation of fertilizer adjustment equations based on targeted yield concept for rainfed soybean grown under wet temp zone of H.P. **Crop Research** 29: 411-5.
- Tandan, H.L.S. 1997. Organic resources: an assessment of potential supplies, their contribution to Agricultural productivity. **National Academy of Agricultural Sciences, New Delhi** 15-28.
- Thampan, P.K. 1995. Organic amendments in the reclamation of problem soils. **Organic Agriculture and Case studies on organic agriculture** 163-5.
- Thorne, W. 1957. Zinc deficiency and its control - **Advances in Agron.** 9. 31-65.
- Tobacco board (2009-10). Annual Report of Tobacco Board Ministry of Commerce & Industry, Department of Commerce, Government of India, Guntur A.P., 19-20.
- Tomar, R.A.S., Kushwaha, H.S. and Tomar, S.P.S. 1990. Response of groundnut varieties to phosphorus and zinc. **Ind. J.Agron.** 35 (4) : 391-394.
- Trehan, S.P. and Grewal, J.S. 1983. Zinc and phosphorus interaction in potato. **Indian J. Ecol.** 10 (2) : 215-222.
- Umesh Singh, and Yadav, D.S. 2004. Response of green gram to Sulphur and Zinc. **Annals of Agricultural Research.** 25 (3) 463-464.
- Varma, K.S. and Khachroo, A. 1984. Effect of added phosphate on pearl millet in the presence of Ca CO<sub>3</sub> and FYM. **J. Ind. Soc. Soil. Sc.** 32 (2): 684-689.
- Veena Khanna, Harpreet Kaur Cheema and Gaurau Kumar Taggar ,2008. Evaluation of some microbial and botanical bio pesticides against *Helicoverpa armigera* in chick pea (*Cicer arietinum*). **Indian Journal of Agricultural Sciences** 79 (3); 195-8

Venkateswarulu, B. 2008. Effect of organic manures or a combination of organics and chemical fertilisers. Organic farming in rainfed agriculture. **Net work projects on IPM under the National Agriculture Technology Project (NATP).**

Vijayalakshmi, K., Radha, K.S. and Vandana Siva, 1995. **Neem: A user's manual, centre for indigenous knowledge systems, Chennai, 86.**

Waage, J.K. 1997. Bio pesticides at Cross Roads, IPM products or chemical clones. PP. 11-20. In Microbial insecticides. Novelty or necessity. **British crop protection council symposium proceedings no. 68, 302 pp.**

**s**

Walkely and Black, 1934. Estimation of organic carbon.

Yadav, A., Yadav, A.S., Upadyay, M.K., Prakash, R. and Hardevram, 2008. Response of chickpea (*Cicer arietinum*) to sources and levels of Sulphur in salt affected rainfed soil of Eastern U.P. **Crop Res. 36 (1,2&3): 67-70.**

Yadav, O.P. and Shukla, U.C. 1982. Effect of applied phosphorus and zinc on their absorption and distribution in chick pea plant. **Soil. Sci. 134(4):239-243.**

Zahid, M.A., Rashid, A. and Din, J. 2000. Botanical nutrient management in chickpea. International chickpea and pigeonpea **News letter. (7) 24-26.**