

LIST OF FIGURES

Figure No.	Title	Page No.
2.1	Aavarai Kudineer Formulation- Original Tamil song taken from official Siddha literature	15
2.2	Aavarai Kudineer Formulation- Tamil song written in simple Tamil	16
3.1	Habit of <i>Cassia auriculata</i> Linn.(Leguminosae)	19
3.2	Habit of <i>Cassia fistula</i> Linn. (Caesalpinaceae)	22
3.3	Habit of <i>Syzygium cuminii</i> (Linn.) Skeels. (Myrtaceae)	24
3.4	Habit of <i>Salacia chinensis</i> Linn. (Celastraceae)	26
3.5	Habit of <i>Costus speciosus</i> (Koenig) Sm.(Coataceae)	27
3.6	Habit of <i>Cyperus rotundus</i> Linn.(Cyperaceae)	30
3.7	Habit of <i>Terminalia arjuna</i> (Roxb.) W. & A.(Combretaceae)	31
8.1	Herbarium of <i>Cassia auriculata</i>	143
8.2	Herbarium of <i>Cassia fistula</i>	144
8.3	Herbarium of <i>Syzygium cumini</i>	145
8.4	Herbarium of <i>Salacia chinensis</i>	146
8.5	Herbarium of <i>Cyperus rotundus</i>	147
8.6	Herbarium of <i>Costus speciosus</i>	148
8.7	Herbarium of <i>Terminalia arjuna</i>	149
8.8	Authentication certificate of AKF ingredients	150
8.9	Exo-Morphology of <i>C.auriculata</i> (Linn.)	152
8.10	Exo-Morphology of <i>C.fistula</i> (Linn.)	152
8.11	Exo-Morphology of <i>Syzygium cuminii</i> (Linn.) Skeels.	152
8.12	Exo-Morphology of <i>Salacia chinensis</i> Linn.	153
8.13	Exo-Morphology of <i>Costus speciosus</i> (Koenig) Sm.	153
8.14	Exo-Morphology of <i>Cyperus rotundus</i> Linn.	153
8.15	Exo-Morphology of <i>Terminalia arjuna</i> (Roxb.) W. & A.	153
8.16	Transverse section of leaf of <i>Cassia auriculata</i> (Linn.)	154
8.17	Transverse section of leaf of <i>Cassia fistula</i> (Linn.)	155

8.18	Transverse section of seed of <i>Syzygium cuminii</i> (Linn.) Skeels.	156
8.19	Transverse section of root of <i>Salacia chinensis</i> Linn.	157
8.20	Transverse section of rhizome of <i>Costus speciosus</i> (Koenig) Sm.	158
8.21	Transverse section of rhizome of <i>Cyperus rotundus</i> Linn.	159
8.22	Transverse section of bark of <i>Terminalia arjuna</i> (Roxb.) W. & A.	160
8.23	Powder microscopy of leaves of <i>Cassia auriculata</i> (Linn.)	161
8.24	Powder microscopy of leaves of <i>Cassia fistula</i> (Linn.)	161
8.25	Powder microscopy of seeds of <i>Syzygium cuminii</i> (Linn.) Skeels.	162
8.26	Powder microscopy of roots of <i>Salacia chinensis</i> Linn.	162
8.27	Powder microscopy of rhizomes of <i>Costus speciosus</i> (Koenig) Sm.	163
8.28	Powder microscopy of rhizomes of <i>Cyperus rotundus</i> Linn.	163
8.29	Powder microscopy of barks of <i>Terminalia arjuna</i> (Roxb.) W. & A.	164
8.30	Powder microscopical characters of Aavarai kudineer formulation	165
8.31	TLC identification of <i>C. auriculata</i>	175
8.32	TLC identification of <i>C. fistula</i>	176
8.33	TLC identification of <i>S. Cumini</i>	176
8.34	TLC identification of <i>S. Chinensis</i>	177
8.35	TLC identification of <i>C. speciosus</i>	177
8.36	TLC identification of <i>C. rotundus</i>	178
8.37	TLC identification of <i>T. arjuna</i>	178
8.38	HPTLC Identification of Ellagic acid in <i>S. cumini</i>	180
8.39	Fingerprinting of Standard (Ellagic acid)	181
8.40	Fingerprinting of <i>S. cumini</i> extract containing Ellagic acid	181
8.41	Identification of Quercetin in <i>Syzygium cumini</i> Under UV 366 nm	182
8.42	Fingerprinting of Standard Quercetin	183
8.43	Fingerprinting of <i>Syzygium cumini</i> extract containing Quercetin	183
8.44	Identification of Cyperene in <i>Cyperus rotundus</i> after derivatization with anisaldehyde H ₂ SO ₄	184
8.45	Fingerprinting of Standard (Cyperene)	185

8.46	Fingerprinting of <i>Cyperus rotundus</i> extract containing cyperene	185
8.47	Identification of Gallic acid in <i>T.arjuna</i> Under UV 254 nm	186
8.48	Fingerprinting of Standard (Gallic acid)	187
8.49	Fingerprinting of <i>T.arjuna</i> extract containing Gallic acid	187
8.50	Identification of Ellagic acid in "AKF" at 254 nm	188
8.51	Identification of Ellagic acid in "AKF" after derivatization	188
8.52	Fingerprinting of Standard (Ellagic acid)	189
8.53	Fingerprinting of "AKF" containing Ellagic acid	189
8.54	Identification of Quercetin in "AKF" at UV 366 nm	190
8.55	Fingerprinting of Standard Quercetin	190
8.56	Fingerprinting of "AKF" containing Quercetin	190
8.57	Identification of Cyperene in "Aavarai kudineer formulation" after derivitization with anisaldehyde H2SO4	191
8.58	Fingerprinting of Standard Cyperene	191
8.59	Fingerprinting of "AKF" containing Cyperene	191
8.60	Identification of Gallic acid in "AKF" at UV 254 nm	192
8.61	Identification of Gallic acid in "AKF" at UV 366 nm	192
8.62	Fingerprinting of Standard (Gallic acid)	193
8.63	Fingerprinting of "AKF" containing Gallic acid	193
8.64	GC-MS Chromatogram of AKF formulation	194
8.65	Effect of Aavarai kudineer formulation on blood glucose level in normal fasted rats	201
8.66	Effect of Aavarai kudineer formulation on blood glucose level in glucose over loaded rats (Oral Glucose Tolerance Test)	202
8.67	Effect of Aavarai kudineer formulation on blood glucose level in Streptozotocin-induced diabetic rats (multiple doses, long term study of 28 days)	204
8.68	Effect of Aavarai kudineer formulation on body weight in Normal and Streptozotocin induced diabetic rats	205
8.69	Effect of Aavarai kudineer formulation on biochemical parameters in Streptozotocin induced diabetic rats	207
8.70	Effect of Aavarai kudineer formulation on % Lipid peroxidation in Streptozotocin induced diabetic rats.	207

8.71	Effect of Aavarai kudineer formulation on biochemical parameters (CAT and GPX) in Streptozotocin induced diabetic rats.	207
8.72	Effect of Aavarai kudineer formulation on Total Cholesterol (TC), Triglycerides (TG), level in diabetic rats	209
8.73	Effect of Aavarai kudineer formulation on Insulin level in diabetic rats	209
8.74	Effect of Aavarai kudineer formulation on Hemoglobin (Hb) and Glycosylated hemoglobin (HbA _{1C}) levels in diabetic rats.	209
8.75	Histopathological observations of Aavarai Kudineer Formulation and Glibenclamide treated pancreas in streptozotocin-induced diabetic rats (400X)	211
8.76	Vital organ tissue from rats exposed to Aavarai kudineer formulation at a dose of 500 mg/kg body weight on 28 days post-oral administration (200X).	212
8.77	Comparison α -Glucosidase Inhibitory activity of aqueous extract of <i>AKF</i> with standard Acarbose	215
8.78	Determination of IC ₅₀ value of α -Glucosidase Inhibitory Activity by graphical method	215
8.79	Comparison α -Amylase inhibition activity of aqueous extract of <i>AKF</i> with standard Acarbose	217
8.80	Determination of IC ₅₀ value of α -Amylase Inhibitory Activity by graphical method	217
8.81	Comparison of DPPH scavenging activity of aqueous extract of <i>AKF</i> with standard Ascorbic acid	219
8.82	Determination of IC ₅₀ value of DPPH scavenging activity by graphical method	219
8.83	Comparison of Nitric oxide scavenging activity of aqueous extract of <i>AKF</i> with standard Ascorbic acid	221
8.84	Determination of IC ₅₀ value of Nitric oxide scavenging activity by graphical method	221