

List of Tables

Table 1: Characters used in phylogenetic analysis

Table 2: Character scores for phylogeny

Table 3: Differences in characters of *Barleria involucrata* var. *involucrata* and *B. involucrata* var. *elata*

Table 4: A comparison of the characters of *Dicliptera ghatica* and *D. foetida*

Table 5: A comparison of the characters of *Dicliptera cuneata* and *D. nasikensis*

Table 6: Differences between *Rungia linifolia* var. *linifolia* and *R. linifolia* var. *saldanhae*

Table 7: Differences between *Strobilanthes reticulatus* var. *reticulatus* and *S. reticulatus* var. *l. var. nov.*

Table 8: Differences between the three varieties of *Strobilanthes sessilis*

Table 9: Endemic taxa of Acanthaceae present in the study area and their distribution

Table 10: Taxa excluded from the present study area

Table 11: Taxa showing few collections in Herbaria, but not collected during the present study

Table 12: Taxa with few collections in Herbaria, collected during the present study

Table 13: Distribution of endemic taxa of Acanthaceae in different regions of Western Ghats

Table 14: Endemic taxa of Acanthaceae and their threat status

Table 15: Taxa showing change in the threat status with respect to status in literature

Table 16: Comparison of wood anatomical details among the split genera of *Strobilanthes* Blume

List of Maps

Map 1: Western Ghats showing Northern and Central Western Ghats

Map 2: Distribution of *Acanthopale jogensis* Gilli, *Barleria gibsonioides* Blatter, *B. grandiflora* Dalzell, *B. involucreta* var. *elata* (Dalzell) C. B. Clarke, *B. terminalis* - - - Nees along Northern and Central Western Ghats

Map 3: Distribution of *Calacanthus grandiflorus* (Dalzell) Radlk., *Dicliptera ghatica* Santapau, *D. nasikensis* Lakshmin. & Sharma, *Eranthemum capense* var. *concanensis* (C. B. Clarke) Santapau, *Gymnostachyum febrifugum* Benth. along Northern and Central Western Ghats

Map 4: Distribution of *Gymnostachyum glabrum* (Dalzell) T. Anderson, *G. polyanthum* Wight, *G. latifolium* (Dalzell) T. Anderson var. *latifolium*, *G. latifolium* (Dalzell) T. Anderson var. *decurrens* Gamble, *Haplanthodes plumosus* (T. Anderson) Panigrahi et G. C. Das along Northern and Central Western Ghats

Map 5: Distribution of *Hygrophila anomala* (Blatter) Almeida, *H. pinnatifida* (Dalzell) Sreem., *Hypoestes lanata* Dalzell, *Justicia santapau* Bennet, *J. wynaadensis* Heyne along Northern and Central Western Ghats

Map 6: Distribution of *Neuracanthus trinervius* Wight, *Rungia linifolia* Nees var. *linifolia*, *R. linifolia* Nees var. *saldanhae* Mascar. et Janarth., *Strobilanthes anamallaica* J. R. I. Wood, *S. aurita* J. R. I. Wood along Northern and Central Western Ghats

Map 7: Distribution of *Strobilanthes barbatus* Nees, *S. canaricus* Bedd., *S. ciliatus* Nees, *S. gamblei* Carine et al. along Northern and Central Western Ghats

Map 8: Distribution of *Strobilanthes heteromallus* T. Anderson ex C. B. Clarke, *S. meeboldii* Craib, *S. integrifolius* (Dalzell) Kuntze, *S. ixiocephalus* Benth., *S. microstachya* Benth. ex Hohen. along Northern and Central Western Ghats

Map 9: Distribution of *Strobilanthes neilgherrensis* Bedd., *S. neoasper* Venu & P. Daniel, *S. newii* Bedd. ex C. B. Clarke, *S. reticulatus* Stapf var. *l.* var. nov., *S. minor* Talbot, *S. reticulatus* Stapf var. *reticulatus* along Northern and Central Western Ghats

Map 10: Distribution of *Strobilanthes scrobiculatus* Dalzell ex C. B. Clarke, *S. sessilis* Nees var. *sessilis*, *S. sessilis* Nees var. *ritchiei* C. B. Clarke, *S. sessilis* Nees var. *sessiloides* (Wight) C. B. Clarke, *S. tristis* (Wight) T. Anderson along Northern and Central Western Ghats

List of Figures

Fig. 1: *Barleria gibsonioides* Blatter

Fig. 2: *Barleria grandiflora* Dalzell

Fig. 3: *Barleria involuocrata* Nees var. *elata* (Dalzell) C. B. Clarke

Fig. 4: *Barleria terminalis* Nees

Fig. 5: *Calacanthus grandiflorus* (Dalzell) Radlk.

Fig. 6: *Dicliptera ghatica* Santapau

Fig. 7: *Dicliptera nasikensis* Lakshmin. & Sharma

Fig. 8: *Eranthemum capense* L. var. *concanensis* (C. B. Clarke) Santapau

Fig. 9: *Gymnostachyum febrifugum* Benth.

Fig. 10: *Gymnostachyum glabrum* (Dalzell) T. Anderson

Fig. 11: *Gymnostachyum latifolium* (Dalzell) T. Anderson var. *latifolium*

Fig. 12: *Gymnostachyum latifolium* (Dalzell) T. Anderson var. *decurrens* Gamble

Fig. 13: *Gymnostachyum polyanthum* Wight

Fig. 14: *Haplanthodes plumosus* (T. Anderson) Panigrahi et G. C. Das

Fig. 15: *Hygrophila anomala* (Blatter) Almeida

Fig. 16: *Hygrophila pinnatifida* (Dalzell) Sreem.

Fig. 17: *Justicia santapau* Bennet

Fig. 18: *Justicia wynaadensis* Heyne

Fig. 19: *Neuracanthus trinervius* Wight

Fig. 20: *Rungia linifolia* Nees var. *linifolia*

Fig. 21: *Rungia linifolia* Nees var. *saldanhae* Mascar. et Janarth.

Fig. 22: *Strobilanthes aurita* J. R. I. Wood

Fig. 23: *Strobilanthes barbatus* Nees

Fig. 24: *Strobilanthes canaricus* Bedd.

Fig. 25: *Strobilanthes ciliatus* Nees

Fig. 26: *Strobilanthes gamblei* Carine *et al.*

Fig. 27: *Strobilanthes integrifolius* (Dalzell) Kuntze

Fig. 28: *Strobilanthes ixiocephalus* Benth.

Fig. 29: *Strobilanthes minor* Talbot

Fig. 30: *Strobilanthes neilgherrensis* Bedd.

Fig. 31: *Strobilanthes reticulatus* Stapf var. *reticulatus*

Fig. 32: *Strobilanthes reticulatus* Stapf var. *l. var. nov.*

Fig. 33: *Strobilanthes sessilis* Nees var. *ritchiei* C. B. Clarke

Fig. 34: *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) C. B. Clarke

Fig. 35: *Strobilanthes tristis* (Wight) T. Anderson

Fig. 36: Phylogenetic tree of Acanthaceae

Fig. 37: Molecular studies of Acanthaceae - strict consensus tree of *ndhF* (Figure adapted from Scotland *et al.*, 1995).

List of graphs

Graph 1: Genera vs number of taxa

Graph 2: Threat status of endemic taxa

List of Plates

- Plate 1: *Barleria gibsonioides* Blatter – a. habit; b, c. flower, with purple blotches and without purple blotches, d, e. pollen, equatorial and polar view; *B. grandiflora* Dalzell – f. flowering twig; g, h. pollen, polar and equatorial view; *B. sepalosa* C. B. Clarke – i. fruiting twig
- Plate 2: *Barleria involuocrata* var. *elata* (Dalzell) C. B. Clarke – a. flowering twig; b. flower; c. pollen, equatorial view; *B. terminalis* Nees – d. habit; e. inflorescence; f. pollen, polar view; *Calacanthus grandiflorus* (Dalzell) Radlk. – g. habit; h. inflorescence; i, j. pollen, polar and equatorial view
- Plate 3: *Dicliptera ghatica* Santapau – a. habit; b. flowering twig; c, d. pollen, polar and equatorial view; *D. nasikensis* Lakshmin. & Sharm – e. flowering twig; f, g. pollen, polar and equatorial view; *Eranthemum capense* L. var. *concanensis* (C. B. Clarke) Santapau – h. habit; i. flowering twig; j, k. pollen, equatorial and polar view
- Plate 4: *Gymnostachyum febrifugum* Benth. – a. habit; b. inflorescence; *Gymnostachyum glabrum* (Dalzell) T. Anderson – c. habit; d. inflorescence; e, f. pollen, polar and equatorial view; g, h. SEM, seed and portion enlarged
- Plate 5: *Gymnostachyum latifolium* (Dalzell) T. Anderson var. *latifolium* – a. habit; b. inflorescence; c. pollen; d, e. SEM, seed and portion enlarged; *G. latifolium* (Dalzell) T. Anderson var. *decurrens* Gamble – f. habit; g. inflorescence; h. pollen, equatorial view; i, j. SEM, seed and portion enlarged
- Plate 6: *Gymnostachyum polyanthum* Wight - a. habit; b. inflorescence; c, d. pollen, equatorial and polar view; *Haplanthodes plumosus* (T. Anderson) Panigrahi et G. C. Das – e. habit; f. inflorescence; g, h. pollen, equatorial and polar view; *Hypoestes lanata* Dalzell – i. habit
- Plate 7: *Hygrophila anomala* (Blatter) Almeida – a. habit; *H. pinnatifida* (Dalzell) Sreem. – b. habit, submerged; c. habit, arial with inflorescence; *Justicia santapau* Bennet – d. habit; e. inflorescence; f. pollen, equatorial view
- Plate 8: *Justicia wynaadensis* Heyne – a. flowering twig; b. flower; c, d. pollen, equatorial view; *Neuracanthus trinervius* Wight – e. habit; f. inflorescence; g, h. pollen, equatorial and polar view
- Plate 9: *Rungia linifolia* Nees var. *linifolia* - a. habit; b. inflorescence; c. pollen, equatorial view; d. SEM, seed; *R. linifolia* Nees var. *saldanhae* Mascar. et Janarth. - e. habit; f. inflorescence; g. pollen, equatorial view; h. SEM, seed; *Strobilanthes anamallaica* J. R. I. Wood - i. habit

- Plate 10: *Strobilanthes aurita* J. R. I. Wood – a. habit; *S. barbatus* Nees – b. habit; c. spike; d. spike, fruiting; e. pollen, equatorial view; *S. canaricus* Bedd. – f. habit; *S. gamblei* Carine *et al.* – g. habit; h. flower
- Plate 11: *Strobilanthes ciliatus* Nees - a. habit; b, c. spike, flowering and fruiting; d. pollen, equatorial view; *S. heteromallus* T. Anderson ex C. B. Clarke – e. habit
- Plate 12: *Strobilanthes integrifolius* (Dalzell) Kuntze – a. habit; b. flower; c. pollen, equatorial view; *S. ixiocephalus* Benth. – d. habit; e. spike; f. flower; g. spike, fruiting; h. pollen
- Plate 13: *Strobilanthes meeboldii* Craib – a. habit; *S. minor* Talbot – b. habit; *S. microstachya* Benth. ex Hohen. – c. habit; *S. neilgherrensis* Bedd. – d. habit; *S. newii* Bedd. ex C. B. Clarke – e. habit; *S. neosasper* Venu & P. Daniel – f. habit; g. spike
- Plate 14: *Strobilanthes reticulatus* Stapf var. *reticulatus* – a. habit; b. inflorescence; c. pollen, equatorial view; *S. reticulatus* Stapf var. *1. var. nov.* – d. habit; e. flowering twig; f. pollen, equatorial view
- Plate 15: *Strobilanthes scrobiculatus* Dalzell ex C. B. Clarke – a. habit; b. flowering twig; c. pollen, equatorial view; *S. tristis* (Wight) T. Anderson – d. habit; *S. sessilis* Nees var. *sessilis* – e. inflorescence
- Plate 16: *Strobilanthes sessilis* Nees var. *ritchiei* C. B. Clarke – a. habit; b. spike; c. flower; d. pollen, equatorial view; *S. sessilis* Nees var. *sessiloides* (Wight) C. B. Clarke – e. habit; f. inflorescence; g. flower; h. pollen, equatorial view
- Plate 17: *Rungia linifolia* Nees var. *linifolia* – a, b. SEM, seed and enlarged view; *R. linifolia* Nees var. *saldanhae* Mascar. *et* Janarth. – c, d. SEM, seed and enlarged view
- Plate 18: *Strobilanthes reticulatus* Stapf var. *reticulatus* - a. photograph, K; b. collection, present study (coll. no. 77); *S. reticulatus* Stapf var. *1. var. nov.* - c. collection, present study (coll. no. 278)
- Plate 19: *Dicliptera ghatica* Santapau – SEM, seed enlarged view – a. x370; c. x1,500; *D. foetida* Forssk. – SEM, seed enlarged view – b. x200; d. 2,500
- Plate 20: *Strobilanthes ciliatus* Nees - a. *type*; b. young spike; c. old spike; *S. warreensis* Dalzell - d. *type*
- Plate 21: *Strobilanthes gamblei* Carine *et al.* - a. *type*; b. habit
- Plate 22: T. S. of stem - a. *Carvia callosa* (Nees) Bremek.; b. *Mackenzia integrifolia* (Dalzell) Bremek.; c. *Nilgirianthus heyneanus* (Nees) Bremek.; d. *Pleocaulus ritchiei* (C. B. Clarke) Bremek.; e. *Thelepaepale ixiocephalus* (Benth.) Bremek.