



Bibliography

BIBLIOGRAPHY

- Achrekar, S., Kakly, G.S., Pote, M.S. and Kelkar, S.M. (1991) Hypoglycemic activity of *Eugenia jambolana*, Mechanism of action, In Vivo, Vol. 5, No. 2, Pp. 143-147.
- Acquadro (2005) Development and characteristic at of microsatellite markers in *cynara cardunculus*. Genome Vol.48, No.2, Pp.217-225.
- Adlercrutz, H. and Mazur, W. (1997) Phyto-gastrogens and western disease. Am. Med, Vol. 29, Pp.95-126.
- Agarwal, D.K (2002), Diabetic neuropathy – prevention and treatment, Journal of Indian Medical Association, Vol.100, No.3, Pp 150, 162 – 163.
- Agusti, K.T. and Benain, M.E. (1975), Effects of essential oil of onion on blood glucose free fatty acids and insulin levels of normal subjects, Clin. Chem. Acta, Vol.60, No.1, Pp 121 – 123.
- Ahuja, M.S. (2000) Learning to live with diabetes, National Book Trust, New Delhi, P. 34.
- Ahuwallia, P. and Mahindroo, A. (1989) Effect of oral ingestion of different fractions of blood and erythrocyte membrane lipids and certain membrane bound enzymes in rats. Journal of Nutritional Science and Vitaminology, Vol.35, No.2, Pp.155-161.
- Alder, A. (2002) Obesity and target organ damage in diabetes. Int J Obes Relat Metab Disord, Vol.26, No.4, Pp.511-514.
- Allain, C.C (1974), Clinical chemistry, Ranbaxy Laboratories Limited, New Delhi.
- Ambrosch, A., Dierkes and Labmann (2001) Relation between homocysteinaemia and diabetic neuropathy in patients with Type 2 diabetes mellitus. Diabet. Med, Pp.185-192.
- American Diabetes Association (2002), Expert committee on the diagnosis and classification of diabetes mellitus, Diabetes Care, Vol.25, No.1, P 533.
- American Diabetic Association (2004), Complication of Diabetes, Diabetes Care, Vol.16, Pp 34 – 36.
- Ametov, A.S. (2003), The sensory symptoms of diabetic polyneuropathy are improved with alpha – lipolic acid: the Sydney trial, Diabetes Care, Vol.26, No.7, P 2227.
- Andallu, B. and Varadacharyulu, N.C, (2002), Control of hyperglycemia and retardation of cataract by Mulbary (*Morus indica L.*) leaves in streptozotocin diabetes rats, Indian Journal of Experimental Biology, Vol.40, Pp 791 – 795.
- Anderson, J.W. (2001) Dietary fiber – an overview, Diabetes Care, 14(3) . P.1126.
- Anderson, J.W., Keñdal, C.W and Jenkins, O.J. (2003) Importance of weight management in type 2 diabetes. J. Am Coll Nutr, Vol.23, No.5, Pp.331-339.
- Anderson, R. (2004), Diabetes – Natural help, Health Journal, Pp 4 – 6.
- Anderson, R.A. (2004) Insulin potentiating factors and chromium content of species. Biological trace elemental research, Vol.24, No.3, Pp.183-188.
- Anila, L. and Vijayalakshmi (2002) Flavanoids from *Embllica officinalis* and *magnifera indica* – effectiveness for dyslipedemia. J. Ethnopharmacol, Vol.79, Pp.81-87.
- Anonymous (2000) The relationship of glycemic exposure (HBA1c) to the risk of development and progression of retinopathy in the diabetes control and complication trial diabetes.44, Pp.97-99.
- Antonio (2005), Progression of long term complications of insulin dependent diabetes mellitus, N. Engl. J. Med, Vol.332, Pp 1217 – 1219.

Anuradha, V. and Anusuya Devi, K. (2004) Hypoglycemic effect of cinnamon and cumin seed powders on Type 2 diabetes, *The Ind. J. Nutr. Dietet.*, 41, Pp. 370, 374.

Aqueel Khan (2002) Complications of diabetics, *Biochemical journal*, Pp.349-352.

Aravind, J.W., Pradeepa, R., Deepa, R. and Mohan, V. (2002) Diabetes and coronary artery disease. *Indian J. Med. Sci.*, Vol. 116, Pp.163-172.

Arjmandi, B.H. (2001) The role of phytoestrogens in the prevention and treatment of osteoporosis in ovarian hormone deficiency, *Vol.20, No.5*, Pp.3985-4028.

Aronson, U., (1990), *The dietetic technician*, 2nd edition, Van Nostrand Century, Crofts.

Arslanian, S. (2002) Type 2 diabetes in children. Clinical aspects and risk factors. *American Journal of clinical nutrition*, Vol.57, No.1, Pp.19-28.

Ashal, K., Tiwari and Rao (2002) Diabetes mellitus and multiple therapeutic approaches of phytochemicals, present status and future prospectus, *Current Sciences*, 83, P.1.

Atkins, M. (2002) The pathogenesis of IDDM. *New England Journal of medicine*, Vol.331, No.1 Pp.28-36.

Avery, K.Y. (1999) Safety and utilization of stevia rebiandina sweetener shokulin kogyo, *Vol 22, No.20*, Pp..66-72.

Babu, P.S. and Srinivasan, K. (1997) Influence of capsaicin and onion on the metabolic abnormalities associated with streptozotocin induced diabetes mellitus, *Molecular and cellular biochemistry*, Vol.175, No.1, 2, Pp.49-57.

Badkin, N.L. and Hansen, B.C. (1993) Primary prevention of diabetes mellitus by the prevention of obesity in monkeys, *diabetes*, Vol.42, Pp.1809-1814.

Bailey, C.J. and Day, C. (1989) Traditional plant medicines as treatments for diabetes. *Diabetes care* 12, Pp.553-564.

Bakhr, H.K. (2001), *Diabetes*, Chapter 61 A complete hand book of nature cure, Jaico Publishing house.

Bamji, M.S., Prashad Rao, N. and Reddy, V. (2003) *Diet and diabetes mellitus*, Text Book of Human Nutrition, Oxford and IBH Publishing Co. P. Ltd., New Delhi, P. 362.

Banerji, M.A. and Bajaj, M. (2004), Type 2 diabetes in South Asians, *Pathophysiologic focus on the Asian – Indian epidemic current diabetic report*, Vol.4, No.3, Pp 213 – 218.

Baroda (2004) Artichoke <http://www.artichoke information.html>.

Bate, K.L. and Jerum, S. (2003), Preventing complication of diabetes, *Med.J*, Vol.179, No.9, Pp 498 – 503.

Battisti, W.P., Palmisano, J and Keane, W.E. (2003) Dyslipidemia in patients with type 2 diabetes, relationships between lipids, kidney disease and cardiovascular disease, *Clin. Chem. Lab. Med.*, Vol.1.41, No.9, Pp.1174-1181.

Berson, S.A. and Yellow, R.S.(2000) Some current controversies in diabetic research, *Diabetes Assoc. India*, Pp.256-259.

Bhathena, S.J., Ali, A.A., Haudenschield, C., Latham, P., Ranich, T., Mohamed, A.I., Hansen, C.T. and Velasquery, M.T. (2003) Dietary flaxseed meal is more protective than soy protein concentrate against hypertriglyceridemia and steatosis.

Bhattacharya, A. and Ghosal, S. (2000) Antioxidant activity of tannoid principles of *Emblca officinalis* in chronic stress. *Indian J. Exp. Biol*, Vol.38, No.9, Pp.877-880.

- Bhoraskar, A. (2002) Role of nutritional factors in diabetes complications and management medical time, Vol.32, No.4, P.3.
- Bianchini, F. (1975), Health plants of the world, Milan Italy Arnoldo Mondador, Editore.
- Blumenthal M, Brinckmann J, Goldberg A, (2000) Herbal Medicine: Expanded Commission E Monographs. Newton, MA: Integrative Medicine Communications.
- Boctor, D.L. and Jenkins, D.T.A. (2004) Trend in dietary management of diabetes mellitus on update. The diabetes Annual, Vol.6, Pp.105-136.
- Boeck, G. (1981) Inhibitory effect of stevioside on antihypertension, Plants Medica, vol 67, Pp. 796-70.
- Bouche, C. and Goldfine, A.B. (2003), Prevention of type 2 diabetes; Are we ready? Minerva. Med, Vol.194, No.1, Pp 9 – 18.
- Boule, N. and Haddad, E. (2001) Effects of exercise on glycemic control and body mass in Type 2 diabetes mellitus. Journal of American medical association, Vol.286, No.100, Pp.113-114.
- Boyko, E.J., (2000) Proportion of type 2 diabetic cases resulting from impaired fetal growth. Diabetes care, Vol.23, No.9, Pp.1260-61.
- Boyle, J.P., Honeycutt, A.A., Narayan, K.M., Hoerger, T.J., Geiso, L.S., Chen, H., and Thompson, T.J. (2001), Projection of diabetes burden through 2060: Impact of changing demography and disease prevalence in the U.S., Diabetes Care, Vol.24, Pp 1936 – 1940.
- Brahmam, G.N.V., Laxmaiah, A., Mallikharjuna Rao, K. and Reddy, G. (2005) Methodology of Assessment of diet and nutritional status of community, Manual of National Institute of Nutrition, Hyderabad, Pp. 7-9, 13, 16.
- Braudel and Fernand, (1984), The perspective of the world, Vol.3, P 65.
- Bray, G.A. (2001) Duration of obesity increases the incidence of NIDDM, Journal of American association of Diabetes education, Vol.18, No.5, P.1231.
- Broadhurst, A., (2004) Insulin – like biological activity of culinary and medicinal plant, Journal of agricultural food and chemicals, vol.6, No.1, Pp.23-25.
- Bruneton, J. (1995) Pharmacognösy, Phytochemistry, medicinal plants, paris : Lavoisier publishing.
- Buccolo, G. and David, M. (1980) Clinical Chemistry, Ranbaxy Laboratories Limited, New Delhi.
- Bunyapaaphatsara et al., (1996), Antidiabetic activity of Alove Vera L. Juice, I. Clinical trail in new cases of diabetes mellitus patients in combination with Glibendamide phytomedicine.
- Burn, B. (1997) A double blind placebo controlled study of the effectiveness and tolerability of oral stevioside, British Journal of Clinical Pharmacology, Vol.50, No.3, Pp..215-220.
- Cairou, B. and Charbonnel, B. (2001) Therapeutic strategy in type 2 diabetes, La medicine on France, Vol.49, No.4, Pp.151-158.
- Chadha, M. (2001) India is considered the diabetes capital of the world value circle.5, Pp.16-17.
- Chandalia, M. (2001) A high fibre diet in diabetics. Medicine update, Vol.8, No.11, Pp.65-66.
- Chasen and Taber (2001) Physical activity and diabetes risk factor for pregnancy, Diabetes forecast, Vol.54, No.11, P.107.
- Chatterjee, T.K. (2000), Herbal options books and allied (p) Ltd, Calcutta, Third Edition, P 81.

Clement, S., Dandona, P., Still, J.G. and Kosutic, G. (2004) Oral modified insulin (HIMZ) in patients with Type I diabetes mellitus : Results from a phase I/II clinical trial, *metabolism*, Vol.53, No.1, Pp.54-58.

Cocker, W. (1996) *Pharmacognosy, Photochemistry, medicinal plants*. Lavoisier, Paris, Pp. 422-423.

Coldwell, R.B., Bartoli, M., Behzadian, M.A., Remesy, A.E. and Al-Shabraway (2003) Vascular endothelial growth factor and diabetic retinopathy; pathophysiological mechanism and treatment perspectives, *Diabetes Metab*.

Columbus, M, (1997), The cultivation of stevia, Natural sweetener, *Minority of agriculture and food*, The Government of Canada, Pp 150 – 156.

Culloh, P., Les, S., Higgins, R., Mc Call, K. and Schande, D.C (2002) Effect of smoking on HbA1c and body mass index in patients with type 2 diabetes mellitus. *Journal of Investigatory medicine*, Vol.50, No.40, Pp.284-287.

Cunnane, S.C., Hamadeh, M.J., Leida, A.C., Thompson, L.U., Wolever, T.M., and Jenkins, D.J. (1995), Nutritional attributes of traditional flaxseed in healthy young adults, *American Journal of Clinical Nutrition*, Vol.62, No.4, Pp 841 – 842.

Cunningham, J. (1998), The glucose / insulin system and vitamin C, Implications in IDDM, *J. Amer. Coll. Nutr*, Vol.17, Pp 105 – 108.

Dam, V. (2003) The epidemiology of lifestyle and risk for Type 2 diabetes. *Eur. J. Epidemiol*, Vol.18, No.12, Pp.1115-1125.

Daniel, M. (1993), *Herbal tonic therapies*, Ed. Keats Publishing.

Das, S., Das, A.K., Mulphy, R.A., Punwant, J.C., Nasution, M.P and Kinghorn (1992) Evaluation of the carcinogenic potential of the intense natural sweeteners stevioside and rebaudiside A., *Caries Research*, Vol 26, Pp.. 363-366.

Devanport, R.E. (2005) SRI Consulting's Specialty Chemical Update Report on Nutraceutical Ingredients.

Dhandapani, S., Subramaniam, V.R., Rajagopal, S. and Namasivayam, N., (2002) Hypolipidemic effect of *cuminum cyminum L.* on diabetic, *Pharmacological research*, Vol.46, No.3, Pp 251 – 255.

Diabetes care (2003), Cinnamon's beneficial effects on insulin activity, *diabetes research and clinical practice*, Vol.28, Pp 1572-1580

Dunstan, D., Zimmet, P., Welborn, T., Courten, M., Cameron, A. (2002), The rising prevalence of diabetes and impaired glucose tolerance, *Diabetes Care*, Vol.125, No.5, Pp 829 – 834.

Easwaran, P., Kavitha, P. and Mageshwari, S.V. (2001) Effect of different methods of cooking on the dietary fibre content of wheat and wheat produce and their hypoglycemic effect on NIDDM patients. *The Indian journal of nutrition and dietetics*, Vol.38, No.6, Pp.173-181.

Edmisson, K.W (2005), Multidimensional pharmacologic strategies for diabetes, *Nurs. Clin. North. Am*, Vol.40, Pp 107 – 117.

Eesee Health India.com

Elizabeth, K.E., (2002), *Nutrition and children development paras' publication 2nd edition*, P 122.

Elkins, R. (2002) *Food fibres*. *Food and Pack*, vol.2, No.6 : P.18.

Emenderfer (2005) Antispasmodic activity of fraction and cynaropicin from *cynarascolymus* on human, *Biol. Pharm, Bull*, Vol.28, No.5, Pp.903-904.

- Endoh, D., Okai, T., Ozawa, S., Yamto, O., Kon, Y. and Arikawa, J. (2002) Protective effect of a lignan containing flaxseed extract against CCI (4) – induced hepatic injury, *J. Vet. Sci*, Vol.64, No.9, Pp.761-765.
- English, W. (2000) Efficacy of artichoke dry extracts in patients with hyper lipoproteinemia, *Arzneimittel für schung*, Vol.40, No.3, Pp.250-265.
- Estacio, R.O. and Schrier, R.W. (2001) Diabetic nephropathy, pathogenesis, diagnosis and prevention of progression. *Adv, Inter, Med*, Pp.359-408.
- Fasicule (1997) Linisemen, linseed, linseed in: *European scientific co-operative an phytotherapy. Monographs on the medical uses of plant drags*, Düsseldorf, Germany, IOW. Verlag, Pp.. 1-5.
- Fioretto, P. and Solini, A. (2005), Anti-hypertension treatment and multifactorial approach for renal protection in diabetes, *J.Am.Soc.Nephrol*, Vol.16, Pp 518 – 521.
- Firshein, R.(2001) *Biomed*, Vol. 8., Pp.67-69.
- Fletcher, B., Gulanick, M. and Lamendola, C. (2002) Risk factors for Type 2 diabetes mellitus, *J. Cardiovasc. Nurs.*, 16(2) Pp. 17-23.
- Fonseca, V. (2003) Effect of thiazolidinediones on body weight in patients with diabetes mellitus, *American journal of medicine*, Vol.115, No.8A, Pp.423-424.
- Foster, D.W. (2000) *Diabetes mellitus*, *Harrisons principle of Internal medicine*, 13th edition, McGraw Hill, New York, P1991.
- Furnay, M., Enas, E.A., Garg, A. and Davidson, M.A. (2003) Coronary heart disease and its risk factors in first generation immigrant Asian Indian to the USA. *Indian Heart Journal* 48, Pp.343-353.
- Gaedep and Pedersen, O. (2001) Target intervention against multiple risk factors to reduce cardiovascular disease in patients with Type 2 diabetes *Ann. Med*, Vol.36, No.5, Pp.355-366.
- Gagliano, D., Erivello, A.C. and Paolisso, G. (2003) Causes of Diabetes Mellitus, *JAMA*, Vol.19, Pp.257-267.
- Ganda, O.P., Ruderman, N.B., Devlin, J.T. and Krishna, A. (2002) *Handbook of the predisposing factors of diabetes*, American diabetic association, Pp. 25-26.
- Gary, M.C. and Bansal, D.D. (2002) Protective antioxidant effect of vitamin C and vitamin E in streptozotocin induces diabetic. *Indian J. Exp. Biol*, Pp.101-104.
- Gaylapp, J.K. and John, D.K. (2002) *Nutrition Almanac*, Fourth edition McGraw Hill Publications, P. 374.
- Giles, T.D.(2003) The patient with diabetes mellitus and heart failure : at risk issues, *Am.J. Med*, Vol.115, No.8A, Pp.1075-1108.
- Giridhar, M; Whara, O.A, Minetti, C.A., Valle, B., Olivevra, R.M. and Filho (2004) Chronic administration of aqueous extract of stevia rebaudiana, endocrine effects, *General Pharmacology*, Vol 20, No.2, Pp.. 187-191.
- Gopalan, C., Rama satri, B.V. and Balasubramanian, S.S. (2004), *Nutritive value of Indian foods*, National institute of nutrition, P.98.
- Grodner, M., Anderson S.I. and Deyounol, S. (2000) *Diabetes mellitus in foundations and clinical application of nutrition*, A nursing approach, Pp.540-548.
- Gross, J.L., Azevedo, M.J., Silvero, S.P., Canani, L.M., Caramori, M.L. and Zelmanovitz, T. (2005), *Diabetic nephropathy, Diagnosis, Prevention and treatment*, *Diabetes Care*, Vol.28, No.1, Pp 164 – 176.

- Grover, J.K., Yadav.S., and Vats, V. (2002) Medicinal plants of India with anti-diabetic potential, *Journal of Ethnopharmacology*, Vol.81, No.7, Pp.81-100.
- Grylls, W.K., Mckenzie, J.E., Harwath, C.C. and Mann, J.I., (2003) Lifestyle factors associated with glycemic controls and body mass index in older adults with diabetes. *Eur. J. Clin. Nutr.* Vol.57, No.11, Pp.1386-1393.
- Gupta, A, (2001), Effects of *Trigonella Foenum – Graecum* (fenugreek) seeds on glycemic control and insulin resistance in Type 2 diabetes mellitus, *J. Assoc. Physicians India*, Vol.49, Pp 1057 – 1067.
- Gupta, K.A.(2003), Spices, Flavours and Colours, In the Complete Technology Book on Bakery Products, P 326.
- Guyton, A.C. and Hall, J.E. (2000) *Diabetes mellitus Textbook of medical physiology*, Tenth edition, W.B.Saunders company, Philadelphia, P.917.
- Haffnersm, S.M. (2001) Epidemiology of Type 2 diabetes risk factors, *Diabetes Care*, Pp.21-22.
- Hagen, M. (2001) Vitamin C in diabetes therapy. *Vitamin Supplement*, Vol.16, No.10, Pp.30-32.
- Haire, R.E and Josher, D. (2004) Smoking and diabetes, *Diabetes care*, Vol.22, Pp.1887-1898.
- Harikumar, K.B., Sbu, M.C., Lima, P.S. and Kuttan, R. (2004) modulation of haematopaetic system and antioxidant enzymes by *Emblica officinalis*, *J. Radiat. Res*, Vo.45, No.4, Pp.549.555.
- Harris, M.I. (1998) Diabetes in America, Epidemiology and scope of the problem. *Diabetes care*, Vol.21, No.3, Pp.C112-C14.
- Harris, S.B. Petrella, R.J. and Leadbetter, W. (2003) Lifestyle interventions Type 2 diabetes relevance for clinical practice, *Canadian Family Physician*, Vol. 49, Pp. 1618-1625.
- Harris, W.S (1997) N-3 Fatty acids and serum lipoproteins, Human studies. *American Journal of clinical nutrition*, Vol.65, No.5, PP.S1645-S1654.
- Hattersely, A., (2002) Multiple Facts of diabetes in young people, current science, Vol.82, No.310, P.273-78.
- Hauner, H. and Scherbaum, W.(2002) Diabetes mellitus type 2. *Dtsch med. Wochenschr*, Vol.127, No.19, Pp.1003-1005.
- Hayman (2002), Australian Indigenous Doctor Association Concern.
- Helmrich, S.P., Rogland, S. and Barger, P. (2001) Physical activity and reduced occurrence of non-insulin dependent diabetes mellitus, *N. Eng. J. Med*, Pp.147-152.
- Henderson, C.W. (2000) Fat targeted by anti-diabetic drugs, obesity fitness and wellness week, *Deca – 16*, Pp.2-5.
- Henry, R.R. and Gumbiner, B. (1991) Benefits diet and obesity, *The National Medical Journal of Indian*, Vol. 5, No.2, P. 631.
- Hinou, J. (1989), Polyphenolic Substances of *Cynara Scolymus L. Leaves*, *Ann. Pharm. Fr*, P 63.
- Home, P. (2005) Contributions of fasting and post-prandial hyperglycemia to micro and microvascular complication in people with type 2 diabetes. *Curr. Med. Res. Apin*, vol.21, No.7, Pp.989-998.
- Hore, S.K., Ashish, S., Korde, J.P. and Patel, M. (2002) Present status of sugar-free sweetness, *IJND*, Vol. 39. No.9, Pp.387-426.
- Housing Urban Development Corporation (HUDCO) (2004) *India at 50's*, Express Publications, P.390.

Hu, F.B., (2003), Fish and long – chain omega – 3 fatty acid intake and risk of coronary heart diseases and total mortality in diabetic women, *Circulation*, Vol.107, No.14, Pp 1852 – 1857.

Hutchins, A.M., Martini, M.C., Olson, B.A., Thomas, W and Slavin, J.L., (2001) Flaxseed consumption influence endogenous hormone concentrations in post menopausal women. *Nutr. Cancer*, Vol.39, No.1 Pp.58-65.

ICMR (2003) Dietary guidelines for Indians - A Manual, Pp. 72-75.

Irons, B.K., Mazzolini, T.A. and Greene, R.S. (2004), Delaying the onset of type 2 diabetes mellitus in patients with prediabetes, *Pharmacotherapy*, Vol.24, No.3, Pp 362 – 371.

Jacob, A., Pandey, M., Kapoor, S. and Saroja, R. (1988) Effect of Indian gooseberry on serum cholesterol levels in managed 35-55 years. *Eur J. Clin. Nutr*, Vol.43, No.11, Pp.939-944.

JADA (2002) American diabetic Association position statement evidence based nutrients, principles and recommendations for the treatment and prevention of diabetes and related complications, Vol.121, No.1, Pp.109-118.

Jayagopal, V. (2002), Beneficial effects of soy phytoestrogen intake in postmenopausal women with type 2 diabetes, *Diabetes Care*, Vol.25, No.10, Pp 1079 – 14.

Jayakumar, R.V. and Nisha, B. (2005) Prevention of diabetes mellitus, *Health Action*, Vol. 18, No.6, Pp. 19-21.

Jenkin, D. (2002) Dietary fibre and decreased post prandial hyperglycemic in diabetes, *Journal of American Dietetic Association*, Vol. 69, No.1, P. 580.

Jenkins, A., Kondal, C.W., Mrchie, A and Ludwig, D. (2004) Benefits of dry bean and soy bean intake *American journal of clinical Nutritional*, Vol.70, No.3, Pp.464-474.

Jenkins, D.J., Kedall, C.W. and Vidgen, E. (1999) Health aspects of partially defatted flaxseed, including effects on serum lipids, oxidative measures and ex vivo androgen and progestin activity, A controlled cross over trial *American Journal of clinical nutrition* No.69, Pp.395-402.

Kapoor, L.D. (1990) Handbook, of Ayurvedic medicinal plants. Boca Raton : CRC press P.25.

Karin, M., Edward, J.B. and Gayle, R. (2002) Diet and exercise among adults with Type 2 diabetes Mellitus, *Diabetes care*, Vol.25, No.10, Pp.1722-1727.

Karin, M.N., Edward, J.B. and Gayle, R. (2004) Diet and exercise among adults with Type 2 diabetes mellitus, *Diabetes Care*, 25(10).Pp. 1722-1727.

Katiyar, V.K. (2003) Regulation of blood glucose level in diabetes mellitus using palatable diet composition *Australias Phys, Eng, Sci, Med*, Vol.26, No.3 Pp.132-139.

Kaveri, N., Madanmohan, A.A. and Veena, N. (2004) Cardiovascular autonomic dysfunction in Type II diabetics diagnosed within 6 months, *Post Graduate Med.*, Vol. 50, No. 3, P. 233.

Khamaisi, M., Wexler, I.D., Skrha, J., Strojek, K., Raz, I., and Milicevic, (2003) Cardiovascular disease in type 2 diabetes : Epidemiology, risk factors and therapeutic modalities, *Isr. Med. Assoc. J.*, Vol.5, No.11, Pp.801-806.

Khan, (2003) Cinnamon improves glucose and lipids of people with Type II diabetes. *Diabetes care*, Vol.26, No.12, Pp.3215-3218.

Khan, A. (2005) Insulin potentiating factors and chromium content of selected foods and spices. *Biological traceelements research*, Vol.24, No.3, Pp.183-188.

- Khor, G.L. and Sharif, Z.M. (2003) Dual forms of malnutrition in the same households in Malaysia – a case study among Malay rural households, *Asia Pacific J. Clin. Nutr.*, Vol.12, No. 14, Pp. 427-437.
- Kim and Dubois, G.E. (1991) Diterpenoid sweetness, synthesis and sensory evaluation of sterioside analogues non degradable to steroid. *Journal of medical chemistry* 24, Pp.. 1269-1271.
- King, H (2001), Diabetes in India, *Medical Times*, Vol.31, No.4, P 275.
- King, H., (1998) Global burden of diabetes in 1995-2025. *Journal of American medical association*, Vol. 21, No.1414, P. 31.
- Kitigakara, J., Gefer D., Gershono, V.E. and Fridkin, M. (2002) Insulin like effects of vanadium basic and clinical implications, *Journal of Inorganic Biochemistry*, 80, Pp. 21-25.
- Klein, R., (2002) Hyperglycemia relation to Micro vascular and Macro vascular complications, *Diabetes Care*, 18, Pp.258-276.
- Knight, Menci, H.S, Sababu and Kelly, S.D. (2005), The case of children and adolescents with type 2 diabetes, *J.Pediatr.Nurs*, Vol.20, No.2, Pp 96 – 106.
- Knowler, W.C., Lackin, J.M. and Fowler, B.E., (2002) Reduction in the incidence of type 1 diabetes with life style intervention. *N. Engl. Med*, Pp.393-403.
- Ko, G.T.C., Chan, J.C.N., Young, V.T.F., Chow chunchung, T., San, L.W.W. and Cockram, C.S.(2001) A low socio-economic status is an additional risk factor for glucose intolerance high risk, Hong Kong, Chinese, *European Journal of Epidemiate*, Vol.3, PP289-295.
- Kochupillai (2000) *Clinical Endocrinology in India*, *Current Sci.*, Vol. 79, Pp.1061-1067.
- Konno, S, (2001) A possible hypoglycemic effect of maitake mushroom on type 2 diabetic patients, *Diabetic med*, P18.
- Kothari, C.R. (2005) Selection of samples, In *Research Methodology*, Wiley Eastern Publication Limited, Pp. 15-19.
- Kriska, A.M., Pereira, M.A., Hanson, R.L. and Court, D. (2001) Association of physical activity and serum insulin concentrations in low population at high risk for type 2 diabetes, Vol.24, No.7, Pp.1175-1180.
- Kroyer, N. (1999) Study on physical property, solubility and stability of stevioside. *Economic and medical plant research*, Pp.6-7.
- Kurian, J.C. (1999) *Plants that heal*, oriental watchman publishing house, Pune, P.298.
- Kusano (2000) Vegetarian nutrition preventing and reversing diabetes, *Diabetes Care*, 8(1) P. 109.
- Laight, D.W. (2000), Antioxidants; Diabetes and endothelial dysfunction, *Cardiovasc. Res*, Vol.47, Pp 457-464.
- Lanteir (2004) Amplified fragment length polymorphism for genetic diversity assessment in globe artichoke. *Theor, APp.l. Genet*. Vol.108, No.8, Pp.1534-
- Law, M.R., Fort, C.D. and Jwald, N. (2003) By howmuch does dietary salt reduction lower blood pressure : *BMJ*, Pp.811-824.
- Lee, H.S., (2005), Cuminaldehyde; Aldose reductase and alpha glucosidase inhibitor desired from *cuminum cyminum* seeds, *Journal of Agricultural food Chemistry*, Vol.53, No.7, Pp 2446 – 2450.
- Leitzmann, B., Stampfer, M.F., Colditz, M.J. and Rimm, E. (2001) Physical activity and television watching in relation to risk for type 2 diabetes mellitus in men, *archives of intern medicines*, Vol.61, No.12, P.625.

- Leiva, E., Mujica, V., Aregga, R., Prieto, M. and Arrendodo, M. (2005) Apolipoprotein E Polymorphism in Type 2 diabetic patients of Talca, Chile. *Diabetes Res. Clin. Pract.*, Vol.68, No.3, Pp.244-249.
- Lucas, E.A., Wild, R.D., Hammond, L.J., Khalil, D.A. and Jamu, S. (2003) Flaxseed improve lipid profile without altering biomarkers of bone metabolism in postmenopausal women, *J. Clin. Endocrinol. Metab.*, Vol. 87, No. 4, Pp. 1527-32.
- Mani, U.V., Mani, I.U., Iyer, U.M., Prakash, B., Manivannan, T., Campell, S. and Chandalia, (1997), Glycemic and lipemic responses to various regional meals and south Indian snacks, *International Journal of Diabetes in Developing Countries*, Vol.17, No.3, Pp 75 – 82.
- Manjunatha, S., Jaryal, A.K., Bijlami, R.L., Sachdeva, U. and Gupta, S.K., (2001), Effect of chyawanprash and vitamin C on glucose tolerance and lipoprotein profile, *Indian Journal of Physiol. Pharmacol*, Vol.45, No.1, Pp 71 – 79.
- Mann, F.C, Magath, T.B and Katz, L.D. (2001) Diabetes mellitus. *Arch, Intern-Med* 42, Pp 799-806.
- Mannan, N., (2000) Increase waist size and weight in relation to consumption of Betal nut – A risk factors for increased glycaemia in Asians in East London, *British Journal of nutrients*, Vol.83, No.3, P-267-275.
- Manson, E.V., Stampfer, J.E., Solomon, C.G., Colditz, G.A. and Speizer, F.E. (2002) Study of obesity and risk of coronary heart disease among diabetic women, *Nutr. Abstracts and Rev.*, Vol. 72, No.10, P. 1414.
- Manson, J. (2001) Diet, lifestyle and the risk of type 2 diabetes mellitus in women, *Vol.345, No.11*, Pp. 790-797.
- Manson, M.E., Sherwin, R.S., Anderson, R.M., Base, J.B. and Mitchell, T.L. (2002), Diet, life style and risk of type 2 diabetes, *N. Engl. J. Medi*, Vol.345, Pp 790 – 797.
- Marianne, A.B., Sande, V., Gija, E.L., Paul, Milligan, J.M., Winston, A., Banya, S., Sana, M.C., Asman, A.N., and Keith, P.W.L (2001) Family history for early intervention and improved control of diabetes. *Bulletin of WHO*, Vol.79, No.4, Pp.321-328.
- Maros (1999) Tropical plant data base. <http://rain.free.artichoke.htm>.
- Martin, M.M.C., Alburrán, J.M.E. and Lumbretas, M.E.M. (2004), Painful neuropathy in the diabetic foot syndrome; a review, *Ann. Med. Interma*, Vol.21, No.9, Pp 450 – 455.
- Melis, M.S. (1991) Chronic administration of stevia rebaudiana in rats. *Journal of Ethnopharmacology*, Vol. 47, No.3, Pp.129-134.
- Melzger, G., Rimm, E.B., Colditz, G.A. and Willett, W.C. (2004) Gestational diabetes mellitus, *Journal of Indian medical association*, Vol.102, 277-279.
- Milton, P. (2002) Diabetes definitions and classification. *Medicine*, The Medicine Published Company Ltd, P.1.
- Misra, T., Itoh, C., Iwamoto, N., Kato, M., Kawari, M., Park, S.R. and Suzuki, I. (2001), Hypoglycemic activity of the fruit of the momardica charandia in type 2 diabetic mice, *Journal of Nutritional Science and Vitaminology*, Vol.47, No.5, Pp 340 – 344.
- Mist (2000) Artichoke <http://www.oceanmist.com>
- Miyata, K. (1990) Study on improvement of sweeteners of steroid, *Agricultural and Biological Chemistry*, 55, Pp. 2959-2965.
- Mohan, R., Julasi, S. and Indira, S. (2002) Effect of insulin on lipid metabolism. *Am. J. Diabetes Assoc India*, Pp. 254-255.

- Mohan, V., Deepa, R., Shanti, S.S. and Premalatha, (2001) Prevalence of coronary artery disease its relationship to Lipid, in a population of India-The Chennai urban population study, *J.Amer. Cardiology* 38, Pp.682-687.
- Moore, L.L., (2000) A perspective study of the risk of congenital defects associated with maternal obesity and diabetes mellitus, *Epidemiology*, Vol.11, No. 6, Pp.689-694.
- Morton, J. (1987), *Jambolan*, In: *Fruits of warm climate*, Pp 375 – 378.
- Moulika, N., Goudi, G., and Basim, A. (2000) Microvascular complications in diabetes mellitus, *The Journal of General Medicine*, Vol.14, No.1, Pp.10-14.
- Mucia, M.A. (2004) Cinnamon improves glucose and lipids of people with type-II diabetes, *Journal of Agricultural food chemistry*, Vol.52, No.7, Pp.1872-1881.
- Mulinacci (2004) Commercial and laboratory extract form artichoke leaves: estimation of coffeoylesters and flavonoidic compound content. *J.Pharm. Biomed.*, Vol.34, No.2, Pp.349-357.
- Mundell, E.J., (2002), Fish oil compound may help ward off diabetes, Data Presented by Pennington Biomedical Research Institute at the Experimental Biology 2002 Conference.
- Nagasaki, M, Ren, M., and Sato, Y. (2004) Cinnamon extract (traditional herb) potentates in vivo insulin-regulated glucose utilization in rats. *Diabetes research clinical practice* Vol.62, No.3, Pp.150-155.
- Nalwade, V.M., R.N.Snehalatha, B.S.Bhosale, V.D.Swami (2003), Glycemic index of commonly consumed Indian foods, *The Indian. Journal of Nutrition and Dietetics*, Vol – 40, No.9, Pp 341-343.
- National Cholesterol Education Programme (NCEP) National Heart, Lung and Blood Institute (2001) Vol. 30, Pp. 251-1222.
- Nesto, R.W (2003), The relation of insulin resistance syndromes to risk of cardiovascular diseases, *Rev.Cardiovasc.Med*, Vol.4, Suppl.6, Pp 811 – 818.
- Nichiforesco, E. (1965) On the determination of O – dihydrophenols of caffeic acid type present in artichoke leaves (*Cynara Scolymus L.*), *Ann. Pharm. Fr*, P 49.
- Nilsson, P., Gudbjornsdottir S., and Coderholm, J. (2002) Diabetes and tobacco. *Lackartidnigen*, Vol.99, No.20, Pp.2281-2285.
- Ning, X., Baoyu, Q., Yuzhen, L., Shuli, S., Reed, E. and Li Q.Q.(2003) Neuro-optical cell apoptosis and micro angiopathy in KKAY mouse retina. *Int. J. Mol. Med*, Vol.11, No.1, Pp.87-92.
- Nordisk, M. (2001) Diabetes mellitus, *Diabetes Desk Reckoner*, Magnus Nardisk publications, Pp 1-3.
- Obrosova, I.G., (2003) Update on the pathogenesis of diabetic neuropathy. *Curr. Diab. Rep*, Vol.3, No.6, Pp.439-435.
- Olefsky, J.E. (2004), Prospects for research in diabetes mellitus, *Journal of American Medical Association*, Vol.288, No.5, P 628.
- Osaka (2006) Consuming caffeine via green tea or coffee appears to reduce the risk of developing type 2 diabetes in Japanese adults, *Annals. of Internal Medicine*.
- Ozanne, S.E., Jensen, C.B., Tingey, K.J., Storgaard, H., Madsbad, S. and Vaag, A.A. (2004), Low birth weight is associated with specific changes in muscle insulin signaling protein expression, *Diabetologia*, Vol.48, No.3, Pp 547 – 552.
- Pandey, M. and Aqueel Khan, (2002), Hypoglycemic effects of defatted seeds and water soluble fibre from the seeds of *Syzygium Cumin Linn* seeds in alloxan diabetic rats, *Indian Journal of Experimental biology*, Vol.40, Pp 1178 – 1182.

- Park, K. and Park, T. (2002), Diabetes mellitus park's text book of preventive and social medicine, 16th edition, Pub Banarasidas bhanot, Pp 292 – 295.
- Park, T.S., Wing, D.E., Bell and Young, M.S. (2000) Diabetic retinopathies, Diabetologia, 42, Pp.95-96.
- Periyanaagam, J.S., Sharma, S.K., Joseph, A. and Christina, A.J. (2004) Evaluation of antioxidant-pyretic and analgesic activity of *Emblica officinales*, J. Ethnopharmacol, Vol. 95, No.1, Pp. 83-85.
- Peters, R.M.(2004) Theoretical perspectives to increase clinical effectiveness of life style modification strategies in diabetes. Ethn dis, 14, Pp.17-22.
- Polanski. (2003) Antimicrobial and chemo prevents properties of spices. Current medical chemicals, Vol.11, No.11, Pp.1451-1460.
- Power, (2001) Diabetes Mellitus, Harrison principles of Internal Medicine, 15th edition, MC Graw Hillpub, Pp.2109-2110.
- Pradeepa, R., Deepa, Ra and Mohan, V. (2002) Epidemiology of diabetes in India – current perspective and future projections, journal of Indian medical association, Vol.100, No.3, Pp.144-146.
- Prasad, K. (1997) Hydrocyl radical scavenging property of socio solariciresional diglucoside isolated from flaxseed. Molecular and cellular biochemistry, Vol.168, No.112, Pp.117-123.
- Prasad, K., Mantha, S.V., Miur, A.D., and West Cott, N.D. (1998) Reduction of hypercholesterdemic atherosclerosis by CDC-Flax seed with very low alpha – linolenic acid. Atherosclerosis, Vol.136, No.2, Pp.367-75.
- Prasannan, N., Gallus, G. and Pozza (2003), Principles for people with diabetes mellitus, P 515 – 522.
- Puigmacia, M (1986), Sepcroscopic study of caffeoilyguimic acid derivatives of *Cynara Scolymus*, *Plantamedica*, Vol.52, P 529.
- Punnosse, A. (2001) Plant horticulture technology, Diabetes, Vol.12, No.14, P 17.
- Raghuram, T.C., Parishcha, S. and Sharma, R.D. (2000) Diet and Diabetes, National Institute of Nutrition Publication, P. 7.
- Rajalakshmi, P. (2004) Biosweetner stevia, Nutrition Society of India, Pp. 310-312.
- Rajendra, P., Raj, D. and Viswanathan, M. (2002) Epidemiology of diabetes in India : Current perspective and future projections. Journal of Indian medical association, Vol.100, No.3, Pp.144-146.
- Ramachandran, A., Snehaliatha, C. and Visvanathan.V. (2002) Burden of Type II diabetes and its complications- The Indian Scenario, Current Science, Vol.83, No.12, P 1474.
- Ramachandran, A., Vimitha, R., Meghathayil, C.K. and Sathish Kumar (2002), Prevalence of over weight in urban Indian adolescent school children, Diabetic Res.Clin.Parc, Pp 185 – 190.
- Ramaiya, L.K., Kodali, V.R.R. and Alberti, G.(1990) Epidemiology of diabetes metabolism Review, 6:Pp.125-46.
- Raman, P. (2001) Diabetes mellitus in India : 2001. The journal of general medicine, Vol.14, No.1, P.5.
- Ranich, T., Bhathena, S.J., and Velasque, M.T., (2001) Protective effects of dietary phytoestrogens in chronic renal disease, Vol.11, No.4, Pp.183-193.
- Rao, B.K., Giri, R., Kesavulu, M.M. and Apparao, C., (2003), Effect of oral administration of bark extracts of *Pterocarpus Santalinus*, on blood glucose label in experimental animals, Journal of Ethnopharmacology, Vol.74, No.1, Pp 69 – 74.

- Rao, C.V., Babu, M.D., Kumar, K.V., Agarwal, V.K., and Goel, R.K. (2002) Antiulcerogenic effect of methanolic extract of *emblica officinalis*. *J. Ethnopharmacol*, Vol.82, Pp.1-9.
- Raptis and Tomita, J.(2003) Classification of types of diabetes. *Diabetes care*.20, Pp.45-47.
- Ravid, M. and Rachmani, R. (2005) Cardiovascular protection in patients with Type 2 diabetes mellitus, *Eur. J. Intern. Med.*, Vol. 16,No.3, Pp. 154-159.
- Readers digest (2000) *Curing every day ailments the natural way*, Published by Readers Digest Pvt Ltd., Pp.162-165.
- Rizkalla, S.W., Taghrid L., Larmonigire, M Huet, D., Boillot, J. and Rigoir, A. (2004) Improved plasma glucose control, whole-body glucose utilization and lipid profile on a low glycaemic diet in Type 2 diabetic men. *Diabetes care*, Vol.27, No.8, Pp.1866-1872.
- Robert and Helinth (2000) *Health and Nutrition* P. 25.
- Robert, S., Mizutani, K., Ogawa and Doi, S., (1994) Intestinal degradation and absorption of glycosidic sweetness stevioside and rebaudiosideA, Vol. 36, Pp. 519-520.
- Robinson, H.C., Lawler, R.M., Wanda, L., Chenoawod and Gaurick, A. (1999) *Normal and therapeutic nutrition*, Mac Millan Publishing Company, New York, VII Edition, Pp. 430, 431.
- Roche, H.M. (2004) Dietary lipids and gene expression, *Biochem Soc Trans*, Vol.32, No.6, Pp.999-1002.
- Rose, D.P. (1997) Dietary fatty acid and cancer, *American Journal of Clinical Nutrition*, 66, Pp.S998-S100.
- Ruppelt, B.M. (1991), Pharmacological screening of plants recommended by folk medicine as anti – snake venom – I, Analgesic and anti-inflammatory activities, *Mem, Inst, Oswaldo*.
- Ryan, A.S., Hurlbut, D.E., Latt, M.E., Ney, F.M., Hurley, B.F. and Goldberg, A.P., (2001) Factors of Type I diabetes, *J.Am.Geriatric Soc*, Vol. 49, Pp.247-253.
- Sabu, M.C and Kuttan, R. (2002) Anti, diabetic activity of medicinal plants and its relationships with their antioxidant property. *J. Ethnopharmacol*, Vol.81, No.2, Pp.155-160.
- Sachdewa, A., Nigam, R. and Khemani, L.D., (2001), Hypoglycemic effect of *Hibiscus Rosa Sineosis. L.*, Leaf extends glucose and streptozotocin induced hyperglycemic rats, *Journal of environmental biology*, Vol.22, No.1, Pp 53 – 57.
- Sahay, B.K., Rakesh, K. and Sabay (2002) Lifestyle modification in management of diabetes mellitus, *JIMA*, Vol.100, No.3, Pp.178-180.
- Sandoz, M.S., Ess, S.M., Keusch, G.W. Szuos, T.D. and Schwenkglens, M. (2004), Prevalence and direct medical casts of ESRD in patients with type 2 diabetes in Switzerland for 2001; *Swiss. Med. Wkly*, Vol.34, No.31 – 32, Pp 448 – 458.
- Santo, Y. (2003) Physical exercise for diabetes mellitus : the effective program for treatment, *Japan Medical Association Journal*, 46(7) Pp. 314-320.
- Sato, Y., Nagasaki, M., Nakai, N. and Fushimi, T. (2003) Physical exercise improves glucose metabolism in lifestyle related diseases. *Exp. Biol. Med*, Vol.228, No.10, Pp.1208-1212.
- Sato, Y., Nagasaki, M., Nakai, N. and Fushimi, T. (2003), Physical exercise importance glucose metabolism in life style related diseases, *Exp. Biol. Med*, Vol.228, No.10, Pp 1208 – 1212.
- Sayed, M.D. (1980), Traditional medicine in health care, *Journal of Ethopharmacol*, P 24.

- Schulze, M.B., Liu, S., Brimm, E., Manson, J.E., Willett, W.C. and Hu, F.B. (2004) Glycemic index, glycemic load and dietary fibre intake and incidence of Type 2 diabetes in younger and middle – aged women. *Am. J. Clin. Nutr.*, Vol.80, No.2, Pp.348-356.
- Schutz (2004) *J. Agri. Food. Chem*, Vol.52, No.13, Pp.4090-4096.
- Sean, G., Buchanan, T., Xiang, A., Peters, G. and Kjas, S. (2002) Clinical predictors for a high risk for the development of diabetes in women. Gestational diabetes mellitus. *American Journal of obstetrics gynecology*, Vol.186, No.40, Pp.751-756.
- Serraino, M and Thompson, L.U. (1992) The effect of flaxseed supplementation on the initiation and promotional stages of mammary tumorigenesis *Nutr. Cancer*. 17, Pp.153-159.
- Sharma (2003) Dietary fibre and its uses. *Nutritional medical journal of India*, Vol.13, No.6, Pp.291-295.
- Sharma, K.K., Chowdhury, N.K., Sharma, A.L. and Misra, M.B. (1975), Studies on hypocholesteremic activity of onion, I. Effect on serum cholesterol in alimentary lipaemia in man, *Indian Journal of Nutrition and Dietetics*, Vol.12, Pp 288 – 291.
- Sharma, N., Trikha, P., Athar, M. and Raisuddin, S. (2004) Inhibitory effect of *Embilica officinalis*, *Hum. Exp. Toxicol.*, Vol. 19, No. 6, Pp. 377-384.
- Sharma, S.B., Nasir, A., Prabhu, K.M., Murthy, P.S., and Dev, G. (2003) Hypoglycemic and hypolipidemic effect of ethnolic extract of seeds of *Eugenia jambolin*, *Journal of ethnopharmacology*, Vol.85, No.2-3, Pp.201-206.
- Shaw, J.T., Levey, J.C. and Turner, R.C. (1998) The relationship between the insulin resistance syndrome and insulin sensitivity in the first degree relatives of subjects with NIDDM, *Diabetes Res. Clin. Pract.*, Vol. 42, No.2, Pp. 91-99.
- Shinn (2003) Glucuronidation of 1-hydrococy estragole (1-HE) by human UDP-Glucuronosyl transferases UG 12B7 and UGT₁A9. *Toxicological science*, Vol.73, No.1 Pp.36-43.
- Shurtleff, M., and Aoyari, A. (2002), *Data current*, August 17, P 105.
- Siddiqui, A.A., Ahmed, B. and Dogra, A., (2000), *Journal of Medicinal and Aromatic Plant Science*, Vol.22, Pp 223 – 231.
- Silagy, C.A., and Neil, H.A. (1994), A metanalysis of the garlic on blood pressure, *Journal of Hypertension*, Vol.12, P 463 – 468.
- Skerret, R.J., Manson, J.E (2002) *Handbook of exercise in Diabetes*. American diabetic Association, Pp.155-182.
- Sridhar and Nagamani (2002) Clinical association of auto immune diseases with diabetes mellitus, *Analysis from south India. Immunology of diabetes*, New York, Pp.197-199.
- Srinivasan, S. (2002) Are you a diabetic?. *Readers Digest*, Pp.34-37.
- Stapleton, S.R. (2000) Selenium and insulin – mimetic cell mal life *Sci*, Pp.1874-1879.
- Stein, J. (2002) *Handbook of Diabetes*, American diabetic association, P.601-614.
- Stene, L.C., Magnas, P., Lie R.T., Sovik, O. and Jonner, G. (2000) Birth weight and childhood onset type I diabetes : population based cohort studies *B.M.J.*, Pp.884-892.
- Storfen, L., Baur, L. and Kriketor, A. (1996) Dietary fats and insulin action. *Diabetologia*, Pp.621-631.
- Strauss, R.S. and Pollack, H.A.(2001) Epidemic increases in childhood overweight 1986-1998, *Journal of American Diabetic Association*, Vol.26, Pp.2845-2848.

Sung, M.K., Lautens, M and Thompson, L.U. (1998) Mammalian lignans inhibit the growth of estrogen independent human colon tumor cells. *Anticancer Research*.18, Pp.1405-1408.

Supriya, K.B. (1998) *Handbook of medicinal plants*, Pointer Publishers, Jaipur, P.337.

Swaminathan, M. (2001) *Diabetes Handbook of foods and nutrition*, Bangalore, P.262.

Takayanagi, T., Ishikava, T. and Kitajima, J. (2003), Sesquiterpene lactone glucosides and alkyl glycosides from the fruit of cumin, *phytochemistry*, Vol.63, No.4, Pp 479 – 484.

Tapsell, L., Gillen, L., Patch, C.S., Bare, M., Botterham, M. and Owen, M. (2004) Dietary advice inclusive of walnut supplementation assures adequate intake of n-3 polyunsaturated fats in the dietary management Type 2 diabetes mellitus. *Asia Pac J. Clin. Nutr.* 13, Pg.128.

Tarpila, S.A., Aro, I. Salminen, Kleemola, P. and Akkila (2002), A ground flaxseed is an affective hypolipidemic bulk laxative (abstract), *Gastroenterology*, Vol.102, Pp. A639 – A655.

Tedesco, M.A., F.Natale, G.D. Sahro, S. Caputo, M. Capasso, R. Calabro (2004), effect of co-existing hypertension and type 2 diabetes mellitus on arterial stiffness, *J. Hum. Hypertens*, Vol.26, P 36.

Thompson, L.U. Rickard, S.E., and Archeson, L.J. (1996) Flaxseed and its lignan and oil components reduce mammary tumorgrowth at a late stage of carcinogenesis. *Carcinogenesis*, Pp.1373-1376.

Tiwari, A.K., Rao, M.S.J. (2002), Diabetes mellitus and multiple therapeutic approaches of phytochemicals: Present status and future prospects, *Current science*, Vol.83, No.1, Pp 30-38.

Torgerson, J.S., Hanptman, J., Boldrein, M.N. and Sjostrom, L. (2004), Xenical in the prevention of diabetes in obese subjects, *Diabetes Care*, Vol.27, No.3, P 856.

Tu, G. (1992) *Pharmacopoeia of the people's republic of China*, Guangdong science and technology, Press, P.8.

Tuomilehto, J. and Lindstrom, J., (2001) Prevention of Type II diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance, *Vol.344, No.18, P.1343.*

Tusha, P. (2003), *Eat and reduce*, The Hindu, Feb.10.

US Department of Health And human services (1996) *Healthy people 2000 mid course review and 1995 revision* Washington DC, US Government printing office.

Ushaawasthi and Awasthi (2001) *Diabetes mellitus and its management*, Adv. Pharma, Vol.5, No.3, P.19.

Uusitupa, M.I. (2004) Early lifestyle intervention in patients with NIDDM and IGT, *Ann. Med.*, 28(5) Pp. 445-449.

Valenzuela, G.A., Mata, I.E., Gabali, C., Gpona, E., Thom, D. and Labron, S.C (2003) Knowledge and beliefs regarding Type 2 diabetes mellitus in rural mesoamerica, *Ethn health*, vol.8, No.4, Pp.353-360.

Vargheese, G.I., Tomson, J. and Lip, G.V. (2005), Type 2 diabetes mellitus; a cardiovascular perspective, *Inr. J. Clin. Pract*, Vol.5, No.7, Pp 798 – 816.

Vasudevan, K., Vembar, S., Veeraraghavan and Haranath P.S., (2000) Influence of intragastric perfusion of aqueous spice extracts on acid secretion. *Indian Journal Gastro external*, Vol.19, No.2, Pp.53-56.

Vedavathy, S. (2003) Stevioside safe for diabetes, *Food and nutrition world*, Pp. 35-36.

Vikrant, V., Tandon N., Rathi, S.S., Grover, J.K., and Gupta, N. (2001) Treatment with extracts of *Momordica charantia* and *Eugenia jambolana* prevents hyperglycemia and hyper insulinemia, *Journal of Ethnopharmacology*, Vol.76, No.2, Pp.139-143.

- Vinik, A.I. and Jenkins, D.J.A. (2002), Dietary fibre in management of diabetes, *Diabetes Care*, Pp 160 – 172.
- Vinik, A.L., Park, T.S., Stansberry K.B. and Pittinger, G.L., (2000) Diabetic Neuropathies. *Diabetologia*, Pp.957-973.
- Viswanathan, M., Prasad, R. and Raj, D. (2002) Epidemiology of diabetes in India. *Journal of Indian medical association*, Vol. 100, No. 3, Pp:134-135.
- Viswanathan, M., Ramachandran, A., Mohan, V. and Snehalatha (2000) High CHO, High fiber diet in diabetes, *J. Dia. Asso. In India*, Pp.90-96.
- Viswanathan, M.R., Prasad, D. (2002), Epidemiology of diabetes in India, *Journal of Indian Medical Association*, Vol.100, No.3, Pp 144 – 145.
- Wahlavist, M.L. (2007) Clinical nutrition, *The Indian Journal of Nutrition and Dietetics*, Vol. 44, No.1, Pp. 12-22.
- Weingartner, K.E., Dashiell and Nelson, A.I. (1987), Soybean utilization in Africa; making a place for a new food, *Food and Nutrition*, Vol.13, No.2, Pp 21 – 28.
- Werner, M., Gabrielson, D.G. and Estrman, G. (1981), *Clinical chemistry*, Ranbaxy Laboratories Limited, New Delhi.
- Whitney, E.N. and Roles.S.R, (1999), *Understanding nutrition 8th edition* wadsworth publishing company (Belmount), Pp 433, 514.
- WHO (1990) *Nutrition and the prevention of chronic disease*, World Health Organization, Technical Report Series. 797, Pp.1-32.
- WHO (2000), *The scientific groups and technical report series 797*, Geneva, P 360.
- WHO, (2002) *Definition classification of diabetes mellitus and its complication, Part-I, Report of a WHO consultation*, Geneva.
- Willett, W. and Manson, J. (2002) Glycemic index, glycemic load and risk of 2 diabetes. *American journal of clinical nutrition*, Vol.76, No.1 Pp.274-800.
- Williams, G. (1999) Obesity and Type 2 diabetes : A conflict of interests? *Int. Jobses Relat Metab Disord*, Vol.23, No.7, Pp.52-54.
- Wojciki, J.M. and Lodyzynski, P. (2003) Toward the improvement of diabetes treatment : Recent developments in technical support. *J. Aftif, Organs*, Vol.6, No.2, Pp.73-87.
- World Health Organization Report (1999) Geneva, Pp. 115-117.
- Wregner and Fintelmann (1999) Pharmacological properties and therapeutic profile of artichoke. *Wein. Med. Wockens*, Vol.(8-10) Pp.241-247.
- Xili, A.N. (1992), Stevia as a biosweetner, *Agricultural and biological chemistry*, Vol.3, Pp 1871 – 1873.
- Yamada, Xili, A.N. and Rivarola, P. (1985), Toxicity and carcinogenicity study proceedings of the national academy of sciences of the United States of America, Vol.2, Pp 2478 – 2482.
- Yang, X. and Hage, H. (2002) Gestational diabetes mellitus in women of single gravidity in china. *Journal of Indian medical association*, Vol.100, No.6, P.847.
- Yeh. G. (2002) Uses of complementary and alternative medicine among persons with diabetes mellitus; results of a national survey, *Am.J.Public Health*, Vol.92.

Yeoleskar, M. and Borade, P. (2002) Classification of diabetes and its implications. The journal of general medicine, Vol 14, No.1, Pp. 7-9.

Yoshii, A., Anderson, J.W., and Smith, B.M. (2005) Characteristic and use of akara. Journal of agricultural food chemistry, Vol.47, No.2, Pp.363-371.

Youghchaiyudha et al., (1996), Antidiabetic activity of Alove Vera L. Juice, I. Clinical trail in new cases of diabetes mellitus, phytomedicine.

Yuan, Y.V (1999) Short term feeding of flaxseed or its lignan has minor influence on in vivo hepatic antioxidant status in young rats. Nutr. Res.19, Pp.1233-1243.

Yuen, V.G., Vera, E.G., Batterll, M.L., Licon and Veill, M.C. (2001) Acute and chronic complication of diabetes mellitus, Res. Clin. Pract. 43, P-9.

Zarich, S.W, (2003) Treating the diabetic patient appropriate case for glycemic control and cardiovascular disease risk factor, Rev. Cardiovasc. Med, Vol.4, No.6, Pp.819-828.

Zhan, Y., Parson, C.M., Weingartn, K.E. and Wijeratne, W.E. (1993) Effects of extrusion and expelling on the nutritional quality of conventional and kunitz, Trypsin inhibitor free soyabeans, Poultry Science, Vol. 72, Pp. 2299-2306.

Zimmet, P.H.(1997) Diabetes-Definition and classified medicine, the medicine publishing company limited, Pp.1-5.

www.asabe.org.

www.bhsnuff.edu.hk.com

www.iotf.org

www.jlr.org.com

www.LamMD.com

www.sciencedaily.com

www.soyafoods.com

www.species-food.com

www.species-properties.edu.com

www.spice.com

www.spices.com

www.spices-essential.com