

- Acosta, R.R., C. Castell, M. Hernandez, and A. Pernas (2009), Comorbilidad y mortalidad en una cohorte de pacientes cubanos con arthritis reumatoide, *Revista Cubana de Medicina*, 48, pp. 1-12.
- Alexander R.W. (1994) : Inflammation and coronary artery disease. *New Engl. J. Med.* 331: 468-9.
- Algeria-Ezquerra, E; Gonzalez-Juanatey, JR; Gonzalez-Maqueda, I (2006). Hypertensive heart disease : a *Revista Espanola de Cardiologia* (in Spanish; Castilian) 56(4): 398-9.
- Allen, F. (2010). *Health Psychology*, Tata McGraw Hill, New Delhi.
- Almeida OP, Garrido GJ, Beer C, Lautenschlager NT, Arnolda L, Flicker L, (2012) Cognitive and brain changes associated with ischaemic heart disease and heart failure. *Eur Heart J.*: 33:1769-1776.
- Ames, S.C. et.al. (2001). A prospective study of the impact of stress and QoL. *Annals of Beh. Medi.* 23(2), 112-119.
- Anand, S.S, Yusuf S, Vuksan V. Devanesen S, Teo KK, Montague PA, et.al. (2000) : Differences in risk factors, atherosclerosis, and cardiovascular disease between ethnic groups in Canada ; the Study of Health Assessment and Risk in Ethnic groups (SHARE). *Lancet*; 356-279-84.
- Anderson R.M, Fitzgerald JT, Wisdowm K, Davis WK, Hiss RG (1997). A Comparison of global versus disease-specific quality of life measures in patients with NIDDM. *Diabetes Care* 20:299-305.
- Anderson, K.G. : Bradley, L.A. : Young, L.L.; Mc Danial, L.K. and Wise, C.M. (1985) Reheumatoid arthritis *Psychological Bulletin*, 98, 358-387.
- Anderson, R.A. (1978). Stress Power : How to turn tension into energy. Human Science Press.
- Andrews, E.M. (1974). Social indicators of perceived quality of life. *Social Indicators Research*, 1, 279-299.

- Angerman, C.E. Frey, A. & Erl. G. (2012). Cognition matters in cardiovascular disease and heart care. *European Heart Journal*, 33, 1721-1723.
- Angermeyer MC, Holzinger A, Matschinger H, Stengler-Wenzke K (2002) : Depression and quality of life; results of a follow-up study. *Int J. Soc Psychiatry* 48: 189-199.
- Anjana RM, Ali MK, Pradeepa R, Deepa M., Datta M., Unnikrishnan R, Rema M, Mohan V. (2011). The need for obtaining accurate nationwide estimates of diabetes prevalence in India-rationale for a national study on diabetes. *Indian J. Med. Res.* 133:369-380.
- Atkinson M, Zibin S, Chuang H. (1997) Characterizing quality of the among patients with chronic mental illness. *Am J. Psychiatry* 154: 99-105.
- Atkinson MJ, Caldwell L. (1997). The differential effects of mood on patients, ratings of life quality and satisfaction with their care. *J. Affect Disord*; 44; 169-175.
- Bakas, T. et.al. (2012). Systematic review of health related quality of Life Models. *Health & Quality of Life Outcome*, 10, 134.
- Bano, A.; Bhardwaj, S.S. & Singh, R.N. (2012) : Quality of Life among psychosomatic patients. *Indian Journal of Human Relations*, 42, 83-90.
- Barnett, E. and Halverson, J. (2000) Disparities in premature coronary heart disease mortality by region and urbanicity among black and white adults ages 35-64, 1985-1995. *Public Health Reports* 115(1):52-64.
- Barnett, E. and Halverson, J. (2010). Local increases in coronary heart disease mortality among blacks and whites in the United States, 1985-1995. *American Journal of Public Health* 91(9): 1499-1506.
- Barrera, M. (1986). "Distinctions between social support concepts, measures, and models", *American Journal of Community Psychology* 14(4): 413-445.
- Bauer LK, Caro MA, Beach SR, Mastromauro CA, Lenihan E, Januzzi JL, Huffman JC (2012), Effects of depression and anxiety improvement on adherence

- to medication and health behaviours in recently hospitalized cardiac patients. *Am J. Cardiol:* 109; 1266-1271.
- Beaser, RS, Garbus SB, Jacobson AM (1996). Diabetes mellitus. In *Quality of Life and Pharmaco-economics in Clinical Trials*. Spilker B, (Ed). Philadelphia Pa., Lippincott-Raven.
- Beer, C, Ebenzer E, Fenner S, Lautenschlager NT, Arnolda L, Flicker L. (2011), Almeida OP, Contributors to cognitive impairment in congestive heart failure: a pilot case-control study. *Intern Med. J.* 39; 600-605.
- Bergner M, Bobbit RA, Carter WB, Gilson BS (1981). The Sickness Impact Profile. *Med. Care* 14:57-67.
- Bergner, M. (1989). Quality of Life, health status, and clinical research. *Medical Care*. 27(3), 148-155.
- Berkman, L.F., Leo-Summers, L. and Horwitz, R.I. (1992). *Emotional Support and survival following myocardial infarction* : A prospective population-based study of the elderly.
- Berland, A. et.al. (2008) Patients safety and job related stress : A focus group study. *Intensive & critical care, Nursing*, 24, 90-97.
- Berlin MT, Mattevi BS, Pavanello DP, Caldieraro MA (2003). Suicidal ideation and quality of among adult Brazilian outpatients with depressive disorders. *J. Nerv Ment Dis* 191: 193-197.
- Bhatti, R.S. Subhakrishna, D.K. and Agner B.L. (1986). *Variation of family interaction pattern scale*, 28; 211; 216.
- Bjerkeset, O. et.al. (2005). Anxiety and depression following mycordial infarction. *J.Psychosomatic Research*, 58(2), 153-161.
- Blumenthal J, Sherwood A, Babyak M, et.al. (2005) Effects of exercise and stress management training on markers of cardiovascular risk in patients with ischemic heart disease : a randomized controlled trial. *JAMA*: 293:1626-34.

- Bowling, A. (1987) Mortality after bereavement : A review of the literature on survival periods and factors affecting survival. *Social Science and Medicine* 24; 24-117.
- Bradley, C. : Measuring quality of life in diabetes. In The *Diabetes Annual*/10. Marshall.
- Brannon L. Fiest J. (2000); *Health Psychology*; An Introduction to Behaviour and Health. Brooks/Cole.
- Braunwald E., Zipes DP, Libby P. (2001). *Heart Medicine*. Philadelphia: Saunders.
- Brislin, R. (1993). *Understanding culture's influence on behaviour*. Fort Worth, TX : Harcourt Brace Javanovich.
- Brown D. (1999). Disparate effects of the 1989 Loma Prieta and 1994 Northridge earthquakes on hospital admissions for acute myocardial infarction : importance of superimposition of triggers. *Am Heart J.* 137:830-6.
- Brown GW, Harris TO (Eds.) 1989; *Life Events and Illness*, London, Gelford.
- Brown, R.I. (1997). Quality of life : *The development of an idea*. In R.I. Brown (Ed.), *Quality of life for people with disabilities*. Cheltenham, UK; Stanley Thornes.
- Bruce, B., J.F. Fries, and K.N. Murtagh (2007). Health status disparities in ethnic minority patients with rheumatoid arthritis; a cross-sectional study. *Journal of Rheumatology*, 34, No.7, pp. 1475-1479.
- Brunner EJ, Marmot MG. Nanchahal K. Et.al. (1997). Social inequality in coronary risk; central obesity and the metabolic syndrome. Evidence from the Whitehall II Study. *Diabetologia* 40: 1341-9.
- Bulpitt CJ, Fletcher AE (1990). The measurement of quality of life in hypertensive patients. *Br. J. Clin Pharmacol*; 30; 353-64.
- Bulpitt, C.J.C. (1997). Quality of life as an outcomes measure. *Postgraduate Medical Journal*, 73, 613-616.

- Bunker, S.J. et.al. (2003). Stress and Coronary heart disease : psychological risk factors. *M.J.A.*, 178, 272-276.
- Campbell, A. (1981). *The sense of well-being in America*. New York; McGraw-Hill.
- Campbell, A. et.al. (1976). *The quality of American Life*. Russell sage foundation, New York.
- Carels, R.A. (2004). The association between disease severity, function status, depression and daily QoL in congestive heart failure patients. *Int. J. QoL.* 13(1), 63-72.
- Carney RM, Freedland KE (2008). Depression in patients with coronary heart disease. *Am J. Med* 121 : S20-27.
- Case, R.B. Moss, A.J., Case, N. et.al. (1992); Living alone after myocardial infarction. *JAMA* 267 : 515-519.
- Cavallo F, Zambon A, Borraccino, A, Ravens-Sieberer U, Torsheim T, Lemma P. (2005) Girls growing through adolescence have a higher risk of poor health. *Qual Life Res*, 15: 1577-1585.
- Cebelin M, Hirsch C, (1980) Human stress cardiomyopathy, Myocardial incisions in victims of homicidal assaults without internal injuries. *Hum Pathol.*; 11:123-32.
- Centres for Disease Control and Prevention (2000) CDC, *Measuring Healthy Days*.
- Cervera (2004) : Coronary and valvular syndromes and antiphospholipid antibodies, *Thrombosis Research*, 114, no. 5-6, pp. 501-507.
- Chan, M. (2010). *Global Status Report on Noncommunicable Diseases*, World Health Organization.
- Chand, P. Rashmi & Jai Prakash (2012). Quality of Life of elderly diabetic patients. *Indian Journal of Human relations*, 42, 25-30.
- Chandra, V., Szklo, M., Goldberg, R. and Tonascia, J. (1983). The impact of marital status on survival after an acute myocardial infarction : A population-based study. *American Journal of Epidemiology* 117: 320-325.

- Chappy, S. (2006). Perioperative patients safety; a multisite qualitative analyses, *AORN J*; 83: 871-97.
- Chauhan, S. & Aeri, B.T. (2013). Prevalence of cardiovascular disease in India and its economic impact : A review. *International Journal of Scientific Research. Publications*, 3(10), 1-5.
- Cheng Y, Kawachi I, Coakley EH, Schwartz J, Colditz G. (2000). Association between psychosocial work characteristics and health functioning in American women : Prospective study. *Brit Med J*. 320: 1432-6.
- Chobanian AV, Bakris GL, Black HR et.al. (2003). The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure : the JNC 7 report. *JAMA*. 289(19): 2560-2572.
- Chrousos GP, Gold PW (1998). A health body in a healthy mind and vice versa – the damaging power of ‘uncontrollable’ stress J. *Cin Endocrinol Metab* 83: 1842-5.
- Cisternas, M., M.A. Gutierrez, J. Klaassen, A.M. Acosta, and S. Jacobelli, Cardiovascular risk factors in Chilean patients with rheumatoid.
- Clarke, P. & Black, S. (2005). QoL following stroke. *J Appl. Geron.* 24(4), 319-336.
- Clarke, S.P. et.al. (2000). Psychosocial factors at one year in patients with left ventricular dysfunction. *Res. Nurs. Health*, 23(4), 290-300.
- Cohen et.al. (1995) Stress, social support and buffering hypothesis. *Psychological Bulletin*, 98, 310-317.
- Cohen, S.; Wills, T.A. (1985). “Stress, social support, and the buffering hypothesis”. *Psychological Bulletin* 98: 310-357.
- Collijn, D.H., Appels, A. and Nijhuis F. (1995). Psychosocial risk factors for cardiovascular disease in women: The role of social support. *International Journal of Behavioural Medicine* 2(3): 219-232.

- Cosby C, Holzemer WL, Henry SB, Portillo CI (2000) Hematological complications and quality of life in hospitalized AIDS patients. *AIDS Patients Care STDS* 14(5): 269-279.
- Costanza, R. et.al. (2008) "An Integrative Approach to Quality of Life Measurement, Research and Policy", SAPIEnS 1 (1).
- Coyne, J.C. and Smith, D.A.K. (1991). Couples coping with a myocardial infarction, 61 : 404-412.
- Croog SH, Levine S, Testa MA, et.al. (1986). The effects of antihypertensive therapy on the quality of life. *N.J.Med.* 314:1657.
- da Cunha, V.R., C.V. Brenol, J.C.T. Brenol, and R.M. Xavier (2011). Rheumatoid arthritis and metabolic syndrome, *Revista Brasileira de Reumatologia*, 51, No.3, pp. 260-268.
- Daggert V, Bakas T, Habermann B.A. (2003) : A review of health-related quality of life in adult traumatic brain injury survivors in the context of combat veterans. *J. Neurosci Nurs.* 41(2): 59-71.
- Danielson M. *Sevenska skolbarns halsovanor 2005/06 [In Swedish] Health behaviour in Swedish School Children, Sweden, Stockholm* : The Swedish National Institute of Public Health.
- Davis, P. Lay-Yee R, Briant R, Schug S, Scott A. (2003). Preventable in hospital medical injury under the 'no fault' system in New Zealand. *Qual Saf Health Care* 12: 251-6.
- Davis, P. Lay-Yee Ro, Briant R, Schug S, Scott A, Johnson, S, et.al. (2001). *Adverse events in New Zealand public hospitals; principal findings from a national survey*. Occassional paper. Wellington; Ministry of Health; (No.3.)
- de Galan BEd, (2009) Cognitive function and risks of cardiovascular disease and hypoglycaemia in patients with type2 diabetes *Diabetologia*; 52: 2238-2336.

- De Groot AD (1986). An analysis of the concept of "Quality of Life". In Assessment of Quality of Life and Cancer Treatment. *Ventafredda V*, Ed. p. 65-76.
- Deanfield, J, Shea M, Kensett M, et.al. (1984) Silent myocardial ischaemia due to mental stress. *Lancet*; 2; 1001-5.
- Deshields TL, McDonough EM, Mannen RK, Miller LW (1996). Psychological and cognitive status before and after heart transplantation. *Gen Hosp Psychiatry*:18; p. 625-695.
- Dey, M. Mohler-Kuro M, Landolt MA (2012). *Health-related quality of life among children with mental health problems* : a population-based approach.
- Dimsdale J, Mills P. (2002) An unanticipated effects of meditation on cardiovascular pharmacology and physiology. *Am J. Cardiol*: 90-908-9.
- Dimsdale, J.E. (2008). Psychological stress and cardiovascular disease. *Journal of American College of Cardiology*, 51(13), 1237-1246.
- Dionne JM et.al. (2012). Hypertension in infants diagnosis management and outcome. *Pediatr. Nephroop*, 27(1), 17-32.
- Does van der FEE, Neeling JND, Snoek FJ, Kostense PJ, Bouter LM, Heine RJ (1996) Symptoms and well-being in relation to glycemic control. *Diabetes Care* 19 : 204-10.
- Donchin Y., Gopher D, Olin M, Badhi Y, Biesky M. Sprung CL et.al. (2003) : A look into the nature and causes of human errors in the intensive care unit. *Qual. Saf Health Care* 12: 143-8.
- Duncan, T.E. and McAuley, E. (1993). Social support and efficacy cognition in exercise adherence : A latent growth curve analysis. *Journal of Behavioural Medicine*, 16: 199-218.
- Dupuis G. (1998). International Perspectives on Quality of Life and cardiovascular disease; the quality of life systemic inventory. Presented at the *Workshop on Quality of Life in Cardiovascular Disease*, Winston Salem, NC.

- Duschek S, Schandry R Reduced brain perfusion and cognitive performance due to constitutional hypotension, *Cin Auton Res.*: 17 69-76.
- Ebright PR, Urden L., Patterson E, Chalko B. (2004) ; Themes surrounding novice nurse near-miss and adverse-event situations. *J. Nurs Admin*; 34: 531-8.
- Ehret, G.B. et.al. (2011) Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature*, 478(7367) 103-109.
- Eiser C, Morse R. (2001) : The measurement of quality of life in children : past and future perspectives. *Journal of Dev Behav Pediatr*. 22:248-256.
- Elfering A, Semmer NK, Grebner S. (2006) Work stress and patient safety. *Ergonomics*; 49; 457-69.
- Enas EA, Yusuf S, Mehta JL (1992). Prevalence of coronary artery disease in Asian Indians. *Am J. Cardiol*; 70; 945-9.
- Eriksen W. (1994). The role of social support in the pathogenesis of coronary heart disease: a literature review, *Fam Pract*; 11:201-209.
- Esler, M.D. (1998). Mental Stress, panic disorder and the heart. *Stress Medicine*, 14, 237-243.
- Everly GS. Lating JM Jr. (2002) : *A clinical Guide to the Treatment of the Human Stress Response*. 2<sup>nd</sup> Ed. new York, Boston, Dordrecht, London, Moscow: Plenum Publishers.
- Eysenck, H.J. (1995). The causal role of stress and personality in the ethiology of cancer and coronary heart disease. In Spielberger et.al. (eds.), *Stress and Emotion : Anxiety, anger and curiosity*. Washington : Tayloer and Francis.
- Farzaneh-Far A. and M.J. Roman (2005). Accelerated atherosclerosis in rheumatoid arthritis and systemic lupus erythematosus, *International Journal of Clinical Practice*, No.7, pp. 823-824.

- Fayers PM, Machin D.: (2000) : *Quality of Life, Assessment, Analysis and Interpretations*. UK; John Wiley & Sons Ltd. West Sussex.
- Federal Reserve Bank of Kansas City (2008). *The Increasing Importance of Quality of Life*.
- Feeny DH, Torrance G. (1989). Incorporating utility based quality of life assessment measures in clinical trials : two examples. *Med Care* 29:S190.
- Ferrans CE, Zerwic JJ, Wilbur JE, Larson Ji (2005) Conceptual model of health-related quality of life. *J. Nurs. Scholarsh*, 37(4) : 336-342.
- Ferraro, K.F. (1989). Widowhood and health. In : *Aging, stress and health*, edited by K.S. Markides and C.L., Cooper., New York : Wiley, pp. 69-90.
- Fields LE, Burt VL, Cutler JA, Hughes J.Sorlie P. (2004). The burden of adult hypertension in the United States, 1999 to 2000: a rising tide. *Hypertension*, 44(4) : 398-404.
- Fischer JS, LaRocca NG, Miller DM, Ritvo PG, Andrews H, Paty D. (1999) Recent developments in the assessment of quality of life in multiple sclerosis (MS), *Mult Scler* 5(4): 251-259.
- Fleet RP, Lavoi K, Beitman B. (2000). Is panic disorder associated with coronary artery disease? A critical review of the literature. *J. Psychosom Res*. 48: 347-356.
- Fletcher, A, Gore S, Jones D, Fitzpatrick R, Spiegel H, Cox DR. (1992) Quality of Life measures in health care : *BMJ* 305: 1145-8.
- Flynn KE, (2009) : Effects of exercise training on health status in patients with chronic heart failure HF-ACTION randomized controlled trial. *JAMA*: 301: 1451-1459.
- Followfield L. (1991). *The quality of life*. The missing measurement in health care : London Human Horizons Series.

- Frank A, Auslander GK, Weissgarten (2003). Quality of life of patients with end stage renal disease at various stages of the illness. *Soc. Work Health Care* 38(2):1-27.
- Fredrickson, M and Mathews, K.A. (1990) Cardiovascular responses to behavioural stress and hypertension. A Meta analytic review. *Annals of Behavioural medicine*, 12, 30-39.
- Friedman M, Roseman RH (1974). Type A behaviour and your heart. New York : Knopf.
- Friedman M. (2002). *Health psychology*, New Jersey; Practical Hall.
- Friedman, M. et.al. (2001). Psychological variables in hypertension. *Psychosomatic medicine*, 63(1), 19-31.
- Fuster V, Alexander RW, Hurst JW, O'Rourke RA (2001). *Hurst's the Heart*. McGraw Hill Professional.
- Galbraith J K (1958). *The Affluent Society*. Cambridge, Mass., Houghton Mifflin.
- Galbraith J K (1967) : *The New Industrial State*, London, Penguin Books.
- Galis JS, Sukhova, GK, Lark MW, Libby P. (1994). Increased expression of matrix metallo-proteinases and matrix degrading activity in vulnerable regions of human atherosclerotic plaques *J. Clin Invest.* 94: 2493-503.
- Garcia S, Spitznagel MB, Cohen R. Raz N. Sweet L Colbert L. Josephson R. Hughes J, Rosneck J, Gunstad J. (2011) Depression is associated with cognitive dysfunction in older adults with heart failure. *Cordiovasc Psychiatry Neurol* : 368324.
- Gaziano T, Reddy RS, Paccaud F. Et. (2006) Cardiovascular Disease. In : Jamiso DT, Breman JG, Measham AR et.al., eds. *Disease control priorities in developing world Oxford*. Oxford university Press; 645-62.
- Georgiadis D, Sievert M, Cencetti S, Uhlmann F, Krivokuca M, Zierz S, Wedan K. (2000) Cardiovascular reactivity is impaired in patients with cardiac failure *Eur Heart J.* 21; 407-413.

- Ghaffar A, Reddy KS, Singh, M. (2004) Burden of noncommunicable disease in South Asia. *British Medical Journal*; 328-807-10.
- Global Status Report of NCD 2010. Geneva : *World Health Organization*; 2011.
- Glynn, L.M., Christenfeld, N. and Gerin, W. (1999). Gender, social support, and cardiovascular responses to stress. *Psychosomatic Medicine* 61: 234-242.
- Goetsch, V.L. (1989) Stress and blood glucose in diabetics mellitus : A review of methodological commentary. *Annals of Behavioural Medicine*, 11, 102-107.
- Golger, N.; Amarel, D. (2007). Effect of social support visibility on adjustment to stress : *J.Pers. Soc. Res.* 92: 458-475.
- Gordon, H.S. and Rosenthal, G.E. (1995). Impact of marital status on outcomes in hospitalized patients; Evidence from an academic medical center. *Archives of Internal Medicine* 155; 2465-2471.
- Goyal, A. & Yusuf, S. (2006). The burden of cardiovascular disease in the Indian subcontinent. *Ind. J. Med. Res.* 124, 235-244.
- Greenlund KJ, Croft JB, Mensah GA (2004). Prevalence of heart disease and stroke risk factors in persons with prehypertension in the United States, 1999-2000. *Arch Intern Med.*: 164(19): 2113-2118.
- Gregory, D. et.al. (2009); *Quality of Life. Dictionary of Human Geography* Oxford : Wiley-Blackwell.
- Grinker & Splegel, R. (1945). Quoted in Culberoton, F.M. (1985). *Stress, strain and coping styles of female psychologists*, Paper presented at 43<sup>rd</sup> Annual Convention of International Council of Psychologists, Newport, Rohde, Aug. 12-16.
- Gruhn N Larsen FS, Boesgaard S Knudsen GM, Mortensen SA, Thomsen G, Aldershivile J. (2001) Cerebral blood flow in patients with chronic

- heart failure before and after heart transplantation. *Stroke*: 32; 2530-2533.
- Guiducci, S.R. Giacomelli, and M.M. Cerinic (2003) : Cardiovascular morbidity and mortality in women diagnosed with rheumatoid arthritis *Circulation*, 107, no. 9, pp. 1303-1307.
- Gupta R, Gupta VP (1996), Meta-analysis of coronary heart disease prevalence in India. *Indian Heart J.*; 48:241-245.
- Gupta R, Gupta VP, Sama M, Prakash H, Rastogi S, Gupta KD (2003). Serial epidemiological surveys in an urban Indian population demonstrate increasing coronary risk factors among the lower socio-economic strata. *J. Assoc. Physicians India*. 51:470-477.
- Gupta R, Guptha, S, Joshi R, Xavier D. (2011). Translating evidence into policy for cardiovascular disease control in India. *Health Res. Policy Syst.* 9:8.
- Gupta R. (2005) Burden of coronary heart disease in India. *Heart Journal*; 57-632-8.
- Gupta R. Joshi P. Mohan V, Reddy KS, Yusuf S. (2008). Epidemiology and causation of coronary heart disease and stroke in India. *Heart*. 94:16-26.
- Gupta, R. (2004). Trends in hypertension epidemiology in India. *J. Hum Hypertens.* 18:73-78.
- Gupta, R. et.al. (2012). Regional variations in cardiovascular risk factors in India: Indian heart watch. *World Journal of Cardiology*, 4(4), 112-120.
- Gurung, R.A.R. (2006). *Coping and Social Support, Health Psychology* : A cultural Approach. Belmont, CA : Thomson Wadsworth, pp. 131-171.
- Gutierrez, J. et.al. (2012), stain therapy in the prevention of recurrent cardiovascular events. A sex based metal. analysis, *Archives of Internal Medicines* 172(12), 909-19.
- Guyatt, GH, Bombardier C, Tugwell PX (1986). Measuring disease-specific quality of life in clinical trials *Can Med Ass*; 134:889-95.

- Haas B K (1999). A multidisciplinary concept analysis of quality of life. *West J. Nurs Res.* 21(6):728-742.
- Haney, C.A. (1977). Illness behaviour and psychosocial correlates of cancer. *Journal of Social Science and Medicine*, 11, 223-8.
- Haquist C, Andrich D. (2004). Measuring subjective health among adolescents in Sweden. *Social Indicators Research*, 68:201-220.
- Haquist C. (2009) Psychosomatic health problems among adolescents in Sweden-are the time trends gender related? *Eur. J. Public Health* 19:331-336.
- Hassan M, York KM, Li Q, Lucey DG, Fillingim RB, Sheps DS (2008). Variability of Myocardial ischemic responses to mental versus exercise or adenosine stress in patients with coronary artery disease *J. Nucl. Cardiol.* 15: 518-525.
- Hassan, M. Li Q. Brumback B, Lucey DG. Bestland M. Eubanks G, et.al. (2008) Comparison of peripheral arterial response to mental stress in men versus women with coronary artery disease. *Am J. Cardiol.* 102: 970-974.
- He, F.J. & MacGreager, G.J. (2009). A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. *Journal of Human Hypertension*, 23(6), 363-84.
- Heaney, C.A., & Israel, B.A. (2008). Social networks and social support. In Glanz, K., Rimer, B.K. & Vishwanath K. *Health Behaviour and Health Education : Theory. Research and Practice* (4<sup>th</sup> ed.) San Francisco, CA : Jossey-Bass.
- Heitman, L.K. (2006). The influence of social support on cardiovascular health in families. *Fam. Community Health* 29(2), 131-42.
- Helgeson, V.S. (1993): The onset of chronic illness: its effect on the patient-spouse relationship. *Journal of Social and Clinical Psychology* 12 : 406-428.

- Hemingway H, Malik M, Marmot M. (2001). Social and psychosocial influence on sudden cardiac death, ventricular arrhythmia and cardiac autonomic function. *Eur Heart J*.22: 1082-1101.
- Hemingway, H. and Marmot, M. (1999). Psychosocial factors in the aetiology and prognosis of coronary heart disease : Review British Medical Journal 318(1999) 1460-1467.
- Hobfoll, S.E. (1998) *Stress, culture and community*. The psychology and philosophy of stress. New York: :lumen Press.
- Hofer S, Benzer W, Alber H, Ruttman E, Kopp, M. Schussler G, et.al. (2005). Determinants of health-related quality of life in coronary artery disease patients. *Psychosomatics* 46(3) : 212-223.
- Hogan, B.; Linden, W.; Najarian, B. (2002). Social support interventions; Do they work? *Clinical Psychology Review* 22(3) : 381-440.
- Holmes, T. (1967). The social readjustment rating scale. *Journal of Psychosomatic Research*, 11, 213-48.
- Hornquist JO (1982). The concept of quality of life. *Scand J Soc med* 10:57-61.
- House, J.S. (1981). *Work Stress and social support*. Addison-Wesley.
- House, J.S. (1981). *Work stress and social support*. Reading, MA : Addison-Wesley.
- Huang, J., Chiou C, Ting C, Chen Y, Chen S. (2001) Sudden changes in heart rate variability during the 1999 Taiwan earthquake. *Am J Cardiol*; 87-245-8.
- Huang, M.; Yen, C.; Lung, F. (2010). Moderators and mediators among panic, agoraphobia symptoms, and suicidal ideation in patients with panic disorder. *Comprehensive Psychiatry* 51: 243-249.
- Huffman MD and Engeglau MM (2012). Economic impact of non-communicative disease in India *India Health Beat*. Vol. 6(2)
- Inagaki, T.K.; Eisenberger, N.I. (2011). "Neural correlates of giving support to a loved one". *Psychosomatic Medicine*.

- Indrayan A. (2005) Forecasting Vascular Disease Cases and Associated Mortality in India. Background papers. Burden of disease in India. National Commission on Macroeconomics and Health, Ministry of Health and Family Welfare, Government of India, New Delhi, India.
- Iqbal, N. & Ahmad, H. (2000). Stress in cardiovascular patients. *Indian Psychological Review*, 54-55, 109-112.
- Jafar T.H. (2006). The growing burden of chronic kidney disease in Pakistan. *N Engl. J. med.*; 354: 995-7.
- Jain S, Mills P, von Kanel R, Hong S, Dimsdale J. (2007) Effects of perceived stress and uplifts on inflammation and coagulability. *Psychophysiology* 2007; 44:154-60.
- Janz NK, Janevic MR, Dodge JA, Fingerlin TE, Schark MA, Mosca LJ, et.al. (2001) Factors influencing quality of life in older women with heart disease. *Med. Care*, 39(5); 588-598.
- Jenkins, D.C. (1990). The measurement of health related quality of life : *Social Science & Medicine*, 31, 925-931.
- Jha, P. Gajalakshmi V. Gupta PC, Kumar R, Mony P, Dhingra N. Peto R. (2006). *Prospective study of one million deaths in India*; rationale, design, and validation results. *PLoS Med*.
- Jiang W, Babyak M, Krantz D, et.al. (1996) Mental stress-induced and the induction of silent myocardial ischemia and cardiac events. *JAMA*; 275:1651-6.
- Johnson, JV, Hall EM (1986) Job Strain, workplace social support and cardiovascular disease: a cross-sectional study of a random sample of the Swedish working population. *Am J. Public Health* 78; 1336-42.
- Kaplan, G.A. & Kell, J.E. (1993). *Socio-economic factors and Cardiovascular disease* : A review of the literature. American Heart Association.

- karasek R, Theorell T. (1990); *Health work stress, productivity, and the reconstruction of working life*. USA, Basic Books.
- Katon W, Lin E, Von Korff M, Russo J, Lipscomb P, Bush T (1991). Somatization : a spectrume of severity. *Am J Psychiatry*; 148; 34-40.
- Katz S., Akpom CA (1976). Index of ADI. *Med. Care* 14:116.
- Kawachi, I, Sparrow D. Spiro A. (1996) 3<sup>rd</sup>, Vokonas, P. Weiss ST, A Prospective study of anger and coronary heart disease. The Normative Aging Study. *Circulation*, 94(9): 2090-2095.
- Kessler, R.C.; McLeod, J.D. (1984). Sex differences in vulnerability to undesirable life events. *American Sociological Review* 49: 620-631.
- keyserling, T.C.; Ammerman, A.S. ; Atwood, J.R.; et.al. (1999): A cholesterol intervention prrogram for public health nurses in the rural southeast. *Public Health Nursing* 16(3) : 156-167.
- Khalek, A. & Ahmad, M. (2004). An Arabic scale of death anxiety. *Death Studies*, 28(5), 435-457.
- King, K.B., Reis, H.T., Porter, L.A. and Norsen, L.H. (1993). Social support and long-term recovery form coronary artery surgery : Effects on patients and spouses. *Health psychology* 12: 56-63.
- Kitas G.D. and S.E. Gabriel (2011). Cardiovascular disease in rheumatoid arthritis: state of the art and future perspectives, *Annals of the Rheumatic Disease*, 70, pp. 8-14. View of Publisher. View at Google Scholar.
- Kitler ME (1993), Elderly hypertensives and quality of life; some methodological considerations. *Eur. Heart J.*; 14:113-21.
- Kivimaki M, Leino-Arjas, P. Luukkonen R. Riihimalki H. Vahtera J. Kirjonen J. (2002) : Protective and damaging effects of stress mediators. *N. Engl. J. Med.* 338: 171-179.

- Klassen AF, Pusic AL, Scott A, Klok J, Cano SJ (2009). *Satisfaction and quality of life in women who undergo breast surgery : a qualitative study.* BMC Women Health 9:11.
- Klein BEK, Klein R, Moss SE (1988). Self-rated health and diabetes of long duration. *Diabetes Care* 21 : 236-40.
- Kobassa, S.C. et.al. (1982). Hardiness and health : A perspective study. *J. Pers. Soc. Psychol.* 42, 168-177.
- Kotchen TA (2011). Historical trends and milestones in hypertension research : a model of the process of translational research. *Hypertension* 58(4) : 522-38.
- Kramer H.R. and J.T. Giles (2011). *Cardiovascular disease risk in rheumatoid arthritis: progress, debate, and opportunity,* Arthritis Care Research, 63, No.4, pp. 484-499.
- Krause, N. (1986). Social support, stress and well-being. *Journal of Gerontology* 41(4) : 512-519.
- Krethong P, Jirapaet V, Jitpanya C, Slon RA (2008). A causal model of health-related quality of life in Thai patients with heart-failure. *J. Nurs. Scholarsh* 40(3): 254-260.
- Kriegbaum, M., Christensen U., Lund R, Prescott E. Osler M. (2008) Job loss and broken partnerships : do the number of stressful like events influence the risk of ischemic heart disease in men? *Ann Epidemiol* 18 : 743-745.
- Kubzansky L.D. Kaachi I. (2000) Going to the heart of the matter. Do negative emotions cause coronary heart disease? *J. Psychosom Res.* 48: 323-337.
- Kubzansky, L. et.al. (2000). Going to the heart of nature. *J. Psychoso. Res.* 48(4-5), 323-337.
- Kulhara, P. Basin, D. Mattoo S.K. Sharan P. and Chopra, R. (1998a) *Long-term lithium prophylaxis of recurrent bipolar affective disorder. Outcome of*

- its psychosocial correlates.* Presented at Annual Conference of ANCIPS-98. Jan. 1998.
- Kulhara, P.A. Avasthi, A. Gupta, N. Das, M.K., Nehra, R. and Singh, G. (1998). *Role of life events and social support in married schizophrenes.* Presented in Annual Conference of IPS at Jaipur. Jan.
- Kulik, J.A. and Mahler, H.I.M. (1989) : Social support and recovery from surgery. *Health Psychology* 8: 221-238.
- Kulik, J.A. and Mahler, H.I.M. (1993). Emotional support as a moderator of adjustment and compliance after coronary bypass surgery: A longitudinal study. *Journal of Behavioural Medicine* 16: 45-63.
- Kumar R, Nguyen HD, Ogren JA, Macey PM, Thompson PM, Fonarow GC, Hamilton MA, Harper RM, Woo Ma (2012): Global and regional putmen volumen loss in patients with heart failure. *Eur J Heart Fail*:13: 651-651.
- Kusznir A, Cooke RG, Yong LT (2000). The correlates of community functioning in patients with bipolar disorder. *J. Affect Disord.* 61: 81-85.
- Lakey, B. (2010). Social support : Basic research and new strategies for intervention. In Maddux, J.E., & Tangney, J.P. *Social Psychological Foundations of Clinical Psychology*. New York; Guilford, pp. 177-194.
- Lakey, B., & Cronin, A. (2008). "Low social support and major depression : Research, theory, and methodological issues". In Dobson, K.S., & D. Dozois. *Risk factors for depression*. Academic Press, p. 385-408.
- Lakey, B.; Orehek, E. (2011). Relational Regulation Theory : A new approach to explain the link between perceived support and mental health. *Psychological Review* 118: 482-495.
- Lalonde, L. et.al. (2001). HRQoL in cardiac patients with dislipidemia and hypertension care & rehabilitation, 13(14), 793-804.

- Lampert R, Jain D, Burg M, Batsford, W., McPherson C. (2000) Destabilizing effects of mental stress on ventricular arrhythmias in patients with implantable cardioverter-defibrillators. *Circulation*; 101:158-64.
- Langford, C.P.H.; Bowsher, J.; Maloney, J.P.; Lillis, P.P. (1997). Social support : a conceptual analysis, *Journal of Advanced Nursing* 25: 95-100.
- Larzelere MM, Jones GN (2008) : *Stress and Health*, Primary Care : Clinics in Office Practice 35: 839-856.
- Layard, Richard (6<sup>th</sup> April, 2006). *Happiness: Lessons from a New Science*. London : Penguin.
- Lazarus, R.S. & Folkman, S. (1984). *Stress, appraisal, and coping*. New York; Springer.
- Leeder, S, Raymond S, Greenberg H.A. (2004) *Race against Time* : The challenge of Cardiovascular disease in developing economies, Columbia University, New York City New York.
- Leor J, Poole W, Kloner R. (1996) Sudden cardiac death triggered by an earthquake. *N. Engl J. Med*; 334-413-9.
- Lip, GY; Felmeden, DC; Li-Saw-Hee, FL; Beevers, DG (October 2000). Hypertensive heart disease. A complex syndrome or a hypertensive 'cardiomyopathy'. *European Heart Journal* 21(20): 1653-65.
- Liszka HA, Mainous AG, King DE, Everett CJ, Egan BM (2005) Prehypertension and cardiovascular morbidity. *Ann Fam. Med.* 3(4): 294-299.
- Litchtman, J.H.; Krumholz, H.M.; Wang Y.; et.al. (2002) : Risk and predictors of stroke after myocardial infarction among the elderly : Results from the Co-operative Cardiovascular project. *Circulation* 105(9) : 1082-1087.
- Loehr, LR; Rosamond, WE; Chang, Folsom, AR; Chambless, LE (April 2008). Heart failure incidence and survival (from the Atherosclerosis risk in communities study). *American of Cardiology* 101 (7) : 1016-1022.

## References

---

- Lucini D, Mela GS, Mailliani A, Pagani M. (2002). Important in cardiac autonomic regulation preceding arterial hypertension in humans. Insights from spectral analysis of beat-by-beat cardiovascular variability. *Circulation* 2; 106-2673-2679.
- Lucini, D. et.al. (2006). Stress management at worksite. Reversal of symptoms profile and cardiovascular dysregulation. *Hypertension*, 49, 291-297.
- Luma GB, Spiotta RT (May 2006). Hypertension in children and adolescents. *Am Fam Physician* 73(9): 1558-68.
- Lyness, J.M. et.al. (2000). Vascular disease and depression, pp. 31-49.
- Lyons, R.A.; Lo, S.V.; and Littlepage, B.N. (1994) Comparative health status of patients with 11 common illnesses in Wales. *Journal of Epidemiology and Community Health* 48(4) : 388-390.
- MacMohan S, Peto R, Cutler, J. et.al. (1990). Blood pressure, stroke, and coronary heart disease, Part-I. *Lancet*. 335: (8692): 765-774.
- Maeder, MT; Kaye, DM (March 2009). Heart failure with normal left ventricular ejection fraction. *Journal of the American College of Cardiology* 53(11) : 905-918.
- Maes, S. Leventhal H, De Ridder DTD (1996): Coping with chronic diseases. In *Handbook of Coping*. Zeidner M, Endler NS, Eds. New York, Wiley.
- Magee, Liam; James, Paul; Scerri, Andy (2012); Measuring Social Sustainability. *Applied Research in Quality of Life* 7(3) : 239-61.
- Mahoney FI, Barthel DW (1965). Functional evaluation the Barthel Index. *Md State Med* 14:61.
- Mandzuk L., McMillan D.A. (2005). A concept analysis of quality of life. *J. Orthop Nurs* 9(1):12-18.
- Mansour ME et.al., (2003). Health-related quality of life in urban elementary school children. *Pediatrics*, 111:372-1381.

- Marshall, IJ, (2012), Lay perspectives on hypertension and drug adherence : *Systematic Review of Qualitative Research*, BMJ 345.
- Martha Nussbaum and Amartya Sen ed. (1993). *The Quality of Life*, Oxford : Clarendon Pres. Description.
- Mathias SC, Gao SK, Miller KL, Cella D, Snyder C, Turner R. (2008) et.al. Impact of chronic Immune Thrombocytopenic Purpura (TP) on health-related quality of life, a conceptual model starting with the patient perspective. *Health Qual. Life Outcomes* 6;13.
- Mathisen L., Andersen MH, Veenstra M, wahi AK, Hanestad BR, Fosse E. (2006) Gender differences in health-related quality of life among elderly : the role of objective functional capacity & chronic conditions. *Soc. Sc. Med.* 63(19): 2367-2380.
- Matsuo, T, Suzuki S, Kodama K, Kario K. Hemostatic activation and cardiac events after the 1995 Hanshin-Awaji Earthquake. *Int J. Hematol*; 67-123-9.
- Maudgil, A.C., Verma, S.K. & Kaur, K. (1986). PGI Quality of Life Scale. (Revised). *Indian Journal of Psychology*, 13, 175-184.
- Mayou, R. & Bryant (1993). Quality of Life in CVD disease, *Brit. Heart, J.* 69, 460-466.
- McKeigue PM, Miller GJ, Marmot MG. (1989). Coronary heart disease in South Asians overseas : a review. *J. Clin Epidemiol*, 42: 597-609.
- McSweeney AJ, Grant I, Geaton KK, et.al. (1982). Life quality of patients with chronic obstructive pulmonary disease. *Arch Intern Med* 26:11.
- Meyer-Lindenberg A., Kolachana B, Gold B. Olsh A, Nicodemus KK, Mattay V, Dean M, Weinberger DR (2009), Genetic variants in AVPR1A linked to autism predict amygdala activation and personality traits in healthy humans *Mol Psychiatry*: 14:968-975.
- Michalak, E.E. et.al. (2005). Quality of life in bipolar disorder. *Health and Quality of Life Outcomes*, 3,72 Focus (2007), 5 (1). 117-134.

- Michel G, Bisegger C, Abel T. (2009) The Kidscreen Group : Age and gender differences in health-related quality of life of children and adolescents in Europe : a multi-level analysis. *Qual. Life Res.* 18: 1147-1157.
- Miller ET, Murray L, Richards L, Zorowitz RD, Bakas T, Clark P, Billinger SA (2010) : American Heart Association Council on Cardiovascular Nursing and the Stroke Council Comprehensive overview of nursing and interdisciplinary rehabilitation care of the stroke patient. A Scientific statement from the American Heart Association, *Stroke* 41: 2402-2448.
- Monoroy, J.C.S. et.al. (2012). Cardiovascular disease in rheumatoid arthritis : A systematic literature review in Latin America. *Arthritis*, pp. 17.
- Moudgil et.al. (1998) *PGI Quality of Life Scale*, Rupa, Varanasi.
- Mousavi M., Eslami M, Sheikh Bagloo O, Birashk B. (2004) (Mental strain, more than important than stressful like events. In myocardial infarction). *Journal of Acta medica iranica*; 42; 125-130.
- Murray CJ, Lopez AD, (1996), editors. *The global burden of disease* : A comprehensive assessment of mortality and disability from disease, injuries, and risk factors in 1990 and projected to 2020, Cambridge, MA : Harvard University Press.
- Murray, R.P., Johnston, J.J., dolce, J.J. Lee, W.W. and o'Hara, P. (1995). Social support for smoking cessation and abstinence : The Lung Health Study. *Addictive Behaviour* 20: 159-170.
- Myers, D.G. (2000). The funds, friends, and faith of happy people. *American Psychologist*, 55, 56-57.
- N.E. Zavaleta, E. Alexanderson, M.E. Soto, M. Flores, and M.C. Amigo (2005). Analysis of the usefulness of contract echocardiography and nuclear medicine in cardiovascular affection due to autoimmune disease, *Archivos de Cardiologia de medico*, 75, No.1, pp. 42-48.

- Namjoshi MA, Buesching DP (2001) : A review of the health-related quality of life literature in bipolar disorder. *Qual Life Res*, 10: 105-115.
- Namjoshi MA, Risser R, Shi L, Tohen M, Breir A (2004) : Quality of life assessment in patients with bipolar disorder treated with olanzapine added to lithium or valproic acid. *J. Affect Disord*. 81-223-229.
- Nash DT, Fillit H. (2006) : Cardiovascular disease risk factors and cognitive impairment. *Am J Cardiol* : 1262-1265.
- Natighian, S. (2008). Mental health and stressful Life events in CHD patients and non-patients. *Iran J. Psychiatry*, 3, 71-74.
- Nehra, R. et.al. (1998) *PGI Quality of Life Scale*. Rupa Psycho Centre, Varanasi.
- Nothwehr, F. & Perkins, A.J. (2002). Relationship between comorbidity and health behaviours related to hypertension in NNANES. *Preventive Medicine* 34(1), 66-91.
- O'Donnell M, Teo K, Gao P, Anderson C, Sleight P, Dans A, Marzone I, Bosch J, Probsfield J, Yusuf S. (2012) : Cognitive impairment and risk of cardiovascular events and mortality. *J*. 33: 1777-1786.
- O'Donnell MJ et.al., (2010) Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study) a case-control study. *Lancet*. 376:112-123.
- Ogden J. (2000). *Health Psychology* : A textbook, 2<sup>nd</sup> ed. Philadelphia: Open University Press.
- Ogden, J. (2007). Health Psychology, Tata McGraw Hill, New Delhi.
- Oldridge N, Guyatt GH, Jones N, et.al. (1991) Effects on quality of life with comprehensive rehabilitation after acute myocardial infarction Am J. Cardiol.: 67; 1084-9.
- Opie LH (2011), Inhibition of the cerebral renin-angiotensin system to limit cognitive decline in elderly hypertensive persons. *Cardiovac Drug Ther*: 25; 277-279.

- Ordway SH (1953). *Resources and the American Dream* : Including a Theory of the Limit of Growth. New York. Ronald Press.
- Orozco-Alcala, J.T. Gomez-Ocegueda, and L. Garcia-Benavides (1993): Causes de muerte en pacientes con artritis reumatoide del adulto, *Revista Medicana de Reumatologia*, pp. 195-201.
- Orth-Gomer K, Wamals S, Horsten M, Schenck-Gustafsson K, Schneideman N, Mittleman M. (2000) Marital stress worsens prognosis in women with coronary heart disease: the Stockholm female coronary risk study. *JAMA*: 284-3008-44.
- Orth-Gomer, K., Unden, A.L. and Edwards, M.E. (1988). Social isolation and mortality in ischemic heart disease. *Acta Med. Scand* 224; 205-215.
- Osborn HF (1958) : *The Limits of the earth*. Boston, Little, Brown and Co.
- Palatini P. (2001) Sympathetic overactivity in hypertension : a risk factor for cardiovascular disease. *Curr Hypertens Rep.* 3(Supply 1) : S3-S9.
- Patrick D, Deyo R. (1989). Bearners to the use of health status measures in clinical investigation, patient care, and policy research. *Med Care*, 27:5217.
- Patrick DL, Erickson P. (1988) : *Assessing Health-related Quality of Life in General Population Surveys*. Series 2 Report from the National Center for Health Statistics. Hyattsville, Md., NCHS (1987).
- Patterson TL, Kaplan RM, Grant I, Semple SJ, Moscona S, Koch WL, Harris MJ, Jeste DV (1996) : Quality of well-being in late-life psychosis. *Psychiatry Res* 63; 169-181.
- Pearson, T.A., and Lewis, (1998) C. Rural epidemiology : Insight from a rural population laboratory. *American Journal of Epidemiology* 148(10): 949-957.
- Penckofer S, Ferrans CE, Fink N, Barrett ML, Holm K. (2005) : Quality of life in women following coronary artery bypass graft surgery. *Nurs Sci Q.* 18(2): 176-183.

- Pereira, I.A., I.M.M. Laurindo, A.F. Zimmermann, G.R.W. Castro, F. Mello, and E.F. Borba (2009). Single measurement of C-reactive protein and disease activity scores are not predictors of carotid attherosclerosis in rheumatoid arthritis patients. *Acta Reumatologica Portuguesa*, 34, No.1, pp. 58-64.
- Petchprapal N, Winkleman C, (2007) : Mild traumatic brain injury. determinants and subsequent quality of life, A review of the literature, *J. Neurosci Nurs.* 39(5) : 260-272.
- Peterson, J.C. Charlson, M.Ed.; Williams-Russo, P.; et.al. (2002); New Postoperative depressive symptoms and long-term cardiac outcomes after coronary artery bypass surgery. *American Journal of Geriatric Psychiatry* 10(2): 192-198.
- Player, M.S., King, D.E.; Manous, A.G. & Geesey, M.E. (2007). Psychosocial factors and progression from prehypertension to hypertension or coronary heart disease. *Annals of Family Medicine*, 5(5), pp. 9.
- Post MW, de Witte LP, Schrijvers AJ (1999) : Quality of life and the ICDH : towards an integrated conceptual model for rehabilitation outcomes research. *Clin Rehabil* 13(1) 5-15.
- Pourshahbaz A. (1993). *Relation between assessment stress, life events and personality type in patients with Leukemia*. Thesis of Master. Tahan: Iran Medical Sciences University.
- Poverty (2009) : Overview (<http://go.worldbank.org/ RQBDCTUXW0>). The World Bank 2009, Retrieved October 20.
- Price, A.L.N. Patterson, F. Yu et.al. (2007) : Differences in clinical status measures in different ethnic/racial groups with early rheumatoid arthritis; implications for interpretation of clinical trial data, *Journal of Rheumatology*, 34, No.2, pp. 311-315.
- Prigerson H.G., et.al. (1997). S. Traumatic grief as a risk factor for mental and physical morbidity. *American Journal of Psychiatry* 154; 616-623.

- Qureshi AI, Suri MF, Kirmani JF, Divani AA (2005). Prevalence and trends of prehypertension and hypertension in United States: National Health and Nutrition Examination Surveys 1976 to 2000, *Med Sci Monit.* 11(9) : CR403-409.
- Qureshi AI, Suri MF, Kirmani JF, Divani AA, Mohammad Y (2005) Is prehypertension a risk factor for cardiovascular disease? *Stroke.* 36(9) : 1859-1863.
- Rabnkin J.G. & Struening, E.L. (1967). *Life events stress and illness Science*, 3, 194, 4269, 1013-1020.
- Rai, P.K. (2000). Type-A behaviour pattern and coronary heart disease Current status and future challenges, *Indian Psychological Review*, 54-55, 97-103.
- Reddy K.S. (2004) Cardiovascular disease in non-western countries. *N Engl. J. Med.*, 350: 2438-40.
- Rees K, Bennett, P. West R, Davey Smith G, Ebrahim S. (2004) Psychological interventions for coronary heart disease. *Cochranc Database Syst Rev.*: 2:CD002902.
- Rezkalla, S.H. & Kloner, R.A. (2007). Cocaine induced acute myocardial infarction. *Clin. Med. Res.* 5(3), 172-6.
- Riaz, Kamran (2013). Hypertensive Heart Disease (<http://emedicine.medscape.com/article/162449-overview>).
- Ritsner, M, Kurs R, Kostizky H., Ponizovsky A, Modai, I. (2002) : Subjective quality of life in severely mentally ill patients; a comparison of two instruments. *Qual Life Res.* 11:553-561.
- Rosengren A, et.al. (2004) Association of psychosocial risk factors with risk of acute myocardial infarction in 11119 case and 13648 controls from 52 countries (The INTERHEART study): case control study. *Luncet.* 364: 953-962.

- Roussi, P., Vassilaki, E. (2000). The applicability of the multiaxial model of coping to a greek population. *Anxiety, Stress and Coping*, 14, 125-147.
- Rozanski A, Baircy C, Krantz D, et.al. (1984) Mental stress and the induction of silent myocardial ischaemia due to mental stress. *lancet*: 2:1001-5.
- Rozanski, A. Blumenthal JA, Saab PG, Davidson KW, Kubzanski L. (2005) The epidemiology, pathophysiology, and management of psychosocial risk factors in cardiac practice : the emerging field of behavioural cardiology. *J. Am Coll. Cardiol.* 45-637-651.
- Ruberman, W., Weinblatt, E., Goldberg, J.D. and Chaudhary, B.S. (1984). Psychological influence on mortality after myocardial infarction. *New England Journal of Medicine* 311, 552-559.
- Rubin, Z. et.al. (1993). Psychology and health. *Psychology*, 426-432. Boston. M.A., Houghton Mifflin Co.
- Ruggeri M, Gater R, Bisoffi G, Barbul C, Tansell M (2002) Determinants of subjective quality of life in patients attending community based mental health services. The South-Verona Outcome Project 5. *Acta Psychiatr Scand.* 105:131-140.
- Sadal, E.V., Skalia & Enikolapove, S.N. (2002). Psychological aspects of QoL assessment in patients with a psychosomatic disorder. *International Journal of Mental Health*, 31(2), 77-89.
- Sahler CP (1987). Antihypertensive therapy and quality of life. N. Engl. J Med; 316:52.
- Sanders, A.B.; Berg, R.A.; Burress M.; et.al. (1994) : The efficacy of an ACLS training program for resuscitation from cardiac arrest in a rural community. *Annals of Emergency Medicine* 23(1) : 56-59.
- Sandoo, A., J.J.C.S. Veldhuijzen van Zanten, G.S. Metsios, D. Carroll, and G.D. Kitas (2011). Vascular function and morphology in rheumatoid arthritis: a systematic review, *Rheumatology*, 50; pp. 2125-2139.

- Sarafino EP (2002). *Health Psychology*, 4<sup>th</sup> ed. New York : John Wiley and Sons.
- Sarason I.G. et.al. (1987) Life Experience Survey. (See Singh, 2003).
- Sarason, I.G. & Sarason, B.R. (2002/2005). *Abnormal Psychology*, Pearson Edu.
- Sarzi-Puttini, P., F. Atzeni, R. Gerli et.al. (2010) *Cardiac involvement in systemic rheumatic disease an update*, *Autoimmunity Review*, 9, No.12, pp. 849-852.
- Sattar and I.B. McInnes, (2005). Vascular comorbidity in rheumatoid arthritis : potential mechanisms and solutions, *Current Opinion in Rheumatology*, 17, No.3, pp. 286-292.
- Scheier MF, Bridges MW (1995). Person variables and health; personally predispositions and acute psychological states as shared determinants for disease. *Psychosom Med.* 57: 255-268.
- Schlock, R.L. et.al. (2002). Conceptualization, measurement and application of quality of Life for persons with intellectual disabilities. *Mental Retardation*, 40(6), 457-470.
- Schnall PL, Landsbergis PA, Baker D. (1994) Job strain and cardiovascular disease, *Annu. Rev. Public Health* 15 : 381.
- Schroder, K., Schwarzer, R. and Endler, N.S. (1997). Predicting cardiac patients, quality of life from the characteristics of their spouses. *Journal of Health Psychology* 2(2) : 231-244.
- Schwarz N, Scheuring B. (1992). Frequency reports of psychosomatic symptoms. *Zeitschrift fur Klinische Psychologie* 22:197-208.
- Schwarzer, R. and Leppin, A. (1989). Social support and health : A meta-analysis. *Psychology and Health : An International Journal* 3, 1-15.
- Schwarzer, R., Dunkel-Schetter, C. and Kemeny, M. (1994) The multidimensional nature of received social support in gay men at risk of HIV infection and AIDS. *American Journal of Community Psychology* 22: 319-339.

- Seeman, T.E. Berkman, L.F., Blazer, D. et.al. (1994). Social ties and support and neuroendocrine function; The MacArthur studies of successful aging. *Annals of Behavioural Medicine* 16: 95-106.
- Selye, H. (1979) : *The stress of Life*. New York : Van Nostrand Reinhold.
- Sharma, P.P. (1993). *A study of alienation in the spouses of depressives*. Unpublished MD Psychiatry Thesis, PGIMER, Chandigarh.
- Sheikh, K., and Bullock C. (2001) Urban-rural differences in the quality of care of Medicare patients with acute myocardial infarction. *Achieves of Internal Medicine* 161(5):737-743.
- Shekhar Rao, A. (1997). *A study of coping in patients of schizophrenia and their relatives*. Unpublished Ph.D. thesis in Clinical Psychology, PGIMER, Chandigarh.
- Sheps, D. & Sheffield, D. (2001). Depression, anxiety and the cardiovascular system. *J. Clin. Psychiat.*(18), 12-16.
- Shrivastava, N. (2013). Self-efficacy and coping among hypertension patients. *International J.H.R.*, 43-44, 94-98.
- Shye, D., Mullooly, J.P., Freeborn, D.K. and Pope, CR (1995). Gender differences in the relationship between social network support and mortality; a longitudinal study of an elderly cohort. *Social Science and Medicine* 41(7) : 935-947.
- Singer DR, Kite A (2008). Management of hypertension in peripheral arterial disease. *European Journal of Vascular and Endovascular Surgery* 35(6): 701-8.
- Singh, R.N. (2003). Hindi version of *LES scale*, Prasad Psycho Corp. Varanasi.
- Singh, R.N., Srivastva, A. & Bhardwaj, S.S. (2005). Hardiness as a panacea for stress and mental health problems. *Journal of Psychological Research*, 49(2), 95-98.

- Singh, S.B. and Misra, S. (1987). Stressful life events and myocardial infarction. *Indian Journal of Clinical Psychology*, 14, 77-79.
- Slevin, M.L.; (1996). *Emotional support for cancer patients: what do patients really want?*. *British Journal of Cancer* 74: 1275-1279.
- Smith, D.F. (2001). Negative emotions and CHD. *Scandinavian J. Psy.*, 32(1), 57-59.
- Snoek, F.J. (2000). Quality of life : A closure look at measuring patient's well-being. *Diabetes Spectrum*, 13, 24.
- Sparen P, Vagero D, Shestov D, et.al. Long term mortality after severa starvation during the siege of Leningrad : a prospective cohort study. *BMJ*; 328:11-5.
- Spira AP, Blackwell, T, Stone KL, Redline S, Cauley JA, Ancoli-Israel S, Yaffe K, (2008) Sleep-disordered breathing and cognition in older women, *J. Am Geriatr Soc* : 56; 45-50.
- Spitzer WO : State of Science 1986: Quality of life and functional status as target variables for research. *J. Chron Dis.* 40:465-71.
- Sridharan SE, Unnikrishnan JP, Sukumran S, Syalaja PN, Nayak SD, Sama PS, Radhakrishnan K. (2009) Incidence, types risk factors, and outcomes of stroke in a developing country : The *Trivandrum Stroke Registry*, *Stroke*. 40:1212-1218.
- Srivastava, Akanksha (2005). *Psychosomatic problems in diabetic patients*. Ph.D. Thesis. (Psy.) Purvanchal University, Jaunpur.
- Srivastava, A. (2011) *Effects of Psychophysiological disorder on depression, death anxiety and quality of life*, Ph.D. Thesis (Psy.), V.B.S. Purvanchal University, Jaunpur.
- Stamler J, Stramler R, Neaton JD, Neaton JD (1993) Blood Pressure, systolic and diastolic, and cardiovascular risks. (JS population data. *Arch Intern Med.* 153(5) : 598-615.

- Stepto, A. (2000). Psychosocial factors in development of hypertension. *Annals of Medicines*, 23(5), 371-375.
- Stewart, T. et.al. (2005). Depression as a risk factor for CVD. *Primary Psychiatry*, 12(5), 36-41.
- Strik, J. et.al. (2001). Clinical correlates of depression following myocardial infarction. *International Journal of Psychiatry*, 31(3), 255-264.
- Stroebe M., Stroebe W., Hansson R.O. (eds) (2000); *Handbook of bereavement : Consequences coping, and care*, New York, NY : Cambridge University Press.
- Sudhir, P.M., Kumaraiah, V. & Munichoodappa (2000). Quality of Life in diabetes mellitus : A review. *Indian Psychological Review*, 54-55 (4), 69-78.
- Sullivan MJ, Wood L., Terry J., Brantley J, Charles A, McGee V, et.al. (2009). The support Education, and Research in Chronic Heart Failure Study (SEARCH). *Am Heart J*. 2009; 157; 84-90.
- Svedberg, P. et.al. (2013). Association between scores of psychosomatic health symptoms and health related quality of life in children and adolescents. *Health and Quality of Life Outcomes*, 11, 176.
- Taggart P. Critchley H. Lambiase PD. (2000) Heart-brain interaction in cardiac arrhythmia, *Heart*:97-698-708.
- Taylor RM, Gibson F, Franck LS : A concept analysis of health-related quality of life in young people with chronic illness. *J. Clin Nurs*. 2008, 17(14): 823-1833.
- Taylor SE (2010). *Health Psychology*. 5<sup>th</sup> Ed. McGraw-Hill.
- Taylor, S.E. (2011). *Social support : A Review*, In M.S. Friedman. *The Handbook of Health Psychology*, New York, NY : Oxford University Press, pp. 189-214.
- Teat, Jacobson D, et.al. (2002). A patient derived perspective of HRQoL with peripheral arterial disease *J. Nursing* 34(1), 55-60.

- Tennant C. (1999). Life stress, social support and coronary heart disease. *Aust NZJ Psychiatry* 33: 636-641.
- Tennant C. (1999). Literas, social support and coronary heart disease. *Aust NZJ Psychiatry* 33: 636-641.
- The WHOQOL Group (1995); The World Health Organization Quality of Life Assessment (WHOQOL). *Social Science Medicine* 10: 1403-1409.
- Thoits, P.A. (1995). Stress, coping, and social support processes : Where are we? What next?. *Journal of Health and Social Behaviour* 35: 53-79.
- Thomas K, Nelson M, Bardwell W, Dimsdale J. (2004) Job strain, ethnicity, and sympathetic nervous system activity. *Hypertension*: 44:891-6.
- Thunedborg K, Black CH (1995). Bech P. Beyond the Hamilton depression scores in long-term treatment of manic-melancholic patients: prediction of recurrence of depression by quality of the measurement. *Psychother Psychoson* 64; 131-140.
- Tilden, V.P.; Weinert, S.C. (1987). Social support and the chronically ill individual. *Nursing clinics of North America* 22(3) ; 613-620.
- Till JE, Osoba D. Pater JL, Young JR (1994). Research on health-related quality of life dissemination into practical applications. *Qual. Life Res.* 3(4):279-283.
- Tucker, J.S., Schwartz, J.E. Clark, K.M. and Friedman, H.S. (1999). Age-related changes in the association of social network ties with mortality ris. *Psychology and Aging* 14; 564-571.
- Twisk, J, Snel J, Kemper H, van Mcchelen W. (1999) Changes in daily hassles and life events and the relationship with coronary heart disease risk factors : a 2-year longitudinal study in 27-29 year old males and females. *J. Psychosom Res.*; 46;229-40.

- Uchino, B. (2004). *Social Support and Physical Health* : Understanding the Health Consequences of Relationships. new Haven, CT : Yale University Press. pp. 16-17.
- Uchino, B. (2004). *Social Support and Physical Health* : understanding the Health consequences of Relationships. New Haven, CT : Yale University Press, p. 17.
- Uchino, B. (2009). Understanding the links between social support and physical health : *Perspective on Psychological Science* 4: 236-255.
- Uchino, B.N., Cacioppo, J.T. and Kiecolt-Glaser, J.K. (1996). The relationship between social support and physiological processes. *Psychological Bulletin* 119: 488-531.
- Valentiner, D.P.; Holahan, C.J., Moos, R.H. (1994). Social support, appraisals of event controllability, and coping. *J. Pers. Soc. Res.* 66: 1094-1102.
- Vasan RS, Larson MG, Leip EP, et.al. (2001). Impact of high-normal blood pressure on the risk of cardiovascular disease. *N. Engl. J. Med.* 345(18): 1291-1297.
- Verma, D. & Mittal, R. (2012). The healing psychology of Yoga. *Indian Journal of Human Relations*, 42, 42-45.
- von Kand R, Mills, P, Fainman C, Dimandale, J. (2001) Effects of psychological areas and psychiatric disorders on blood coagulation and fibrinolysis a biobehavioural pathway to coronary artery disease? *Psychosomatic Med*; 63:531-44.
- von Rueden U, Gosch A, Rajmil L, Bisegger C, Ravens-Sieberer U. (2006) : Socioeconomic determinants of health related quality in childhood and adolescence : results from a European study. *J. Epidemiol Community Health* 60: 130-135.
- Vrijkotte TGM. Van Doornen LJP, Geus EJC (2003) ; Effects of work stress on ambulatory blood pressure, heart rate variability. *J. Hypertens*, 21:755-760.

- Walker SR, Rosser RM (Eds.) 1987. *Quality of Life : Assessment and Application.* CMR Workshop, Lancaster, England, MTP Press Ltd.
- Waltz, M. (1986) Marital context and postinfarction quality of life : is it social support or something more? *Social Science and Medicine* 22 : 791-805.
- Wang Y, Wang QJ (2005). The prevalence of prehypertension and hypertension among US adults according to the new joint national committee guidelines : new challenges of the problem. *Arch Intern Med;* 164(19): 2126-2134.
- Ware JE Jr. (1984). Methodological considerations in the selection of health status assessment procedures. In *Assessment of Quality of Life in Clinical Trials of Cardiovascular Therapies.* Wenger NK et.al., N.Y.
- Watanabe H., Kodama M, Tanbe N. (2008), et.al. Impact of earthquakes on risk for pulmonary embolism, *Int J Cardiol.*
- Weidner G. (2000): Why do men get more heart disease than women? An International perspective. *Journal of American College Health,* 48:291-294.
- Weiss, J.M. (1984). Behavioural and Psychological influence on gastro-intestinal pathology : In W.D. Gentry (ED), *Handbook of Behavioural Medicine,* New York : Guilford.
- Weiten W. & Lloyd, M.A. (2003). *Psychology applied to modern Life.* Theomson, Wadsworth.
- Wenger NK, Matton ME, Furberg CD, Elinson J. (1984) *Assessment of quality of life in clinical trials of cardiovascular therapies.* Am J. Cardiol.; 54:908-13.
- Wethington, E.; Kessler, R.C. (1986). "Perceived support, received support, and adjustment to stressful life events". *Journal of Health and Social Behaviour* 27: 78-89.
- WHO (2000) *Health and health behaviour among young people.* Denmark, Copenhagen : World Health Organization.

- WHOQOL Group (1995). The definition of quality of life and development of international quality of life assessment instruments. *Social Science and Medicine*, 41, 1403-1409.
- WHOQOL Group (1998). The World Health Organization Quality of Life Assessment (WHOQOL): Development and general Psychometric properties. *Social Sciences and Medicine*, 46, 1569-1585.
- Williams JE, Nieto FJ, Sandford CP, Couper DJ, Tyroler HA (2002). The association between trait anger and incident stroke risk : the Atherosclerosis Risk in Communities (ARIC) Study. *Stroke*; 2;33(1) : 13-19.
- Williams, M.J. et.al. (1998). Myocardial infarction in young people with normal coronary arteries. *Heart*, 97(2) 191-4.
- Williams, R.B. et.al. (1992). Prognostic importance of social and economic resources among medically treated patients with angiographically documented coronary artery disease. *Journal of the American Medical Association* 267, 520-524.
- Wills, T.A. (1985). Supportive function of interpersonal relationship. In S. Cohen & L. Syme. *Social support and Health*, Orlando, FL : Academic Press, pp. 61-82.
- Wills, T.A. (1991). Social support and interpersonal relationships. In Margaret, Clark. *Prosocial Behaviour. Review of personality and Social Psychology* 12: 265-289.
- Wills, T.A. (1998). Social Support. In Blechman, E.A., & Brownell, K.D. *Behavioural medicine and women* : A comprehensive handbook. New York, NY : Guilford Press, pp. 118-128.
- Wilson IB, Cleary PD (2003) : Linking clinical variables with health-related quality.
- Wilson PW, Daostino RB, Levy D, Belanger AM, Silbershatz H, Kannel WB (1998). Prediction of coronary heart disease using risk factor categories. *Circulation*: 97-1837-47.

- Winters, R.W. et.al. (2000). Anxiety and CHD. In Fsky M. et.al. (ed.) *Management of stress and anxiety*.
- World Health Organization (1997). *Measuring quality of life* : The World Health Organization quality of Life instruments. Geneva : Aurthor.
- World Health Organization (2007) *International Classification of Functions, disability, and Health Children and Youth Versions ICF-CY* Geneva. World Health Organization.
- Wortman, C.B. and Miller. Gender differences in mortality and morbidity following a major stressor : The case of conjugal bereavement. In Weidner G, Kopp, M, Kristenson M. (eds), *Heart Disease Environment, Stress and Gender*, NATO Science Series, Series I; Life and Behavioural Sciences, Volume 327; Amsterdam; IOS Press.
- Yach, D.C., Hawkes, C.I. Gould, and K.J. Hofman (2004). The global burden of chronic disease : overcoming impediments to prevention and control, *Journal of the American medical Association*, 291, No.-21, pp. 2616-2622.
- Yan LL, Liu K, Mathews, K.A., Daviglus ML, Ferguson If, Kiere CI (2003) Psychological factors and risk of hypertension. *JAMA*. 290(16): 2138-2148.
- Yanos PT, Rosenfield S, Horwitz AV (2001). Negative and supportive social interaction and quality of life among persons diagnosed with severe mental illness. *Community Health J*; 37 : 405-419.
- Yo, D. et.al. (2004). HRQoL in elderly Chienese patients with heart failure. *Res. in Nursing & Health* 27(5), 332-344.
- Yu XN, Zhang J. Liu X (2008) Application of the Type D Scale (DS14) in Chinese coronary heart disease patients and health controls. *J. Psychosom Res*. 65: 595-601.

## References

---

- Yu, Y. Zhang ZH, Wei SG, Chu, Y. Weiss RM, Heistad DD, Felder RB (2007), Central, transfer of interlukin-10 reduces hypothalmic inflammation and evidence of heart failure myocardial infraction *Circ. Res.*, 101:304-32.
- Yudkin JS, Yajnik CS, Mohammed-Ali V, Bulmer K. (1999). High levels of circulating pro-inflammatory cytokines and leptin in urban, but not rural, Asian Indians. *Diabetes care* 22: 363-4.
- Yudkin, J.S. et.al. (2000). Inflammation, obesity, stress and coronary heath disease. *Atherosclerosis*, 148, 209-214.
- Yusuf S, et.al. (2004). Effect of potentially modifiable risk factors associated with myocardial infraction in 52 countries (the INTERHART study) case-control study. *Lane*. 364:937-952.
- Yusuf S, Reddy S, Ounpuu S. Anand S. (2001) *Global burden of cardiovascular diseases* : part-I; 104 : 2746-53.
- Zuniga, M., Anderson, D; Alexander, K. (2010). *Heart disease and stroke in rural America*, pp. 73-83.