

## Bibliography

- [1] Abdul-Ghaffar, H. I., Ebrahim, E. A., and Azzam, M. (2013). Design of PID Controller for power system stabilization using Hybrid Particle Swarm Bacterial Foraging Optimization. WSEAS Transactions on Power system, 8(1), 12-23, E-ISSN: 2224-350X.
- [2] Aghajarian, M., Kirani, K., and Fateh, M. M. (2012). Design of Fuzzy Controller for Robot Manipulators using Bacterial Foraging Optimization Algorithm. Journal of Intelligent Learning systems and Applications, 4, 53-58.
- [3] Akhtar, S., Tai, K., and Ray, T. (2002). A socio-behavioral simulation model for engineering design optimization. Journal of Engineering Optimization, Taylorand Francis, 34 (4), 341–354.
- [4] Al-Summait, J. S., Al-Othman, A. K., and Sykulski, J. K. (2007). Application of Pattern Search Method to Power system valve point ELD. Electrical Power Systems Research, 29,720-730, Elsevier.
- [5] Altiparmak, F., Gen, M., Lin, L., and Paksoy, T., (2006). A genetic algorithm approach for multiobjective optimization of Supply chain Networks. Computers and Industrial Engineering, 51, 196-215, Elsevier.
- [6] Andrei, N. (2010). New Accelerated conjugate gradient algorithm as a modification of Dai-Yuans computational scheme for unconstrained optimization, 234(12), 3397-3410.
- [7] Andrei, N. (2013). On three term conjugate gradient algorithms for unconstrained optimization. 219(1), 2013, 6316-6327.
- [8] Araujo, M. C., Nanner, E. F., Guimaraes, F. G., and Takahashi, H. C. R. (2009). Constrained optimization based on Quadratic Approximation in Genetic Algorithms. Constraint handling in Evolutionary optimization and Studies in Computational Intelligence, 198, 193-217.
- [9] Badrene, E., and Berg, H. (1991). Complex patterns formed by motile cells of *Escherichia coli*. Nature, 349, 630-633.
- [10] Bai, Z., and Freund, R. W. (2001). A partial Pade Via-Lanczos method for reduced ordered modeling. Linear Algebra and its applications, 332-334, 139-164, Elsevier.

- [11] Bakward, K. M., Pattnaik, S. S., Sohi, B. S., Devi, S., Panigrahi, K. B., Das, S., and Lohokare, M. R. (2009). Hybrid Bacterial Foraging with parameter free PSO. IEEE conference paper on Nature and Biologically Inspired Computing, Coimbatore, 1077-1081.
- [12] Bansal, J. C. and Sharma, H. (2012). Cognitive learning in differential evolution and its application to model order reduction problem for single-input and single-output systems. *Memetic computing*, 4 (3), 209-229, Springer.
- [13] Bansal, J. C., Sharma, H., and Arya, K. V. (2011). Model order reduction of single input and single output systems using Artificial Bee Colony optimization Algorithm. *Nature Inspired Co-operative Strategies for Optimization (NICSO 2011)*, Studies in Computational intelligence, 387, 85-100, Springer link.
- [14] Bansal, J. C., Sharma, H., and Arya, V. K. (2012). Fitness based Differential Evolution. *Memetic Computing*, 4 (4), 303-316, Springer.
- [15] Barbosa, H. J. C., and Lemonge, A. C. C. (2004). An adaptive penalty scheme for Genetic Algorithms in Structural Optimization. *International Journal for Numerical Methods in Engineering*, 59, 703-736.
- [16] Bard, J. F. (1988). Short term scheduling of the thermal electric generators using Lagrangian relaxation. *Operation Research*, 36 (5), 756-766.
- [17] Baricelli, N. A. (1957). Symbiogenetic evolution processes realized by artificial methods. 9(35-36), 143-182.
- [18] Bazara, M. S., Sherali, H. D., and Shetty, C. M. (2006). Non Linear Programming, Theory and Algorithms, Third Edition, Wiley Publication.
- [19] Beasley, D., Bull, D. R., and Martin, R. R. (1993). An overview of Genetic Algorithm: Part I-Fundamentals, *Univ. Comput.* 15(2), 58-69.
- [20] Beightler, C. S., and Phillips, D. T. (1976). Applied Geometric Programming. John Wiley and Sons, Inc., New York.
- [21] Berg, H., and Brown, D. (1972). Chemotaxis in escherichia Coli analysed by three dimensional tracking. *Nature*, 239, 500-504.
- [22] Bermejo, E., Cordon, O., Damas, S., and Sntamaria, J. (2013). Quality time of

- flight range imaging for feature-based registration using Bacterial Foraging. *Applied Soft Computing*, 13, 3178-3189, Elsevier.
- [23] Bertsekas, D. (1999). Non Linear programming. Athena Scientific.
- [24] Bhattacharya, A. and Chattopadhyay, P. K. (2011). Solving economic emission Load Dispatch problems using hybrid Differential Evolution. *Applied Soft Computing*, 11, 2526-2537.
- [25] Bhattacharya, A., and Chattopadhyay, P. K. (2010). Hybrid Differential Evolution with Biogeography Based optimization for solution of Economic Load Dispatch. *IEEE Transactions on power systems*, 25(4).
- [26] Biswas, A., Dasgupta, S., Das, S., and Abraham, A. (2007a). Synergy of PSO and Bacterial Foraging Optimization, A comparative study on Numerical Benchmarks. Second International Symposium on Hybrid Artificial Intelligent System(HAIS 2007), Innovations in Hybrid Intelligent system, ASC, Advances in Soft computing series, 44, 255-263, Springer, Germany.
- [27] Biswas, A., Dasgupta, S., Das, S., and Abraham, A. (2007b). A synergy of differential evolution and bacterial Foraging optimization for global optimization. *International Journal on Neural and Mass parallel computing and Information Systems, Neural Network world*, 17( 6), 607-626.
- [28] Bledsoe, W. W. (1961). The use of Biological concepts in the analytical study of systems. Paper presented at ORSA-TIMS National meeting, San Francisco.
- [29] Bonabeau, E., Dorigo, M., and Theraulaz, G. (1999). *Swarm Intelligence: From Natural to Artificial Systems*. Oxford University press.
- [30] Borchers, B., and Mitchell, J. E. (1994). An Improved branch and bound algorithm for mixed integer nonlinear programs. *Computers and Operation Research*, 21(4), 359-367.
- [31] Box, G. E. P. (1957). Evolutionary Operation: A method for increasing industrial Productivity. *Journal of the Royal Statistical Society C6*, 2, 81-101.
- [32] Bremermann, H. J. (1962). Optimization through evolution and Recombination. In M. C. Yovitus, G. T. Jacobi, and G.D Goldstein, (Eds.),

- Self Organizing systems. Spartan Books.
- [33] Cai, J., Li, Q., Li, L., Peng, H., and Yang, Y. (2012). A hybrid CPSO-SQP method for economic dispatch considering the valve-point effects. *Energy Conversion and Management*, 53, 175-181, Elsevier.
- [34] Caprani, O., and Madsen, K. (1979). Interval Methods for Global Optimization. Report NI 79-09, Technical University of Denmark.
- [35] Carroll, C. W. (1961). The Created Response surface technique for optimizing nonlinear restrained systems. *Operation Research*, 9, 169-184.
- [36] Carvalho, D. R., and Freitas, A. A. (2004). A hybrid Decision tree/genetic algorithm method for data mining. *Information Sciences*, 163, 13-35, Elsevier.
- [37] Chaturvedi, K. T., Pandit, M., and Srivastava, L. (2008). Self-organizing Hierarchical PSO for non -convex Economic Dispatch. *IEEE Transactions on Power System*, 23 (3).
- [38] Chaturvedi, K. T., Pandit, M., and Srivastava, L. (2009). PSO with crazy particles for non-convex economic dispatch. *Applied soft computing*, 9, 962-969.
- [39] Chatzis, S. P., and Koukas, S. (2011). Numerical optimization using Synergetic swarms of foraging bacterial populations. *Expert systems with applications*, 38, 15332-15343, Elsevier.
- [40] Chen, C. L. and Wang, S. C. (1993). Branch and Bound scheduling for thermal generating units. *IEEE Transactions, Energy conversion*, 8(2), 184-189.
- [41] Chen, H., Zhu, Y., and Hu, K. (2011). Adaptive Bacterial Foraging Optimization. *Research Article, Abstract and Applied Analysis*, Hindawi Publishing Corporation, Article ID 108269, 27 pages, doi:10.1155/2011/108269.
- [42] Chen, T. C., Tsai, P. W., Chu, S. C., and Pan, J. S. (2007). A novel optimization approach-bacterial GA foraging. *IEEE, Proceedings of Second International Conference on Innovative Computing, Information and Control, ICICIC'07*, 391-394, Kumamoto, Japan.

- [43] Chen, Y., and Lin, W. (2009). An Improved Bacterial Foraging Optimization. Proceedings of the IEEE International Conference on Robotics and Biomimetics, Guilin, China.
- [44] Chiang, C. L. (2007). Genetic based algorithm for power economic load dispatch. IEEE Proceedings, Generation, Transmission, Distribution, 1 (2), 261-269.
- [45] Choottinan, P., and Chen, A. (2006). Constraint handling in genetic Algorithms using a gradient based repair method. Computers and Operation Research, 33, 2263-2281, Elsevier.
- [46] Chun-Xia, JIA, De-Tong, ZHU. (2011). Projected Gradient Trust Region Method for solving non linear systems with convex constraints. Applied Mathematics Journal of Chinese University, 26(1), 57-69.
- [47] Ciorniei, I., and Kyriakides, E. (2012). Hybrid Ant Colony-Genetic Algorithm (GAAP) for Global Continuous Optimization. Systems, Man and Cybernetics part B, IEEE transactions, 42(1), 234-245.
- [48] Coello, C. A. C., and Montes, E. M. (2002). Constraint-handling in genetic algorithms through the use of dominance-based tournament selection. Advanced Engineering Informatics, 16, 193– 203.
- [49] Coello, C.A. C. [http://www2.cs.uh.edu/~ceick/6367/Coello\\_CHNOPT.pdf](http://www2.cs.uh.edu/~ceick/6367/Coello_CHNOPT.pdf).
- [50] Costin, H., and Bejinariu, S. (2012). Medical Image Registration by means of a Bio-Inspired Optimization Strategy. Computer Science Journal of Moldova, 20(2, 59).
- [51] Courant, R. (1943). Variational methods for the solution of problems of equilibrium and vibrations. Bulletin of American Mathematical society, 49, 1-23.
- [52] Crossley, W. A., and Williams, E. A. (1997). A study of adaptive penalty functions for constrained genetic algorithm based optimization. AIAA 35th aero space sciences meeting and exhibit, Reno, Nevada, AIAA paper, 97-0083.
- [53] Deb, K. (1998). Optimization for engineering design algorithm and examples. Prentice hall of India, New Delhi.

- [54] Deb, K. (2000). An efficient constraint handling method for genetic algorithms. Computer methods in Applied Mechanics and Engineering, 186, 311-338.
- [55] Deb, K., and Agarwal, S. (1999). A niched-penalty approach for constraint handling in genetic algorithms. In Proceedings of the ICANNGA, Portoroz, Slovenia.
- [56] Deb, K., and Srivastava, S. (2012). A Genetic Algorithm based Augmented Lagrangian method for constrained optimization. Computational optimization and Applications, Springer, 53(3), 869-902.
- [57] Deep, K., and Das, K. N. (2007). Choice of selection and crossover on some Benchmark problems. International. Journal of Computer, Mathematical Sciences and Applications, 1(1), 99-117.
- [58] Deep, K., and Das, K. N. (2009). Performance improvement of real coded genetic algorithm with Quadratic Approximation based hybridization. International Journal of Intelligent Defence Support Systems, 2 (4), 319-334.
  
- [59] Deep, K., and Das, K. N. (2013). A novel hybrid genetic algorithm for constrained optimization. International Journal of System Assurance Engineering and Management, 4(1), 86–93, Springer.
- [60] Deep, K., and Das, K.N. (2008). Quadratic approximation based Hybrid Genetic Algorithm for Function Optimization. Applied Mathematics and Computation, 203(1), 86-98, Elsevier.
- [61] Deepa, S. N., and Sugumaran, G. (2011). MPSO based Model order Formulation Technique for SISO continuous system. World Academy of Science, Engineering and Technology, 51, 838-843.
- [62] DeJong, K. A. (1975). An Analysis of the behavior of a class of genetic Adaptive systems. Doctoral Dissertation, University of Michigan, Ann Arbor, Michigan.
- [63] DeRosier, D. (1998). The turn of the screw: The bacterial flagellar motor. Cell, 93, 17-20.
- [64] Desai, S. R., and Prasad, R. (2014). A new approach to order reduction using stability equation and big bang big crunch optimization. Systems Sciences and

- Control Engineering: An open access Journal, Published online, Taylor and Francis, 1(1), 20-27, <http://dx.doi.org/10.1080/21642583.2013.804463>.
- [65] DJEROU, L., KHELIL, N., KHOMRI, B., and BATOUCHÉ, M. (2013). Image Thresholding based on Bacterial Foraging and Pareto Multi objective optimization. *Journal of applied computer science and Mathematics*, 14(7), Suceava.
  - [66] Dodu, J. C., Martin, P., Merlin, A., and Pouget, J. (1972). An optimal formulation and solution of Short range operating problems for a power system with flow constraints. *Proceedings IEEE*, 60(1), 54-63.
  - [67] Dorigo, M., Maniezzo, V., and Colorni, A. (1996). Ant system: Optimization by a colony of Co-operating agents. *IEEE Transactions on Systems, Man and Cybernatics- Part B: Cybernatics*, 26(1), 29-41.
  - [68] Eberhart, R. C., Shi, Y., Kennedy, J. (2001). *Swarm Intelligence*. The Morgan Kaufman series in Evolutionary computation.
  - [69] Elsayed, S. M., Sarkar, R. A., and Essam, D. L. (2011). Improved Genetic Algorithm for constrained optimization. International conference on Computer Engineering and Systems (ICCES), IEEE, 111-115.
  - [70] Eshelman, L. J., Mathias, K. E., and Schaffer, J. D. (1997). Convergence controlled variation, in “Foundation of Genetic Algorithms 4” by Richard K. Belew and Michael D. Vose, San Mateo, California, 203–224.
  - [71] Fa, M. X., and Ling, L. (2012). Bacterial Foraging algorithm based on gradient PSO algorithm. *Natural Computation (ICNC)*, Eighth international conference, 29-31, 1026-1030.
  - [72] Fan, J. I. Y., and Zhang, L. (1998). Real time economic dispatch with line flow and emission constraints using quadratic programming. *IEEE Transactions, power systems*, 13, 320-325.
  - [73] Fan, S. K., Liang, Y. C., and Zahara, E. (2006). A genetic algorithm and a particle swarm optimizer hybridized with Nelder–Mead simplex search. *Computers and Industrial Engineering*, 50, 401–425.

- [74] Fan, X. (2009). A globally convergent Interior point algorithm for non convex non linear programming. *Journal of Computational and Applied Mathematics*, 224, 622-627, Elsevier.
- [75] Fiacco, A. V., and Mc Cormick, G. P. (1966). Extensions of Sequential Unconstrained Minimization Technique (SUMT) for Non linear programming: Equality constraints and Extrapolation. *Management Science*, 12(11), 816-828.
- [76] Fiacco, A.V., and McCormick, G. P. (1990). Non Linear programming: Sequential Unconstrained Minimization Techniques. ISBN: 978-0-89871-254-4.
- [77] Fletcher, R. (1997). Practical methods of Optimization, Vol 1: Unconstrained optimization, John Wiley and Sons, Newyork, NY, USA, 2nd edition.
- [78] Fletcher, R., and Reeves, C. M. (1964). Function minimization by Conjugate gradient. *The computer journal*, 7, 149-154.
- [79] Fogel, L. J. , Owens, A. J., and Walsh, M. J. (1966). Artificial Intelligence through Simulated Evolution. Wiley.
- [80] Fraser, A. S. (1957a). Simulation of Genetic systems by automatic digital computers: I. Introduction *Australian Journal of Biological Science*, 10, 484-491.
- [81] Fraser, A. S. (1957b). Simulation of Genetic systems by automatic digital computers (II) Effects of Linkage on rates of advance under Selection. *Australian Journal of Biological Science*, 10, 492-499.
- [82] Friedman, G. J. (1959). Digital Simulation of an evolutionary process, *General systems Year book* 4:171-184.
- [83] Fu, J., and Sun, W. (2005). Non monotone Adaptive trust region method for unconstrained optimization problems. 163(1), 489-504, AMC, Elsevier.
- [84] Gaing, Z. L. (2003). PSO to solving the Economic Dispatch considering the generator constraints. *IEEE Transactions on Power systems*, 18(3).
- [85] George, E. B., and Karnan, M. (2012). M R Brain Image Segmentation using Bacterial Foraging Optimization Algorithm. *International Journal of*

- Engineering and Technology (IJET), 4(5), 295-301.
- [86] Ghasemi, A. (2013). A fuzzified multi objective Interactive Honey Bee Mating Optimization for Environmental/Economic power Dispatch with valve point effect. Electrical Power Systems Research, 49, 308-321, Elsevier.
- [87] Goldberg, D. E. (1989). Genetic Algorithms in Search, Optimization, and Machine Learning. Addison Weisley, ISBN-13: 078-5342157673.
- [88] Gollapudi, S. V. R. S., Pattnaik, S. S., Bajpai, O. P., Devi, S., and Bakwad, K. M. (2011). Velocity Modulated Bacterial Foraging Optimization Technique (VMBFO). Applied Soft Computing, 11(1), 154-165.
- [89] Gong, D., Zhang, W., and Yao, X. (2011). Evolutionary generation of test data for many paths coverage based on Grouping. The Journal of Systems and Software, 84, 2222-2233, Elsevier.
- [90] Gu, N. Z., and Mo, J. T. (2008). Incorporating non monotone strategies into the trust region method for Unconstrained optimization, Computers and Mathematics with applications, 55(2008), 2158-2172.
- [91] Hamida, S. B., and Schonauer, M. (2000). An Adaptive algorithm for constrained optimization problems. Parallel problem solving from nature PPSN VI, 529-538.
- [92] Haupt, R. L., and Haupt, S. E. (2004). Practical Genetic Algorithms. Second Edition, A John Wiley and Sons, Inc., Publication.
- [93] He, Q., and Wang, L. (2007a). An effective co-evolutionary PSO for constrained engineering design problems. Engineering Applications of Artificial Intelligence, 20 (1), 8999.
- [94] He, Q., and Wang, L. (2007b). A hybrid PSO with a feasibility-based rule for constrained optimization". Applied Mathematics and Computation, 186 (2), 1407-1422.
- [95] Hestens, M. R., and Stiefel, E. (1952). Methods of Conjugate gradients for solving linear system. Journal of Research of the National Bureau of Standards, 49, 409-436.
- [96] Holland, J. H. (1975). Adaptation in Natural and Artificial systems. The

- University of Michigan Press, Ann Arbor.
- [97] Homaifar, A., Lai, S. H., and Qi, X. (1994). Constrained Optimization via Genetic Algorithms. *Simulation*, 62(4), 242-254.
- [98] Horst, R., and Pardalos, P. M. (1995). *Handbook of Global optimization*. Kluwer Academic Publishers, Dordrecht.
- [99] Horst, R., and Tuy, H. (1996). *Global Optimization: Deterministic approaches*. 3rd, Springer-Verlag Berlin Heidelberg, Newyork.
- [100] Hosseinnezhad, V., and Babaei, E. (2013). Economic Load Dispatch using  $\theta$  – PSO. *Electrical Power Systems Research*, 49, 160-169, Elsevier.
- [101] Huerta, E. B., Duval, B., and Hao, J. K. (2010). A hybrid LDA and genetic algorithm for gene selection and classification of Microarray data. *Neuro Computing*, 73, 2375-2383, Elsevier.
- [102] Hwang, S. F., and He, R. S. (2006). A hybrid real parameter genetic algorithm for function optimization. *Advance Engineering Informatics*, 20(1), 7–21.
- [103] Ibraheem, Kumar, P., and Naqvi, S. (2012). Aggregation by Continued Fraction Method of Model Reduction: An application to SISO system. *International Journal of Engineering Management and Research*, IJEMR.net, 2(3), 20-23, ISSN No: 2250-0758, [www.ijemr.net](http://www.ijemr.net).
- [104] Jain, T., Nigam, M. J., and Alavandar, S. (2010). A Hybrid genetically-bacterial foraging algorithm converged by PSO. *International Journal of Bio-Inspired Computation*, Inderscience publisher, 2(5), 340-348.
- [105] Jiang, S., Ji, Z., and Shen, Y. (2014). A novel hybrid PSO and gravitational search algorithm for solving economic emission load dispatch problems with various practical constraints. *Electrical Power Systems Research*, 55, 628-644, Elsevier.
- [106] Jiejin, C., Xiaoqian, M., Lixiang, L., and Haipeng, P. (2007). Chaotic PSO for economic dispatch considering the generator constraints. *Energy conversion and Management* 48, 645-653, Elsevier.
- [107] Joines, J. A., and Houck, C. R. (1994). On the use of Non Stationary Penalty functions to solve non-linear constrained optimization problems with GAs, *Proceedings of the IEEE ICEC*, 2, 579-584.

- [108] Kao, Y. T., and Zahara, E. (2008). A hybrid genetic algorithm and PSO for multimodal functions. *Applied soft computing*, 8, 849-857, Elsevier.
- [109] Kennedy, J., and Eberhart, R. C. (1995). Particle Swarm Optimization. In proceedings of the 1995 IEEE International Conference on Neural Networks, 4(1942-1948), IEEE Press, Piscataway, NJ.
- [110] Kim, D. H., Abraham, A., and Cho, J. H. (2007). A hybrid genetic algorithm and bacterial foraging approach for global optimization. *Information Sciences*, 177 (18), 3918–3937.
- [111] Kim, D. H., and Abraham, A. (2007). A hybrid GA and BFO for global optimization and robust tuning of PID controller with Disturbance Rejection. *Studies in Computational Intelligence (SIC)*, 75, 171-199, Springer-Verlag, Heidelberg.
- [112] Koza, J. R. (1992). *Genetic Programming: On the programming of computers by means of Natural selection (Complex adaptive system)*. MIT press edition.
- [113] Koza, J. R., Bennett III, F. H., Andre, D., and Keane, M. A. (1999). *Genetic Programming III: Darwinian Invention and Problem Solving*. Morgan Kaufman Publishers, Inc., Sanfrancisco, USA.
- [114] Kumar, V., and Tiwari, J. P. (2012). Order reducing of linear system using Clustering method factor division algorithm. *Foundation of Computer science FCS*, New York, USA, 3(5), IJAIS, ISSN: 2249-0868, www.ijais.org.
- [115] Leyffer, S. (2001). Integrating SQP and branch-and-bound for mixed integer nonlinear programming. *Computational Optimization and Applications*, 18(3), 295-309.
- [116] Lim, C. P., Jain, L. C., and Dehuri, S. (Eds.). (2009). *Innovations in Swarm Intelligence*. Springer-Verlag Berlin Heidelberg.
- [117] Lin, C. H. (2013). A rough penalty Genetic Algorithm for constrained optimization. *Information Sciences*, 241, 119-137, Elsevier.
- [118] Long, L. X., Xiao, J. L., Li, R., and Ping, Y. (2010). A Bacterial Foraging Optimization Algorithm Based On the PSO. *IEEE proceedings of International Conference on Intelligent Computing and Intelligent System*, 2, 22-27, SCUT Guangzhou, China.

- [119] Lowery, G. (1996). Generating Unit commitment by dynamic programming. IEEE Trans, power Apparatus and Systems, PAS, 85(5), 422-426.
- [120] Lozano, M., Herrera, F., Krasnogor, N., and Molina, D. (2006). Real-coded memetic algorithms with crossoverhill-climbing. Evolutionary Computation, MIT Press Journal, 12(3), 273–302.
- [121] Lucas, T. N. (1986). Continued-fraction expansion about two or more points: a flexible approach to linear system reduction. J Franklin Institute, 321(1), 49-60.
- [122] Luenbenger, D. G. (1974). A combined Penalty function and Gradient Projection Method for Nonlinear Programming, Plenum Publishing Corporation, 14(5), 477-495 (Communicated by Ho, Y. C).
- [123] Majhi, R., Panda, G., Majhi, B., and Sahoo, G. (2009). Efficient Prediction of Stock Market indices using Adaptive Bacterial Foraging Optimization (ABFO) and (BFO) based on techniques. Expert systems with applications, 36, 10097-10104, Elsevier.
- [124] Mandal, B., Ray, P. K., and Mandal, S. (2014). Economic load dispatch using Kill-herd Algorithm. Electrical Power Systems Research, 57, 1-10, Elsevier.
- [125] Martin, F. G. and Cockerham, C. C. (1960). High speed Selection Studies. In O. Kempthrone, (Eds.), Biometrical Genetics, Pergamon.
- [126] Melanie, M. (1999). An Introduction to Genetic Algorithm, Fifth printing, A Bradford Book, The MIT Press.
- [127] Michalewicz, Z. (1994). Genetic Algorithms+ Data structures=Evolution program. 2nd Ed. Berlin Springer-Verlag.
- [128] Michalewicz, Z., and Attia, N. (1994). Evolutionary optimization of constrained problems. Proceedings of the 3rdAnnual Conference on Evolutionary Programming, World Scientific, 98-108.
- [129] Mishra, S. E., and Bhende, C. N. (2007). Bacterial Foraging Technique based optimized Active Power Filter for Load Compensation. IEEE Transactions on Power Delivery, 22(1).

- [130] Mondal, S., and Tripathy, P. (2013). Model order reduction by mixed mathematical Methods, IJCER, 3(5).
- [131] Montes, E. M., and Coello, C. A. C. (2004). An improved Diversity Mechanism for solving Constrained optimization problems using a Multi membered Evolution strategy. Genetic and Evolutionary Computation, GECCO2004, 3102, 700-712, Lecture Notes in Computer Science, Springer link.
- [132] Moore, R. E. (1966). Interval analysis. Prentice-Hall, Englewood Cliffs.
- [133] Moore, R. E. (1976). On computing the range of a Rational function of n variables over a Bounded region, Computing, 16, 1-15.
- [134] Moradi-Dalvand, M., Mohammadi-Ivatloo, B., Najafi, A., and Rabiee, A. (2012). Continuous quick group search optimizer for solving non-convex economic dispatch problems. Electric Power Systems Research, 93, 93-105, Elsevier.
- [135] Mukherjee, S. and Mishra, R. N. (1987). Order reduction of linear system using an error minimization technique. Journal of Franklin Institute, Pergamon Journals Ltd., 323(1), 23-32.
- [136] Nesterov, Y., and Nemirovskii, A. (1994). Interior point polynomial algorithm in convex programming. ISBN: 978-0-89871-319-0, Studies in Applied and Numerical Methods.
- [137] Pal, J. (1986). An algorithm method for the simplification of linear dynamic scalar systems. International Journal of Control, 43(1), 257-269.
- [138] Panda, R., and Naik, M. K. (2012). A crossover bacterial Foraging optimization algorithm, Applied Computational Intelligence and Soft computing, Hindawi Publishers, New York, 2012(23).
- [139] Panigrahi, B. K., Yadav, S. R., Agarwal, S., and Tiwari, M. K. (2007). A Clonal algorithm to solve economic load dispatch. Electrical Power Systems Research, 77, 1381-1389, Elsevier.
- [140] Panigrahi, B., Shi, Y., and Lim, M. H. (Eds.). (2011). Handbook of Swarm Intelligence Concepts, Principles and Applications. Springer-Verlag Berlin Heidelberg.

- [141] Paramar, G., Prasad, R., and Mukherjee, S. (2007). Order reduction of Linear Dynamic systems using Stability equation method and GA. World Academy of Science, Engineering and Technology, 2, 372-378.
- [142] Paredis, J. (1994). Co-evolutionary Constraint Satisfaction, In Proceedings of the third conference on parallel problem solving from Nature, 46-55, New York, Springer- Verlag.
- [143] Parikh, J. and Chattopadhyay, D. (1996). A multi area linear programming approach for analysis of economic operation of the Indian power system. IEEE Transactions, power systems, 11, 52-58.
- [144] Passino, K. M. (2002). Biomimicry of Bacterial Foraging for Distributed Optimization and Control. IEEE Control systems magazine, 52-67.
- [145] Pattanaik, S. S., Bakward, K. M., Devi, S., Panigrahi, B. K., and Das, S. (2010). Parallel Bacterial Foraging optimization. Hand book of swarm intelligence Adaptation, Learning and optimization, 8, 487-502.
- [146] Porta, J., Paraper, J., Doallo, R., Rivera, F. F., Sante, I., and Crecante, R., (2013). High Performance of genetic algorithm for land use planning. Computer, Environment and Urban System, 37, 45-58, Elsevier.
- [147] Powell, D., and Skolnick, M. M. (1993). Using Genetic Algorithms in Engineering Design Optimization with Non-linear constraints. Proceedings of the 5th ICGA, Morgan Kaufmann, 424-430.
- [148] Priya, N., and Sunilkumar, T. K. (2013). A novel method of order reduction for Interval system. International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, 2(12), ISSN (online), 2278-8875.
- [149] Rahman, O. A. A., Munetomo, M., and Akama, K. (2013). An Adaptive parameter binary-real coded genetic algorithm for constraint optimization problems: Performance analysis and estimation of optimal control parameters. Information Sciences, 233, 54- 86, Elsevier.

- [150] Rao, A. S., Lamba, S. S., and Rao, S. V. (1978). Routh-approximant time domain reduced order models for Single input and single output systems. *Proceedings of the IEEE*, 125(9).
- [151] Rao, R. V., Savsani, V. J., and Vakharia, D. P. (2011). Teaching-learning-based optimization: A novel method for constrained mechanical design optimization problems. *Computer-Aided Design*, 43, 303-315, Elsevier.
- [152] Ray, T., and Liew, K. M. (2003). Society and civilization: an optimization algorithm based on the simulation of social behaviour. *IEEE Transactions on Evolutionary Computing*, 7(4), 386-396.
- [153] Rechenberg, I. (1965). Cybernetic Solution path of an Experimental problem. Ministry of Aviation, Royal Aircraft Establishment (U. K.).
- [154] Rechenberg, I. (1973). *Evolution Strategies; Optimierung Techhnisher Systemenach Prinzipiender*.
- [155] Reddy, A. S., and Vaisakh, K. (2013). Shuffled Differential Evolution for large scale economic Dispatch. *Electrical Power Systems Research*, 96, 237-245, Elsevier.
- [156] Reed, J., Toombs, R., and Baricelli, N. A. (1967). Simulation of Biological Evolution and Machine Learning. *Journal of Theoretical Biology*, 17, 319-342.
- [157] Reif, K., Weinzierl, K., Zell, A., and Unbehauen, R. (1998). A homotopy approach for nonlinear control synthesis: *IEEE T. Automat Contr.* 43(9):1311-1318.
- [158] Richardson, J. T., Palmer, M. R., Liepins, G., and Hillard, M. (1989). Some guidelines for Genetic Algorithms with Penalty functions. In J. David Schaffer, editor, *Proceedings of the 3rd International conference on Genetic Algorithms*, 191-197, George Mason University, Morgan Kaufmann Publishers.
- [159] Routray, S. (2010). An Enhanced Genetic Algorithm for Dynamic Routing in ATM Network. *Journal of Theoretical and Applied Information Technology*, 16(2), ISSN: 1817-3195/ E-ISSN: 1992-8615, JATIT, [www.jatit.org](http://www.jatit.org).

- [160] Ruszcynski, A.P. (2006). Non linear optimization. Princeton University press, 13 ISBN: 0691119155.
- [161] Safari, A. and Shayeghi, H. (2011). Iteration PSO procedure for economic load dispatch with generator constraints. Expert systems with Applications, 38, 6043-6048, Elsevier.
- [162] Sahoo, L., Bhunia, A. K., and Roy, D. (2012). An application of genetic algorithm in solving Reliability Optimization problem under interval component Weibull parameters. Mexical Journal of Operation Research, 1(1), 2-19, ISSN; 2007-5138.
- [163] Salehi, R., Vahidi, B., Farokhnia, N., and Abedi, M. (2010). Harmonic Elimination and Optimization of stepped voltage of Multilevel Inverter by Bacterial Foraging Algorithm. Journal of Electrical Engineering and Technology, 5(4), 545-551, DOI: 10.5370/JEET.2010-5-4.545.
- [164] Sarkar, B. K., Sana, S. S., and Chaudhuri, K. (2012). A genetic algorithm based rule extraction system. Applied soft computing, 12, 238-254, Elsevier.
- [165] Sayah, S., and Hamouda, A. (2013). A hybrid differential evolution algorithm based on PSO for non convex economic dispatch problems, Applied soft computing, 13, 1608-1619.
- [166] Schoenauer, M., and Xanthakis, S. (1993). Constrained GA Optimization. Proceedings of the Fifth ICGA, Morgan Kaufmann, 573-580.
- [167] Schwefel, H. P. (1975). Evolutions strategie and numerische Optimierung, Ph. D. thesis, Technische Universitat, Berlin.
- [168] Schwefel, H. P. (1977). Numerische Optimierung Von Computer-Modellen mittels der Evolutions strategie. Basel: Birkhauser.
- [169] Segall, J., Block, S., and Berg, H. (1986). Temporal comparisons in bacterial Chemo taxis. PNAS, 83, 8987-8991.
- [170] Shamash, Y. (1975). Linear system reduction using Pade approximation to allow retention of dominant modes. International Journal of Control, 21(2), 257-272.

- [171] Shen, H., Zhu, Y., Zhou, X., Guo, H., and Chang, C. (2009). Bacterial foraging optimization algorithm with particle swarm optimization strategy for global numerical optimization. Proceedings of the ACM/SIGEVO Summit on Genetic and Evolutionary Computation, 497-504.
- [172] Shivkumar, B. L., and Amudha, T. (2012). A Hybrid Bacterial Swarming Methodology for Job Shop Scheduling Environment. Global Journal of Computer Science and Technology, Hardware and Computer, 12(10), Version 1.0, ISSN:0975-4172.
- [173] Shivkumar, B.L., and Amudha, T. (2013). Enhanced Bacterial Foraging Algorithm for permutation flow shop Scheduling problem. ARPN Journal of Engineering and Applied Sciences, 8(2), ISSN 1819-6608.
- [174] Sikora, R., and Piramuthu, S., (2007). Framework for efficient feature selection in genetic algorithm based data mining. European Journal of Operational Research, 180, 723-737, Elsevier.
- [175] Skelboe, S. (1974). Computation of Rational Interval Functions. BIT 4, 87-95.
- [176] Srinivas, M., and Patnaik, L. M. (1994). Genetic Algorithm: A Survey. Computer, 17-26,
- [177] Srinivasa, K. G., Venugopal, K. R., and Patnaik, L. M. (2007). A Self Adaptive migration model genetic algorithm for data mining applications. Information Sciences, 177, 4295-4313, Elsevier.
- [178] Swain, R. K., Sahu, N. C., and Hota, P. K. (2012). Gravitational Search Algorithm for Optimal Economic Dispatch. 2nd International conference on Communication, Computing and Security (ICCCS-2012), Procedia Technology, 6, 411-419, Elsevier.
- [179] Takahama, T., and Sakai, S. Constrained Optimization by combining the constrained method with PSO. <http://www.ints.info.hiroshima-cu.ac.jp/~takahama/eng/papers/aPSO0409c.pdf>.
- [180] Takahama, T., Sakai, S., and Iwane, N. (2005). Constrained optimization by the  $\varepsilon$  -constrained Hybrid Algorithm of PSO and Genetic Algorithm.

Advances in Artificial Intelligence, Lecture Notes in Computer science, Springer, 3809, 389- 400.

- [181] Taleizadeh, A. A., Niaki, S. T. A., Aryanezhad, M. B., and Shafil, N. (2013). A hybrid method of Fuzzy Simulation and genetic algorithm to optimize constrained Inventory control systems with stochastic replenishments and fuzzy demand. *Information Sciences*, 220, 425-441, Elsevier.
- [182] Tan, Y., Shi, Y., and Tan, K. (Eds.). (2010). Advances in Swarm Intelligence, First International conference, ICSI 2010, Beijing, China, proceedings, Part I, Springer.
- [183] Tang, K. Z., Sun, T. K., and Yang, J. Y. (2011). An improved genetic algorithm based on a novel selection strategy for nonlinear programming problems. *Computers and Chemical Engineering*, 35, 615-621, Elsevier.
- [184] Tripathy, M., and Mishra, S. (2007). Bacterial Foraging Based solution to optimize Both Real Power Loss and Voltage Stability Limit. *IEEE Transactions on Power system*, 22 (1).
- [185] Tsutsui, S., and Fujimoto, Y. (1993). Forking genetic algorithm with blocking and shrinking modes. In Proceedings of the 5th International Conference on Genetic Algorithms, S. Forrest, Ed. San Mateo, CA: Morgan Kaufmann, 206–213.
- [186] Vazquez-Leal, H., Hernandez-Martinez, Sarmiento-Reyes, A., and Castaneda-Sheissa, R. (2005). Numerical continuation scheme for tracing the double bounded homotopy for analyzing nonlinear circuits. *ICCCAS.2005.2005:1122-1126.DOI.10.1109/ICCCAS.2005.1495304*
- [187] Verma, O. P., Garg, R., and Singh, V. (2012). Optimal Time table generation by hybridized Bacterial Foraging and Genetic Algorithm. 2012 International conference on communication systems and Network Technologies, IEEE Computer society, 978-0-7695-4692-6/12, DOI. 10. 1109/CSNT. 2012. 196.
- [188] Verma, O. P., Hanmandlu, M., Kumar, P., Chhabra, S., and Jindal, A. (2011). A novel Bacterial Foraging Technology for Edge Detection. *Pattern Recognition Letters*, 32, 1187-1196, Elsevier.

- [189] Victoire, T. A. A., and Jeyakumar, A. E. (2004). Hybrid PSO-SQP for economic dispatch with valve-point effect. *Electric Power Systems Research*, 71, 51-59, Elsevier.
- [190] Wang, L., and Li, L. P. (2013). An effective differential harmony search Algorithm for solving non-convex economic load dispatch problems. *Electrical Power Systems Research*, 44, 832-843, Elsevier.
- [191] Wang, L., and Li, L. P. (2010). An effective differential evolution with level comparison for constrained engineering design. *Structural and Multidisciplinary Optimization*, 41(6), 947-963, Springer.
- [192] Wang, Y., Cai, Z., Zhou, Y., and Fan, Z. (2009). Constrained Optimization based on hybrid evolutionary algorithm and adaptive constraint-handling technique. *Structural and Multidisciplinary Optimization*, 37, 395-413.
- [193] Wei, L., and Zhao, M. (2005). A niche hybrid genetic algorithm for global optimization of continuous multi modal functions. *Applied Mathematics and Computations*, 160, 649–661.
- [194] Wei, Z., Li, G., and Qi, L. (2006a). Newton Quasi method for Unconstrained optimization problems. 176(2), 1556-1188, Elsevier.
- [195] Wei, Z., Yao, S., and Liu, L. (2006b). The convergence properties of some new conjugate gradient methods. *Applied Mathematics and Computation*, 183(2), 1341-1350.
- [196] Wolpert, D. H., and Macready, W. G. (1997). No free lunch Theorems for Optimization. *IEEE Transactions on Evolutionary Computation*, 1(1), 67-82.
- [197] Wu, T. M. (2006). Inverse Kinematics problems of spatial 4p3R robot manipulator by the homotopy continuation method with an adjustable auxillary homotopy function. *Non linear Anal-Theor.* 64, 2373-2380.
- [198] Xue, W., Jhen, C., and Pu, D. (2009). A Penalty function free line search SQP method for non linear programming. *Journal of Computational and Applied Mathematics*, 228, 313-325, Elsevier.
- [199] Yang, X. S., Hosseini, S. S. S., and Gandomi, A. H. (2012). Firefly Algorithm for solving non-convex economic dispatch problems with valve loading effect. *Applied Soft Computing*, 12, 1180-1186, Elsevier.

- [200] Yuan, G. (2009). A Conjugate gradient method for Unconstrained optimization problems, Hindawi Publishing Corporation, International Journal of Mathematics and Mathematical Sciences, Volume 2009, Article ID329623, 14 pages, doi.10.1155/2009/329623.
- [201] Yuan, Q., Qian, F., and Du, W. (2010). A hybrid genetic algorithm with the Baldwin effect. Information Sciences, 180(5), 640-652, Elsevier.
- [202] Zhang, G., and Lu, H. (2006). Hybrid real coded genetic algorithm with quasi simplex technique. International Journal of Computer Science and Network Security, 6(10), 246–255.
- [203] Zhu, D. (2003). Non monotonic back tracking trust region interior point algorithm for linear constrained optimization. Journal of Computational and Applied Mathematics, 155(2), 2003, 285-305.