

FIGS.	PAGE NO.
Fig. 1.1 Map of World showing endemic areas of lymphatic filariasis.	1.5
Fig.1.2 Life Cycle of <i>Wuchereria bancrofti</i> .	1.7
Fig.1.3 The magnified picture(400X) of <i>W.bancrofti</i> microfilaria in the blood	1.13
Fig.1.4 The picture shows a chronic filaria patient having both elephantiasis and hydrocele	1.15
Fig. 5.1: Protein profiles of antigens visualised on SDS-10% polyacrylamide gel after silver staining.	5.6
Fig.5.2: <i>W.bancrofti</i> microfilaria ES antigen specific IgG1 isotype antibody titres measured by ELISA.	5.10
Fig.5.3: <i>W.bancrofti</i> microfilaria-ES antigen specific IgG2 isotype antibody titres measured by ELISA.	5.11
Fig.5.4: <i>W.bancrofti</i> microfilaria-ES antigen specific IgG3 isotype titres measured by ELISA.	5.12
Fig.5.5: <i>W.bancrofti</i> microfilaria-ES antigen specific IgG4 isotype antibody titres measured by ELISA.	5.13
Fig.5.6: <i>S.digitata</i> adult soluble antigen specific IgG1 isotype antibody titres measured by ELISA.	5.14
Fig.5.7: <i>S. digitata</i> adult soluble antigen specific IgG2 isotype antibody titres measured by ELISA.	5.15
Fig.5.8: <i>S.digitata</i> adult soluble antigen specific IgG3 isotype antibody titres measured by ELISA.	5.16
Fig.5.9: <i>S.digitata</i> adult soluble antigen specific IgG4 isotype antibody titres measured by ELISA.	5.17
Fig. 5.10: Immunoblot showing IgG1 reactivity of sera from EN, antigen negative endemic normals and ASM, asymptomatic microfilaria carriers at a 1/50 dilution with <i>S.digitata</i> adult antigens.	5.18
Fig. 5.11: Immunoblot showing IgG2 reactivity of sera from EN, antigen negative endemic normals and ASM, asymptomatic microfilaria carriers at a 1/50 dilution with <i>S.digitata</i> adult antigens.	5.19
Fig. 5.12: Immunoblot showing IgG3 reactivity of sera from EN, antigen negative endemic normals and ASM, asymptomatic microfilaria carriers at a 1/50 dilution with <i>S.digitata</i> adult antigens.	5.20

Fig. 5.13: Immunoblot showing IgG4 reactivity of sera from EN, antigen negative endemic normals and ASM, asymptomatic microfilaria carriers at a 1/500 dilution with <i>S.digitata</i> adult antigens. EN, antigen negative endemic normals ASM, asymptomatic microfilaria carriers.	5.21
Fig.5.14: Mean proliferative response of the lymphocytes taken from different individuals (n=8), to <i>W.bancrofti</i> microfilaria (mf)-excretory secretory (ES) antigen and PPD.	5.23
Fig.5.15: Kinetics of mean IL-2 secretion by the lymphocytes, from individuals (n=8) infected with filaria parasites, in response to <i>W.bancrofti</i> microfilaria (mf)-excretory secretory (ES) antigen or PPD.	5.24
Fig.5.16: Kinetics of mean IFN- γ secretion by the lymphocytes, from individuals (n=8) infected with filaria parasites, in response to <i>W.bancrofti</i> microfilaria mf-ES antigen or PPD.	5.25
Fig.5.17: Kinetics of mean IL-4 secretion by the lymphocytes, from individuals (n=8) infected with filaria parasites, in response to <i>W.bancrofti</i> microfilaria (mf)-excretory secretory (ES) antigens.	5.26
Fig.5.18: Kinetics of mean IL-5 secretion by the lymphocytes, from asymptomatic microfilaremic individuals (n=8), in response to <i>W.bancrofti</i> mf-ES antigens.	5.27
Fig.5.19: Kinetics of mean IL-10 secretion by the lymphocytes, from asymptomatic microfilaremic individuals (n=8), in response to <i>W.bancrofti</i> mf-ES antigens.	5.28
Fig. 5.20 IL-4 vs IFN- γ plot of <i>S.digitata</i> adults by (n=23) antigen negative endemic normal individuals	5.39
Fig. 5.21 IL-5 vs IFN- γ plot of <i>S.digitata</i> adults by (n=23) antigen negative endemic normal individuals	5.40
Fig. 5.22 IL-10 vs IFN- γ plot of <i>S.digitata</i> adults by (n=23) antigen negative endemic normal individuals	5.41
Fig. 5.23 IL-4 vs IFN- γ plot of <i>S.digitata</i> adults by (n=22) antigen asymptomatic microfilaremic individuals	5.42
Fig. 5.24 IL-5 vs IFN- γ plot of <i>S.digitata</i> adults by (n=22) antigen asymptomatic microfilaremic individuals	5.43
Fig. 5.25 IL-10 vs IFN- γ plot of <i>S.digitata</i> adults by (n=22) antigen asymptomatic microfilaremic individuals	5.44

Fig. 5.26 IL-4 vs IFN- γ plot of <i>S. digitata</i> adults by (n=23) antigen negative endemic normal individuals	5.45
Fig. 5.27 IL-5 vs IFN- γ plot of <i>S. digitata</i> adults by (n=23) antigen negative endemic normal individuals	5.46
Fig. 5.28 IL-10 vs IFN- γ plot of <i>S. digitata</i> adults by (n=23) antigen negative endemic normal individuals	5.47
Fig. 5.29 IL-4 vs IFN- γ plot of <i>S. digitata</i> adults by (n=22) antigen asymptomatic microfilaremic individuals	5.48
Fig. 5.30 IL-5 vs IFN- γ plot of <i>S. digitata</i> adults by (n=22) antigen asymptomatic microfilaremic individuals	5.49
Fig. 5.31 IL-10 vs IFN- γ plot of <i>S. digitata</i> adults by (n=22) antigen asymptomatic microfilaremic individuals	5.50