

## REFERENCES

### Chapter- 1

1. O'Brien, R.D. Fats and Oils: Formulating and Processing for Applications. Second Edition. London: CRC Press. 2004, pp 192-199.
2. Halliwell, B, Aeschbach, R, Loriger, J and Auroma, O.I. The characterization of antioxidants. Food and Chem Toxicol 33, 1995, pp 601-617.
3. Frankel, E. N. *Lipid Oxidation*. The Oily Press, Dundee, UK, 1998, pp 99-114.
4. Nawar W.W. Lipids. In: Fennema, O.R. (Ed) Food Chem Third Edition. New York: Marcal Dekker, Inc. 1996, pp 225-319.
5. Min DB, Bradley GD. Fats and oils: flavors. In: Hui YH, editor. Wiley Encyclopedia of Food Science and Technology. New York: John Wiley and Sons. 1992, pp 828–832.
6. Chan, H.W.S. Autoxidation of Unsaturated Lipids, Academic Press, 1987, pp, 20-50.
7. Haigh, R. Safety and necessity of antioxidants: EEC approach. Food Chem Toxicol 24, 1986, pp 1033-1034.
8. Haumann, B.F. Antioxidants: Firms seeking products they can label as 'natural' AOCS Inform 1, 1990, pp 1002-1013.
9. Guillen, M.D and Cabo, N. Fourier transform infrared spectral data versus peroxide and anisidine values to determine oxidative stability of edible oils. Food Chem 77, 2002, pp 503-520.
10. Pokorný J, Korczak J. Preparation of natural antioxidants. In: Pokorný J, Yanishlieva N, Gordon M. (Eds): Antioxidants in Food. Woodhead Publishing, Cambridge, UK: 2001, pp 311–330.

11. Pratt, D.E. and Hudson, B.J.F. Natural antioxidants not exploited commercially, in Food Antioxidants, Hudson, B.J.F., Ed., Elsevier, Amsterdam, 1990, p 171.
12. Decker, E, Beecher G, Salvin, J, Miller, HE Marquart L. Whole grain as a source of antioxidants. Cereal Foods World 47, 2002, pp 370-373.
13. Frankel EN. Antioxidants in lipid foods and their impact on food quality. Food Chem 57, 1996, pp 51-55.
14. Hui Y.H. Antioxidants: Technical and Regulatory considerations in Bailey's Industrial oil and Fat Products Wiley Interscience Publications New York, Vol.3, pp 523-546.
15. Katiyar, S.K. and Elmets, C. A. Green tea polyphenolic antioxidants and skin photo protection. Intl J of Oncol, 18, 2001, pp 1307-1313.
16. Upadhyay, Kakoli Upadhyay and Nirmalendu Nath. Biophysical Chemistry, Principles and techniques. Avinash, Himalaya Publishing House, Hyderabad, Geetanjali Press 2005, pp 344-421.
17. Official Methods and Recommended Practices of the American Oil Chemists' Society, 4<sup>th</sup> edition, edited by D. Firestone, American Oil Chemists' Society, Champaign, 1992, Cd.12-57
18. De Man JM, Tie F, De Man L. Formation of short chain volatile organic acids in the automated AOM method. J Am Oil Chem Soc 64, 1987, pp 993-996.
19. Matthaus BW. Determination of oxidative stability of vegetable oils by Rancimat and conductivity and chemiluminescence measurements. J Am Oil Chem Soc 73, 1996, pp 1039-1043.

20. Laubli MW and Bruttel PA. Determination of the oxidative stability of fats and oils: Comparison between the Active oxygen method and the Rancimat method. *J Am Oil Chem Soc* 63, 1986, pp 772-795.
21. Madhavi, D.L., Salunkhe, D.K. Toxicological aspects of Food Antioxidants, In *Food Antioxidants*. Madhavi, D.L., Deshpande, S.S. and Salunkhe, D.K., Eds., Dekker, 1995, P 267.
22. Jayaprakasha, G.K., Jaganmohan Rao, L. Phenolic constituents from lichen *Parmotrema stuppeum* (Nyl.) Hale and their antioxidant activity. *Z. Naturforsch* 55C, 2000, pp 1018-1022.
23. Jacobs DR, Meyer HE and Solvoll K. Reduced mortality among whole grain bread eaters in men and women in the Norwegian County Study. *Eur J Clin Nutr* 55(2), 2001, pp 137-143.
24. Moller, S.M, Jacques, P.F and Blumberg J.B. The potential role of dietary xanthophylls in cataract and age-related macular degeneration. *J Am Coll.Nutr.*19, 2000, pp 522S-527S.
25. Hong Y and Lin S. Variation in contents of total phenolics and flavonoids and antioxidant activities in the leaves of 11 Eriobotry species. *Plant Foods for Hum Nutr*, 63, 2008, pp 200-204.
26. Dubey, NK and Srivastava B. Current status of plant products as botanical pesticide in storage pest management. *J of Bio-pest* 1(2), 2008, pp 182-186.
27. Lowe, E.D. and Buckmaster, D.R. Dewatering makes big difference in compost strategies. *Biocycle*, 36, 1995, pp 78-82.

28. Food and Agriculture Organisation (FAO), FAO STAT Agricultural Database <http://www.faostat.fao.org>, 25 February 2005.
29. Abdalla, A. E. M. Darwish, S. M., Ayad, E. H. E and El-Hamahmy, R. M. Egyptian mango by product 2: Antioxidant and antimicrobial activities of extract and oil from mango seed kernel. Food Chem 103, 2007, pp 1141-1152.
30. Soong, Y and Barlow, P. J. Quantification of gallic acid and ellagic acid from Longan (*Dimocarpus longan* Lour) seed and mango (*Mangifera indica* L.) kernel and their effects on antioxidant activity. Food Chem 97, 2006, pp 524-530.
31. Gil, M. I, Tomas-Barberan, F.A, Hess-Pierce, B, Holcroft, D. M. and Kader, A.A. Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. J Agr Food Chem 48, 2000, pp 4581–4589.
32. Anjali S and Rao A.R. Modulatory influence of areca nut on antioxidant 2(3)-tert-butyl-4-hydroxy anisole-induced hepatic detoxification systems and antioxidant defense mechanism in mice. Cancer Letters, 91, 1995, pp 107-114.
33. Wetwitayaklung P, Phaechamud T, Limmatvapirat C, Koekitichai S. The study of antioxidant capacity in various parts of *Areca catechu*, Naresun Univ J 15(1), 2006, pp 1-14.
34. K.M. Nadkarni's Indian Materia Medica. A.J. Printers, New Delhi, Vol.1. 1976, pp.195, 961-964 and 1019.

## **Chapter- 2**

### **REFERENCES**

1. Hui Y.H. Antioxidants: Technical and Regulatory considerations in Bailey's Industrial oil and Fat Products Wiley Interscience Publications New York 3, 1996, pp 523-539.

2. [www.biomatrixone.com](http://www.biomatrixone.com)
3. Cook, N. C. and Samman S. Flavonoids - chemistry, metabolism, cardio protective effects and dietary sources. *Nutr Biochem* 7, 1996, pp 66-76.
2. Huang, M.T and Ferraro T. Phenolic compounds in food and cancer prevention. In H.T .Huang, C.T, Ho and C.Y. Lee (Eds.) Phenolic compounds in food and their effects on health II.ACS Symposium Series 507, 1992, pp 8-34.
3. Al-Saikhan, M.S, Howard, L.R, Miller, J.C., Jr. Antioxidant activity and total phenolics in different genotypes of potato (*Solanum tuberosum* L.). *J Food Sci* 60, 1995, pp 341-347.
4. Yen GC and Duh PD. Scavenging effect of methanolic extracts of peanut hulls on free-radical and active oxygen species. *J Agric Food Chem* 42, 1995, 629-632.
5. Oomah, B.D and Mazza, G. Flavonoids and antioxidative activities in buckwheat. *J Agric Food Chem* 44 (7), 1996, pp 1746-1750
6. Chen, Z.Y., P.T. Chan. K.Y. Ho, K.P. Fung and J. Wang. Antioxidant activity of natural Flavonoids are governed by number and location of their aromatic hydroxyl groups. *Chem Phys Lipids* 79, 1996, pp 157-163.
7. Cao, G., E. Sofic and R.L. Prior. Antioxidant capacity of tea and common vegetables. *J Agric Food Chem* 44, 1996, pp 3426-3431.
8. Amarowicz, R.A. Troszynska, M. Karamac and H. Kozłowska. Antioxidative properties of legume extracts in agri-food quality. An interdisciplinary Approach, edited by G.R. Fenwick, C. Hedley and S. Khokhar, The Royal Society of Chemistry, Cambridge, 1996, pp 376-379.

9. Zhou KK, Su L, Yu L. Phytochemicals and antioxidant properties in wheat bran. *J Agric Food Chem* 52, 2004, pp 6108-6114.
10. Halliwell B and Gutteridge JMC. Oxygen is a toxic gas an introduction to oxygen toxicity and reactive oxygen species. In: *Free Radical in Biology and Medicine*; Oxford University Press: United Kingdom. 1999, pp 1-35.
11. Wallace SS. Oxidative damage to DNA and its repair, in *Oxidative Stress and Molecular Biology of Antioxidant Defenses*. Scandalios JG, editor; Cold Spring Harbor Laboratory Press: Plainview New York. 1997, pp 49-90.
12. Stratil P, Klejdus B, Kubán V. Determination of total content of phenolic compounds and their antioxidant activity in vegetables. Evaluation of spectrophotometric methods. *J Agric Food Chem* 54, 2006, pp 607-616.
13. Dugan, L. Lipids. in: Fennema, O.R(Ed).*Principles of Food Science. Part 1: Food Chemistry*. New York: Marcel Dekker, Inc.1976, pp 169-186.
14. Andres Moure, Jose M.Cruz, Daniel Franco, J.Manuel Dominguez, Jorge Sineiro, Herminia Dominguez, Maria Jose Nunez and Carlos Parajo. Natural Antioxidants from residual sources. *Food Chem* 72, 2001, pp 145-171.
15. Onyeneho, S. N. and Hettiarachchy, N.S. Antioxidant activity of durum wheat bran *J Agric Food Chem* 40, 1992, pp 1496-1500.
16. Negro, C, Tommasi, L. and Miceli, A. Phenolic compounds and antioxidant activity from red grape marc extracts. *Bioresource Techn* 87, 2003, pp 41-44
17. Gordon, M.H. and X.C. Weng. Antioxidant properties of extracts from Tanshen (*Salvia miltiorrhiza Bunge*) *Food Chem* 44, 1992, p119

18. Gamez-Meza N, J.A. Noriega-Rodriguez, I.A. Medina- Juarez, J. Ortega-Garcia R. Cazarez- Casanova and Angulo-Guerrero, Antioxidant activity in Soybean oil of Extracts from Thompson Grape Bagasse. *J Am Oil Chem Soc* 76(12), 1999, pp 1445-1447.
19. Gordon, M.H. The mechanism of antioxidant action in vitro. In: Hudson, B.J.F. (Ed) *Food antioxidants*. England: Elsevier Science Publishers Ltd. 1990, pp 1-18.
20. Johnsen S, Overvad K, Stripp, C, Tjonneland, A. Husted S.E. and Sorenson,H.T. Intake of Fruits and vegetables and the risk of ischemic stroke in a cohort of Danish men and women, *Am J Clin Nutr* 78, 2003, pp 57-64.
21. Julkunen-Tiitto, R. Phenolic constituents in the leaves of northern willows: methods for the analysis of certain phenolics. *J Am Food Chem* 33, 1985, pp 213-217.
22. Pin- Der Duh. Antioxidant activity of Budrock (*Arctium lappa* Linn.): its scavenging effect on free radical and active oxygen, *J Am Oil Chem Soc* 75, 1998, pp 455-461.
23. Azizah A.H., Ruslawati, N.M.N and Swee Tee, T. Extraction and characterization of antioxidant from cocoa by-products. *Food Chem* 64, 1999, pp 199-202.
24. Pryzbylski, R., Lee YC and Eskin N.A.M. Antioxidant and radical scavenging activities of buckwheat and its components. *J Am Oil Chem Soc* 75, 1998, pp 1595-1601.
25. Yu L, Perret J, Davy B, Wilson J, and Melby CL. Antioxidant properties of cereal products. *J of Food Sci* 67(7), 2002b. pp 2600-2603.
26. Yu L, Haley S, Perret J, Harris M, Wilson J, Quin M. Free radical scavenging properties of wheat extracts. *J Agric Food Chem* 50, 2002c, pp 1619-1624.

27. Gray, D.A, Clarke, M.J, Baux, C.Bunting, J.P, and Salter,A.M. Antioxidant activity of oat extracts added to human LDL particles and in free radical trapping assays. *J Cer Sci.*36, 2002, pp 209-218.
28. Yu, L., Hale, S, Perret, J. and Harris, M. Antioxidant properties of hard winter wheat extracts. *Food Chem*, 78, 2002a, pp 457-461.
29. Adom KK, Sorrells ME, Liu RH. Phytochemical profiles and antioxidant activity of wheat varieties. *J Agric and Food Chem* 51, 2003, pp 7825-7834.
30. Liyana-Pathirana CM, Shahidi F. Antioxidant properties of commercial soft and hard winter wheats (*Triticum aestivum L.*) and their milling fractions. *J Sci Food Agric* 86, 2006, pp 477-485.
31. Zielinski H. Antioxidant activity and total phenolics in selected cereal grains and their different morphological fractions. *J of Agric Food Chem.* 48, 2000, pp 2008-2016
32. Handelman GJ, Cao G, Walter MF, Nightingale ZD, Paul GL, Prior RL, and Blumberg JB. Antioxidant capacity of oat (*Avena sativa L.*) extracts. 1. Inhibition of low density lipoprotein oxidation and oxygen radical absorbance capacity. *J Agric Food Chem.* 47, 1999, pp 4888-4893.
33. Awika JM. Anthocyanins from black sorghum and their antioxidant properties. *Food Chem* 90, 2005, pp 293-231.
34. Diaz-Reinoso B, Moure A, Dominguez H, and Parajo JC. Supercritical CO<sub>2</sub> extraction and purification of compounds with antioxidant activity. *J Agric Food Chem.* 54, 2006, pp 2441-2469.



35. Bonoli M, Verardo V, Marconi E, and Caboni MF. Antioxidant Phenols in Barley (*Hordeum vulgare* L.) Flour: Comparative Spectrophotometric Study among Extraction Methods of Free and Bound Phenolic Compounds. *J Agric Food Chem.* 52, 2004, pp 5195-5200.
36. Jagan Mohan Rao, L. Ramalakshmi, K. Borse, B.B. and Raghavan, B. Antioxidant and radical scavenging carbazole alkaloids from the oleoresin of curry leaf (*Murraya koenigii* Spreng.). *Food Chem* 100, 2007, pp 742-747.
37. Anwar, F, Bhanger M.I. and T.G. Kazi. Relationship between Rancimat and active oxygen method values at varying temperatures for several oils and fats. *J Am Oil Chem Soc* 80, 2003, pp 151-155.
38. Peschel, W, F.Sanchez-Rabaneda, W. Dickmann, A. Plesehen, I. Gartiza, D. Jimenez, R.Lamuela-Raventos, S. Buxaderas and C. Codina. An Industrial approach in the search of natural antioxidants from vegetables and fruit wastes. *Food Chem* 97, 2006, pp 137-150.
39. Meyer, A.S., Heinonen, M., and Frankel, E.N. Antioxidant interactions of catechin, cyanidin, caffeic acid, quercetin and ellagic acid on human LDL oxidation. *Food Chem* 61, 1998, pp 71-75.
40. Brand-Williams W, Cuvelier ME, Berset C. Use of a free radical method to evaluate antioxidant activity. *Fat Sci Technol* 28, 1995, pp 25-30.
41. Von Gadow, A., E. Joubert and C.F. Hansmann. Comparison of Antioxidant activity of aspalathin with that of other plant phenols of Rooibosed tea (*Aspalathin linearis*),  $\alpha$ -tocopherol, BHT and BHA, *J Agric Food Chem* 45, 1997c, pp 632- 638.

42. Pekkarinen. S, Stockmann. H, Schwarz. K, Heinonen, M, and Hopia. A.I. Antioxidant activity and portioning of phenolic acids in bulk and emulsified methyl linoleate. *J Agric Food Chem*, 47, 1999, pp 3036-3043.
43. Karamac, M and Amarowicz, R. Antioixdant activity of BHA, BHT and TBHQ examined with Miller's test. *Grasas y Aceites*, 48, 1997, pp 83-86.
44. Kuti J. O and Konuru, H. B. Antioxidant capacity and phenolic content in leaf extracts of tree spinach (*Cnidoscolus* spp.) *J Agric Food Chem* 2004, pp 117-121.
45. Frankel, E.N. and A.S. Meyer. The problem of using one dimensional method to evaluate multifunctional food and biological antioxidants. *J Sci Food and Agric* 80, 2000, pp 1925-1941.
46. Sanchez- Mareno C. Review: Methods to evaluate the free radical scavenging activity in foods and biological systems. *Food Sci Technol Intern* 8, 2002, pp 121-137.
47. Waterman, P.G. and Mole, S. *Analysis of Plant Metabolites*. Oxford: Alden Press Limited. 1994, pp 1-16 & 66-103
48. Prior RL, Wu XL, Schaich K. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *J Agric Food Chem* 53, 2005, pp 4290-4302.
49. Halliwell B, Aeschbach R, Loliger J, Aruoma OI. The characterization of antioxidants. *Food Chem Tox* 33, 1995, pp 601-617.
50. Kim J.S and Kim M.J. *In vitro* antioxidant activity of *Lespedeza cuneata* methanolic extracts, *J Med Plants Res* Vol. 4(8), 2010, pp. 674-679.

51. Wanasundara, U.N., Amarowic, R. and Shahidi, F. Partial characterization of natural antioxidants in canola meal. *Food Res Intern* 28, 1996, 525-530.
52. Wright, J. S, Johnson, E. R, Di Labio, G. A. Predicting the activity of phenolic antioxidants: theoretical method, analysis of substituent effects, and application to major families of antioxidants. *J Am Chem Soc* 123, 2001, pp 1173-1183.
53. Perez-Jimenez J, and Saura-Calixto F. Literature data may underestimate the actual antioxidant capacity of cereals. *J Agric Food Chem* 53, 2005 pp 5036- 5040.
54. Huang D, Ou B, Prior RL. The chemistry behind antioxidant capacity assays. *J Agric Food Chem* 53, 2005, pp 1841-1856.
55. Wu X, Beecher GR, Holden JM, Haytowitz DB, Gebhardt SE and Prior RL. Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. *J Agric Food Chem* 52, 2004, pp 4026-4037
56. G.C. Yen and P.D. Duh. Scavenging effect of methanolic extracts of peanut hulls on free radical and active-oxygen species. *J. Agric. Food Chem.* 42, 1994, pp 629–632.
57. C.W. Chen and C.T. Ho. Antioxidant properties for polyphenols extracted from green and black teas. *J. Food Lipids* 2, 1995, pp 35–46.
58. Lia LS Chou ST and Chao WW. Studies on the antioxidative activities of Hsian-Tsao (*Mesona procumbens* Hesml) leaf gum. *J Agric Food Chem* 49 2001, pp 963-968.
59. Jayaprakasha GK, Singh RP and Sakariah KK. Antioxidant activity of grape seed *Vitis vinifera* extracts on peroxidation models in-vitro *Food Chem* 73, 2001, pp 285-290.
60. Yen GC and Chen HY. Antioxidant activity of various tea extracts in relation to their antimutagenicity *J Agric Food Chem* 1995, pp 4327-4232.

61. Osawa Toshihiko and Namiki Mitsuo. A Novel Type of Antioxidant Isolated from Leaf Wax of Eucalyptus leaves, *Agric. Biol. Chem.*45(3), 1981, pp 735-739.
62. Ramakrishna BV, Jayaprakasha GK, Jena BS, Singh RP. Antioxidant activities of roselle (*Hibiscus sabdariffa*) calyces and fruit extracts, *J Food Sci and Technol* 45(3), 2008, pp 223-227.
63. Frankel, E. N. *Lipid Oxidation*. The Oily Press, Dundee, UK 1998, pp 99-114.
64. Coupland JN and Mc Clements DJ. Lipid oxidation in food emulsions, *Trends Food Sci and Technol* 7, 1996, pp 83-91.
65. Abdalla, A.E. and Roozen, J.P. Effect of plant extracts on the oxidative stability of sunflower oil emulsion. *Food Chem* 64, 1999, pp 323-329.
66. Frankel, E.N. and Huang S.W. Improving the Oxidative Stability of Polyunsaturated Vegetable oils by Blending with High-Oleic Sunflower oil, *J Am Oil Chem Soc* 71, 1994, pp 255-259.
67. Nawar, W. W. Lipids. In: Fennema, O.R. (Ed) *Food Chemistry*. 3<sup>rd</sup> Ed. New York: Marcel Dekker, Inc. 1996, pp 225-319.
68. Huang, S, Frankel, E.N. and German, J.B. Antioxidant activity of  $\alpha$  and  $\gamma$ -tocopherols in bulk oils and in oil-in water emulsions. *J Agric Food Chem*, 42, 1994, 2108-2114.
69. Gordon MH. Measuring antioxidant activity. In: Pokorný J, Yanishlieva N, Gordon M, editors. *Antioxidants in food: practical application*. Cambridge England: Woodhead Publishing Limited. 2001a, pp 73-84.
70. Lachance PA, Nakat Z and Jeong WS. Antioxidants: an integrative approach. *Nutr* 17, 2001, pp 835-838.

71. Yanishlieva N. Inhibiting oxidation. In: Pokorný J, Yanishlieva N, Gordon M, editors. Antioxidants in food: practical application. Cambridge England: Woodhead Publishing Limited. 2001, pp 22-70.
72. Li B, Yang Y, Gan Y, Eaton CD, He P, Jones AD. On-line coupling of subcritical water extraction with high-performance liquid chromatography via solid-phase trapping. *J Chromatogr A* 87(3), 2000, pp 175-84.
73. Vinson JA, Su X, Zubik L and Bose P. Phenol antioxidant quantity and quality in foods: fruits. *J Agric Food Chem* 49, 2001, pp 5315-5321.
74. Whysner, J, Wang, C.X, Zang, E. Iatropoulos M.J. and Williams, G.M. Dose response of promotion by butylated hydroxyanisole in chemically initiated tumours of the rat fore stomach. *Food Chem Toxicol* 32, 1994, pp 215 -222.
75. Khokhar, S. and Apenten, R.K.O. Iron binding characteristics of phenolic compounds: some tentative structure-activity relationships. *Food Chem* 81, 2003, pp 133-140.
76. Kikugawa, K.A. Kunugi and T. Kurechi. Chemistry and implications of Degradation of phenolic antioxidants, Chapter 3, in *Food antioxidants*, edited by B.J.F Hudson, Elsevier Applied Science, Inc., New York, 1990, pp 65-98.
77. Decker EA. Antioxidant mechanisms. In: Akoh CC, Min DB, editors. *Food lipids*. New York: Marcel Dekker. 2002, pp 517–542.
78. Mahoney and Graf E. Role of  $\alpha$ -tocopherol, ascorbic acid and EDTA as antioxidant in model system. *J Food Sci* 51, 1986; pp 1293-1296.

79. Tong L.M, Sasaki, S, Mc Clements, D.J and Decker, E.A. Mechanism of antioxidant activity of a high molecular weight fraction of whey. *J Agric and Food Chem* 48, 2000, pp 1473-1478.
80. Yamaguchi, F, Yoshimura, Y, Nakazawa, H. and Ariga, T. Free radical scavenging activity of grape extract and antioxidants by electron spin resonance spectrometry in an H<sub>2</sub>O<sub>2</sub>/NaOH/DMSO system. *J Agric Food Chem* 47, 1999, pp 2544-2548.
81. Schuler, P. Natural antioxidants exploited commercially. In: Hudson, B.J.F. (Ed) *Food Antioxidants*. England: Elsevier Science Publishers Ltd, 1990, pp 99-170.
82. Purvankara D. Boghra V and Sharma RS. Effect of antioxidant principles isolated from mango (*Mangifera indica* L) seed kernels on oxidative stability of buffalo ghee (butter-fat). *J Sci Food Agric* 80, 2000, pp 522-526.
83. Arogba, S. S. Mango (*Mangifera indica*) kernal: Chromatographic analysis of the Tannin, and stability study of the associated polyphenol oxidase activity. *J Food Comp and Anal*, 13, 2000, pp 149-156.
84. Kabuki, T. Nakajima H, Arai, M, Ueda, S. Kuwabara, Y. and Dosako, S. Characterization of novel antimicrobial compounds from mango (*Mangifera indica* L.) kernel seeds. *Food Chem* 71, 2000, pp 61-66.
85. Gurdip Singh, Sumitra Maurya, M.P. de Lampasona, Cesar A.N. Catalan A comparison of chemical, antioxidant and antimicrobial studies of cinnamon leaf and bark volatile oils, oleoresins and their constituents. *Food Chem Toxicol* 45(9), 2007, pp 1650-1661.
86. Halliwell, B, Aeschbach, R, Loliger, J, Aruoma, O.I. The characterization of antioxidants. *Food Chem Toxicol*. 33, 1995, pp 601-617

87. Pokorný J, Korczak J. Preparation of natural antioxidants. In: Pokorný J, Yanishlieva N, Gordon M, editors. Antioxidants in food: practical application. Cambridge England: Woodhead Publishing Limited. 2001, pp 311-341.
88. Halliwell, B. and Gutteridge, J.M.C. Free Radicals in Biology and Medicine. Clarendon Press: Oxford, 1989, p 236.
89. Wanasundara UN, Shahidi F. Antioxidant and prooxidant activity of green tea extracts in marine oils. Food Chem 63, 1998, pp 335-342.
90. Kochhar, S.P. and Rossell J.B. Detection, Estimation and Evaluation of antioxidants in Food systems. Chapter 2, in Food Antioxidants, edited by B.J.F. Hudson, Elsevier Applied Science, London, 1990, pp 19-64.
91. Stauffer, C.E. Fats and Oils. Minnesota, USA: Eagan Press. 1996, pp 1-14.
92. Chu, Y.H and Hsu, H.F. Effects of antioxidants on peanut oil stability. Food Chemistry, 66, 1999, pp 29-34.
93. Barlow SM. Toxicological aspects of antioxidants used as food additives. In: Hudson B.J.F, editor. Food antioxidants. New York: Elsevier. 1990, pp 253-307.
94. Ito, N, Hirose, M, Fukushima, S, Tsuda, H, Shirai, T. and Tatematsu, M. Studies on antioxidants: Their carcinogenic and modifying effects on chemical carcinogenesis. Food Chem Toxicol 24, 1986, pp 1071-1082.
95. Frankel, E.N. Antioxidants in food and their impact on food quality. Food Chem 57, 1996, pp 51-55
96. Malecka, M. Antioxidant properties of the unsaponifiable matter isolate from tomato seeds, oat grains and wheat germ oil. Food Chem 79, 2002, 327-330.

97. Shi H, Noguchi N and Niki E. Introducing natural antioxidants. In: Pokorný J, Yanishlieva N, Gordon M, editors. Antioxidants in food: practical application. Cambridge England: Woodhead Publishing Limited. 2001, pp 147-158.
98. Sherwin E.R. Antioxidants. In: Food Additives, Eds. A.L. Branen, P.M. Davidson and S. Salminen. New York: Marcel Dekker Inc. 1990 pp 144-145.
99. Vekiari SA, Oreopoulou V, Tzia C, Thomopoulos CD. Oregano flavonoids as lipid antioxidants. J Am Oil Chem Soc 70, 1993, pp 483-487.
100. Pratt D, Hudson B.J.F. Natural antioxidants not exploited commercially. In: Hudson B.J.F, editor. Food antioxidants. New York: Elsevier. 1990, pp 171-191.
101. Naczki M and Shahidi F. Phenolics in cereals, fruits and vegetables: occurrence, extraction and analysis. J Pharm Biomed Anal 41, 2006, pp 1523-1542.
102. Rice-Evans C., Miller, N.J and Paganga, G. Antioxidant properties of phenolic compounds. Trends in Plant Science 2, 1997, pp 152-159
103. Luzia, M.R., Trugo, L.C, Da Paixao, K.C.C, Marchilio, R, De Maria, C.A.B and Quinteiro, L.M.C. Effect of 5-caffeoylquinic acid I the presence of metal chelators on soybean oil oxidative stability. Lebensmittel Wissenschaft Und Technologie 31, 1998, pp 64-68
104. Sugihara, N. Arakawa, T., Ohnishi, M and Furuno, K. Anti and pro-oxidative effects of flavonoids on metal- induced lipid hydroperoxide-dependent lipid peroxidation in cultured hepatocytes loaded with  $\alpha$ -linoleic acid. Free Radical Biology and Medicine 27, 1999, pp 1313-1323



105. Rodriguez De Sotillo, D., Hadley, M. and Holm, E.T. Phenolics in aqueous potato peel extract: Extraction, identification and degradation. *J Food Sci* 59, 1994b, pp 649-651.
106. Abushita, A.A, Hebshi, E.A, Daood, H.G and Bias, P.A. Determination of antioxidant vitamins in tomatoes. *Food Chem* 60, 1997, pp 207-212.
107. Aruoma, O.I, Spencer, J.P.E., Warren, D., Jenner, P., Butler, J. and Halliwell, B. Characterization of food antioxidants, illustrated using commercial garlic and ginger preparations. *Food Chem* 60, 1997, pp 149-156.
108. Velioglu, Y.S., Mazza, G., Gao, L. and Oomah, B.D. Antioxidant activity and total phenolics in selected fruits, vegetables and grain products. *J Agric Food Chem* 46, 1998, pp 4113-4117.
109. Naczk, M, Amarowicz, R, Sullivan, A. and Shahidi, F. Current research developments on polyphenolics of rapeseed/canola: a review. *Food Chem* 62, 1998, pp 489-502.
110. Chun, O.K., Kim, D., Moon, H.Y., Kang, HG and Lee, C.Y. Contribution of individual polyphenolics to total antioxidant capacity of plums. *J Agric Food Chem* 51, 2003, pp 7240-7245.
111. Kroyer G.T. Red clover extract as antioxidant active and functional food ingredient. *Inn Food Sci and Emer Technol* 5, 2004, pp 101-105.
112. Hagerman, A.E, Riedl, K.M., Alexander Jones, G, Sovik, K.N, Ritchard, N.T, Hartzfeld, P.W. and Riechel, T.L. High molecular weight plant polyphenolics (tannins) as biological antioxidants. *J Agric Food Chem* 46, 1998, pp 1887-1892.

113. Awika JM, Rooney LW, Wu X, Prior RL, Cisneros-Zevallos L. Screening methods to measure antioxidant activity of sorghum (*Sorghum bicolor*) and sorghum products. *J Agric Food Chem* 51, 2003, pp 6657-6662.
114. Awika, J.M. and Rooney, L.W. Sorghum phytochemicals and their potential impact on human health. *Phytochem* 65, 2004, pp 1199-1221.
115. Saint-Cricq de Gaulejac, N., Provost, C., and Vivas, N. Comparative study of polyphenol scavenging activities assessed by different methods. *J Agric Food Chem* 47, 1999, pp 425-431.
116. Garcia-Conesa, M.T, Wilson, P.D, Plumb, G.W., Ralph, J. and Williamson. G. Antioxidant properties of 4, 4'-dihydroxy-3, 3'-dimethoxy-beta, beta'-biccinnami acid (8-8-diferulic acid, non cyclic form). *J Sci Food and Agric* 79, 1999, pp 379-384.
117. Milic, B.L. Djilas, S.M. and Canadonovic-Brunet, J.M. Antioxidative activity of phenolic compounds on the metal-ion breakdown of lipid peroxidation system. *Food Chem*, 61, 1998, pp 443-447.
118. Plumb G.W, Price, K.R and Williamson, G. Antioxidant properties of flavonol glycosides from green beans. *Redox Report*, 4, 1999a, pp 123-127.
119. Plumb G.W, Price, K.R. and Williamson, G. Antioxidant properties of flavonol glycosides from tea. *Redox Report*, 4, 1999b, pp 13-16.
120. Pietta P, Simonetti P, Gardana C, and Mauri P. Trolox Equivalent antioxidant capacity (TEAC) of Ginkgo biloba flavonol and Camellia sinensis catechin metabolites. *J Pharm Biomed Anal.* 23, 2000, pp 223-226.

121. Rodriguez De Sotillo, D, Hadley, M. and Holm, E.T. Potato peel waste: Stability and antioxidant activity of a freeze dried extract. *J Food Sci* 59, 1994a, pp 649-651.
122. Haslam, E., Lilley, T.H., Warminski, E., Liao, H., Cai Y. Martin, R. Gaffney, S.H, Goulding, P.N. and Luck, G. Polyphenol complexation: A study in molecular recognition. In: Ho, C., Lee, C.Y. and Huang, M. (Eds) *Phenolic Compounds in Food and their effects on health I: Analysis, Occurrence and Chemistry*, USA: Am Chem Soc 1992, pp 8-9.
123. Murkovic, M., Phenolic compounds. In: Caballero, B., Trugo, L.C. and Finglas, P.M. (Eds). *Encyclopedia of Food Sciences*, 2<sup>nd</sup> Ed. Oxford. Elsevier Science Ltd. 2003, pp 4507-4514.
124. Friedman, M. and Jurgens, H.S. Effect of pH on the stability of plant phenolic compounds. *J Agric Food Chem* 48, 2000, pp 2101-2110.
125. Kaaber, L, Martinsen, B.K, Brathen, E. and Shomer, I. Browning inhibition and textural changes of pre-peeled potatoes caused by anaerobic conditions. *Lebensmittel-Wissenschaft und-Technologie* 35, 2002, pp 526-531.
126. Nagendra Prasad, K. Soundar Divakar, Gyarahally R Shivamurthy and Somaradhya Mallikarjuna Aradhya. [Isolation of a free radical-scavenging antioxidant from water spinach \(\*Ipomoea aquatica\* Forsk\).](#) *J Sci Food Agric* 85, 2005, pp 1461-1468.
127. Di Carlo, G, Mascolo, N, Izzo, A.A. and Capasso, F. Flavonoids old and new aspects of a class of natural therapeutic drugs. *Life Sci* 65, 1999, pp 337-353.
128. Valentao, P, Fernandes, E, Carvalho, F, Andrade, P.B, Seabra, R.M. and de Lourdes Bastos, M. Antioxidant activity of *Hypericum androsaemum* infusion: scavenging

- activity against superoxide radical, hydroxyl radical and hypochlorous acid. *Biol Pharm Bull* 25, 2002, pp 1320-1323
129. Suganya Tachakittirungrod, Siriporn Okonogi, and Sombat Chowwanapoonpohn. Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of Guava. *Food Chem* 103 2007, pp 381-388.
  130. Kirtan Tarwadi and Vaishali Agte. Antioxidant and micronutrient quality of fruit and root vegetables from the Indian subcontinent and their comparative performance with green leafy vegetables and fruits. *J Sci Food and Agric* 85, 2005, pp 1469-1476.
  131. Monika Bajpai, Alka Mishra and Dhan Prakash. Antioxidant and Free Radical scavenging activities of some leafy vegetables. *Intern J Food Sci and Nut* 56, 2005, pp 473-481
  132. Hudson, B.J.F. and Lewis. J.I. Polyhydroxy Flavonoid Antioxidants for Edible Oils: Structural Criteria for Activity. *Food Chem.*10, 1983, pp 47-55.
  133. Shahidi, F, P. K. Janitha, P. D. Wanasundara. Phenolic antioxidants, *Crit. Rev. Food Sci Nutr* 32, 1992, pp 67-103.
  134. Van Den Berg R, Haenen GRMM, Van Den Berg H, Van Der Vijgh W and Bast, A. The predictive value of the antioxidant capacity of structurally related flavonoids using the Trolox Equivalent antioxidant Capacity (TEAC) assay, *Food Chem* 70, 2000, pp 391-395.
  135. Rice Evans, C.A, Miller, N.J, Paganga, G. Structure-antioxidant activity relationship of flavonoids and phenolic acids. *Free Rad Biol Med* 1996, 20, pp 933-956.

136. Larrauri J.A., Sanchez-Moreno, C and Saura-Calixto, F. Effect of temperature on the free radical scavenging capacity of extracts from red and white grape pomace peels. *J Agric Food Chem* 46, 1998, pp 2694-2697.
137. Bors, W, Werner, H, Michel, C and Saran, M. Flavonoids as antioxidants: determination of radical scavenging efficiencies. *Methods Enzymol* 186, 1990, pp 343-355.
138. Blokhina O, Virolainen E, Fagerstedt KV. Antioxidants, oxidative damage and oxygen deprivation stress: a review. *Ann Botany* 91, 2003, pp 179-194.
139. Nijveldt RJ, van Nood E, van Hoorn DEC, Boelens PG, van Norren K, van Leeuwen PAM. Flavonoids: A review of probable mechanisms of action and potential applications. *Am J Clin Nutr* 74, 2001, pp 418-425.
140. Odaci D, Timur S, Pazarlioglu N, Montereali MR, Vastarella W, Pilloton R, Telefoncu A. Determination of phenolic acids using *Trametes versicolor laccase*. *Talanta* 71, 2007, pp 312-317.
141. Sanbongi, C., Osakabe, N., Natsume, M., Takizawa, T., Gomi, S and Osawa, T. Antioxidative polyphenols isolated from *Theobroma cacao*. *J Agric Food Chem* 46, 1998, pp 1460-1464.
142. Friedman, M. Chemistry, biochemistry and dietary role of potato polyphenols. *J Agric Food Chem* 45, 1997, pp 1523-1540
143. Gil, M.I., Ferreres, F. and Tomas - Barberan, F.A. Effect of post harvest storage and processing on the antioxidant constituents (Flavonoids and vitamin C) of fresh-cut spinach. *J Agric Food Chem* 47, 1999, pp 2213-2217.

144. Ganthavorn, C and Hughes, J.S. Inhibition of soybean oil oxidation by extracts of dry beans (*Phaseolus vulgaris*), *J Am Oil Chem Soc* 74, 1997, pp 1025-1030.
145. Markus, F., Daood, H.G., Kapitany, J. and Biacs, P.A. Change in the carotenoid and antioxidant content of spice red pepper (Paprika) as a function of ripening and some technological factors. *J Agric Food Chem* 47, 1999, pp 100-107.
146. Kikuzaki, H., and Nakatani, N. Antioxidant effects of some ginger constituents. *J Food Sci* 58, 1993, pp 1407-1410.
147. Che Man, Y.B and Tan, C.P. Effects of natural and synthetic antioxidants on changes in refined, bleached and deoderised palm olein during deep-fat frying of potato chips. *J Agric Food Chem* 76, 1999, pp 331-339.
148. Chambers, S.J, Lambert, N, Plumb, G.W and Williamson, G. Evaluation of the antioxidant properties of a methanolic extract from 'Juice Plus fruit' and Juice Plus vegetable' (dietary supplements). *Food Chem* 57, 1996, pp 271-274.
149. Cano, A., Acosta, M., and Banon. M. Estimation de la actividad antioxidante de distintas bebidas comerciales. *Alimentaria*, 9, 1998, pp 73-76.
150. Masuda, T., Yonemori, S., Oyama, Y., Takeda, Y., Tanaka, T., Andoh, T., Shinohara, A. and Nakata. M. Evaluation of the antioxidant activity of environmental plants, activity of the leaf extracts from sea shore plants. *J Agric Food Chem* 47, 1999, pp 1749-1754.
151. Nakayama, R., Tamura, Y., Kikuzaki, H., and Naakatani, N. Antioxidant effect of the constituents of Susabinori (*Parphyra yezoensis*). *J Am Oil Chem Soc* 76, 1999, pp 649-653.

152. Furuta, S., Nishiba, Y and Suda I. Fluorometric assay for screening antioxidative activity of vegetables. *J Food Sci* 62, 1997, pp 526-528.
153. Osawa, T., Katsuzaki, H., Hagiwara, Y., Hagiwara, H., and Shibamoto T. A novel antioxidant isolated from young green barley leaves. *J Agric Food Chem* 40, 1992, pp 1135-1138.
154. Torres, A.M., Mau- Lastovicka,T., and Rezaaiyan, R. Total phenolics and high performance liquid chromatography of phenolic acids of avocado. *J Agric Food Chem*, 35, 1987, pp 921-925
155. Tsuda, T., Watanabe, M., Oshima, K., Yamamoto, A., Kawakishi, S. and Osawa, T. Antioxidative components isolated from the seed of tamarind (*Tamarindus indica* L.). *J Agric Food Chem* 42, 1994, pp 2671-2674.
156. Krygier, K, Sosulski, F and Hogge, L. Free, esterified and insoluble-bound phenolic acids.1.Extraction and purification procedure. *J Agric Food Chem* 30, 1982, pp 330-334.
157. Ozcan. M. Antioxidant activity of rosemary (*Rosmanarius officinalis* L.) extracts on natural olive and sesame oils.*Grasas y Aceites* 50, 1999, pp 355-358.
158. Balasinka, B., and Troszynska, A. Total antioxidant activity of evening primrose (*Oenothera biennis* L) cake extract measured *in vitro* by liposome model and murine L1210 cells. *J Agric Food Chem* 46, 1998, pp 3558-3563.
159. Kubicka, E., Jedrychowski, L., Amarowicz, R. Effect of phenolic compounds extracted from sunflower seeds on native lipoxygease activity. *Grasas y Aceites* 50, 1999, pp 3206-3209.

160. Baublis, A., Decker, E.A. and Clydesdale, F.M. Antioxidant effect of aqueous extracts from wheat based ready-to-eat breakfast cereals. *Food Chem* 68, 2000, pp 1-6.
161. Kurilich, A.C., and Juvik, J.A. Quantification of carotenoid and tocopherol antioxidants in *Zea mays*. *J Agric Food Chem* 47, 1999, pp 67-70.
162. Shahidi, F and Naczk, M. Food phenolics. Sources, Chemistry, effects and applications. Lancaster, USA: Technomic Pub. Co. 1995, p128.
163. Yen, G.C., Duh, P.D. and Tsai, C.L. Relationship between antioxidant activity and maturity of peanut hulls. *J Agric Food Chem* 41, 1993, pp 67-70.
164. Duh, P.D., Yen, W.J., Du, P.C. and Yen, G.C. Antioxidant activity of mung bean hulls. *J Am Oil Chem Soc* 74, 1997, pp 1059-1063.
165. Watanabe, M, Ohshita, Y. and Tsushida, T. Antioxidant compounds from buckwheat (*Fagopyrum esculentum* Moench) hulls. *J Agric Food Chem* 45, 1997, pp 1039-1044.
166. Sheabar, F.Z. and Neeman, I. Separation and concentration of natural antioxidants from rape of olives. *J Am Oil Chem Soc* 65, 1988, pp 990-993.
167. Visioli, F, Romani, A, Mulinacci, N., Zarini, S, Conte, D, Vincieri, F.F and Galli, C. Antioxidant and other biological activities of olive mill waste waters. *J Agric and Food Chem* 47, 1999, pp 3397-3401.
168. Gabrielska, J, Oszmianski, J and Lamer-Zarawska, E. Protective effect of plant flavonoids on the oxidation of lecithin liposomes. *Pharmazie*, 52, 1997, pp 2-3.
169. Bonilla, F, Mayen, M, Merida, J and Medina, M. Extraction of phenolic compounds from red grape marc for use as food lipid antioxidants. *Food Chem* 66, 1999, pp 209-215.



170. Lu, Y. and Foo, L.Y. Identification and quantification of major polyphenols in apple pomace. *Food Chem* 59, 1997, pp 187-194.
171. Bocco, A., Cuvelier, M.E., Richard, H., and Berset, C. Antioxidant activity and phenolic composition of citrus peel and seed extracts. *J Agric Food Chem* 46, 1998, pp 2123-2129.
172. Chen, B.H. and Tang, Y.C. Processing and stability of carotenoid power from carrot pulp waste. *J Agric Food Chem* 46, 1998, pp 2312-2318.
173. Zandi, P., and Gordon, M.H. Antioxidant activity of extracts from old tea leaves. *Food Chem* 64, 1999, pp 285-288.
174. Vargas-Arispuro, I, Sanz, B.I. Martinez-Tellez, M.A and Primo-Yufera, E. Actividad antioxidante de compuestos aislados del residuo no-volatil del aceite esencial de naranja. *Grasa y Aceites*, 49, 1998, pp 159-164.
175. Hosny, M and Rosazza, J.P.N. Novel isoflavone, cinnamic acid and triterpenoid glycosides in soybean molasses. *J Nat Prod* 62, 1999, pp 853-858.
176. Bertholet, R., Kusy, A, Rivier, V and Colarow, L. Antioixdant composition and process for the preparation thereof. US Patent US5714094. 1998.
177. Niwa, K., and Motoyama, S. Antioxidant composition of natural products and producing method thereof. US Patent US5009891. 1991.
178. Food and Agriculture Organisation FAOSTAT database collections, agricultural data, food and agriculture organizations of the United Nations. 2006. Available from: <http://faostat.fao.org>.
179. Kauer C and Kapoor C. Antioxidants in fruit and vegetables - the millennium's health. *Intern J Food Sci and Tech* 36, 2001, pp 703-725.

180. Kim, Y., Brecht, J.K. and Talcott, S.T. Antioxidant phytochemical and fruit quality changes in mango (*Mangifera indica* L.) following hot water immersion and controlled atmosphere storage. *Food Chem* 105, 2007, pp 1327-1334.
181. Franke, A., Custer, L.J., Arakaki, C. and Murphy, S.P. Vitamin C and flavonoid levels of fruits and vegetables consumed in Hawaii. *J Food Comp Anal* 17, 2004, pp 1-35.
182. Godoy, H.T. and Rodriguez Amaya, D.B. Carotenoid composition of commercial mangoes from Brazil. *Lebensmittel- Wissenschaft und-Technologie*, 22, 1989, pp 100-103.
183. Berardini, N., Carle, R., Schieber, A. Characterization of gallotannins and benzophenone derivatives from mango (*Mangifera indica* L. Cv. Tommy Atkins) peels, pulp and kernels by high-performance liquid chromatography / electrospray ionization mass spectrometry. *Rapid communications in Mass Spectrometry*, 18, 2004, pp 2208-2216.
184. Berardini, N., Fezer, R., Conrad, J., Beifuss, U., Carle, R. and Schieber, A. Screening of mango (*Mangifera indica* L.) cultivars for their contents of flavonol O - and xanthone C-glycosides, anthocyanins, and pectin. *J Agric Food Chem* 53, 2005a, pp 1563-1570.
185. Schieber, A., Ullrich, W. and Carle, R. Characterization of polyphenols in mango puree concentrate by HPLC with diode array and mass spectrometric detection. *Inno Food Sci and Emerging Technol* 1, 2000, pp 161-166.
186. Berardini, N., Kn"odler, M., Schieber, A. and Carle, R. Utilization of mango peels as a source of pectin and polyphenols, *Inn Food Sci Emerging Technol* 6, 2005b, pp 442-452.

187. Larrauri, J.A, Gone, I, Martin-Carron, N, Ruperez, P. and Saura- Calixto, F. Measurement of health-promoting properties in fruit dietary fibers: antioxidant capacity, fermentability and glucose retardation index. *J Sci Food and Agric* 71, 1996, pp 515-519.
188. Larrauri, J.A, Ruperez, P and Saura-Calixto, F. Mango peel fibers with antioxidant activity. *Z. Lebensm.-Unters -Forsch.* 205, 1997 b, pp 39-42.
189. Escarpa, A and Gonzalez, M.C, Approach to the content of total extractable phenolic compounds from different food samples by comparison of chromatographic and spectrophotometric methods. *Anal.Chim.Acta* 2001, 427, pp 119-127.
190. Ajila, C.M, Bhat, S.G, Prasada Rao, U.J.S. Valuable components of raw and ripe peels from two Indian mango varieties, *Food Chem* 102, 2007, pp 1006-1011.
191. Manach, C, Mazur, A and Scalbert, A. Polyphenols and prevention of cardiovascular diseases. *Curr Opin Lipodol* 16, 2005, pp 77-84.
192. Pannala, A.S, Chan, T.S, O'Brien, P.J and Rice Evans C.A. Flavonoid B-ring Chemistry and antioxidant activity. Fast reaction kinetics. *Biochem Biophys Res Commun* 282, 2001, pp 1161-1168.
193. Peng, G, Dixon, D.A, Muga, S.J, Smith, T.J and Wargovich, M. Green tea polyphenol (-)-epigallocatechin-3-gallate, inhibitory cyclooxygenase-2-expression in colon carcinogenesis. *Mol Carcin* 45, 2006, pp 309-319.
194. Kim, J.D, Liu, L, Guo, W and Meydani, M. Chemical structure of flavonols in relation to modulation of angiogenesis and immune endothelial cell adhesion. *J Nut Biochem* 17, 2006, pp 165-176.

195. Sanchez, G.M, Re, L, Giuliani, A, Nunez-Selles, A.J, Davison, G.P and Leon-Fernandez, O.S. Protective effects of *Mangifera indica* L. extract, mangiferin and selected TPA-induced biomolecules oxidation and peritoneal macrophage activation in mice. *Pharmacol.Res.*,42, 2000, pp 565-573.
196. Guha S, Ghosal, S and Chattopadhyay,U. Antitumor, immuno modulatory and anti- HIV effect of mangiferin, a naturally occurring glucosylxanthone. *Chemotherapy* 42, 1996, pp 443-451.
197. Balasundaram, N, Sundaram, K and Samman, S. Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence and potential uses. *Food Chem* 1999, 2005, pp 191-203.
198. Schiber, A, Berardini, N and Carle, R. Identification of flavonol and xanthol glycosides from mango peels by HPLC. *J Agric Food Chem* 51, 2003, pp 5006-5011.
199. Abdalla, A.E.M, S.M. Darwish, E.H.E. Ayad and R.M. El- Hamahmy. Egyptian mango by-product 1. Compositional quality of mango seed kernel. *J. Food Chem* 103 2006, pp 1134-1140.
200. Gil, M. I, Tomas-Barberan, F. A, Hess-Pierce, B, Holcroft, D. M and Kader, A. Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *J Agric Food Chem* 48, 2000, pp 4581–4589
201. Kvasenkov, O.I, Lomachinski, V.A and Goren' Kov, Eh. S. Method of producing beverages on juice base. Russian Patent 2129396C1, 1999.
202. Chidambaramurthy KN, Jayaprakasha GK, Singh RP. Antioxidant activity of pomegranate peel extracts *in vivo* models. *J Agric Food Chem* 50, 2002, pp 4791-4795.

203. Jassim, S.A.A. Antiviral or antifungal composition comprising an extract of pomegranate rind or other plants and method of use. U.S. Patent 5840308, 1998.
204. Braga, L.C, Shupp, J.W, Cummings, C, Jett, M; Takahashi, J.A, Carmo, L.S, Chartone-Souza, E, Nascimento, A. M. Pomegranate extract inhibits *Staphylococcus aureus* growth and subsequent enterotoxin production. J Ethnopharmacol 96, 2005, pp 335-339.
205. Zhang, J, Zhan, B, Yao, X and Song, J. Antiviral activity of tannin from the pericarp of *Punica granatum* L. against genital herpes virus *in vitro*. Zhongguo Zhongyao Zazhi 20, 1995, pp 556-558.
206. Abegunde, A. and F.D. Adu. Areca nut extract suppresses T-cell activation and interferon-gamma production via the induction of oxidative stress. Food Chem. Toxicol., 45: 2007, pp 1410-1418.
207. Ohsugi, M, Fan, W, Hase,K, Xiong Q, Tezuka, Y, and Komatsu, K. Active-oxygen scavenging activity of traditional nourishing tonic activity of herbal medicines and active constituents of *Rhodiolasacra*. J Ethnopharmacol 67, 1999, pp 111-119.
208. Reijiro, U, Toshiharu, M, Masaya, I, Yasuhiro, T and Akira, F, New 5-nucleotidase inhibitors NPF-861 A, NPF-861-B, NPF-86 A and NPF-86 B from *Areca catechu*. Part: Isolation and biological properties, Planta Medica, 54, 1988, pp 419-422.
209. Okuda, T. Yoshida, T. and Hatano. New methods of analyzing tannins. J Nat Products, 52, 1989, pp 1-31.
210. Lee S.E. Hwang, H.J., Ha, J.S. Jeong, H.S., and Kim, J.H. Screening of medicinal plant extracts for antioxidant activity Life Sciences, 73, 2003, pp 167-179.

211. Patel R.S and Rajorhia G.S. Antioxidative role of curry (*Murraya koenigi*) and Betel (*Piper betel*) leaves in ghee. J Food Sci Technol 16, 1979, pp 158-160.
212. Rao and Ramalakshmi. Antioxidant and radical scavenging carbozole alkaloids from the oleoresin of curry leaves (*Murrayya koenigi* Spreng) Food Chem 100, 2007, pp 742-747.
213. Arulselvan P, Senthilkumar GP, Sathish Kumar D and Subramanian S. Anti-diabetic effect of *Murraya koenigii* leaves on streptozotocin induced diabetic rats. Pharmazie 61(10), 2006, pp 874–877.
214. Arulselvan P and Subramanian SP. Beneficial effects of *Murraya koenigii* leaves on antioxidant defense system and ultra structural changes of pancreatic beta-cells in experimental diabetes in rats. Chem Biol Interact. 165 (2), 2007, pp 155–164.
215. Parker TD, Adams DA, Zhou K, Harris M, Yu L. Fatty acid composition and oxidative stability of cold-pressed edible seed oils. J Food Sci 68: 2003, pp 1240–1243.
216. Martin-Polvillo M, Marquez-Ruiz G, Dobarganes MC. Oxidative stability of sunflower oils differing in unsaturation degree during long-term storage at room temperature. J Am Oil Chem Soc 81, 2004, pp 577–583.
217. Jung MY, Yoon SH and Min DB. Effects of processing steps on the contents of minor compounds, and oxidation stability of soybean oil. J Am Oil Chem Soc 66, 1989, pp 118–120.
218. Eskin, N.A.M and Przybylski, R. Antioxidant and Shelf Life of Foods. In: Eskin, N.A.M. and Robinson, D.S. (Eds). Food Shelf Life Stability: Chemical, Biochemical and Microbiological Changes. Boca Raton, Fla: CRC Press. 2001, pp 175-209.

219. Suzuki, Y, Yasui, T. Matsukura, U and Terao, J. Oxidative stability of bran lipids from rice variety (*Oryza sativa* L) lacking lipoxigenase-3 in seeds, J Agric Food Chem 43, 1996, pp 3479-3483.
220. Naz, S, Sheikh, H, Siddiqi, R. and Sayeed S.A. Oxidative stability of olive, corn and soybean oil under different conditions. Food Chem 88, 2004, pp 253-259.
221. Abdalla, A.E, Tirzite, D, Tirzitis, G and Roozen, J.P. Antioxidant activity of 1, 4-dihydropyridine derivatives in  $\beta$ -carotene-methyl linoleate, sunflower oil and emulsions. Food Chem 66, 1999, pp 189-195.
222. Catsberg, C.M.E. and Kempen-Van Dommelen, G.J.M. Food Handbook. England: Ellis Horwood Limited. 1990, pp. 176-181.
223. McWilliams, M. Foods: Experimental Perspectives. 3<sup>rd</sup> Ed. New Jersey: Prentice-Hall, Inc. 1997, pp 273-290.
224. Madhavi, D.L., Deshpande, S.S. and Salunkhe, D.K. Food Antioxidants: Technological, Toxicological and Health perspectives. New York: Marcel Dekker, Inc. 1996, pp 2-7.
225. Stauffer, C.E. Fats and Oils, Minnesto, USA Eagan Press, 1996, pp 1-14.
226. Chu, Y. and Kung Y, A study on vegetable oil blends. Food Chem 62, 1998, pp 191-195.
227. Koelsch, C.M., Downes, T.W. and Labuza T.P. Hexanal formation via lipid oxidation as a function of oxygen concentration: Measurement and kinetics. J Food Sci 56, 1991, pp 816-819.

228. Tan, C.P, Che Man, Y.B. Selemat, J and Yusoff, M.S.A. Comparative studies of oxidative stability of edible oils by differential scanning Calorimetry and oxidative stability index methods. *Food Chem* 76, 2002, pp 385-389
229. Guillen, M.D and Cabo, N. Fourier transform infrared spectral data versus peroxide and anisidine values to determine oxidative stability of edible oils, *Food Chem* 77, 2002, pp 503-520.
230. Che, Y and Hsu, H. Effect of antioxidants on peanut oil stability. *Food Chem* 66, 1999, pp 29-34.
231. Rudnik, E, Szczucinska, A, Gwardiac, H, Szulk, A and Winiarska, A. Comparative studies of oxidative study of linseed oil. *Thermochimica Acta*, 370, 2001, pp 135-140.
232. Abou-Gharbia, H.A, Shehata, A. A.Y and Shahidi, F. Effect of processing on oxidative stability and lipid classes of sesame oil. *Food Res Intern* 33, 2000, pp 331-340.
233. Yusuf Ali Khan R, Lakshminarayana T, Azeemoddin G, Atchyuta Ramayya D and Thirumala Rao SD. Shelf life of sunflower oil and ground nut oil. *J Food Sci Technol* 16, 1979, p 90
234. Warner, K., Frankel, E.N. and Mounts, T.L. Flavour and oxidative stability of soybean, sunflower and low erucic acid rapeseed oils. *J Am Oil Chem Soc* 66, 1989, pp 558-564.
235. Yang, G.C, Quiang, W, Morehouse, K.M, Rosenthal, I, Ku, Y and Yurawecz, P. Determination of hydroperoxides in edible oils by electron spin resonance, thiobarbituric acid assay and liquid chromatography-chemiluminescence techniques, *J Agric Food Chem* 39, 1991, pp 896-898.



236. O'Brien, R.D. *Fats and Oils: Formulating and Processing for Applications*. 2<sup>nd</sup> Ed. London: CRC Press. 2004, pp 192-199.

### **Chapter- 3**

1. Julkunen-Tiitto, R. Phenolic constituents in the leaves of northern willows: methods for the analysis of certain phenolics. *J Agric Food Chem* 33, 1985, pp 213-217.
2. Houghton, P.J and Raman, A. *Laboratory Handbook for the fractionation of natural Extracts* 1<sup>st</sup> Ed. New York, NY: Chapman and Hall, 1998.
3. Diaz-Reinoso B, Moure A, Dominguez H and Parajo JC. Supercritical CO<sub>2</sub> extraction and purification of compounds with antioxidant activity. *J Agric Food Chem* 54, 2006, pp 2441-2469.
4. Raaman.N. *Phytochemical Techniques*, New India Publishing Agency, New Delhi, 2005, pp7-18.
5. Folin, O and Ciocalteu, V. Tyrosine and tryptophan determinations in proteins, *J Biol Chem* 73, 1927, pp 672-649.
6. Prior RL, Wu X, Schaich K. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *J Agric Food Chem* 53, 2005, pp 4290-4302.
7. Singleton, V.L and Rossi, J.A .Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *Am J Enol Vitic* 16, 1965, pp 144-158.
8. Cao. G.H, Alessio, H.M and Cutler, R.G. Oxygen-radical absorbency capacity assay for antioxidants. *Free Radical Biol Med* 14(3), 1993, pp 303-311.
9. Ghiselle, A, Serafii, M, Maiane, G, Azzini, E and Ferro-Luzzi, A.A fluorescence - based method for measuring total plasma antioxidant capacity. *Free Rad Biol Med* 18, 1995, pp 29-36.

10. Miller, N.J, Rice-Evans, C.A, Davies, M.J, Gopinath, V and Milner, A. A Novel method for measuring antioxidant capacity and its application to monitoring antioxidant status in premature neonates, Clin. Sci 84, 1993, pp 407-412.
11. Brand-Williams, W, Cuvelier, M.E and Berset, C. Use of a free radical method to evaluate antioxidant activity. Lebensm Wiss Technol 28, 1995, pp 25-30.
12. Re, R, Pellergrini, N, Proteggente, A, Pannala A, Yang, M and Rice-Evans, C. Antioxidant activity applying an improved ABTS radical cation decolorization assay. Free Rad Biol Med 26, 1999, pp 1231-1237.
13. Plumb, G.W. DE Pascual-Teresa, S.Santos-Buelga, C, Cheynier, V. and Williamson, G. Antioxidant properties of catechins and proanthocyanidins: effect of polymerization, galloylation and glycosylation. Free Rad Res 29, 1996, pp 351-358.
14. Hatano T, Kagawa H, Yasuhara T and Okudu T, Two new flavonoids and other constituents in licorice root; their relative astringency and radical scavenging effects. Chem Pharm Bull 36, 1988, pp 2090-2097.
15. Aruna Prakash, Antioxidant Activity, Medallion Laboratories Analytical Progress, Plymouth Ave North, Minneapolis, Minnesota 19(2), 2001 pp 763-767.
16. Sanchez- Marenco C, Review: Methods to evaluate the free radical scavenging activity in foods and biological systems. Food Sci Technol Intern Vol.8, 2002, pp 121-137.
17. Yildirim, A, Oktay, M and Bülaloğlu, V, The Antioxidant Activity of the Leaves of *Cydonia vulgaris*, Turk J Med Sci 31: 2001, pp 23-27.
18. Oyaizu, M. Studies on products of browning reaction: antioxidative activities of products of browning reaction prepared from glucosamine. Jap J Nut. 44, 1986, pp 307-315.
19. Blázovics A, Lugasi A, Szentmihályi K, Kéry A, Reducing power of the natural polyphenols of *Sempervivum tectorum* *in vitro* and *in vivo*+, Acta Biol Szeged 47, 2003, pp 99-102.
20. Kim J.S and Kim M.J, *In vitro* antioxidant activity of *Lespedeza cuneata* methanolic extracts, J Med Plants Res Vol. 4(8), 2010, pp. 674-679.

21. Antioxidant activities of roselle (*Hibiscus sabdariffa*) calyces and fruit extracts, Ramakrishna BV, Jayaprakasha GK, Jena BS, Singh RP, J Food Sci and Technol, 45(3), 2008, pp 223-227.
22. Backett, A.H. and Stenlacc, J.B., Practical Pharmaceutical chemistry 4<sup>th</sup> Ed, CBS publishers and distributors, 1997. pp 162 – 164 and 275 - 305.
23. Sharma, B.K., Instrumental methods of chemical analysis 18<sup>th</sup> Ed Krishna Prakasham Media Pvt. Ltd., Meerut 1999. pp S10 - S30.
24. Gurudeep Chatwal, Sham Anand, Instrumental methods of chemicals analysis. 5<sup>th</sup> Ed. Himalaya publishing house, New Delhi, 2002. p567.
25. Connors, K.A., A text book of pharmaceutical analysis. 3<sup>rd</sup> Ed Wiley – Interscience publication, New York, 1982. pp 638 – 639.
26. Avinash Upadhyay, Kakoli Upadhyay and Nirmalendu Nath, Biophysical Chemistry, Principles and techniques, Himalaya Publishing House, Hyderabad, Geetanjali Press 2007, pp 344-421.
27. Skoog, Donald West. Principles of Instrumental Analysis. 6th Ed. Thomson Brooks/Cole. 2007, pp 169-173.
28. Tan, C.P, Che Man, Y.B. Selemat, J and Yusoff, M.S.A., Comparative studies of oxidative stability of edible oils by differential scanning Calorimetry and oxidative stability index methods. Food Chem 76, 2002, pp 385-389.
29. Guillen, M.D and Cabo, N. Fourier transform infrared spectral data versus peroxide and anisidine values to determine oxidative stability of edible oils. Food Chem 77, 2002, pp 503-520
30. Che, Y and Hsu, H. Effect of antioxidants on peanut oil stability. Food Chem 66, 1999, pp 29-34.
31. Rudnik, E, Szczucinska, A, Gwardiac, H, Szulk, A and Winiarska, A. Comparative studies of oxidative study of linseed oil. Thermochemica Acta, 37, 2001, pp 135-140.
32. Abou- Gharbia, H.A, Shehata, A.A.Y and Shahidi, F. Effect of processing on oxidative stability and lipid classes of sesame oil. Food Res Intern 33, 2000, pp 331-340.

33. Abdalla, A.E and Roozen, J.P. Effect of plant extracts on the oxidative stability of sunflower oil and emulsion. *Food Chem* 64, 1999, pp 323-329.
34. O'Brien, R.D., *Fats and Oils: Formulating and Processing for Applications*. 2<sup>nd</sup> Ed. London: CRC Press. 2004, pp 192-199.
35. Rossell, J.B. Classical Analysis of oils and fats. In: Hamilton, R.J and Rossell, J.B. (Eds). *Analysis of oils and fats*. England: Elsevier Applied Science, 1986, pp 1-32.
36. Codex Alimentarius Commission. Codex standard for named vegetable oils. *Codex Alimentarius* 8, 2001, pp 11-25.
37. Joaquin Velasco, Mogens L.Andersen, Leif H.Skibsted. Evaluation of oxidative stability of vegetable oils by monitoring the tendency to radical formation. A comparison of electron spin resonance spectroscopy with the Rancimat method and differential scanning Calorimetry. *Food Chem* 85, 2004, pp 623-632.
38. Study of the Rancimat Test Method in Measuring the Oxidation Stability of Biodiesel Ester and Blends NRC project.

#### **Chapter- 4**

1. Yen Gow-Chin and Pin-Der Duh. Antioxidant activity of methanolic extracts of peanut hulls from various cultivars. *J Am Oil Chem Soc* 72(9) 1995, pp 1065-1067.
2. Jara Perez-Jimenez, Fulgencio Saura-Calixto. Effect of solvent and certain food constituents on different antioxidant capacity assays. *Food Res Intern* 39, 2006, pp 791-800.
3. Ock-Sook Yi, Anne S.Meyer, and Edwin N. Frankel. Antioxidant Activity of Grape Extracts in a Lecithin Liposome System, *J Am Oil Chem Soc* 74(10), 1997, pp 1301-1307.

4. Singleton, V.L. and J.A. Rossi, Jr. Colorimetry of Total phenolics with phosphomolybdicphosphotungstic acid reagents Am. J. Enol. Vitic. 16, 1965, pp 144-158.
5. Von Gadow, A, E. Joubert and C.F. Hansmann. Comparison of Antioxidant activity of aspalathin with that of other plant phenols of Rooibosed tea (*Aspalathin linearis*),  $\alpha$ -tocopherol, BHT and BHA, J Agric Food Chem 45, 1997, pp 632- 638.
6. Yen GC and Duh PD. Scavenging Effect of Methanolic Extracts of Peanut Hulls on Free Radical and Active- Oxygen Species. J Agric Food Chem 42, 1994, pp 629-632.
7. Katalinic, V. Milos M, Kulisic T and Jukic M. Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. Food Chem 94, 2006, pp 550-557.
8. Oyaizu M. Studies on products of the browning reaction. Antioxidative activities of products of browning reaction prepared from glucosamine. Jap J Nutr 44, 1986, pp 307-315.
9. Ching-Hui Chang and Yung-Chuan Liu. Evaluation of antioxidative performance of tomato extracts obtained by different methods. J Sci Food Agric 88(4), 2008, pp 612-618.
10. Osawa Toshihiko and Namiki Mitsuo. A Novel Type of Antioxidant Isolated from Leaf Wax of Eucalyptus leaves. Agric. Biol. Chem 45 (3), 1981, pp 735-739.
11. Zia-ur-Rehman, AM Salariya and Farzana Habib. Antioxidant activity of ginger extract in sunflower oil. J Sci Food Agric 83, 2003, pp 624-629.
12. Taga M. Silvia, E.E. Miller and D.E. Pratt. Chia seeds as a source of Natural Antioxidants. J Am Oil Chem Soc 61(5), 1984. pp 928-931.

13. Ranganna S. Handbook of Analysis and Quality Control for Fruit and Vegetable Products, Tata McGraw-Hill Publishing Company Limited, 2<sup>nd</sup> Ed. New Delhi, pp 66-82.
14. Avinash Upadhyay, Kakoli Upadhyay and Nirmalendu Nath. Biophysical Chemistry, Principles and Techniques, Himalaya Publishing House, Hyderabad, 2007, pp.344-421.
15. Mi-Jung Kim, Jong- Nae Hyun, Jin-Ae Kim, Jong-Chul Park, Min-Young Kim, Jung-Gon Kim, Sun-Joo Lee, Se-Chul Chun and Ill-Min Chung. Relationship between Phenolic Compounds, Anthocyanins Content and Antioxidant Activity in Colored Barley Germplasm. J Agric Food Chem. 55, 2007, pp 4802-4809.
16. Ribeiro, S.M.R. Barbosa L.C.A, Queiroz J.H, Knodler, M. Schieber. A.Phenolic compounds and antioxidant capacity of Brazilian mango (*Mangifera indica* L.) varieties. Food Chem 110, 2008, pp 620-626.
17. Gamez-Meza N, J.A. Noriega-Rodriguez, I.A. Medina- Juarez, J. Ortega-Garcia R. Cazarez- Casanova and Angulo-Guerrero. Antioxidant activity in Soybean oil of Extracts from Thompson Grape Bagasse, J Am Oil Chem Soc 76 (12), 1999, pp 1445-1447.
18. Onyeneho Sylvester N. and Navam S. Hettiarachchy. Effect of Navy Bean Hull Extract on the Oxidative Stability of Soy and Sunflower Oils. J Agric Food Chem 39 (10), 1991, pp 1701-1704.
19. Reza Farhoosh. The effect of operational parameters of the Rancimat Method on the determination of the oxidative stability measures and shelf-Life Prediction of soybean oil. J Am Oil Chem Soc 84, 2007, pp 205-209.
20. A.O.C.S. Official Methods and recommended practices of the American Oil Chemists' Society 1998, 5<sup>th</sup> Ed. A O C S press. Champaign, Cd 8-53.

21. Duncan BB. Multiple range and multiple *f* test. Biometrics 11, 1955 pp 1-5.

## **Chapter – 5**

1. Gow-Chin Yen and Pin-Der Duh. Antioxidant activity of methanolic extracts of peanut hulls from various cultivars. J Am Oil Chem Soc 72, 1995, pp 1065-1067.
2. Wen-Jye Yen, Bor-Sen Wang, Lee-Wen Chang and Pin-Der Duh. Antioxidant Properties of Roasted Coffee Residues J Agric Food Chem 53 (7), 2005, pp 2658 - 2663.
3. RP Singh, KN Chidambara Murthy and GK Jayaprakaha. Studies on the antioxidant activity of pomegranate (*Punica granatum*) peel and seed extracts using in vitro models. J Agric Food Chem, 5, 2002, pp 81-86.
4. Nagendra Prasad K, Soundar Divakar, Gyarahally R Shivamurthy and Somaradhya Mallikarjuna Aradhya. [Isolation of a free radical-scavenging antioxidant from water spinach \(\*Ipomoea aquatica\* Forsk\).](#) J Sci Food Agric 85, 2005, pp 1461–1468.
5. Strack D. Phenolic metabolism. In P.M. Dey and J.B. Harborne (Eds.) Plant biochemistry, London: Academic Press; 1997 pp 35-60.
6. Jacqueline C. Barreto, Maria T.S. Trevisan, William E.Hull, Gerhard Erben, Edy S.DE Brito, Beate Pfudstein, Gerd Wurtele, Bertold Spiegelhalder and Robert W. Owen. Characterization and quantification of polyphenolic compounds in bark, kernel, leaves and peel of Mango (*Mangifera indica* L). J Agric Food Chem 56, 2008, pp 5599-5610.
7. Pin-Der Duh; Gow-Chin Yen. Antioxidative activity of three herbal water extracts. [Food Chem](#) 60, 1997, pp 639-645.
8. Yunfeng Li, Changjiang Guo, Jijun Yang, Jingyu Wei, JING XU, Shuang Cheng. Evaluation of antioxidant properties of pomegranate peel extract in comparison with pomegranate pulp extract. Food Chem 96, 2006, pp 254-260.
9. Negi S. and Jaya Prakasha. G.K. Antioxidant and antibacterial activities of *Punica granatum* Peel extracts. J Food Sci 68(4), 2003, pp 1473-1477.

10. Shimada, K, K. Fujikawa, K. Tahara and T. Nakamura. Antioxidative Properties of Xanthan on the Autoxidation of Soybean Oil in Cyclodextrin Emulsion. *J Agric Food Chem* 40, 1992, pp 945-948.
11. Bors, W, Werner, H., Michel, C and Saran, M. Flavonoids as antioxidants: determination of radical scavenging efficiencies. *Methods Enzymol.* 1990,186, pp 343-355.
12. Chung, Y.C., Chang C.T., Chao W.W; Lin, C.F, Chou ST. Antioxidative activity and safety of the 50% ethanolic extract from red bean fermented by *Bacillus subtilis* IMR-NK1. *J Agric Food Chem* 50, 2002, pp 2454-2458.
13. Chen Y and Ahn D.U. Antioxidant activity of six natural phenolics against lipid oxidation induced by Fe<sup>2+</sup> or U.V. light. *J Am Oil Chem Soc* 75, 1998, pp 1717-1721.
14. Tanaka M, Kuie CW, Nagashima Y and Taguchi T. Application of antioxidative maillard reaction products from histidine and glucose to sardine products. *Nippon Suisan Gakkaishi* 54, 1988, pp 1409-1414.
15. Jaya Prakash GK, Singh RP and Sakariah KK. Antioxidant activity of grape seed *Vitis vinifera* extracts on peroxidation models *in vitro*. *Food Chem* 73: 2001, pp 285-290
16. Lai LS, Chou ST ad Chao W.W. Studies on the antioxidative activities of Hsian-tsau (*Mesona procumbans* Hesml) leaf gum. *J Agric Food Chem* 49. 2001, pp 963-968.
17. Wanasundara UN and Shahidi F. Stabilization of canola oil with flavonoids. *Food Chem* 50, 1994, pp 393-396.
18. Larrauri, J.A, Ruperez, P and Saura-Calixto, F. Mango peels with high antioxidant activity. *Zeitschrift fur Lebensmittel- Untersucung und-Forschung*, 205, 1997b, pp 39-42.
19. Mitsudu H.K. Yasumotos and K. Iwami. Antioxidation action of lin.acid. *Eiyoto Shokuryo*, 19, 1996, pp 210- 214.
20. Becker, E.M., Nissen L.R and Skibsted L.H; Antioxidant evaluation protocols: food quality or health effects. *Euro Food Res Tech* 21(9), 2004, pp 561-571.



21. Gouki Maeda, Kensaku Takara, Koji Wada, Tomoyuki Oki, Mami Masuda, Toshio Ichiba, Yoshihiro Chuda, Hiroshi Ono and Ikuo Suda. Evaluation of Antioxidant activity of Vegetables from Okinawa Prefecture and Determination of Some Antioxidative Compounds. *Food Sci. Tech. Res.* 12(1), 2006, pp 8-14.
22. Ramakrishna BV, Jayaprakasha GK, Jena BS, Singh RP. Antioxidant activities of Roselle (*Hibiscus sabdariffa*) calyces and fruit extracts. *J Food Sci Tech*, 45 (3), 2008, pp 223-227.
23. Reiko Nakayama, Yoshiyuki Tamura, Hiroe and Nobuji Nakatani. Antioxidant effect of the constituents of Susabinori (*Porphyra yezoensis*). *J Am Oil Chem Soc* 76(5), 1999, pp 649-653.
24. Schiber, A, Berardini, N and Carle, R. Identification of flavonol and xanthol glycosides from mango peels by HPLC. *J Agric Food Chem* 51, 2003, pp 5006-5011.
25. Monika Bajpai, Alka Mishra and Dhan Prakash. Antioxidant and free radical scavenging activities of some leafy vegetables. *Intern Jnl of Food Sci Nut* 56(7), 2005, pp 473-481.
26. Lansky, E.P, Harrison, G, Froom, P and Jiang, W.G. Pomegranate (*Punica granatum*) pure chemicals show possible synergistic inhibition of human PC-3 prostate cancer cell invasion across Matrigel, *Investigational New Drugs*. Erratum in: *Investigational New Drugs* 23, 2005, pp 121-122.
27. Ribeiro, S.M.R, Barbosa, L.C.A, Queiroz, J.H.M. Knodler and Schieber, A. Phenolic compounds and antioxidant capacity of Brazilian mango (*Mangifera indica* L.) varieties. *Food Chem* 110, 2008, pp 620-626.
28. Purvankara, D, Boghra, V and Sharma R.S. Effect of antioxidant principles isolated from mango (*Mangifera indica* L.) seed kernels on oxidative stability of buffalo ghee(butter-fat). *J Sci Food Agric* 80, 2000, pp 522-526.
29. Patel R.S and Rajorhia G.S. Antioxidative role of curry (*Murraya koenigi*) and Betel (*Piper betel*) leaves in ghee. *J Food Sci Technol.* vol.16; 1979, pp 158-160.

30. Oomah BD, Anaberta Cardor, Martinez and Guadalupe Loarco-Pina. Phenolics and antioxidative activities in common beans (*Phaseolus vulgaris* L). J Sci Food Agric. 85, 2005, pp 935-942.
31. Pin-Der Duh and Gow-Chin Yen. Antioxidant Efficacy of methanolic extracts of peanut hulls in Soybean and Peanut oils. J Am Oil Chem Soc 74(6) 1997, pp 745-748.
32. Revankar GD and Sen DP. Antioxidant effect of betel leaf and its extracts on storing of fish oil. J Oil Tech Assoc Ind 10(4), 1978, pp 156-157.
33. M.M. Chakrabarty, S. Mukherjee, U.B. Bagchi, Sk.A. Hoque and D. Sen. Studies on the Antioxidant activity of oil extracts of curry leaf in oil. J Oil Tech Assoc Ind 37(1) 2005, pp7-9