

LIST OF TABLES

Tab. No.	Particulars	Page No.
5.3.3.1	FTC (absorbance) of different mango peel extracts in comparison with BHA and BHT	155
5.3.3.2	FTC (absorbance) of PPE in comparison with BHA and BHT	156
5.3.3.3	FTC (absorbance) of Mango kernel extracts in comparison with BHA and BHT	156
5.3.3.4	FTC (absorbance) of AE in comparison with BHT and BHA	157
5.3.3.5	FTC (absorbance) activity of different leaf extracts in comparison with BHA and BHT	158
5.3.4.1	β -carotene bleaching capacity of different mango peel extracts in comparison with BHA and BHT	159
5.3.4.2	β - carotene bleaching activity of PPE in comparison with BHA and BHT	160
5.3.4.3	β -carotene bleaching activity of mango kernel extracts in comparison with BHA and BHT	161
5.3.4.4	β -carotene bleaching capacity of AE in comparison with BHT and BHA	161
5.3.4.5	β -carotene bleaching activity of different leaf extracts in comparison with BHA and BHT	162
5.4.2.1.1	Quantification of phenolic compounds in mango peel extracts	168
5.4.2.2.1	Quantification of phenolic compounds in PPE	168
5.4.2.3.1	Quantification of phenolic compounds in mango kernel extracts	174
5.4.2.4.1	Quantification of phenolic compounds in AE	175
5.4.2.5.1	Quantification of phenolic compounds in leaf extracts	179
5.5.1.1.1	IP of RBD SFO with different mango peel extracts in comparison with BHT	193
5.5.1.2.1	IP of RBD SFO with PPE in comparison with BHT	196
5.5.1.4.1	IP of RBD SFO with AE in comparison with BHT	201
5.5.1.5.1	IP of RBD SFO with different leaf extracts in comparison with BHT	203
5.5.2.1.1	IP of RBD SBO with different mango peel extracts in comparison with BHT	206
5.5.2.2.1	IP of RBD SBO with PPE in comparison with BHT	210
5.5.2.3.1	IP of RBD SBO with mango kernel extracts	212
5.5.2.4.1	IP of RBD SBO with AE in comparison with BHT	213
5.5.2.5.1	IP of RBD SBO with different leaf extracts in comparison with BHT	216

LIST OF FIGURES

Fig. No.	Particulars	Page No.
2.1	Free Radical Molecule	26
3.3.1	2, 2-diphenyl-2-picrylhydrazyl	96
5.1.1	Extraction efficiency (%) of different solvents with mango peels	138
5.1.2	Extraction efficiency (%) of different solvents with PP	139
5.1.3	Extraction efficiency (%) of different solvents with mango kernels	140
5.1.4	Extraction efficiency (%) of different solvents with areca nut	141
5.1.5	Extraction efficiency (%) of different solvents with different leaves	141
5.2.1	TPC (mg GAE/gm) of different solvents with different mango peels	142
5.2.2	TPC (mg GAE/gm) of PPE of different solvents	143
5.2.3	TPC (mg GAE/gm) of different mango kernel extracts	144
5.2.4	TPC (mg GAE/gm) of different solvents with areca nut	145
5.2.5	TPC (mg GAE/gm) of different solvents with different leaves	145
5.3.1.1	DPPH activity (%) of different mango peel extracts in comparison with BHA and BHT	147
5.3.1.2	DPPH activity (%) of PPE in comparison with BHA and BHT	147
5.3.1.3	DPPH activity (%) of mango kernel extracts in comparison with BHA and BHT	148
5.3.1.4	DPPH activity (%) of AE extract in comparison with BHT and BHA	149
5.3.1.5	DPPH activity (%) of different leaf extracts in comparison with BHA and BHT	150
5.3.2.1	RRP (%) of different mango peel extracts in comparison with BHA and BHT	151
5.3.2.2	RRP (%) of PPE in comparison with BHA and BHT	152
5.3.2.3	RRP (%) of Mango kernel extracts in comparison with BHA and BHT	153
5.3.2.4	RRP (%) of AE in comparison with BHT and BHA	154
5.3.2.5	RRP (%) of different leaf extracts in comparison with BHA and BHT	154
5.4.2.1.1	Chromatogram of phenolic compounds present in BPE	164
5.4.2.1.2	Chromatogram of phenolic compounds present in MPE	165

Fig. No.	Particulars	Page No.
5.4.2.1.3	Chromatogram of phenolic compounds present in TPE	166
5.4.2.1.4	Chromatogram of phenolic compounds present in NPE	167
5.4.2.2.1	Chromatogram of phenolic compounds present in PPE	169
5.4.2.3.1	Chromatogram of phenolic compounds present in BKE	170
5.4.2.3.2	Chromatogram of phenolic compounds present in MKE	171
5.4.2.3.3	Chromatogram of phenolic compounds present in TKE	172
5.4.2.3.4	Chromatogram of phenolic compounds present in NKE	173
5.4.2.4.1	Chromatogram of phenolic compounds present in AE	175
5.4.2.5.1	Chromatogram of phenolic compounds present in BLE	176
5.4.2.5.2	Chromatogram of phenolic compounds present in CLE	177
5.4.2.5.3	Chromatogram of phenolic compounds present in GLE	178
5.4.3.1.1	Spectra of BPE in negative mode	180
5.4.3.1.2	Spectra of MPE in negative mode	181
5.4.3.1.3	Spectra of TPE in negative mode	181
5.4.3.1.4	Spectra of NPE in negative mode	182
5.4.3.2.1	Spectra of PPE in negative mode	183
5.4.3.3.1	Spectra of BKE in negative mode	184
5.4.3.3.2	Spectra of MKE in negative mode	185
5.4.3.3.3	Spectra of TKE in negative mode	186
5.4.3.3.4	Spectra of NKE in negative mode	187
5.4.3.4.1	Spectra of AE in negative mode	188
5.4.3.5.1	Spectra of BLE in negative mode	189
5.4.3.5.2	Spectra of CLE in negative mode	190
5.4.3.5.3	Spectra of GLE in negative mode	191
5.5.1.1.1	PV of RBD SFO with different mango peel extracts in comparison with BHT	193
5.5.1.1.2	IPs of RBD SFO with mango peel extracts, BHT and control at 130°C	194
5.5.1.2.1	PV of RBD SFO with PPE in comparison with BHT	195
5.5.1.2.2	IPs of RBD SFO with PPE, BHT and control at 130°C	196-197
5.5.1.3.1	PV of RBD SFO with mango kernel extracts in comparison with BHT	198
5.5.1.3.2	IP of RBD SFO with different kernel extracts in comparison with BHT	198

Fig. No.	Particulars	Page No.
5.5.1.3.3	IP of RBD SFO with mango kernel extracts, BHT and control at 130 ⁰ C	199
5.5.1.4.1	PV of RBD SFO with AE in comparison with BHT	200
5.5.1.4.2	IP of RBD SFO with AE, BHT and control at 130 ⁰ C	201-202
5.5.1.5.1	PV of RBD SFO with different leaf extracts in comparison with BHT	203
5.5.1.5.2	IP of RBD SFO with leaf extracts, BHT and control at 130 ⁰ C	204
5.5.2.1.1	PV of RBD SBO with different mango peel extracts in comparison with BHT	205
5.5.2.1.2	IPs of RBD SBO with different mango peel extracts, BHT and control at 130 ⁰ C	207
5.5.2.2.1	PV of RBD SBO with PPE in comparison with BHT	208
5.5.2.2.2	IP of RBD SBO with PPE	209
5.5.2.3.1	PV of RBD SBO with mango kernel extracts in comparison with BHT	210
5.5.2.3.2	IPs of RBD SBO with kernel extracts, BHT and control at 130 ⁰ C	211
5.5.2.4.1	PV of RBD SBO with AE in comparison with BHT	212
5.5.2.4.2	IP of RBD SBO with AE, BHT and control at 130 ⁰ C	213-214
5.5.2.5.1	PV of RBD SBO with leaf extracts in comparison with BHT	214
5.5.2.5.2	IPs of RBD SBO with leaf extracts, BHT and control at 130 ⁰ C	215

ABBREVIATIONS USED

BP	: <i>Baneesha</i> Peel
MP	: <i>Malgoa</i> Peel
TP	: <i>Totapuri</i> Peel
NP	: <i>Neelam</i> Peel
PP	: Pomegranate Peel
BPE	: <i>Baneesha</i> Peel Extract
MPE	: <i>Malgoa</i> Peel Extract
TPE	: <i>Totapuri</i> Peel Extract
NPE	: <i>Neelam</i> Peel Extract
PPE	: Pomegranate Peel Extract
BK	: <i>Baneesha</i> Kernel
MK	: <i>Malgoa</i> kernel
TK	: <i>Totapuri</i> Kernel
NK	: <i>Neelam</i> Kernel
BKE	: <i>Baneesha</i> Kernel Extract
MKE	: <i>Malgoa</i> Kernel Extract
TKE	: <i>Totapuri</i> Kernel Extract
NKE	: <i>Neelam</i> Kernel Extract
AE	: Areca nut extract
BL	: Betel Leaf
CL	: Curry Leaf
GL	: Guava Leaf
BLE	: Betel Leaf Extract
CLE	: Curry Leaf Extract
GLE	: Guava Leaf Extract
BHT	: Butylated Hydroxy Toulene
BHA	: Butylated Hydroxy Anisole
TBHQ	: Tertiary Butyl Hydro Quinone
PG	: Propyl Gallate
TPC	: Total Phenolic Content
GAE	: Gallic Acid Equivalent
FCR	: Follin Ciocalteau Reagent
AA	: Antioxidant Activity
DPPH	: 2,2-diphenyl-1-picrylhydrazyl
RSA	: Radical Scavenging Activity
RRP	: Relative Reducing Power
FTC	: Ferric Thiocyanate

HPLC	:	High Performance Liquid Chromatography
LCMS	:	Liquid Chromatography Mass Spectrometer
IP	:	Induction Period
PV	:	Peroxide Value
PUFA	:	Poly Unsaturated Fatty Acids
RBD SFO	:	Refined Bleached Deodourised Sunflower Oil
RBD SBO	:	Refined Bleached Deodourised Soybean Oil
AOM	:	Active Oxygen Method
OSI	:	Oxidative Stability Index
DMR	:	Duncan Multiple Range
SET	:	Single Electron Transfer
HAT	:	Hydrogen Atom Transfer