

BIBLIOGRAPHY

Addoor S. N. R (1992) A small collection of amphibians from Agumbe, Karnataka, *Cobra* 9: 11-12

Addoor S. N. R (1998) Community ecology and conservation of amphibians in the tropical rain forests of Karnataka, India. A report submitted to the Wildlife Conservation Society, India. Centre for Wildlife Studies, Bangalore

Addoor S. N. R (2001) The herpetofauna of Kudremukh National Park, Western Ghats, Karnataka, India. Study report for CES, IISc, Bangalore as a part of the EIA report submitted to Karnataka Forest Department, Bangalore, 1-16

Andrews, M. I, George, S and Joseph, J (2005) Amphibian fauna of Kerala: community structure. *Zoos' Print Journal* 20(6): 1889-1895

Barinaga, M (1990) Where have all the froggies gone? *Science* 247: 1033-1034
Beebee, T. J. C (1996) *Ecology and conservation of amphibians*. Chapman and Hall

Bhat, K. G (2003) *Flora of Udupi, Indian Naturalist, Udupi*, pp: 913

Bhatta, G and Prashanth, P (2004) *Gegeneophis nadkarnii* – a caecilian (Amphibia: Gymnophiona: Caeciliidae) from Bondla Wildlife Sanctuary, Western Ghats. *Current Science* 87(3): 388-392

Bhatta, G. K (1997) Caecilian diversity of the Western Ghats: in search of the rare animals. *Current Science* 73(2):183-187

Bhatta, G. K and Srinivasa, R (2004) A new species of *Gegeneophis peters* (Amphibia:Gymnophiona:Caeciliidae) from the surroundings of Mookambika Wildlife Sanctuary, Karnataka, India. *Zootaxa* 644: 1-8

Biju, S. D (2001) A synopsis of frog fauna of Western Ghats of India. *Indian Soc. Conserv. Biol. Occas. Publ.* 1: 1-24

Biju, S. D (2003) Reproductive mode in the shrub frog *Philautus glandulosus* (Jerdon, 1853) (Anura: Rhacophoridae). *Current Science* 84(3): 283-284

Biju, S. D and Bossuyt, F (2003) New frog family from India reveals an ancient biogeographical link with the Seychelles. *Nature* 425: 711-714

Biju, S. D and Bossuyt, F (2005) A new species of frog (Ranidae, Rhacophorinae, *Philautus*) from the rainforest canopy in the Western Ghats of India. *Current Science* 88(1): 175-178

Biju, S. D and Bossuyt, F (2005) New species of *Philautus* (Anura: Ranidae,

Rhacophorinae) from Ponmudi Hill in the Western Ghats of India. *J. of Herpetology* 39(3): 349-353

Biju, S. D and Bossuyt, F (2005) Two new *Philautus* (Anura: Ranidae, Rhacophorinae) from Ponmudi Hill in the Western Ghats of India. *Copeia* 1:29-37

Blaustein, A. R and Wake, D. B (1990) Declining amphibian populations: a global phenomenon? *TREE* 5: 203-204

Blaustein, A. R and Wake, D. B (1995) The puzzle of declining amphibian populations. *Scientific American* 4: 56-61

Blaustein, A. R, Wake, D. B and Sousa, W (1994) Amphibian declines: Judging stability, persistence and susceptibility of local populations to local and global extinctions. *Conservation Biology* 8(1): 60-71

Bossuyt, F (2002) A new species of *Philautus* (Anura: Ranidae) from the Western Ghats of India. *J. of Herpetology* 36(4): 656-661

Boulenger, G. A (1882a) Catalogue of the Batrachia Gradientias. Caudata Batrachia Apoda in the collection of the British Museum. British Museum publications, London. Viii + 127pp

Boulenger, G. A (1882b) Catalogue of the Batrachia Salientias. Caudata in the collection of the British Museum, Trustees of the British Museum, London. 2nd ed., xvi + 503pp

Boulenger, G. A (1890) The fauna of British India, including Ceylon and Burma. Reptilia and Batrachia. Taylor and Francis: I-xviii+1-541

Burton, T. M and Likens, G. E (1975) Salamander populations and biomass in the Hubbard Brook Experimental Forest, New Hampshire. *Copeia* 541-546

Bustamante, M. R, Ron, S. R and Coloma, L. A (2005) Cambios en la Diversidad en Siete Comunidades de Anuros en los Andes de Ecuador. *Biotropica* 37(2): 180-189

Campbell, H. W and Christman, S. P (1982) Field techniques for herpetofaunal community analysis. In: *Herpetological communities* (ed) Norman J. Scott., Jr., Washington DC, US Fish and Wildlife Service. 193-200

Champion, H. G and Seth, S. K (1968) *A revised survey of the forest types of India*, New Delhi, Forest Research Institute

Chanda, S. K (2002) *Handbook-Indian Amphibians*, Zoological Survey of India, Calcutta

Corn, P. S (1994) "What We Know and Don't Know about Amphibian Declines in the West". In *Sustainable Ecological Systems: Implementing an Ecological Approach to Land Management*, edited by Covington, W. W and DeBano, L. F, 59-67. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range experiment Station, General Technical Report RM-247

Corn, P. S, Jennings, M. L and Muths, E (1997) Survey and assessment of amphibian population in Rocky Mountain National Park. *Northwestern Naturalist* 78: 34-55

Daniel, J. C (1962) Notes on some amphibians of the Darjeeling area, West Bengal. *J. Bombay Nat. Hist. Soc.* 59: 666-668

Daniel, J. C (1963a&b) Field guide to the amphibians of western India, part 1 and 2. *J. Bombay Nat. Hist. Soc.* 60: 415-438, 690-702

Daniel, J. C (1975) Field guide to the amphibians of western India, part 3. *J. Bombay Nat. Hist. Soc.* 72: 506-522

Daniel, J. C (2002) *The book of Indian reptiles and amphibians*. Bombay Natural History Society, Mumbai

Daniel, J. C and Sekar, A. G (1989) Field guide to the amphibians of Western India, part 4. *J. Bombay Nat. Hist. Soc.* 86: 194-202

Daniels, R J R (1990) Habitat and microhabitat preference of some tropical frogs and toads. *Vijnana Parichaya* (June-August): 8-10

Daniels, R J R, Joshi, N V and Gadgil, M (1992) On the relationship between bird and woody plant species diversity in the Uttara Kannada district of South India. *Proceedings of the National Academy of Sciences (USA)* 89: 5311-5315

Daniels, R. J. R (1991a) The problem of conserving amphibians in the Western Ghats, India. *Current Science* 60(11): 630-632

Daniels, R. J. R (1991b) The amphibian fauna of Karnataka: what does it suggest? In: Karnataka State of the Environment Report 5 (ed.) C. J. Saldanha, Bangalore

Daniels, R. J. R (1992) Geographical distribution patterns of amphibians in the Western Ghats, India. *J. Biogeography* 19: 521-529

Daniels, R. J. R (1994) Methodology for inventorying amphibians and reptiles, *Cobra* 15: 3-9

Daniels, R. J. R (1995) Habitat selection in Western Ghats amphibians – Anura: Implications for species conservation. *Cobra* 20: 7-16

Daniels, R. J. R (1997a) *A Field Guide to the Birds of Southwestern India*, New Delhi: Oxford University Press

Daniels, R. J. R (1997c) A field guide to the frogs and toads of the Western Ghats, India. *Cobra* vol. 27-29

Daniels, R. J. R (2000) Reptiles and amphibians of Karnataka. *Cobra* 42: 1-11

Daniels, R. J. R (2001) National Biodiversity Strategy and Action Plan – WG Ecoregion, Report Submitted to the Ministry of Environment and Forests, Government of India

Daniels, R. J. R (2003a) Biodiversity of the Western Ghats: An overview. *ENVIS Conservation of Rainforest in India*. 4(1): 25-40

Daniels, R. J. R (2003b) Impact of tea cultivation on anuran in the Western Ghats. *Current Science* 85(10): 1415-1422

Daniels, R. J. R (2005) *Amphibians of Peninsular India*, Universities Press (India) Pvt. Ltd. Hyderabad. 1-268

Das, I (1996) Resource use and foraging tactics in a south Indian amphibian community. *J. South Asian Nat. Hist.* 2(1): 1-30

Das, I and Dutta, S. K (1998) Checklist of amphibians of India, with English common names. *Hamadryad* 23 (1): 63-68

Das, I and Kunte, K (2005) New species of *Nyctibatrachus* (Anura: Ranidae) from Castle rock, Karnataka state, Southwest India. *J. of Herpetology* 39(3): 465-470

Das, I and Ravichandran, M. S (1998) A new species of *Polypedates* (Anura: Rhacophoridae) from the Western Ghats, India, allied to Sri Lanka *P. cruciger* Blyth, 1852. *Hamdryad* 22(2): 88-94

Dasgupta, B (1996) Habitat and biology of the Himalayan newt, *Tylototriton verrucosus* Anderson. *Zoo's print* 11(8): 45-46

Dash, M. C and Mahanta, J. K (1993) Quantitative analysis of the community structure of tropical amphibian assemblages and its significance to conservation. *J. Biosci.* 18(1): 121-139

- Demaynadier, P. G and Hunter, M. L (1998) Effects of silvicultural edges on the distribution and abundance of amphibians in Maine. *Conservation Biology* 12(2): 340-352
- Deuti, K and Bharati Goswami, B. C (1995) *Amphibians of West Bengal Plains*. Published by the World Wide Fund for Nature-India, Eastern Region, pp 1-53
- Duellman, W. E and Trueb, L (1994) *Biology of amphibians*. The Johns Hopkins Press, Maryland, USA. xxi + 670p
- Dutta, S. K (1986) Comments on the species status and distribution of *Tomopterna dobsonii* Boulenger (Anura: Ranidae) in India. *Rec. Zool. Surv. India* 83(1-2): 123-127
- Dutta, S. K (1992) Amphibians of India: updated species list with distribution record. *Hamadryad* 17: 1-13
- Dutta, S. K (1997) *Amphibians of India and Sri Lanka (Checklist and Bibliography)*, Odyssey Publishing House, Bhubaneshwar, India. xiii + 342 + xxii
- Dutta, S. K and Ray, P (2000) *Microhyla sholigari*, a new species of Microhylid frog (Anura: Microhylidae) from Karnataka, India. *Hamadryad* 25 (1): 38-44
- Dutta, S. K, Manamendra-Arachchi, K (1996) *Amphibian fauna of Sri Lanka*. Published by the Wildlife Heritage Trust of Sri Lanka, Colombo, pp 230, ISBN 995-9114-10-7
- Dutta, S. K, Vasudevan, K, Chaitra, M. S, Shanker, K and Aggarwal, R. K (2004) Jurassic frogs and the evolution of amphibian endemism in the Western Ghats. *Current Science* 86(1): 211-216
- Eterovick, P. C, Carnaval, A. C. O. Q, Borges-Nojosa, D. M, Silvano, D. L, Segalla, M. V and Sazima, I (2005) Amphibian declines in Brazil: An overview. *Biotropica* 37(2): 166-179
- Ficetola, G. F and Bernardi, F. D (2004) Amphibians in a human-dominated landscape: the community structure is related to habitat features and isolation. *Biological Conservation* 119: 219-230
- Froglog (1997a) Amphibian abnormalities. A review. *Newsletter of the DAPTF* 23: 2
- Froglog (1997b) Commercial trade in Australian native fauna. *Newsletter of the DAPTF* 24: 3

Froglog (2001a) Habitat fragmentation and amphibian species richness in riparian areas of the Parana river, Argentina. *Newsletter of the DAPTF* 46: 3-4

Froglog (2001a) Habitat fragmentation and amphibian species richness in Riparian Areas of the Parana River, Argentina. *Newsletter of the DAPTF* 46: 3-4

Froglog (2001b) A hierarchical approach in studying the effects of an insecticide on amphibian communities. *Newsletter of the DAPTF* 48: 4-5

Froglog (2002b) South Asian Amphibian Workshop: Executive Summary. *Newsletter of the DAPTF* 52: 2-3

Froglog (2004) Global Amphibian Assessment. *Newsletter of the DAPTF* 66: 2

Gadgil, M and Meher-Homji, V. M (1986) Localities of great significance to conservation of India's biological diversity. *Proc. Indian Acad. Sci. (Anim. Sci./Plant Sci.) Suppl.*: 165-180

Giri, V, Gower, D. J and Wilkinson, M (2004) A new species of *Indotyphlus* Taylor (Amphibia: Gymnophiona: Caeciliidae) from the Western Ghats, India. *Zootaxa* 739: 1-19

Giri, V, Wilkinson, M and Gower, D. J (2003) A new species of *Gegeneophis* Peters (Amphibia: Gymnophiona: Caeciliidae) from the Southern Maharashtra, India, with a key to the species of the genus. *Zootaxa* 351: 1-10

Global Amphibian Assessment / Database. www.globalamphibians.org

Gunther, A (1858) *Catalogue of the Batrachia Salientia in the collection of the British Museum*, London. Trustees of British Museum, xvi + 160pp

Gupta, B. K (1998) Declining amphibians. *Current Science* 75 (2): 81-84

Heyer, W. R, Donnelly, M.A, McDiarmid, R. W, Hayek, L. C and Foster, M. S (1993) *Measuring and monitoring biological diversity: Standard methods for amphibians USA*, Smithsonian Institution, pp 320

Hill A. B. and Hill, I. D (1991) *Bradford Hill's Principles of Medical Statistics*, B. I. Publications Pvt. Ltd, New Delhi, 1-339

Holland S. Jennifer (2006) Farewell to frogs? *Geographica. National geographic* 209(1)

Houlahan, J. E, Findlay, C. S, Schidt, B. R, Meyer, A. H and Kuzmin, S. L (2000) Quantitative evidence for global amphibian population declines. *Nature* 404: 752-755

<http://www.amphibiaweb.org/aw/declines.html>

Inger, R. F and Dutta, S. K (1986) An overview of the amphibian fauna of India. *J Bombay Nat. Hist. Soc.* 83 (suppl): 135-146

Inger, R. F, Shaffer, H. B, Koshy, M and Bakde, R (1987) Ecological structure of a herpetological assemblage in south India. *Amphibia-Reptilia* 8: 189-202

Kadadevaru, G. G and Kanamadi, R. D (2000) Courtship and nesting behaviour of the Malabar gliding frog, *Rhacophorus malabaricus* (Jerdon, 1870). *Current Science* 79(3): 377-380

Kadadevru, G. G and Kanmadi, R. D (2001) Vocal interactions, territoriality and fighting behaviour of the Rhacophorid frog *Philautus variabilis* (Gunther 1858). *Current Science* 80(12): 1486-1488

Kanamadi, R. D, Hiremath, C. R and Schneider, H (1992) Vocalization and breeding period in the south Indian tropical frog, *Rana crassa* (Jerdon). *Zool. Anz.* 228: 26-31

Kanamadi, R. D, Nandihal, H. N, Saidapur, S. K and Patil, N. S (1996) Parental care in frog, *Philautus variabilis* (Gunther). *J. Adv. Zool.* 17(2): 68-70

Karanth, U (1997) The Tiger: Power and Fragility, pp75-89. In: *In Danger* (ed) Paola Manfredi, New Delhi, Ranthambore Foundation, pp159

Klesecker, J. M, Blaustein, A. R and Belden, L. K (2001) Complex causes of amphibian population declines. *Nature* 410: 681-683

Krishnamurthy, S. V and Shakuntala, K (1996) Notes on features of habitat, morphometry of *Rana aurantiaca* (Boulenger) (Amphibia: Ranidae) from Sringeri, Western Ghats, India. *Proc. Indian Natn. Sci. Acad.* 862(5): 377-382

Krishnamurthy, S. V, Reddy, A. H. M and Gururaja, K. V (2001) A new species of frog in the genus *Nyctibatrachus* (Anura: Ranidae) from Western Ghats, India. *Current Science* 80(7): 887-891

Kumar, K. G (1998) Some aspects of the ecology of the vegetation of Kudremukh, Ph. D thesis submitted to Mangalore University, pp: 208

- Kuramoto, M and Joshy, S. H (2001) Advertisement call structures of frogs from Southwestern India, with some ecological and taxonomic notes. *Current Herpetology* 20(2): 85-95
- Kuramoto, M and Joshy, S. H (2003) The new species of the genus *Philautus* (Anura: Rhacophoridae) from the Western Ghats, Southwestern India. *Current Herpetology* 22(2): 51-60
- La Marca, E , Lips, K. R, Lotters, S, Puschendorf, R, Ibanez, R, Rueda-Almonacid, J. V, Schulte, R, Marty, C, Castro, F, Manzanilla-Puppo, J, Garcia-Perez, J. E, Bolanos, F, Chaves, G, Pounds, J. A, Toral, E and Young, B. E (2005) Catastrophic population declines and extinctions in Neotropical Harbquin frogs (Bufonidae:*Atelopus*). *Biotropica* 37(2): 190-201
- Leigh, E. G (1999) Tropical forest ecology A view from Barro Colorado Island, Oxford university press, New York. 1-245
- Lips K. R, Burrowes, P. A, Mendelson III, J. R and Parra-Olea, G (2005a) Amphibian declines in Latin America: wide spread population declines, extinctions and impacts. *Biotropica* 37(2): 163-165
- Lips, K. R (1998) Decline of a tropical Montane amphibian fauna. *Conservation Biology* 12(1): 106-117
- Lips, K. R (1999) Mass mortality and population declines of anurans at an upland site in western Panama. *Conservation Biology* 13(1): 117-125
- Lips, K. R, Burrowes, P. A, Mendelson III, J. R and Parra-Olea, G (2005b) Amphibian population declines in Latin America: A synthesis. *Biotropica* 37(2): 222-226
- Martinez-Solano, I, Barbadillo, L. J and Lapena, M (2003) Effect of introduced fish on amphibian species richness and densities at Montane assemblage in the Sierra De Neila, Spain. *Herpetological Journal* 13: 167-173
- Mattoon, A (2000) Amphibia fading. *World Watch*. (July / August) 12- 23
- Menon, S and Bawa, K. S (1997) Applications of geographic information systems, remote-sensing and a landscape ecology approach to biodiversity conservation in the Western Ghats. *Current Science* 73(2):134-145
- Mitchell, J. C, Rinehart, S. C, Pagels, J. F, Buhlmann, K. A, Pague, C. A (1997) Factors influencing amphibian and small mammal assemblages in central Appalachian forests. *Forest Biology and Management* 96: 65-76

- Myers, N, Mittermeier, R. A, Mittermeier, C, Da Fonseca, G. A. B and Kent, Jennifer (2000) Biodiversity hotspots for conservation priorities. *Nature* 403(24): 853-857
- Nayaka, S and Upreti, D. K (2001) Lichens flora of Sharavati river basin, Shimoga district, Karnataka, India with six new records. *J. Econ. Taxon. Bot.* 26(3): 627-648
- Owen, J. G (1989) Patterns of herpetofaunal species richness: relation to temperature, precipitation and variance in elevation. *J. of Biogeography* 16: 141-150
- Parris, K. M and Lindenmayer, D. B (2004) Evidence that creation of a *Pinus radiata* plantation in south-eastern Australia has reduced habitat for frogs. *Acta Oecologica* 25: 93-101
- Pascal, J. P (1988) *Wet evergreen forests of the Western Ghats of India*. Institut Francais de Pondicherry. 1-345
- Pascal, J. P and Ramesh, B. R (1997) *A field guide to the trees and lianas of the evergreen forests of the Western Ghats (India)*. Pondicherry: Institut de Francais. 236pp
- Pillai, R. S (1986) Amphibian fauna of Silent Valley, Kerala, S. India. *Rec. Zool. Surv. India* 84(1-4): 229-242
- Pillai, R. S and Ravichandran, M. S (1999) *Fauna of Gymnophiona of India*. Zoological Survey of India-Occasional Paper No. 172
- Pineda, E and Halffter, G (2004) Species diversity and habitat fragmentation: frogs in a tropical montane landscape in Mexico. *Biological Conservation* 117: 499-508
- Poynton, C and Boycott, R. C (1996) Species turnover between Afrotropical and Eastern African lowland faunas: patterns shown by amphibians. *J. of Biogeography* 23: 669-680
- Rai, S. N (2000) Productivity of tropical rain forests of Karnataka. Dharwad, Punarvasu Publications. pp128
- Ramaswamy, S. N, Rao, M. R and Arekal, G. D (2001) *Flora of Shimoga District, Karnataka*. Prasaranga, University of Mysore, Mysore
- Ramesh, B. R (2001) Patterns of richness and endemism of arborescent species in the evergreen forests of the Western Ghats, India. *Proc. of the International Conference on Tropical ecosystems: Structure, Diversity and*

- Human welfare* (ed.) Ganeshiah, K. N, Uma Shaanker, R and Bawa, K. S. 539-544
- Rao, C. R. N (1915a) Notes on some south Indian Batrachia. *Rec. Indian Mus. Calcutta* 11: 349-351
- Rao, C. R. N (1920) Some south Indian batrachian. *J. Bombay Nat. Hist. Soc.* 27(1): 119-127
- Rao, C. R. N (1937) On some new forms of Batrachia from south India. *Proc. Indian Acad. of Science B* 6: 387-427
- Ron R. Santiago (2005) Predicting the distribution of the Amphibian pathogen *Batrachochytrium dendrobatidis* in the New world. *Biotropica* 37(2): 209-221
- Roy, D (1996a) Importance of bioacoustic analysis in amphibian taxonomy and conservation. *Zoo's Print* 11(8): 22-25
- Roy, D (1996b) Courtship in frogs: Role of acoustic communication in amphibian courtship behavior. *Resonance, J. Sci. ed.* 1(12): 39-48
- Roy, D and Elepfandt (1993) Bioacoustics analysis of frog calls from northeast India. *J. Biosci.* 18(3): 381-393
- Secrist, D. E, Maehr, D. S, Larkin, J. L and Lacki, M. J (2004) Potential impacts of reintroduced elk on amphibian distribution and abundance in eastern Kentucky, USA. *Natural Areas Journal* 24(1): 65-68
- Sekar, A. G (1992) A study of the food habits of six anuran tadpoles. *J. Bombay Nat. Hist. Soc.* 89(1): 9-16
- Seshachar, B. R (1938) The tetrads in Apoda (Amphibia). *Nature* 142 (3599):757
- Shetty, B. V, Kaveriappa, K. M and Gopalakrishna Bhat, K (2002) Plant resources of Western Ghats and lowlands of Dakshina Kannada and Udupi district, Pilikula Nisarga Dharma Society, Mangalore, 1-264
- Shrestha, T. K (1984) On the distribution and habitat of the Himalayan Newt (*Tylototriton verucosus* Anderson) in the eastern Nepal. *J. Bombay Nat. Hist. Soc.* 81(2): 485-487
- Skelly, D. K, Yurewicz, K. L and Werner, E. E (2003) Estimating decline and distributional change in amphibians. *Conservation Biology* 17 (4): 744-751

Sukumar, R, Mujumdar, P. P, Sekhar, M and Sivapullaiah, P. V (2001) Impact of iron ore mining on the flora and fauna of Kudremukh National Park and Environs. Report submitted to Karnataka Forest Department, Centre for Ecological Science, Indian Institute of Science, Bangalore

Toft, C. A (1980a) Feeding ecology of thirteen syntopic species of anurans in a seasonal tropical environment. *Oecologia* 45: 131-141

Vallan, D (2002) Effects of anthropogenic environmental changes on amphibian diversity in the rain forests of eastern Madagascar. *J. of Tropical Biology* 18: 725-742

Vasudevan, K (1997) Rediscovery of the black microhylid frog *Melanobatrachus indicus* (Beddome 1978) *Journal of Bombay Natural History Society* 94: 170

Vasudevan, K (2000) An amazing frog from the Western Ghats, Biodiversity India, ISCB Newsletter, 8-12:12

Vasudevan, K and Dutta, S. K (2000) A new species of *Rhacophorus* (Anura: Rhacophoridae) from the Western Ghats, India. *Hamadryad* 25(1): 21-28

Vasudevan, K, Kumar, A and Chellam, R (2001) Structure and composition of rainforest floor amphibian communities in Kalakad-Mundanthurai Tiger Reserve. *Current Science* 80(3): 406-412

Vial, J. L and Saylor, L (1993) The status of amphibian populations. Declining amphibian population task force, working document No.1, IUCN/SSC. 1-98

Vogt, R. C and Hine, R. L (1982) Evaluation of techniques for assessment of amphibians and reptile populations in Wisconsin pp 201-217. In: *Herpetological Communities* (ed) Norman J. Scott, Jr., Washington, DC. US Fish and Wildlife Service, pp 239

Ward, G. C (2002) Conservation hot spots India's Western Ghats. *National Geographic*: 86-109

Werner, E. E and Glennemeier, K. S (1999) Influence of forest canopy cover on the breeding pond distributions of several amphibian species. *Copeia* 1: 1-12

Wilkins, R. N and Peterson, N. P (2000) Factors related to amphibian occurrence and abundance in headwater streams draining second-growth Douglas-fir forests in Southwestern Washington. *Forest Ecology and Management* 139: 79-91

Yoganarasimhan, S. N, Subramanyam, K and Razi, B. A (1981) *Flora of Chickmagalur District, Karnataka, India*. International Book Distributors, Dehra Dun

Zimmerman, B. L and Simberloff, D (1996) An historical interpretation of habitat use by frogs in a Central Amazonian forest. *J. of Biogeography* 23: 27-46
ZOO (2000) *Conservation Assessment and Management Plan (CAMP) Summaries, 1995-2000, 1-27*