

Chapter VI

**BIBLIOGRAPHY**

---

- Alonso, M.J., Cohen, S., Park, T.G., Gupta, R.K., Siber, G.R. and Langer, R., Determinants of release rates of tetanus vaccine from polyester microcapsules. *Pharm.Res.* 10 (1993) 945-953.
- Ammoury N., Hatem F., Devissaguet J.P., Puisieux F. and Benita S. (1990) *In vitro* release kinetic pattern of indomethacin from poly (DL-lactide) nanocapsules. *J.Pharm.Sci.* 79: 763-767.
- Anderson F.W. (1998) Human gene therapy. *Nature.* 392: 25-30.
- Anderson J.M. and Lanbgonne J.J. (1999) Issues and perspectives on the biocompatibility and immunotoxicity evaluation of implanted controlled release systems. *J.Control.Rel.* 57: 107-113.
- Anderson J.M. and Shive M.S. (1997) Biodegradation and biocompatibility of PLA and PLGA microspheres. *Adv. Drug Del. Rev.* 28: 5-28.
- Arshady P.A. (1990) Albumin microspheres and microcapsules: methodology of manufacturing techniques. *J.Control.Rel.* 14: 111-131.
- Artursson P., Lindmark T., Davis S.S. and Illum L. (1994) Effect of chitosan on the permeability of monolayers of intestinal epithelial cells (Caco-2). *Pharm.Res.*, 11:1358-1361.
- Ashford N.A., Hattis D.B. and Murray A.E. (1977) in MIT Sea Grant Program, Massachusetts Institute of Technology
- Aspden T., Illum L. and Skaugrud Ø. (1997) Chitosan as a nasal delivery system: the effect of chitosan solutions on *in vitro* and *in vivo* mucociliary transport rates in human turbinates and volunteers. *Int.J.Pharm.*, 153: 137-146.
- Aspden T.J., Illum L. and Skaugrud Ø. (1997) The effect of chronic nasal application of chitosan solutions on cilia beat frequency in Guinea pigs. *Int.J.Pharm.*, 153: 137-146.
- Austen P.R. (1984) Chitin solvents and solubility parameters. In: *Chitin, chitosan and related enzymes*. Zikakis J.P. (ed) Academic Press, New York, pp 277-314.
- Baker R.W. (1987) (ed) In: *Controlled release of biologically active agents*. John Wiley & Sons, NY, pp 84-131.
- Banga A.K. and Chien Y.W. (1988) Systemic delivery of therapeutic peptides and proteins. *Int.J.Pharm.* 48: 15-50.
- Barranco S.C. and Humphrey R.M. (1971) The effect of bleomycin on survival and cell progression in chinese hamster cells *in vitro*. *Cancer Res.* 31: 1218-1223.
- Benoit M.A., Baras B., & Gillard J. (1999) Preparation and characterization of protein-loaded poly( $\epsilon$ -caprolactone) microparticles for oral vaccine delivery. *Int.J.Pharm.* 184: 73-84
- Beysac E., Bregni C., Aiache J.-M., Gerula S. and Smolko E., (1996), Hydrogel implants for Methotrexate obtained by ionizing radiation, *Drug Dev. Ind. Pharm.*, 22(5): 439-444.
- Bodmeier R. and McGinity J.W. (1988) Solvent selection in the preparation of poly (dL-lactide) microspheres prepared by solvent preparation method. *Int.J.Pharm.* 43: 179-186.
- Bodmer D., Kissel T. and Traechslin E., (1992), Factors influencing the release of peptides and proteins from biodegradable parenteral depot systems, *J. Control. Rel.*, 21: 129-138.
- Brange J., Andersen L., Laursen E.D., Meyn G. and Rasmussen E. (1997) Towards understanding insulin fibrillation. *J. Pharm. Sci.* 86: 517-525.
- Brannon-Peppas L. (1995) Recent advances on the use of biodegradable microparticles and nanoparticles in controlled drug delivery. *Int.J.Pharm.* 116: 116-119.
- Burgess D.J. and Davis S.S. (1986) Prednisolone release from albumin microspheres *In vitro* and *in vivo* studies by intra-articular injection into rabbits. *J.Pharm.Pharmacol.* 38: 23.

- Calvo P., Vila-Jato J.L. and Alonso M.J. (1997) Evaluation of cationic polymer coated nanocapsules as ocular drug carriers. *Int.J.Pharm.*, 153: 41-50.
- Chandrashekhar G and Udupa N. (1996) Biodegradable injectable implant system for long term drug delivery using PLGA copolymers. *J.Pharm.Pharmacol.* 48: 669-674.
- Chang R.K., Price J. and Whitworth C.W. (1987) Control of drug release rate by use of mixtures of polycaprolactone and cellulose acetate butyrate polymers. *Drug.Dev.Ind.Pharm.* 13: 1119-1135.
- Cheng Y., Illum L. and Davis S.S. (1998) A poly (DL-lactide-co-glycolide) microsphere depot system for delivery of haloperidol. *J. Control. Rel.* 55: 203-212.
- Chiang C.N., Hollister L.E., Gillespie H.K. and Foltz R.L. (1985) Clinical evaluation of a naltraxone sustained release preparation. *Drug Alcohol Dependence* . 16: 1-8.
- Chien Y.W. (1987) Implantable therapeutic systems. In: *Controlled drug delivery: Fundamentals and applications*. Robinson J.R. and Lee V.H.L. (eds), Marcel Dekker, New York, pp 482-516.
- Cleland J.L. and Langer R. (1994) Formulation and delivery of proteins and peptides: design and development strategies. In: *Formulation and delivery of proteins and peptides*. Cleland J.L. and Langer R. (eds). American Chemical Society, USA, pp. 1-19.
- Cohen S., Yoshioka T., Lucarelli M., Hwang L.H. and Langer R. (1991) Controlled delivery systems for proteins based on poly (lactic/glycolic acid) microspheres, *Pharm. Res.*, 8: 713-720.
- Couvreur P., Rajaonarivony M., Vantheir C., Couarraze, G. and Puieseux, F. (1993) Development of a new drug carrier made from alginate. *J.Pharm.Sci.* 82: 912-917.
- Creque H.M., Langer R. and Folkman J. (1980) One month sustained release of insulin from a polymer implant. *Diabetes.* 29: 37-40.
- Crotts G. and Park T.G. (1995) Preparation of porous and nonporous biodegradable polymeric hollow microspheres. *J. Control. Rel.* 35: 91-105.
- Dankwerts, M. and Fassih, A., Implantable controlled release drug delivery system: A review. *Drug.Dev.Ind.Pharm.* 17 (1991) 1465-1502.
- Davis S.N. and Granner D.K. (1997) Insulin, oral hypoglycemic agents and the pharmacology of the endocrine pancreas. In: *Goodman and Gilman's Pharmacological basis of therapeutics*. Ruddon R.W. and Molinoff P.B. (eds), McGraw Hill Inc., New York, pp 1487-1507
- Deasy P.B., Finan M.P., Klatt P.R. and Hornykiewytsch T. (1993) Design and evaluation of a biodegradable implant for improved delivery of oestradiol-17B to steers. *Int.J.Pharm.* 89: 251-259.
- Deasy P.B.,(ed.) (1984) *Microencapsulation and related drug processes*. Marcel Dekker, New York, pp 219-240.
- Dodnea V. and Vilivalam V.D. (1998) Pharmaceutical applications of Chitosan. *Pharm. Sci. Technol. Today* 1: 246-253.
- Domard A., Roberts G.A.F and Vårum K.M., (eds) (1997) In: *Advances in Chitin Science*, Elsevier Applied Science, pp 600-607.
- Duncan R., and Lloyd J.B. (1991) Biological evaluation of soluble synthetic polymers as drug carriers. In: *Recent Advancers in Drug Delivery Systems*. Anderson J.M. and Kim S.W. (eds), Plenum Press, New York, pp 1-22.
- Dutkiewicz J. and Kucharska M. (1992) In: *Advances in Chitin and Chitosan* (Brine C.J., Sandford P.A. and Zikakis J.P. (eds), Elsevier Science, pp 54-60.

- Ebert C., McRea J., Kim S.W. (1980) In: *Controlled release of bioactive materials*. Baker R. (ed), Academic Press, New York, pp 107-142.
- Felt O., Buri P. and Gurny R. (1998) Chitosan: A unique polysaccharide for drug delivery. *Drug Dev. Ind. Pharm.*, 24: 979-993.
- Friedman M. and Steinberg D. (1990) Sustained release drug delivery systems for treatment of dental disease. *Pharm.Res.* 7: 313-317.
- Fukada Y., Kimura K. and Ayaki Y. (1991) Effect of chitosan feeding on intestinal bile acid metabolism in rats. *Lipids*.26: 395-399.
- Gallo J.M., Hung C.T. and Perrier D.G. (1984) Analysis of albumin microsphere preparation. *Int.J.Pharm.* 22: 63-74.
- Ganga S., Diwan M., Raghuvanshi R.S., Misra A. and Talwar G.P. (1997) Controlled delivery of vaccines. In: *Controlled & novel drug delivery*. Jain N.K. (ed). CBS Publishers, New Delhi, pp 147-164.
- Gangadharan P.R.J., Kailasan S., Srinivasan S. and Wise D.L. (1994) Experimental chemotherapy of tuberculosis using single dose treatment with isoniazid in biodegradable polymers. *J. Antimicrob. Chemother.* 33: 265-271.
- Genta I., Conti B., Perugini P., Pavanetto F., Spadaro A. and Puglisi G. (1997) Bioadhesive microspheres for ophthalmic administration of acyclovir. *J.Pharm.Pharmacol.*, 49:737-742.
- Gizurarson ,S. and Bechgaard, E. (1991) Insulin-carrying microspheres: *In vitro* studies. *Chem. Pharm. Bull.* 39: 1892-1893.
- Goldberg J. A., Willmot N., Kerr D.I., Sutherland C. and McArdle C. S. (1992) An *in vivo* assessment of adriamycin loaded albumin microspheres. *Br. J.Cancer.* 65: 393-395.
- Goldberg V.A., Kerr D.J., Willmot N., McKillop J.H. and McArdle C.S. (1990) Regional chemotherapy for colorectal liver metastases: a phase II evaluation of targeted hepatic arterial 5-fluorouracil for colorectal liver metastases. *Br. J. Surg.* 77: 1238-1240.
- Gombotz W.R. and Pettit D.K. (1995) Polymers for protein and peptide drug delivery. *Bioconjugate Chem.* 6: 332-351.
- Göpferich A., Gref R., Minamitake Y., Shieh L., Alonso M.J., Tabata Y. and Langer R. (1994) Drug delivery from bioerodable polymers : systemic and intravenous administration. In: *Formulation and delivery of proteins and peptides*. Cleland J.L. and Langer R. (eds). American Chemical Society, USA, pp. 242-277.
- Grcic J.F. and Jalsenjak I. (1993) Microspheres of human serum albumin with barbiturates: effect of drug partition coefficients on preparation and drug release. *J.Pharm.Pharmacol.* 45: 394-399.
- Gref R., Minamitake Y., Peracchia M.T., Tubetskoy V., Torchiliu V. and Langer R. (1994) Biodegradable long-circulating polymeric nanospheres. *Science.* 263: 1600-1603.
- Gregory J.B. (1992) Plasticized poly( $\epsilon$  caprolactone) film. *US Patent.* 4- 306-552.
- Grosvenor M.P. (1991) *The physico-mechanical properties of electrostatically deposited polymers for the use in pharmaceutical powder coating*, Ph.D Thesis, University of Bath, Bath, UK.
- Grosvenor M.P. and Stainforth J.N. (1992) Improvements in or relating to electrostatic coating of substrates of medicinal products. *PCT WO92/14451*.
- Guiot P and Couvreur P (eds) (1986) *Polymeric nanoparticles and microspheres*, CRC Press, Boca Raton, pp 1-207.

- Gupta P.K. and Hung C.T. (1989) Albumin microspheres II: Applications in drug delivery. *J.Microencaps.* 6: 463-472.
- Gupta P.K., Hung C.T. and Perrier D.G. (1986) Albumin microspheres. I: Release characteristics of adriamycin. *Int.J.Pharm.* 33: 137-146.
- Gupta P.K., Hung C.T. and Lam F.C. (1993) Application of particulate carriers in intratumoral drug delivery In: *Pharmaceutical particulate carriers.*, Rolland A. (ed) Marcel Dekker, New York, pp 135-164.
- Guterres S.S., Fessi H., Barratt G., Devisaguet J.P. and Puisieux F. (1995) Poly (DL-lactide) nanocapsules containing diclofenac-I. Formulation and stability study. *Int.J.Pharm.* 113: 57-63.
- Heller J. (1984) Biodegradable polymers in controlled drug delivery. CRC Critical Reviews in Therapeutic Drug Carrier Systems. Vol 2, pp 39-90.
- Hennink W.E., Talsma H., Borchert J.C.H., De Smedt S.C. and Demeester J. (1996) Controlled release of proteins from dextran hydrogels. *J. Control. Rel.* 39: 47-55.
- Heya T., Mikura Y., Nagai A., Miura Y., Futo T., Tomida Y., Shimizu H. and Toguchi H. (1994b) Controlled release of thyrotropin releasing hormone from microspheres. Evaluation of release profiles and pharmacokinetics after subcutaneous administration. *J.Pharm.Sci.* 83: 798-801.
- Heya T., Okada H., Ogawa Y. and Toguchi H. (1991b) Factors influencing the profiles of TRH release from copoly (dl-lactic/glycolic acid) microspheres. *Int.J.Pharm.* 72: 199-205.
- Heya T., Okada H., Ogawa Y. and Toguchi H. (1994a) *In vitro* and *in vivo* evaluation of thyrotropin releasing hormone release from copoly (DL-lactic/glycolic acid) microspheres. *J.Pharm.Sci.* 83: 636-640.
- Heya T., Okado H., Tanigawara Y., Ogawa Y. and Toguchi H. (1991a) Effect of counteranion of TRH and loading amount on control of TRH from copoly (dl-lactic/glycolic acid) microspheres prepared by an in-water drying method. *Int.J.Pharm.* 69: 69-75.
- Hnatyszyn J., Kossovsky N., Gelman A. and Sponsler E. (1994) Drug delivery systems for the future. *J. Parent. Sci. Technol.* 48: 247-254.
- Hoffman A. and Ziv E. (1997) Pharmacokinetic considerations of new insulin formulations and routes of administration. *Clin. Pharmacokinet.* 33: 285-301.
- Hoffman, A. (1998) Pharmacodynamic aspects of sustained release preparations. *Adv. Drug Del. Rev.* 33: 185-199.
- Hsu Y., Gresser J.D., Trantolo D.J., Lyons C.M., Gandadharan P.R.J. and Wise D.L. (1994) *In vitro* controlled release of isoniazid from poly(lactide-co-glycolide) matrices. *J.Control.Rel.* 31: 223-228.
- Hutchinson F.G. and Furr B.J.A. (1986) Biodegradable polymers in sustained release of polypeptides. In: *Delivery systems for peptide drugs.* Davis S.S., Illum I. and Tomlinson E. (eds), Plenum Press, New York, pp 115-124.
- Illum L., Farraj N.F. and Davis S.S. (1994) Chitosan as a novel nasal delivery system for peptide drugs. *Pharm. Res.*, 11:1186-1189.
- Jain R., Shah N.H., Malick A.W. and Rhodes C.T. (1998) Controlled drug delivery by biodegradable poly (ester) devices: different preparative approaches. *Drug Dev. Ind. Pharm.* 24: 703-727.
- Jalil R. (1990) Biodegradable poly(lactic acid) and poly(lactide-co-glycolide) polymers in sustained drug delivery. *Drug. Dev. Ind. Pharm.*, 16: 2353-2367.

- Jalil R. and Nixon J.R. (1990) Biodegradable poly(lactic acid) and poly(lactide-co-glycolide) microcapsules: Problems associated with preparative techniques and release properties. *J. Microencaps.* 7: 297-325.
- Jameela S.R. and Jayakrishnan A. (1995) Gluteraldehyde crosslinked chitosan microspheres as a long acting biodegradable drug delivery vehicle: studies on the in vitro release of mitoxantrone and in vivo degradation of microspheres in rat muscle. *Biomaterials* 16: 769-775.
- Jameela S.R., Kumary T.V., Lal A.V. and Jayakrishnan A. (1998) Progesterone loaded chitosan microspheres: a long acting biodegradable controlled delivery system. *J. Control. Rel.* 52: 17-24.
- Jameela S.R., Misra A. and Jayakrishnan A. (1994) Crosslinked chitosan microspheres as carriers for prolonged delivery of macromolecular drugs. *J. Biomater. Sci. Polym. Edn.*, 6: 621-632.
- Jayakrishnan A. and Latha M.S. (1997) Biodegradable polymeric microspheres as drug carriers. In: *Controlled & novel drug delivery*. Jain N.K. (ed). CBS Publishers, New Delhi, pp 236-254.
- Jeyanthi R., Mehta R.C., Thanoo B.C. and DeLuca P.P. (1997) Effect of manufacturing parameters on the properties of peptide-containing PLGA microspheres. *J. Microencapsulation.* 14: 163-174.
- Jeffery H., Davis S. S. and O'Hagan D. T. (1991) The preparation and characterization of poly (lactide - co - glycolide) microparticles :I. Oil - in - water emulsion solvent evaporation. *Int.J.Pharm.* 77: 169-176.
- Jeffery H., Davis S.S. and O'Hagan D.T. (1993a) Preparation and characterization of poly (lactide-co-glycolide) microparticles. Part 2. entrapment of a model protein using a (water-in-oil) in-water emulsion solvent evaporation technique. *Pharm.Res.* 10: 362-368.
- Jeffery H., Davis S.S. and O'Hagan D.T. (1993b) Long term antibody responses in mice following subcutaneous immunization with ovalbumin entrapped in biodegradable microparticles. *Vaccines.* 11: 965-969.
- Jones A.J.S. (1994) Formulation and delivery of proteins and peptides: design and development strategies. In: *Formulation and delivery of proteins and peptides*. Cleland J.L. and Langer R. (eds). American Chemical Society, USA, pp. 22-45.
- Jones C., Burton M.A. and Gray B.N. (1989) Albumin microspheres as vehicles for sustained and controlled release of doxorubicin. *J.Pharm.Pharmacol.* 41: 813-816.
- Jorgensen S.J. (1972) Dose schedules in bleomycin treatment. *Br.J.Cancer.* 8: 93-97.
- Juliano R.L. (1987) Microparticulate drug carriers. In: *Controlled drug delivery: Fundamentals and applications*. Robinson J.R. and Lee V.H.L. (eds), Marcel Dekker, New York, pp 556-580.
- Juni K., Ogata J., Matsui N., Kubota M. and Nakano M. (1985b) Control of release of bleomycin from polylactic acid microspheres by additives. *Chem.Pharm.Bull.* 33: 1609-1614.
- Juni K., Ogata J., Nakano M., Ichihara T., Mori K. and Akagi M. (1985a) Acid microspheres containing doxorubicin. *Chem.Pharm.Bull.* 33: 313-318.
- Kadir F., Eling W.M.C., Abrahams D., Zuidema J. and Crommelin D.J.A. (1992) Tissue reaction after intramuscular injection of liposomes in mice. *Int.J.Clin.Pharmacol.Ther. Toxicol.* 30: 374-382.
- Kailasam S., Wise D.L. and Gandadharam P.J.R. (1974) Bioavailability and chemotherapeutic activity of clofazimine against mycobacterium avium complex infection in beige mice following a single implant of a biodegradable polymer. *J.Antimicrob.Chemother.* 33: 273-279.
- Kamath K.K., Nagaraju R., Udupa N., Meghashyama, Kalpana R. and Bhat M. (1999) sustained release biodegradable dental implants containing combination of antibiotics for human periodontal pockets. *The Antiseptic.* 96: 172-176.

- Kamath P., Shenoy D.B., Karki R., Udupa N. and Kotian M. (1999) Microbiological assay method for the determination of rifampicin in rat plasma: application in pharmacokinetics. *Indian Drugs*.36: 307-311.
- Kamath R., Rao B.S.S and Uma Devi P. (1999) Response of a mouse fibrosarcoma to withaferin A and radiation. *Pharm. Pharmacol. Commun.* 5: 287-291.
- Kamiyama K., Onishi H. and Machida Y. (1996) *Proc. Int. Symp.Control.Rel.Bioact. Mater.* 23:645-646.
- Kas H.S. (1997) Chitosan: properties, preparations and application to microparticulate systems. *J. Microencapsulation.* 14: 689-711.
- Katti D. and Krishnamurthi N. (1999) Preparation of albumin microspheres by an improved process. *J. Microencapsulation.* 16: 231-242.
- Khaksa G., Nalini K., Bhat M. and Udupa N. (1998) High performance liquid chromatographic determination of insulin in rat and human plasma. *Anal. Biochem.* 260: 92-95.
- Kim A., Yun M., Oh Y., Ahn W. and Kim C. (1999) Pharmacodynamics of insulin in polyethylene glycol coated liposomes. *Int.J.Pharm.* 180: 75-81
- Kitchell J.P. and Wise D.L. (1985) Poly (lactic-co-glycolic) acid biodegradable drug-polymer matrix systems. In: *Methods in Enzymology, Volume 112 – Drug and enzyme targeting: Part A.* Widder K.J. and Green R. (eds) Academic Press Inc., New York, pp 436-448.
- Kompella U.B. and Lee V.H.L. (1991) Pharmacokinetics of peptide and protein drugs. In: *Peptide and protein drug delivery.* Lee V.H.L. (ed), Marcel Dekker Inc., New York, pp 391-484.
- Kramer P.A. (1974) Albumin microspheres as vehicles for achieving specificity in drug delivery. *J.Pharm.Sci.* 63: 1646-1647.
- Kulvanich P., Prugmahachaiikul S. and Kraisintu K. (1997) *Proc.Int.Symp.Control.Rel.Bioact. Mater.* 24:395-396.
- Kusaoke H. et al. (1997) In: *Advances in Chitin Science.* Domard, A., Roberts, G.A.F. and Vårum, K.M. (eds), Elsevier Applied Science, pp 162–167.
- Labhassetwar V., Underwood T., Gallagher M., Murphy G., Langberg J. and Levy R.J. (1994) Satolol controlled release systems for arrhythmias: *In vitro* characterisation, *in vivo* drug disposition and electrophysiologic effects. *J.Pharm.Sci.* 83: 156-164.
- Lang G. and Clausen T. (1989) In: *Chitin and Chitosan* Skjåk-Brøk G., Anthonsen T. and Sandford P. (eds), Elsevier Science, pp 139–147.
- Langer R. (1981) New method of drug delivery. *Science.* 240: 1527-1533.
- Langer R. and Folkman J. (1976) Polymers for the sustained release of proteins and other macromolecules. *Nature.* 263: 797-800.
- Langer R. and Peppas N.A. (1984) Present and future applications of biomaterials in controlled delivery systems. *Biomaterials.* 2: 201-214.
- Lee B-J. and Min G-H. (1996) Oral controlled release of melatonin using polymer – reinforced and coated alginate beads. *Int.J.Pharm.*, 144: 37-46.
- Lee J., Park T.G. and Choi H. (2000) Effect of formulation and processing variables on the characteristics of microspheres for water soluble drugs prepared by water-in-oil-in-oil double emulsion solvent diffusion method. *Int.J.Pharm.* 196: 75-83.
- Lee T.K., Sokoloski T.D. and Royer G.P. (1981) Serum albumin beads: An injectable, biodegradable system for the sustained release of drugs. *Science.* 23: 213-215.

- Lehr C.N., Bouwstra J.A., Schacht E.H. and Junginger H.E. (1992) In vitro evaluation of mucoadhesive properties of chitosan and some other natural polymers. *Int.J.Pharm.*, 78: 43-48.
- Leo E., Pequet S., Rojas J., Couvreur P. and Fattal E. (1998) Changing the pH of the external aqueous phase may modulate protein entrapment and delivery from poly (lactide-co-glycolide) microspheres prepared by a w/o/w solvent evaporation method. *J. Microencapsulation*. 15: 421-430
- Lewis D.A., Field W.N., Hayes K. and Alpar H.O. (1992) The use of albumin microspheres in the treatment of carrageenan-induced inflammation in the rat. *J.Pharm.Pharmacol.* 44: 271-74.
- Lloyd J.B. (1991) Soluble polymers as targetable drug carriers. In: *Drug Delivery Systems: Fundamentals and techniques*. Johnson P. and Lloyd-Jones J.G. (eds), Ellis Horwood, New York, pp 95-105.
- Longo W.E. and Goldberg E.P. (1985) Hydrophilic albumin microspheres. In: *Methods in Enzymology, Volume 112 – Drug and enzyme targeting: Part A*. Widder K.J. and Green R. (eds) Academic Press Inc., New York, pp 19-26.
- Lueßen H.L., de-Leeuw B.J., Langmeyer M.W., de-Boer A.B., Verhoef J.C. and Junginger H.E. (1996) Mucoadhesive polymers in peroral peptide drug delivery VI: carbomer and chitosan improve the intestinal absorption of the peptide drug buserlin *in vivo*. *Pharm. Res.*, 13:1668-1672.
- Mader K., Domb A. and Swartz H.M. (1996) Gamma sterilization induced radicals in biodegradable drug delivery systems. *Appl. Radiat. Isot.* 47: 1669-1674.
- Mathews D.R., Lang D.A., Burnett M. and Turner R.C. (1983) Control of pulsative insulin secretion in man. *Diabetologica*. 24: 231-237.
- McArdle C.S., Lewis H., Hansell D., Kerr D.J., McKillop J. and Willmot, N. (1988) Cytotoxic - loaded albumin microspheres; a novel approach to regional chemotherapy. *Br.J.Surg.* 75 132-134.
- Mikos A.G., Lyman M.D., Freed L.E. and Langer R. (1994) Wetting of poly(lactic acid) and poly(dL-lactic-co-glycolic acid) foams for tissue culture. *Biomaterials*. 15: 55-58.
- Miyazaki S., Nakayama A., Oda M., Takada M. and Attwood D. (1995) Drug release from oral mucosal adhesive tablets of chitosan and sodium alginate. *Int.J.Pharm.* 118: 257-263.
- Moriyama K. and Yui N., (1996) Regulated insulin release from biodegradable dextran hydrogels containing poly(ethylene glycol), *J. Control. Rel.*, 42: 237-248.
- Moriyama K., Ooya T. and Yui N. (1999) Hyaluronic acid grafted with poly(ethylene glycol) as a novel peptide formulation. *J. Control. Rel.*, 59: 77-86.
- Morris W., Steinhoff M.C. and Russell P.K. (1994) Potential polymer microencapsulation for vaccine innovation. *Vaccine*. 12: 5-13.
- Müller B.G., Leuenberger H. and Kissel T. (1996) Albumin nanospheres as carriers for passive drug targeting: an optimized manufacturing technique. *Pharm. Res.* 13: 32-37.
- Murthy R.S.R. (1997) Biodegradable polymers. In: *Controlled & novel drug delivery*. Jain N.K. (ed). CBS Publishers, New Delhi, pp 27-51.
- Muzarelli, R.A. (1977) Stereochemistry and physical characterization. In: *Chitin*. Muzarelli, R.A. (ed.), Pergamon Press, New York, pp 45-86.
- Nagaraju R., Udupa N., Mathew J. and Varma B.R.R. (1999) Clinical efficacy of biodegradable dental implants of tinidazole in periodontitis. *Indian J. Physiol. Pharmacol.* 43: 125-128.



- Narayani R. and Rao K.P. (1993) Preparation, characterization and in vitro stability of hydrophilic gelatin microspheres using a gelatin-methotrexate conjugate. *Int.J.Pharm.*, 95: 85-91.
- Narayani R. and Rao K.P. (1996a) Biodegradable microspheres using two different gelatin drug conjugates for the controlled delivery of methotrexate. *Int.J.Pharm.*, 128: 261-268.
- Narayani R. and Rao K.P. (1996b) Collagen-poly(HEMA) hydrogels for the controlled release of Methotrexate and cisplatin. *Int.J.Pharm.* 138: 121-124.
- Niwa T., Takeuchi T., Hino T. and Kawashuma Y. (1994) *In vitro* drug release behavior of D,L-lactide/glycolide co-polymer (PLGA) nanospheres with narfarelin acetate prepared by a novel spontaneous emulsification solvent diffusion method. *J.Pharm.Sci.* 83: 727-732.
- Niwa. T., Takeuchi, H., Hino, T., Kunou, N. and Kawashima, Y. (1993) Preparation of biodegradable nanospheres of water soluble and insoluble drugs with DL-lactide/glycolide copolymer by a novel spontaneous emulsification solvent diffusion method, and the drug release behavior. *J.Control.Rel.* 25: 89-98.
- Oner L. and Groves M.J. (1993) Optimization of conditions for preparing 2-5 micron range gelatin microparticles by using chilled dehydration agents. *Pharm.Res.* 10: 621-626.
- Owusu-Ababio G. and Rogers J.A. (1996) Formulation and release kinetics of cephalexin monohydrate from biodegradable polymeric microspheres. *J. Microencapsulation.* 13: 195-205.
- Patel V.R. and Amiji M.M. (1996) Preparation and characterization of freeze-dried chitosan-poly (ethylene oxide) hydrogels for site-specific antibiotic delivery in the stomach. *Pharm. Res.*, 13:588-593.
- Peri D., Bogdansky S., Allababidi S. and Shah J.C. (1994) Development of an implantable, biodegradable controlled drug delivery system for local antibiotic therapy. *Drug Dev. Ind. Pharm.* 20: 1341-1352.
- Pharmacopoeia of India (The Indian Pharmacopoeia). Government of India, Ministry of health and family welfare, Vol II. 1985.
- Phillips M. and Gresser J.D. (1984) Sustained release characteristics of a new implantable formulation of disulfiram. *J.Pharm.Sci.* 72: 1718-1720.
- Pitt C.G. (1990) The controlled parenteral delivery of polypeptides and proteins. *Int.J.Pharm.* 59: 173-196.
- Pitt C.G. and Gu Z. (1987) Modification of the rates of chain cleavage of poly (E-caprolactone) and related polyesters in the solid state. *J.Control.Rel.* 4: 283-292.
- Pitt C.G. and Schindler A. (1983) Biodegradation of polymer. In: *Controlled drug delivery*. Stephen Bruck (ed), CRC Press, Chapter 3, pp 53-80.
- Pitt C.G. and Schindler A. (1984) Capronor: A biodegradable delivery system for levonorgestrel. In: Long acting contraceptive delivery systems. (Zatuchni G.I., Goldsmith A., Shelton J.D. and Sciarra J.J. (eds), Harper & Row, Philadelphia, pp 48-63.
- Pitt C.G., Chasalow F.I., Hibionada Y.M., Klimas D. and Schindler A. (1981a) Aliphatic polyester II The degradation of poly(dl-lactide), poly( $\epsilon$  caprolactone) *in vivo*. *J.Appl.Polym.Sci.* 26: 3779-3784.
- Pitt C.G., Gratz M.M., Kimmel G.L., Surlis J. and Schindler A. (1981b) Aliphatic polyester II The degradation of poly(dl-lactide), poly( $\epsilon$  caprolactone) *in vivo*. *Biomaterials.* 2 215-219.
- Pitt C.G., Gratzl M.M., Jeffcoat R.A., Zweidinger R.A. and Schindler A. (1979a) Sustained drug delivery systems-II. Factors affecting release rates from poly ( $\epsilon$ -caprolactone) and related biodegradable polyesters. *J.Pharm.Sci.* 68: 1534-1538.

- Pitt C.G., Hendren R.W., Schindler A. and Woodward S.C. (1984) The enzymatic surface erosion of aliphatic polyesters. *J.Control.Rel.* 1: 3-4.
- Pitt C.G., Jeffcoat A.R., Zweidinger R.A. and Schindler A. (1979b) Sustained drug delivery system-I. The permeability of poly ( $\epsilon$ -caprolactone), poly (DL-lactic acid) and their co-polymers. *J.Biomed.Mater.Res.* 13: 497-507.
- Powell M.F. Grey H., Gaeta F., Sette A. and Colon S. (1992) peptide stability in drug development : a comparison of peptide reactivity in different biological media. *J.Pharm.Sci.* 81: 731-735.
- Preis I. and Langer R.S (1979) A single step immunization by sustained antigen release. *J. Immunol. Methods.* 29: 193-
- Raja Naresh R.A. (1995) *Evaluation of targeted drug delivery systems of an anticancer drug with and without hyperthermia in tumour bearing mice.* Ph.D. thesis, Mangalore University.
- Raja Naresh R.A., Udupa N. and Uma Devi P. (1995) Kinetics and tissue distribution of niosomal bleomycin in tumour bearing mice. *Indian J.Pharm.Sci.* 58: 230-235.
- Raja Naresh R.A., Udupa N. and Uma Devi P. (1996) Toxicity and antitumour activity of niosomal bleomycin in tumour bearing mice. *Indian J. Exp. Biol.* 34: 764-772.
- Remers W.A. (1998) Antineoplastic agents. In: *Wilson and Gisvold's text book of organic, medicinal and pharmaceutical chemistry.* Delgado J.N. and Remer W.A. (ed), 10<sup>th</sup> edition, Lippincott-Raven Publishers, New York, pp 377-378.
- Roy K., Mao H-Q. and Leong K.W. (1997) *Proc. Int. Symp. Control. Rel. Bioact. Mater.* 24:673-674.
- Ruiz J.M. and Benoit J.P. (1991) *In vivo* peptide release from poly(dl-lactic acid co-glycolic acid) polymers 50/50 microspheres. *J.Control.Rel.* 16: 177-186.
- Ruiz J.M., Burnel J.P. and Benoit J.P. (1990) Influence of average molecular weights of poly (DL-lactic acid-co-glycolic acid) copolymers 50/50 *in vitro* drug release from microspheres. *Pharm.Res.* 7: 928-935.
- Sabnis S., Rege P. and Block L.H. (1997) Use of chitosan in compressed tablets of diclofenac sodium: inhibition of drug release in an acidic environment. *Pharm. Dev. Technol.*, 2: 243-255.
- Sah H. (1999a) Protein behavior at the water/methylene chloride interface. *J.Pharm.Sci.* 88: 1320-1325.
- Sah H. (1999b) Stabilization of proteins against methylene chloride/water interphase in induced denaturation and aggregation. *J. Control. Rel.* 58: 143-151.
- Sanders L.M., Kent J.S., McRae G.I., Vickery B.H., Tice T.R. and Lewis D.H. (1984) Controlled release of a luteinizing hormone-releasing hormone analogue from poly (dl lactide-glycolide) microspheres. *J.Pharm.Sci.* 73 1294-1297.
- Sansdrop P. and Moes A.J. (1993) Influence of manufacturing parameters on the size characteristics and the release profiles of nifedipine from poly (dL- lactide-co-glycolide) microspheres. *Int.J.Pharm.* 98: 157-164.
- Sato S. and Kim S.W. (1984) Macromolecular diffusion through polymer membranes. *Int.J.Pharm.* 22: 229-255.
- Schwoppe A.D. Wise D.L., Sell. K.W., Skornik W.A. and Dressler D.P. (1974) Development of a synthetic burn coating. *Trans. Am. Soc. Artif. Intern. Organs.* 20: 103-107.
- Schwoppe A.D., Wise D.L. and Howes J.F. (1975) Lactic/glycolic acid polymers as narcotic antagonist delivery systems. *Life.Sci.* 17: 1877-1886.
- Service R.F. (1994) Triggering the first line of defense. *Science.* 265: 1522-1524.

- Shah S.S., Cha Y. and Pitt C.G. (1992) Poly (lactic acid-co-DL-lactic acid): diffusion or degradation controlled delivery? *J. Control. Rel.* 18: 261-270.
- Shenoy D.B. N. Udupa and Nagaraj Kumari. (1997) Implantable drug delivery systems for centchroman. *Indian J.Pharm.Sci.* 59: 246-250.
- Shenoy D.B. Udupa N., Singh U.V. and Nagaraj Kumari. (1997) *In vitro* and *in vivo* evaluation of novel injectable contraceptive preparations of centchroman. *Indian J. Pharmacol.* 29: 233-237.
- Shenoy D.B., D. Kini and Udupa N. (1998) Formulation and *in vitro* evaluation of centchroman loaded biodegradable microspheres. *Indian J.Pharm.Sci.* 60: 41-44.
- Shenoy D.B., Udupa N., Kamath R. and Uma Devi P. (1999) Evaluation of antitumour efficacy of centchroman in mice bearing Ehrlich ascites carcinoma. *Indian J. Physiol. Pharmacol.* 43: 259-262.
- Shigemasa Y. and Minami S. (1995) In: *Biotechnology & Genetic Engineering Reviews* Tombs M.P. (ed), Intercept, pp 383-420.
- Shiu G.K., Goehl T.J. and Pitlick W.H. (1979) Rapid high-performance liquid chromatographic determination of bleomycin A<sub>2</sub> in plasma. *J.Pharm.Sci.*, 68: 232-243.
- Singh M., Singh D., Singh A. and Talwar G.P. (1992) Immunogenicity studies on diphtheria toxoid loaded biodegradable microspheres. *Int.J.Pharm.* 85: R5-R8.
- Singh U.V. and Udupa N. (1997) *In vitro* characterization of methotrexate loaded poly(lactic-co-glycolic) acid microspheres and antitumour efficacy in Sarcoma-180 mice bearing tumour. *Pharm. Acta. Helv.*, 72: 165-173.
- Singh U.V. and Udupa N. (1998) Methotrexate loaded chitosan and chitin microspheres - *in vitro* characterization and pharmacokinetics in mice bearing Ehrlich ascites carcinoma. *J. Microencapsul.* 15: 581-594.
- Singh U.V., Bisht K.S., Rao S., Uma Devi P. and Udupa N. (1996) Plumbagin loaded PLGA microspheres with reduced toxicity and enhanced antitumour efficacy in mice. *Pharm. Sciences.*, 2: 407-409.
- Singh U.V., Bisht K.S., Rao S., Uma Devi P. and Udupa N. (1997b) Reduced toxicity and enhanced antitumour efficacy of plumbagin using poly(lactic-co-glycolic) acid biodegradable injectable implant. *Indian J. Pharmacol.*, 29: 168-172.
- Singh U.V., Pandey S. Udupa N. and Uma Devi P. (1997a) Preparation, characterization and antitumour efficacy of biodegradable poly (lactic acid) methotrexate implantable films. *Drug Delivery.*, 4: 101 - 106.
- Singh U.V., Shenoy D.B. & Udupa N. Unpublished chapter accepted for publication in *Novel & Controlled Drug Delivery - Vol II* Jain N.K. (ed) CBS Publishers and Distributors, New Delhi.
- Smyth J.F. (1990) Malignant melanoma. In: *Cancer chemotherapy and biological response modifiers Annual 11*. Pinedo H.M., Chabner B.A. and Longo D.C. (eds), Elsevier Science Publishers, New York, pp 531-543.
- Sofia M. and Bachawath B.K. (1991) *Indian J. Biochem. Biophy.* 28: 346-351.
- Song Y., Onishi H., Machida Y. and Nagai T. (1996) Drug release and antitumour characteristics of N-succinyl-chitosan-mitomycin V as an implant. *J. Control. Rel.* 42: 93-100.
- Soriano I., delgado A., Diaz R.V. and Evora C. (1995) use of surfactants in poly(lactic) acid protein microspheres. *Drug Dev. Ind. Pharm.* 21: 549-558.

- Spenlehauer G., Vert M., Benoit J.P., Chabot F. and Veillard M. (1988) Biodegradable cisplatin microspheres prepared by the solvent evaporation method. Morphology and release characteristics. *J.Control.Rel.* 7: 217-229.
- Struszczyk H., Pospieszny H. and Kotlinski S. (1989) In: *Chitin and Chitosan*, Skjåk-Bræk G., Anthonsen T. and Sandford P. (eds), Elsevier Science, pp 733-742.
- Tabata Y. and Ikada Y. (1987) Macrophage activation through phagocytosis of muramyl dipeptide encapsulated in gelatin microspheres. *J.Pharm.Pharmacol.* 39: 698-704.
- Terasima T. and Umezawa H. (1970) Lethal effects of bleomycin on cultured mammalian cells. *J. Antibiot.* 23: 300-304.
- Thanoo B.C., Sunny M.C. and Jayakrishnan A. (1992) Cross-linked chitosan microspheres: preparation and evaluation as a matrix for the controlled release of pharmaceuticals. *J.Pharm.Pharmacol.*, 44:283-286.
- Tice T.R. (1985) Long acting biodegradable steroid microcapsules for parenteral administration. *Polymer Reprints.* 26: 198-199.
- Tomlinson E. and Burger J.J. (1984) Incorporation of water soluble in albumin microspheres. In : *Methods in Enzymology, Volume 112 – Drug and enzyme targeting: Part A*. Widder K.J. and Green R. (eds) Academic Press Inc., New York, pp 27-43.
- Torrado S, Torrado J.J. and Cadorniga R. (1992) Topical application of albumin microspheres containing vitamin A: Drug release and availability. *Int.J.Pharm.* 86: 147-152.
- Tozaki H., Komoike J., Tada C., Maruyama T., Terave A., Suzuki T., Yamamoto A. and Muranishi S. (1997) Chitosan capsules for colon-specific drug delivery: improvement of insulin absorption from the rat colon. *J.Pharm.Sci.*, 86:1016-1021.
- Tozer G.M., Lewis S., Michalowsiski A. and Aber V. (1990) The relationship between regional variations in blood flow and histology in a transplanted rat fibrosarcoma. *Br. J. Cancer.* 61: 250-257.
- UmaDevi P. and Rao B.S.S. (1993) Response of mouse sarcoma-180 to bleomycin in combination with radiation and hyperthermia. *Strahlenther. Onkol.*, 169: 601-607.
- Umezawa H., Ishizuka M., Maeda K. and Takeuchi T. (1967) Studies on bleomycin. *Cancer.* 20: 891-895.
- Venkatesan N., Sood A., Singh R. and Vyas S.P. (1995) Biodegradable polymers as microparticulate drug carriers. *Indian Drugs.* 32: 520-529.
- Verrijck R., Smolders I.J.H., VeVie J.G. and Begg A.C. (1991) Polymer coated albumin microspheres as carriers for intravascular tumour targeting of cisplatin. *Cancer.Chemother.Pharmacol.* 29: 117-121.
- Vishwanathan B.N., Thomas P.A., Pandit J.K., Kulkarni M.G. and Mashelkar R.A. (1999) Preparation of non-porous microspheres with high entrapment efficiency of proteins by a (water in oil) in oil emulsion technique. *J. Control. Rel.* 58: 9-20.
- Vitale G.C., Henser L.S. and Polk H.C. (1986) Malignant tumours of the liver. *Surg.Clin.North.America.* 66: 723-741.
- Wang P.Y. (1986) Insulin delivery by an implantable combined matrix system. *Life Support Syst.* 4: 380-382.
- Wang P.Y. (1989) Compressed poly (vinyl alcohol) - polycaprolactone admixture as a model to evaluate erodible implants for sustained drug delivery. *J.Biomed.Mater.Res.* 23: 91 -104.

- Weiner M.L. (1992) In: *Advances in Chitin and Chitosan*, Brine C.J., Sandford P.A. and Zikakis J.P. (eds), Elsevier Science, pp 663–670
- Willmot N. Cummings J. and Florence A.T. (1985) *In vitro* release of adriamycin - loaded albumin and haemoglobin microspheres. *J. Microencapsulation*. 2: 293-304.
- Willmot N., Magee G.A., Cummings J., Halbert G.W. and Smyth J.F. (1992) Doxorubicin-loaded case in microspheres: protein nature of drug incorporation. *J.Pharm.Pharmacol.* 44: 472-475.
- Willmott Y.N., Anderson J. and Florence A.T. (1987) Comparison of albumin and casein micropsheres as a carrier for doxorubicin. *J.Pharm.Pharmacol.* 39: 978-985.
- Wise D.L., Gregory J.B., Neuberne P.M., Barthlow L.C. and Stanbury J.B. (1978) Results on biodegradable cylindrical implants for fertility control. In: *Polymeric delivery systems*. Kostelnik, R.J., (ed), Gordon Breach Science Publisher, New York, pp 121-138.
- Wise D.L., Rosenkrantz H., Gregory J.B. and Esber H.J. (1980) Long term controlled delivery of levonorgestrel in rats by means of small biodegradable cylinders. *J.Pharm.Pharmacol.* 32: 399-403.
- Wise D.L., Trantolo D. J., Marino R.T. and Kitchell J.P. (1987) Opportunities and challenges in the design of implantable biodegradable polymeric systems for the delivery of antimicrobial agents and vaccines. *Adv Drug Del Rev.* 1: 19-39.
- Yapel A.F. (1985) Heat and chemical stabilization. In: *Drug and enzyme targeting: Part A. Methods in enzymology*. Vol 112, Widder K.J. and Green R. (eds), Academic Press Inc, New York, pp 3-18.
- Yomota C., Miyazaki T. and Okada S. (1994) Sustained release effect of the direct compressed tablet based on chitosan and sodium alginate. *Yakugaku Zasshi*, 114:257-263.
- Yoshida M., Asano M., Omichi H., Hayashi Y., Yamaguchi I. and Matsuda K. (1995) Study of biodegradable co-poly (L-lactic acid/glycolic acid) formulation with controlled release of Z-100 for application in radiation therapy. *Int.J.Pharm.* 115: 61-67.
- Zuidema J. Kadir F., Titulaer H.A.C and Oussoren C. (1994) release and absorption rates of intramuscularly and subcutaneously injected pharmaceuticals (II). *Int.J.Pharm.* 105: 189-207.