

LIST OF FIGURES

- Figure 1: Chemical structure of chitosan
Figure 2: Synthesis and structure of poly (lactic-co-glycolic) acid
Figure 3: Structure and synthesis of poly (ϵ -caprolactone)
Figure 4: Structure of bleomycin
Figure 5: Calibration curve of BLM in PBS pH 7.4
Figure 6: Calibration curve of INS in PBS pH 7.4
Figure 7: *In vitro* release of BLM from biodegradable microspheres
Figure 8: *In vitro* release of INS from biodegradable microspheres
Figure 9: Schematic representation of release mechanism of protein/peptide drug from biodegradable microspheres
Figure 10: CD spectrum of INS (free and released from biodegradable microspheres)
Figure 11: Pharmacodynamic evaluation of INS-loaded microspheres in diabetic rats
Figure 12: Calibration curve of BLM in mouse plasma
Figure 13: Plasma concentration-time curves for BLM-loaded PLGA microspheres in Swiss mice bearing fibrosarcoma
Figure 14: Plasma concentration-time curves for BLM-loaded PLGA microspheres in Swiss mice bearing fibrosarcoma – effect of route of administration
Figure 15: Plasma concentration-time curves for BLM-loaded PLGA microspheres in Swiss mice bearing fibrosarcoma
Figure 16: Plasma BLM concentration – time curve in healthy Swiss mice
Figure 17: Plasma BLM concentration-time curve for free BLM given as i.v. injection (from Raja Naresh et al., 1995)
Figure 18: Calibration curve for INS in rat plasma
Figure 19: Plasma INS concentration-time curve INS-loaded formulations