

## REFERENCES

- Aislabie, J., and M. Loutit. 1986. Accumulation of Cr(III) by bacteria isolated from polluted sediments. *Mar. Environ. Res.* 20:221-232.
- APHA, AWWA, WPCF. 1985. Standard methods for the analysis of water and waste water. 16th Edn. Taras, M. J., A. E. Greenberg, R. D. Hoak and M. C. Rand (eds). American Public Health Association, Washington DC.
- Arakawa, H., M. Tsushima, M. Kishi, and N. Watanabe. 1993. Reduction of chromium (VI) by water extracts from withered oak leaves. *Chemistry Letters*, 2113-2116.
- Arillo, A., and F. Melodia. 1991. Reduction of hexavalent chromium by the earthworm *Eisenia foetida* (Savigny). *Ecotoxicology and Environmental Safety*. 21:92-100.
- Arst, H. N., Jr. 1968. Genetic analysis of the first steps of sulfate metabolism in *Aspergillus nidulans*. *Nature*. 219:268-270.
- \*Babich, H., M. Schiffenbauer, and G. Stotzky. 1982. Comparative toxicity of trivalent and hexavalent chromium to fungi. *Bull. Environ. Contam. Toxicol.* 28:452-459.
- Bachmann, B. J. 1972. Pedigrees of some mutant strains of *Escherichia coli* K12. *Bacteriol. Rev.* 36:525-537.
- \*Bansal, T.K., and H. R. Sharma. 1992. Chromium removal by adsorption on rice husk ash. *Ind. J. Environ. Prot.* 12:198-201.
- Barber, D., S. R. Parr, and C. Greenwood. 1977. The reduction of *Pseudomonas* cytochrome c<sub>551</sub> oxidase by chromous ions. *Biochem. J.* 163:629-632.
- Bartlett, R. J. 1991. Chromium cycling in soils and water: Links, gaps and methods. *Environmental Health Perspectives*. 92:17-24.
- Beveridge, T. J., and R. J. Doyle (eds). 1989. Metal ions and bacteria. A Wiley-Interscience Publication. Wiley. USA.
- \*Bhargava, D.S., M. S. Gupta, and B. S. Varshney. 1987. Use of sawdust for the adsorption of heavy metals. *Asian Environ.* 9:29-37.
- Bharti, A., R. P. Saxena, and G. N. Pandey. 1979. Physiological imbalances due to hexavalent chromium in fresh water algae. *Indian J. Environ. Health*. 21:234-243.
- Bhide, J. V., P. K. Dhakephalkar, and K. M. Paknikar. 1996. Microbiological process for the removal of hexavalent chromium from chromate bearing cooling tower effluent. *Biotechnol. Lett.* 18:667-672.

\*Blake, R. C., D. M. Choate, S. Bardhan, N. Revis, L. L. Barton, and T. G. Zocco. 1993. Chemical transformation of toxic metals by a *Pseudomonas* strain from a toxic waste site. Environ. Toxicol. Chem. 12:1365-1376.

Bopp, L.H., A. M. Chakrabarty, and H. L. Ehrlich. 1983. Chromate resistance plasmid in *Pseudomonas fluorescens*. J. Bacteriol. 155:1105-1109.

Bopp, L.H., and H. L. Ehrlich. 1988. Chromate resistance and reduction in *Pseudomonas fluorescens* strain LB 300. Arch. Microbiol. 150:426-431.

\*Bremer, P.J., and M. W. Loutit. 1986. The effect of Cr(III) on the form and degradability of a polysaccharide produced by a bacterium isolated from a marine sediment. Mar. Environ. Res. 20:249.

Brenner, D. J. 1989. Family Enterobacteriaceae. pp. 408-516. In : Bergey's Manual of Systematic Bacteriology. Vol I. Holt, J. G. (ed-in-chief). Williams and Wilkins, Baltimore, USA.

Burke, T., J. Fagliano, M. Goldoft, R. E. Hazen, R. Inglewicz, and T. McKee. 1991. Chromite ore processing residue in Hudson County, New Jersey. Environmental Health Perspectives. 92:131-137.

Cervantes, C., and H. Ohtake. 1988. Plasmid determined resistance to chromate in *Pseudomonas aeruginosa*. FEMS Microbiol. Lett. 56:173-176.

Cervantes, C., and S. Silver. 1992. Plasmid chromate resistance and chromate reduction. Plasmid. 27:65-71.

\*Christie, N.T., and M. Costa. 1983. In vitro assessment of the toxicity of metal compounds. III. Effects of metals on DNA structure and function in intact cells. Biol. Trace. Elem. Res. 5:55.

Clarkson, T. W. 1993. Molecular and ionic mimicry of toxic metals. Annu. Rev. Pharmacol. Toxicol. 32:545-571.

\*Coleman, R. N., and J. H. Paran. 1983. Accumulation of hexavalent chromium by selected bacteria. Environ. Technol. Lett. 4:149-156.

\*Coleman, R.N., and J. H. Paran. 1991. Biofilm concentration of chromium. Environ. Technol. 12:1029-1093.

Coupal, B., and M. L. Jean. 1976. The treatment of waste water with peat moss. Wat. Res. 10:1071-1076.

\*Corradi, M. G., and G. Gorbi. 1993. Chromium toxicity on two linked trophic levels. II. Morphophysiological effects on *Scenedesmus acutus*. Ecotoxicology and Environmental Safety. 25:72-78.

Corradi, M. G., G. Gorbi, and M. Bassi. 1995. Hexavalent chromium induces gametogenesis in the freshwater alga *Scenedesmus acutus*. Ecotoxicology and Environmental Safety. 30:106-110.

\*Dararatna, S., and P. Disyaboot. 1991. The treatment of heavy metals from industrial effluents by onion skin. Microb. Util. Renewable Resour. 7:428-429.

Das, S., and A. L. Chandra. 1990. Chromate reduction in *Streptomyces*. Experientia. 46:731-733.

\*deFlora, S., V. Bianchi, and A. G. Levis. 1984. Distinctive mechanisms for interactions of hexavalent and trivalent chromium with DNA? Toxicol. Environ. Chem. 8:287-294.

de Ley, J. 1970. Reexamination of the association between melting point, buoyant density and chemical base composition of deoxyribonucleic acid. J. Bacteriol. 101:738-754.

Dhakephalkar, P. K., J. V. Bhide, and K. M. Paknikar. 1996. Plasmid mediated chromate resistance and reduction in *Pseudomonas mendocina* MCM B-180. Biotechnol. Lett. (accepted and in press).

Efstathiou, J. D., and L. L. McKay. 1977. Inorganic salts resistance associated with a lactose-fermenting plasmid in *Streptococcus lactis*. J. Bacteriol. 130:257-265.

Filip, D. S., T. Peters, V. D. Adam, and E. J. Middlebrooks. 1979. Residual heavy metal removal by an algae-intermittent and filtration system. Wat. Res. 13:305-313.

Forsberg, C. W. 1978. Effects of heavy metals and other trace elements on the fermentative activity of the rumen microflora and growth of functionally important rumen bacteria. Can. J. Microbiol. 24:298-306.

\*Frey, B. E., G. F. Reidel, A. E. Bass, and L. F. Small. 1983. Sensitivity of estuarine phytoplankton to hexavalent chromium. Estuarine Coastal Shelf Sci. 17:181-187.

Fude, L., B. Harris, M. M. Urrutia, and T. J. Beveridge. 1994. Reduction of Cr(VI) by a consortium of sulfate-reducing bacteria (SRB III). Appl. Environ. Microbiol. 60:1525-1531.

Furman, C. R., V. I. Owusu, and J. C. Tsang. 1984. Interlaboratory effects of some transition metal ions on growth and pigment formation of *erratia marcescens*. Microbios. 40:45-51.

Gadd, G. M. 1990. Metal tolerance. pp.178-209. In: Microbiology of extreme environments. Edward, C. (ed). McGraw-Hill Publishing Co., New York.

Garcia-Toledo, A., H. Babich, and G. Stotzky. 1985. Training of *Rhizopus stolonifer* and *Cunninghamella blackesleeana* to copper: Co-tolerance to cadmium, cobalt, nickel and lead. Can. J. Microbiol. 31:485.

Ghani, B., M. Takai, N. Z. Hisham, N. Kishimoto, A. K. M. Ismail, T. Tano, and T. Sugio. 1993. Isolation and characterization of a Mo<sup>6+</sup> reducing bacterium. Appl. Environ. Microbiol. 59:1176-1180.

Gopalan, K., and H. Veermani. 1994. Studies on microbial chromate reduction by *Pseudomonas* sp. in aerobic continuous suspended growth cultures. Biotechol. Bioeng. 43:471-476.

\*Gorbi, G., and M. G. Corradi. 1993. Chromium toxicity on two linked trophic levels I. Effects of contaminated algae on *Daphnia magna*. Ecotoxicology and Environmental Safety. 25:64-71.

Gupta, D.S., and U. C. Tiwari. 1985. Aluminium oxide as adsorbent for removal of hexavalent chromium from aqueous waste. Ind. J. Environ. Hlth. 27:205-215.

Gupta, G.S., G. Prasad, and V. N. Singh. 1990. Removal of Chrome dye from aqueous solutions by mixed adsorptions : Fly ash and coal. Wat. Res. 24:45-50.

Gvozdyak, P.I., N. F. Mogilevich, A. F. Rylskii, and N. I. Grishchenko. 1987. Reduction of hexavalent chromium by collection strains of bacteria. Mikrobiologiya. 55:962-965.

Handa, B. K. 1978a. Occurrence of heavy metals and cyanides in ground water from shallow aquifers in Ludhiana. IAWPC Tech. Annu. 5:109-115.

Handa, B. K. 1978b. Trace elements and cyanides as indicators of ground water pollution. J. Inst. Public Health Eng. (India) 78:30-35.

\*Handa, B. K. 1983a. Pollution of natural waters by industrial waste effluents with special reference to pollution in some parts of north and north-west India. Proc. National Seminar on assessment, development and management of ground water resources. New Delhi, April 29-30, 1983, pp. 355-365.

\*Handa, B. K. 1983b. Occurrence and distribution of trace elements in natural waters of India. Proc. National Seminar on assessment, development and management of ground water resources. New Delhi, April 29-30, 1983, pp.293-304.

\*Handa, B. K. 1984. Water quality and water pollution problems on the Indian sub-continent. Intern. Symp. Hydrochemical Balances of Fresh Water Systems.Uppsala, Sweden, September 10-14, 1984, pp.313-322.

Handa, B. K., A. Kumar, and D.K. Goel. 1983a. Pollution of ground waters by chromium in Uttar Pradesh. IAWPC Tech. Annu. 10:167-176.

\*Handa, B. K., A. Kumar, and D. K. Goel. 1983b. Hydrochemistry, water quality and water pollution in Kanpur metropolis. Tech. Report No. 7, C.C.L., C.G.W.B., Ministry of Irrigation, pp 136.

Hardoyo, J. K., and H. Ohtake. 1991. Effects of heavy metal cations on chromate reduction by *Enterobacter cloacae* strain HO 1. J. Gen. Appl. Microbiol. 37:519-522.

Hugh, R., and E. Leifson. 1953. The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various Gram-negative bacteria. J. Bacteriol. 66:24-26.

Horitsu, H., S. Futo, K. Ozawa, and K. Kawai. 1983. Comparison of characteristics of hexavalent chromium-tolerant bacterium *Pseudomonas ambigua* G-1 and its hexavalent chromium sensitive mutant. Agric. Biol. Chem. 47:2907-2908.

Horitsu, H., S.Futo, Y. Miyazawa, S. Ogai, and K. Kawai. 1987. Enzymatic reduction of hexavalent chromium by hexavalent chromium tolerant *Pseudomonas ambigua* G-1. Agric. Biol. Chem. 51:2417-2420.

Ilyatidinov, A.N. 1988. Removal of metals from industrial wastewater. In: G.I. Karavaiko, G. Rossi, A. D. Agate, S. N. Groudev and Z. A. Avakyan (eds.). Biogeotechnology of Metals (Manual). Centre for International Projects GKNT (Moscow).

Ishibashi, Y., C. Cervantes, and S. Silver. 1990. Chromium reduction in *Pseudomonas putida*. Appl. Environ. Microbiol. 56:2268-2270.

James, B. R., and R. J. Bartlett. 1984. Nitrification in soil suspensions treated with chromium(III, VI) salts or tannery wastes. Soil Biol. Biochem. 16:293-295.

\*Kakar, Y. P., and N. C. Bhatnagar. 1981. Ground water pollution due to industrial effluents in Ludhiana. In W. van Duijnenbooden, P. Glasbergen and van Lelyveld, (eds). Internat. Symp. on Quality of Ground Water. Noordwijkherhout, The Netherlands March 23-27, 1981. Elsvier Scientific Publ., Amsterdam, pp. 265-272.

Katz, S. A., and H. Salem. 1993. The toxicology of chromium with respect to its chemical speciation : A review. 13(3):217-224.

\*King, E. O., M. K. Ward, and D. E. Raney. 1954. Two single media for the demonstration of pyocyanin and fluorescein. J. Lab.Clin. Med. 44:301-307.

Kong, S., D. L. Johnston, D. R. Yonge, J. N. Peterson, and T. M. Brouns. 1992. chromium distribution in subcellular components between fresh and starved subsurface bacterial consortium. Biotechnol. Tech. 6:143-148.

Kong, S., D. L. Johnstone, J. N. Petersen, and T. M. Brouns. 1993. Competing ion effect on chromium adsorption with fresh and starved subsurface bacterial consortium. Biotechnol. Lett. 15:87-92.

Komori, K., P. Wang, K. Toda, and H. Otake. 1990a. A method for removal of toxic chromium using dialysis sac cultures of a chromate reducing strain of *Enterobacter cloacae*. Appl. Microbiol. Biotechnol. 33:117-119.

Komori, K., A. Rivas, K. Toda, and H. Otake. 1990b. Biological removal of toxic chromium using an *Enterobacter cloacae* strain that reduces chromate under anaerobic conditions. Biotechnol. Bioeng. 35:951-954.

Kvasnikov, E. I., V. V. Stepanyuk, T. M. Klyushnikova, N. S. Serpokrylov, G.A. Simonova, T. P. Kasatkina, and L. P. Pachenko. 1985. A new chromium-reducing Gram variable bacterium with mixed type flagellation. Mikrobiologiya. 54:83-88.

Lebedeva, E.V., and N. N. Lyalikova. 1979. Reduction of crocoite by *Pseudomonas chromatophila* sp. nov. Mikrobiologiya. 48:517-522.

Llovera, S., R. Bonet, M. D. Simon-Pujol, and F. Congregodo. 1993. Chromate reduction by resting cells of *Agrobacterium radiobacter* EPS-916. Appl. Environ. Microbiol. 59:3516-3518.

\*Lo-K.S.L., W. F. Yang, and Y. C. Lin. 1992. Effects of organic matter on the specific adsorption of heavy metals by soil. Toxicol. Environ. Chem. 34:139-153.

Lovley, D. R. 1993. Dissimilatory metal reduction. Annu. Rev. Microbiol. 47:263-290.

Lovley, D. R., and E. J. P. Phillips. 1994. Reduction of chromate by *Desulfovibrio vulgaris* and its c3 cytochrome. Appl. Environ. Microbiol. 60:726-728.

Lowry, O. H., N. J. Rosebrough, A. L. Farr and R. J. Randall. 1951. Protein measurement with Folin phenol reagent. J. Biol. Chem. 193:265-275.

Macrina, F. L., D. J. Rupecko, K. R. Jones, D. J. Ayers, and S. M. McCowen. 1978. A multiple plasmid-containing *Escherichia coli* strain: convenient source of size reference plasmid molecules. Plasmid. 1:417-420.

Mahajan, S. P. 1985. Pollution Control in Process Industries, pp 82-89. Tata McGraw-Hill Co., New Delhi.

Maniates, T., E. F. Fritsch, and J. Sambrook. 1982. Molecular cloning: A laboratory manual. Cold Spring Harbor Laboratory. Cold Spring Harbor, NY.

Marmur, J. 1961. A procedure for the isolation of deoxyribonucleic acid from microorganisms. *J. Molec. Biol.* 3:208-218.

Marmur, J., and P. Doty. 1962. Determination of the base composition of deoxyribonucleic acid from its thermal denaturation temperature. *J. Molec. Biol.* 5:109-118.

Marzluf, G. A. 1970a. Genetic and metabolic controls for sulfate metabolism in *Neurospora crassa*: Isolation and study of chromate-resistant and sulfate transport-negative mutants. *J. Bacteriol.* 102:716-721.

Marzluf, G. A. 1970b. Genetic and biochemical studies of distinct sulfate permease species in different developmental stages of *Neurospora crassa*. *Arch. Biochem. Biophys.* 138:254-263.

Mazierski, J. 1995. Effect of Chromium(VI) on the growth rate of activated sludge bacteria. *Wat. Res.* 29:1479-1482.

Metcalf and Eddy. 1990. Wastewater Engineering : Treatment, disposal, reuse. 2nd Edn. Tata McGraw Hill Publishing Company Ltd., New Delhi.

\*Michie, C. A., M. Hayhurst, G. J. Knobel, J. M. Stokol, and B. Hensley. 1991. Poisoning with a traditional remedy containing potassium dichromate. *Hum. Exp. Toxicol.* 10:129-131.

Nair, S., and V. S. Krishnamurthi. 1991. Effect of chromium on growth of *Pseudomonas*. *Ind. J. Expt. Biol.* 140-144.

Narayan, N., and K. Abburi. 1989. A study on removal of chromium by adsorption on bituminous coal from synthetic effluents. *Ind. J. Environ. Hlth.* 31: 304-308.

Nies, D. H., and S. Silver. 1989. Plasmid determined inducible efflux is responsible for resistance to cadmium, zinc and cobalt in *Alcaligenes eutrophus*. *J. Bacteriol.* 171:896-900.

Nieuwenhuis, G. J. US patent 3,493,328 February 3, 1970.

Nishioka, H. 1975. Mutagenic activities of metal compounds in bacteria. *Mutat. Res.* 31:185-189.

- Nourbakhsh, M., Y. Sag, D. Ozer, Z. Aksu, T. Kutsal, and A. Cagler. 1994. A comparative study of various biosorbents for removal of chromium(VI) ions from industrial waste waters. *Process Biochemistry*. 29:1-5.
- Nriagu, J. O., and E. Niebor (eds). 1988. Chromium in natural and human environment. Wiley. New York
- Ohtake, H., C. Cervantes, and S. Silver. 1987. Decreased chromate uptake in *Pseudomonas fluorescens* carrying a chromate resistance plasmid. *J. Bacteriol.* 169:3853-3856.
- Ohtake, H., E. Fuji, and K. Toda. 1990. A survey of effective electron donors for reduction of toxic hexavalent chromium by *Enterobacter cloacae* strain HO1. *J. Gen. Appl. Microbiol.* 36:203-208.
- Ohtake, H., and J. K. Hardoyo. 1992. New biological method for detoxification and removal of hexavalent chromium. *Water. Sci. Tech.* 25:395-402.
- Paknikar, K. M., and J. V. Bhide. 1992. Aerobic reduction and biosorption of chromium by a chromate resistant *Aspergillus* sp. pp. 237-244. In: Biohydrometallurgical Technologies Vol II. Proceedings of an International Biohydrometallurgy Symposium, Wyoming, USA. Torma, A. E., M. L. Apel, and C. L. Brierley (eds.). The Minerals, Metals & Materials Society, USA.
- Palleroni, N. J. 1989. Family Pseudomonadaceae. pp. 141-217. In : Bergey's Manual of Systematic Bacteriology. Vol I. Holt, J. G. (ed-in-chief). Williams and Wilkins, Baltimore, USA.
- Palmer, C.D., and P. R. Wittbrodt. 1991. Processes affecting the remediation of chromium-contaminated sites. *Environmental Health Perspectives*. 92:25-40.
- Patterson, J. W. 1977. Waste water treatment. Science Publishers Inc, New York, USA.
- \*Pandey, K.K., G. Prasad, and V. N. Singh. 1984a. Fly ash-china clay for removal of Cr(VI) from aqueous solutions. *Ind. J. Chem.* 23A:514-515.
- Pandey, K.K., G. Prasad, and V. N. Singh. 1984b. Removal of Cr(VI) from aqueous solutions by adsorption on fly ash - wollastonite. *Tech. Bio. Tech.* 34A:367-374.
- Pepi, M., and F. Baldi. 1992. Modulation of chromium (VI) toxicity by organic and inorganic sulfur species in yeasts from industrial wastes. *Bio Metals*. 5:179-185.
- Perbal, B. V. 1984. A practical guide to molecular cloning. Wiley. USA.

\*Petria, V. 1978. Effects of chromium salts from water sediments on physiological processes in the alga *Chlorella vulgaris*. Rev. Roum. Biol. Ser. Biol. Veg. 23:55-57.

Petrilli, F. L., and S. deFlora. 1977. Toxicity and mutagenicity of hexavalent chromium on *Salmonella typhimurium*. Appl. Environ. Microbiol. 33:805-809.

Petrilli, F. L., and S. deFlora. 1978. Oxidation of inactive trivalent chromium to the mutagenic hexavalent hexavalent form. Mutat. Res. 58:167-174.

Romanenko, V. I., and V.N. Koren'kov. 1977. A pure culture of bacteria utilizing chromates and bichromates as hydrogen acceptors in growth under anaerobic conditions. Mikrobiologiya. 46:414-417.

Ross, D. J., R. E. Sjogren and R. J. Bartlett. 1981. Behaviour of chromium in soils. IV. Toxicity to microorganisms. J. Environ. Qual. 10:145-148.

Salt, D. E., M. Blaylock, N. P. B. A. Kumar, V. Dushenkov, B. D. Ensley, I. Chet, and I. Raskin. 1995. Phytoremediation: A novel strategy for the removal of toxic metals from the environment using plants. Biotechnol. 13:468-474.

\*Samitz, M. H. 1955. Some dermatologic aspects of the chromate problem. Arch. Ind. Health. 11:361-367.

Schroll, H. 1978. Determination of the absorption of Cr<sup>6+</sup> and Cr<sup>3+</sup> in an algal culture of *Chlorella pyrenoidosa* using <sup>51</sup>Cr. Bull. Environ. Contam. Toxicol. 20:721-724.

Shen, H., and Y.T. Wang. 1993. Characterization of enzymatic reduction of hexavalent chromium by *Escherichia coli* ATCC 33456. Appl. Environ. Microbiol. 59:3771-3777.

Shen, H., and Y. T. Wang. 1994. Modelling hexavalent chromium reduction in *Escherichia coli* 33456 . Biotechnol. Bioeng. 43:293-300.

\*Shimada. 1979. Abstr. Ann. Mtg. Am. Soc. Microbiol. Q[H] 25 238.

Shukla, S.R., and V. D. Sakhardande. 1992. Column studies on metal ion removal by dyed cellulosic materials. J. Appl. Polymer. Sci. 43:903-910.

\*Singh, D.K., N. K. Mishra, and D. N. Saksena. 1990. Removal of Cr(VI) from aqueous solutions using low cost sorbent. J. IE(I)-CH. 70:90-91.

Singh, D.K., and J. Lal. 1992. Removal of chromium (VI) from aqueous solutions using waste tea leaves carbon. Ind. J. Environ. Hlth. 34:108-113.

Singh, D.K., D. P. Tiwari, and D. N. Saksena. 1993. Removal of chromium (VI) by *Mangifera indica* leaves. Poll. Res. 12:223-228.

- Singh, D.K., D. N. Saksena, and D. P. Tiwari. 1994. Removal of chromium (VI) from aqueous solutions. Ind. J. Environ. Hlth. 36:272-277.
- Smillie, R. H., K. Hunter, and M. Loutit. 1981. Reduction of chromium(VI) by bacterially produced hydrogen sulfide in a marine environment. Wat. Res. 15:1351-1354.
- Srivastav, R.K., S. K. Gupta, K. D. P. Nigam, and P. Vasudevan. 1994. Treatment of chromium and nickel in wastewater by using aquatic plants. Wat. Res. 28:1631-1638.
- Stanier, R. Y., N. J. Palleroni, and M. Doudoroff. 1966. The aerobic Pseudomonads: A taxonomic study. J. Gen. Microbiol. 43:159-271.
- Stolp, H., and D. Gadkari. 1981. Nonpathogenic members of the genus *Pseudomonas*. pp 719-741. In: The Prokaryotes: A handbook on habitats, isolation and identification of bacteria. Vol I. Starr, M. P., H. Holp, H. G. Truper, A. Balows and H. G. Schlegel (eds). Springer-Verlag, Berlin, Heidelberg, New York.
- Summers, A. O., and G. A. Jacoby. 1978. Plasmid determined resistance to boron and chromium compounds in *Pseudomonas aeruginosa*. Antimicrob. Agents Chemother. 13:637-640.
- Summers, A. O., and S. Silver. 1978. Microbial transformation of metals. Annu. Rev. Microbiol. 32:637-672.
- Suzuki, T., N. Miyata, H. Horitsu, K. Kawai, K. Takamizawa, Y. Tai, and M. Okazaki. 1992. NAD(P)H dependent Cr(VI) reductase of *Pseudomonas ambigua* G-1 : A Cr(V) intermediate is formed during the reduction of Cr(VI) to Cr(III). J. Bacteriol. 174:5340-5345.
- Svehla, G. 1987. Vogel's Qualitative Inorganic Analysis. 6th Edn. Longman Scientific and Technical. UK.
- Talmadge, W. P., and E. B. Fitch. 1955. Determining thickness unit areas. Ind. Eng. Chem. 47:1
- Tan, T.C., C. K. Chia, and C. K. Teo. 1985. Uptake of metal ions by chemically treated human hair. Wat. Res. 19:157-162.
- Thornley, M. J. 1960. The differentiation of *Pseudomonas* from other Gram-negative bacteria on the basis of arginine metabolism. J. Appl. Bacteriol. 23:37-52.
- Trevors, J. T. 1986. Plasmid curing. FEMS Microbiol. Rev. 32:149-157.

Turick, C. E., W. A. Apel, and N. S. Carmiol. 1996. Isolation of hexavalent chromium-reducing anaerobes from hexavalent-chromium contaminated and noncontaminated environments. *Appl. Microbiol. Biotechnol.* 44:683-688.

Venitt, S., and L. S. Levy. 1974. Mutagenicity of chromates in bacteria and its relevance to chromate carcinogenesis. *Nature (Lond.)* 250:493-495.

Wang, P., T. Mori, K. Komori, M. Sasatsu, K. Toda, and H. Ohtake. 1989. Isolation and characterization of an *Enterobacter cloacae* strain that reduces hexavalent chromium under anaerobic conditions. *Appl. Environ. Microbiol.* 55:1665-1669.

Wang, P.C., T. Mori, K. Toda, and H. Ohtake. 1990. Membrane- associated chromate reductase activity from *Enterobacter cloacae*. *J. Bacteriol.* 172:1670-1672.

Wang, P.C., K. Toda, H. Ohtake, I. Kusaka, and I. Yabe. 1991. Membrane-bound respiratory system of *Enterobacter cloacae* strain HO 1 grown anaerobically with chromate. *FEMS Microbiol. Lett.* 78:11-16.

Yamamoto, K., J. Kato, T. Yano, and H. Ohtake. 1993. Kinetics and modelling of hexavalent chromium reduction in *Enterobacter cloacae*. *Biotechnol. Bioeng.* 41:129-133.

Zajic, J. E. 1975. Water pollution. Marcel Decker Inc., New York, USA.

---

\* Not seen in original