

# *Bibliography*

- Agarwal D.K., Upadhyay S.K., Tripathi A.M., Agarwal K.N. (1987). Nutritional status, physical work capacity and mental function in school children. Scientific Report Nutrition Foundation of India No.6 , 67-71.
- Akella S., Satyanarayana K., Radhaiah G., Narsinga Rao B.S., Murli Mohan K.R.(1990). Calculation of Preece-Baines coefficients : A new approach :- In Statistics in Health and Nutrition Ed : K.Visweswara Rao, G.Radhaiah, V.Narayana, Dalven Printers, Hyderabad, 471-476.
- Berkey C.S., Laird N.M. (1986). Nonlinear growth curve analysis : estimating the population parameters. Annals of Human Biology, 13(2), 111-128.
- Bialik O., Peritz E., Arnon A. (1973). Weight growth in infancy : A regression analysis. Human Biology 45 , 81-93.
- Bielicki T., Szczotka H. and Charzewski J. (1981). The influence of three socio-economic factors on body height in Polish Military Conscripts. Human Biology 53(4), 543-555.
- Billewicz W.Z., Thomson A.M. and Fellowes H.M. (1983). Weight for height in adolescence. Annals of Human

Biology 10(2), 119-124.

Black A.E., Billewicz W.Z. and Thomosn A.M. (1976). The diets of preschool children in Newcastle upon Tyne, 1968-71. British Journal of Nutrition 35, 105-113.

Bock R.D., Wainer H., Petersen A., Thissen D., Murray J. and Roche A. (1973). A parameterization for individual human growth curves. Human Biology, 45(1), 63-80.

Bojlen K. and Bentzon M.W. (1968). The influence of climate and nutrition on age of menarche : A historical review and a modern Hypothesis. Human Biology 40, 69-85.

Brook C.G.D. (1978). Cellular growth : Adiposle tissue in Human Growth Vol.2 : Postnatal growth. Edited by Frank Falkner and Tanner J.M. Plenum Press, New York. 21-33

Brown T., Townsend G.C. (1982). Adolescent growth in height of Australian Aborigines analysed by the Preece-Baines Function : a longitudinal study Annals of Human Biology, 9(6), 495-505.

Courtis S.A. 1932. The measurements of growth - Brumfield and Brumfield Ann. Arbor, Mich.

Courtis S.A. 1937. What is a growth cycle? Growth 1,155-174.

Cronk G.E., Roche A.F. (1982). Race and sex-specific reference data for triceps and subscapular skinfolds and Wt/Stature<sup>2</sup>. American Journal of Clinical Nutrition. 35, 347-354.

Croxton F.E., Cowden D.J., Sidney Klein (1973). Applied general statistics. Prentice - Hall of India Private Limited, New Delhi, 249-284.

Datta Banik N.D.(1982). Semilongitudinal growth evaluation of children from birth to 14 years in different socio-economic groups. Indian Pediatrics 19,353-359.

Deming Jean (1957). Application of the Gompertz curve to the observed pattern of growth in length of 48 individual boys and girls during the adolescent cycle of growth. Human biology, 29, 83-122.

Deurenberg Paul, Weststrate J.A. and Seidell J. C. (1991). Body mass index as a measure of body fatness : age and sex specific prediction formulas. British Journal of Nutrition, 65, 105-114.

Diejomuoh F.M.E., Faul M.K.B. (1982). The heights and

weights of secondary school girls in Benin city,  
Nigeria-Tropical and Geographical Medicine. 34(4), 359-363.

Documenta Geigy : Scientific tables (sixth edition) 1962.

Edited by Konrad Diem. Published by J.R.Geigy SA.,  
Basle, Switzerland. 618-622.

Durnin J.V.G.A., Lonergan M.E., Good J. and Ewan A. (1974).

A cross-sectional nutritional and anthropometric study,  
with an interval of 7 years, on 611 young adolescent  
school children. British Journal of Nutrition 32,169-  
179.

Dwyer J.T., Andrew E.M., Berkey C.S., Valadian I., Reed R.B.

(1983). Growth in 'New' vegetarian preschool children  
using the Jenss-Bayley curve fitting technique.  
American journal of clinical Nutrition, 37, 815-827.

El. Lozy M. (1978). A critical analysis of the double and  
triple logistic curves. Annals of Human Biology, 5,  
389

Frisch R. & Revelle R. (1969). Variation in body weight and  
age of the adolescent growth among Latin American and  
Asian populations, in relation to calorie supplies.  
Human Biology, 41, 185-212.

- Frerich R.R., Harsha D.W. and Berenson G.S. (1979).  
Equations for estimating percentage of body fat in  
children 10-14 years old. *Pediatric Research* : 13,  
170-174.
- Garn S.M., Hopkins P.J. and Ryan A.S. (1981). Differential  
fatness gain of low income boys and girls. *American  
Journal of Clinical Nutrition*, 34, 1465-1468.
- Gomez F., Ramos R., Frenk S., Craviofo J., Chavez R. and  
Vazquez J. (1956). Mortality in second and third degree  
malnutrition. *Journal of Tropical Pediatrics*, 2, 77.
- Gopalan C., Swaminathan M.C., Krishnakumari V.K., Rao  
Hanumantha D. and Vijayaraghavan K. (1973). Effect of  
calorie supplementation on growth of undernourished  
children. *American Journal of Clinical Nutrition*,  
26(5), 563- 566 .
- Hackett A.F., Rugg-Gunn A.J., Appleton D.R., Parkin J.M.,  
Eastoe J.E. (1984). A two year longitudinal study of  
dietary intake in relation to the growth of 405 English  
children initially aged 11-12 years. *Annals of Human  
Biology*, 6, 545-553.
- Hamill Peter V.V., Drizd T. A., Johnson C. L., Reed R.B.,

- Roche A.F., Moorle W.M. (1979). Physical growth : National Centre for Health Statistics Percentiles. American Journal of Clinical Nutrition, 32(3), 607-629.
- Hassan N. and Ahmed K. (1984). Anthropometry and nutritional status as a function of energy intake in children 0 to 19 years old in Bangladesh. Food and Nutrition Bulletin, 6(3),44-48.
- Haupsie R.C., Das S.R., Preece M.A. and Tanner J.M. (1980). Longitudinal study of growth in height of boys and girls of West Bengal (India) aged six months to 20 years. Annals of Human Biology, 7, 429-440.
- Haupsie R.C., Wachholder A., Baron G., Cantraine F., Susanne C. & Graffar M. (1980). A comparative study of the fit of four different functions to longitudinal data on growth in height in Belgium girls. Annals of Human Biology, 7(4), 347-358.
- Indian Council of Medical Research (1972). Growth and Physical development of Indian infants and children. Technical Report Series No.18.
- Johnston F.E.(1978). Somatic growth of infant and Preschool child - In Human Growth Vol.2. Postnatal growth

- Ed. Frank Falkner and J.M. Tanner. Plenum Press, New York, 91-116.
- Laird A.K. (1967). Evolution of the human growth curve. *Growth*. 31, 345-355.
- Lindgren G.W. and Cernerud L. (1992). Physical growth and socio-economic background of Stockholm school children born in 1933-63. *Annals of Human Biology* 19(1), 1-16.
- Lindgren G.W., Hauspie R.C. (1989). Heights and weights of Swedish school children born in 1955 and 1967. *Annals of Human Biology*, 16(5), 397-406.
- Marshall W.A. (1978). Puberty. In *Human Growth Vol.2. Postnatal growth*. Edited by Frank Falkner and J.M. Tanner. Plenum Press, New York, 141-181.
- Martorell Reynaldo (1984). Child growth retardation : a discussion of its causes and its relationship to health. In *Nutritional adaptation in man*. Edited by Sir Keneeth Blaxter, Waterlow J.C. John Libbey (London and Paris), 13-29.
- Martorell R., Mendoza F. and Castillo R. (1988). Poverty and stature in children. In *Linear Growth Retardation in less developed countries*. Ed. John. C. Waterlow



Nestle Nutrition Workshop Series Vol.14, Nestec Ltd.,  
Vavey/Raven Press Ltd., New York, 57-73.

Marubini E., Resele L.F. and Barghini G. (1971). A  
comparative fitting of the Gompertz and Logistic  
functions to longitudinal height data during  
adolescence in girls. Human Biology. 43, 237-252.

Marubini E., Resele L.F., Tanner J.M. and Whitehouse R.H.  
(1972). The fit of Gompertz and logistic curves to  
longitudinal data during adolescence on Height, Sitting  
Height and Biacromial Diameter in boys and girls of the  
Harpenden Growth Study. Human Biology, 44(3), 511-524.

Muller W.H.(1976). Parent-child correlations for stature and  
weight among school aged children : A review of 24  
studies. Human Biology, 48(2), 379-397.

Must Aviva, Dallal Gerord E. and Deitz William H. (1991).  
Reference data for obesity. 85th and 95th percentiles  
of body mass index ( $Wt/ht^2$ ) and triceps skinfold  
thickness. Americal Journal of Clinical Nutrition, 53,  
839-846.

Narsinga Rao B.S.(1985). Nutrient requirements of  
adolescents. Proceedings of the Nutrition Society of

India, 31,41-62 .

Nelson M. (1980). Assessing dietary intake and its relation to growth in British children. Proceedings of the Nutrition Society, 39(1), 35-42.

Nelson M. (1980). Growth and development. In Text Book of Pediatrics. Edn 11, V. C. Vaughan II, R.J. McKay, R. E. Behrman, 10-46.

Owen G.M.(1982). Measurement, recording and assessment of skinfold thickness in childhood and adolescence : Report of a a small meeting. American Journal of Clinical Nutrition, 35, 629-638.

Pearl, Raymond 1925. The Biology of population growth. New York. Alfred Knopf.

Pearl R. and Reed R.J. 1925. Skew growth curves. Proceedings of the National Academy of Sciences. 11, 16-22.

Perizkova Jana (1968). Longitudinal study of the development of body composition and body built in boys of various physical activity. Human Biology, 40(2), 212-225.

Preece M.A. and Baines M.J., 1978. A new family of

- mathematical models describing the human growth curve.  
Annals of Human Biology, 5, 1-24.
- Pushpamma P., Geervani P. and Lakshmi Devi N. (1982). Food intake, nutrient adequacy and anthropometry of adolescents in Andhra Pradesh. Indian Journal of Medical Research, 75, 61-67.
- Rao Shobha (1987). Variations in dietary intake of adolescents. Human Nutrition. Clinical Nutrition. 41c, 71-79.
- Rao S. and Prabhudesai A.G. (1985). Differences in infant mortality and their implications for policy. Jansamkhya, 3, 73-79.
- Roche A.F., Guo S, Moore W.M. (1989) Weight and recumbent length from 1 to 12 mo of age : reference data for 1-mo increments. American Journal of Clinical Nutrition, 49(4), 599-607.
- Rolland - Cachera M.F., Sempe M., Guillaud - Bataille E.P., Pequignol - Guggenbuhl F. and Fautrad V. (1982). Adiposity indices in children. The American Journal of Clinical Nutrition, 36,178-184.

Rona R.J., Swan A.V. and Altman D.G. Social factors and height of primary school children in England and Scotland. Journal of epidemiology and community health, 32, 147-154.

Russel Marcia (1976). Parent-child and sibling - sibling correlations of height and weight in a rural Guatemalan population of preschool children. Human Biology 48(3), 501-515.

Salz K.M., Tamir I., Ernst N. (1983). Selected nutrient intakes of free living white children aged 6-19 years : The lipid research clinics programme prevalence study. Pediatric Research 17(2), 124-130.

Satyanarayana K., Radhaiah G., Murlimohan K.R., Thimmayamma B.V.S., Rao N.P., Narsinga Rao B.S. (1989). The adolescent growth spurt of height among rural indian boys in relation to childhood nutritional background. An 18 years longitudinal study. Annals of Human Biology, 16(4), 289-300.

Sierrogel R.M., Roche A.F., Himes J.H., Chumlela Wm C, McCammon R. (1982). Subcutaneous fat distribution in malels and femalels from 1 to 39 years of age.

American Journal of Clinical Nutrition, 36, 162-171.

Sikri S.D.(1972). The comparative study of height and weight of Government and Public School children of Punjabi population. Indian Journal of Medical Research 60, 491-500.

Sathyavati K. and Agarwal K.N. (1979). Review on adolescent growth studies. Part A. Physiological aspects and environmental factors. Indian Pediatrics. XVI(2), 197-205.

Singh Raghbir (1970). Cross sectional study of growth in five somatometric traits of Punjabi boys aged ten to eighteen years. American Journal of Physical anthropology. 32(1), 129-138.

Snedecor G.W., Cochran W.G. (1967). Statistical methods. The Iowa State University Press Ames. Iowa, U.S.A. 465-467, 419-443.

Soman C.R. (1982). The school lunch programme - The Kerala Experience. In Newer concepts in Nutrition and their implications for Policy. Ed. : P.V.Sukhatme. Maharashtra Association for the the Cultivation of Science. 215-222.

Sukhatme P.V. and Sheldon Margen (1973). Auto-Regulatory homeostatic nature of energy balance. In *Newer Concepts in Nutrition and Their Implications for Policy*. Ed. P. V. Sukhatme. Maharashtra Association For The Cultivation of Science, Research Institute, Pune. 101-116

Tanner J.M., Hayashi T., Preece M.A. and Cameron N. (1982). Increase in length of leg relative to trunk in Japanese children and adults from 1957 to 1977. Comparison with British and with Japanese Americans. *Annals of Human Biology*, 9(5), 411-423.

Tanner J.M., Whitehouse R.H., Marubini E. and Resele L.F. The adolescent growth spurt of boys and girls of the Harpenden Growth study. *Annals of Human Biology*, 3(2), 109-126.

Truswell S.A. and Darnton Hillan (1981). Food Habits of adolescents. *Nutrition Reviews*, 39(2), 73-88.

Vandenberg S.G. and Falkner Frank (1965). Hereditary Factors in human growth. *Human Biology*. Vol.37, 357-365.

Vant Hof Martin A., Machteld J. and Charles J.K. (1976).

Estimation of growth velocities from individual longitudinal data. *Growth*, 40, 217-240.

Valsik J.A.(1965). The seasonal rhythm of menarche : A Review. *Human Biology* 37, 75-90.

Vandenberg S.G. and Falkner F. (1965). Hereditary Factors in human growth. *Human Biology*, 37, 357-365.

Vijayaraghavan K., Darshan Singh and Swaminathan M.C. (1974). Arm circumference and fat fold at triceps in well nourished indian school children. *Indian Journal of Medical Research*, 62(7), 994-1001.

Vijayaraghvan K., Darshan Singh and Swaminathan M.C. (1971). Heights and weights of well nourished Indian School Children. *Indian Journal of Medical Research* 59,648-654.

Weymouth F.W., Memillin H.C. and Rich W.H. (1931). Lotitude and relative growth of the razor clam. *Journal of Experimental Biology*, 8, 228-229.

Widdoson E.M. (1962) . Nutritional Individuality. *Proceedings of Nutrition Society*, 21, 121.

World HealthOrganisation , Geneva (1985). Energy and Protein

Requirements. Report of a Joint FAO/WHO/UNU/ Expert  
Consultation. Technical Report Series 724.