

## LIST OF TABLES

| Table No.   | Description  | Page No. |
|-------------|--|----------|
| CHAPTER II  |  |          |
| 2.1         | Number of children covered for anthropometric and diet surveys in various rounds undertaken.                 | 20       |
| 2.2         | Age distribution of boys who were present in all the rounds of anthropometry.                                | 26       |
| 2.3         | Age distribution of boys who were present in all rounds of diet survey.                                      | 33       |
| 2.4         | Typical day's menu together with calories and Proteins per unit food items served in LSE hostel.             | 34       |
| 2.5         | Typical day's menu together with calories and proteins per unit food items served in MSE hostel.             | 36       |
| 2.6         | Average weight $\pm$ standard diviation and coefficient of variation of chapati of 6 days in Round 1 in MSE. | 37       |
| CHAPTER III |  |          |
| 3.1         | Differences in socio-economic variables in the three study groups.   | 42       |
| 3.2         | Mean $\pm$ standard deviation body weights (WT) of boys from three study groups.                             | 47       |
| 3.3         | Mean $\pm$ standard deviation heights (HT) of boys from three study groups.                                  | 51       |
| 3.4         | Mean $\pm$ standard deviation Triceps Skinfold Thickness of boys from three study groups.                    | 54       |
| 3.5         | Mean $\pm$ standard deviation chest circumference of boys from three study groups                            | 57       |

| Table No. | Description  | Page No. |
|-----------|--|----------|
| 3.6       | Proportions of boys in different categories of nutritional status defined on the basis of weight for age.                    | 73       |
| 3.7       | Proportions of boys in different categories of nutritional status defined on the basis of height for age.                    | 75       |
| 3.8       | Proportions of boys in different categories of nutritional status defined on the basis of weight for height.                 | 76       |
| 3.9       | Mean $\pm$ standard Deviation Body Mass Index (BMI) of boys from three study groups.   | 79       |
| 3.10      | Correlation coefficients of 6 estimates of % body fat with height and triceps skinfold thickness for the three study groups. | 86       |
| 3.11      | Mean $\pm$ standard deviation % body fat of boys from three study groups.  | 88       |
| 3.12      | Mean $\pm$ standard deviation annual weight increments of boys from three study groups.                                      | 92       |
| 3.13      | Mean $\pm$ standard deviation annual height increments of boys from three study groups.                                      | 93       |
| 3.14      | Values for testing adjusted height increments  | 97       |
| 3.15      | Mean $\pm$ standard deviation annual height increments of better off and underweight boys.                                   | 99       |
| 3.16      | Analysis of variance for heights increments of the three study groups.   | 103      |

#### CHAPTER IV

|     |  |     |
|-----|--|-----|
| 4.1 | Estimate of parameters of logistic model fitted to mean heights of boys from three study groups. | 138 |
|-----|--|-----|

| Table No. | Description  | Page No. |
|-----------|--|----------|
| 4.2       | Mean $\pm$ standard deviation of parameters for individual logistic curves.  | 141      |
| 4.3       | Estimates of parameters of PBI model when fitted to mean heights of boys from three study groups.                                      | 145      |
| 4.4       | Comparison of biological parameters of logistic and PBI model (grouped data) and logistic model(individual data) for HSE group.        | 152      |
| 4.5       | Biological parameters for the three study groups (PBI model)   | 154      |
| 4.6       | Estimates of parameters of PBI model when fitted to average heights of better off underweight, normal and stunted boys from HSE class. | 157      |
| 4.7       | Estimates of parameters of PBI model when fitted to average heights of better off underweight, normal and stunted boys from LSE class. | 157      |
| 4.8       | Estimates of parameters of PBI model when fitted to average heights of better off and normal boys from MSE class.                      | 158      |
| 4.9       | Biological parameters estimated using PBI model for normal and malnourished categories   | 161      |

#### CHAPTER V

|     |  |     |
|-----|--|-----|
| 5.1 | Mean $\pm$ standard deviation calorie intake                                 | 169 |
| 5.2 | Mean $\pm$ standard deviation protein intake                                 | 172 |
| 5.3 | Correlation coefficient between average intake and annual height increments. | 175 |
| 5.4 | Multiple regression analysis for LSE class                                   | 179 |
| 5.5 | Multiple regression analysis for MSE class                                   | 183 |

| Table No. | Description  | Page No. |
|-----------|--|----------|
| 5.6       | Analysis of variance (one way)<br>for calorie intake               | 189      |
| 5.7       | Hierarchal analysis of variance<br>(calorie intake)                | 192      |
| 5.8       | Hierarchal analysis of variance<br>(calorie intake/kg body weight) | 195      |
| 5.9       | Hierarchal analysis of variance for<br>two phases.                 | 198      |