

References

REFERENCES

- Abbott, B.J., Hartwell, J.L., Leiter, J., Perdue, R.E., Schepartz, S.A., 1967. Screening data from the cancer chemotherapy National Service Center screening laboratories. XL, Plant extracts. *Cancer Res.* 27, 190-345.
- Abdel-Hameed, E.S.S., Bazaid, S.A., Shohaye, M.M., El-Sayed, M.M., ElWakil, E.A., 2012. Phytochemical studies and evaluation of antioxidant, anticancer and antimicrobial properties of *Conocarpus erectus* L. growing in Taif, Saudi Arabia. *Europ. J. Med. Plants* 2, 93-112.
- Adeleye, I.A., Omadime, M.E., Daniels, F.V., 2011. Antimicrobial activity of essential oils and extracts of *Gongronema latifolium* Decne on bacterial isolates from blood stream of HIV infected patients. *J. Pharma. Toxicol.* 3, 312-320.
- Adewale, A.I., Mirghani, M.E.S., Muyibi, S.A., Daoud, J.I., 2012. Mikail Maryam Abimbola., 2012. Anti-bacterial and cytotoxicity properties of the leaves extract of nahar (*Mesua ferrea*) plant. *Adv. Nat. Appl. Sci.* 6, 583-587.
- Adio, A.M., Paul, C., Kloth, P., Nig, W., 2004. Sesquiterpenes of the liverwort *Scapania undulate*. *Phytochem.* 65, 199–206
- Ahmad, N., Sharma, S., Rai, R., 2012. Rapid green synthesis of silver and gold nanoparticles using peels of *Punica granatum*. *Adv. Mat. Lett.* 3, 376-380.
- Ahsan, M.R., Islam, K.M., Haque, M.E., Mossaddik, M.A., 2009. *In vitro* antibacterial screening and toxicity study of some different medicinal plants. *World J. Agric. Sci.* 5, 617-621.
- Akinboro, A., Mohamed, K.B., Asmawi, M.Z., Othman, A.S., Ying, T.H., Maidin, S.M., 2012. Mutagenic and antimutagenic assessment of methanol leaf extract of *Myristica fragrans* Houtt. using *in vitro* and *in vivo* genetic assays. *Drug Chem. Toxicol.* 35, 412-422.
- Akoh, C.C., Min, B.D., 1997. Food lipid chemistry. In: *Nutrition and Biotechnology*. New York:Marcel Dekker Inc.
- Akter, R., Satter, M.A., Khan, M.S., Rahman, M.S., Ahmed, N.U., 2012. Cytotoxic effect of five medicinal plants extracts using brine shrimp (*Artemia Salina*) test. *Bangladesh J. Sci. Ind. Res.* 47, 133-136.

- Al-Bari, M.A.A., Sayeed, M.A., Rahman, M.S., Mossadik, M.A., 2006. Characterization and antimicrobial activities of a phthalic acid derivative produced by *Streptomyces bangladeshiensis*- A novel species in Bangladesh. Res. J. Med. Medical Sci. 1, 77-81.
- Ali, H.F.M., El-Alla, F.M.A., Nasr, N.F, 2010. Screening of chemical analysis, antioxidant antimicrobial and antitumor activities of essential oil of oleander (*Nerium oleander*) flower. Int. J. Bio. Chem. 4, 190-202.
- Ali, I., Uddin, R., Salim, K., Rather, M.A., Wani, W.A., Haque, A., 2011. Advances in nano drugs for cancer chemotherapy. Current Cancer Drug Targets 11, 135-46.
- Almedia, E.R., da Silvia Filho, A.A., dos Santos, E.R., Lopes, C.A.C., 1990. Antiinflammatory action of lapachol. J. Ethnopharmacol. 29, 239-241.
- Almeida, M.R., Darin, J.D.A.C., Hernandes, L.C., Ramos, M.F., Antunes, L.M.G., Freitas, O., 2012. Genotoxicity assessment of copaiba oil and its fractions in Swiss mice. Genet. Mol. Bio. 35, 664-72.
- Al-Naqeeb, G., Ismail, M.S., Al-Zuba, A., 2009. Fatty acid profile, α - tocopherol content and total atioxidant activity of oil extracted from *Nigella sativa* seeds. Int. J. Pharmacol. 5, 244-250.
- Amakura, Y., Yoshida, T., 1996. Tannins and related polyphenols of euphorbiaceous plants. 14. Euphorbin I, a new dimeric hydrolyzable tannin from *Euphorbia watanabei*. Chem. Pharm. Bull. 44, 1293–1297.
- Amaladhas, T., Sivagami, S., Akkini Devi, T., Ananthi, N., Priya Velammal, S., 2012. Biogenic synthesis of silver nanoparticles by leaf extract of *Cassia angustifolia*. Adv. Nat. Sci. Nanosci. Nanotechnol. 3, 45-52.
- Andrade, N.S., Perazzo, F.F., Maistro, E.L., 2008. Lack of clastogenic/genotoxic effects of *Baccharis dracunculifolia* extract on Swiss mouse peripheral blood cells. Genet. Mol. Res. 7, 1414-1421.
- Anitha, V.T., Antonisamy, J.M., Jeeva, S., 2012. Anti-bacterial studies on *Hemigraphis colorata* (Blume) H.G. Hallier and *Elephantopus scaber* L. Asian Pac. J. Trop. Med. 5, 52-57.

- Annamalai, A., Christina, V.L.P., Christina, V., Lakshmi, P.T.V., 2012. Green synthesis and characterisation of Ag NPs using aqueous extract of *Phyllanthus maderaspatensis* L. J. Exp. Nanosci. 7, 1-6.
- Arenas, P., 1987. Medicine and magic among the magic the Maka Indians of Paraguayan Chaco. J. Ethnopharmacol. 21, 279-295.
- Arfan, M., Amin, H., Karamac, M., Kosinska, A., Amarowicz, R., Shahidi, F., 2007. Antioxidant activity of extracts of *Mallotus philippinensis* fruits and bark. J. Food Lipids 14, 280–297.
- Arfan, M., Amin, H., Karamac, M., Kosinska, A., Wiczowski, W., Amarowicz, R., 2009. Antioxidant activity of phenolic fractions of *Mallotus philippinensis* bark extract. Czech. J. Food Sci. 27, 109–117.
- Arisawa, M., Fujita, A., Suzuki, R., Hayashi, T., Morita, N., Kawano, N., Koshimura, S., 1985. Studies on cytotoxic constituents in pericarps of *Mallotus japonicus*, Part I. J. Nat. Prod. 48, 455–459.
- Arunachalam, G., Bag, P., Chattopadhyay, D., 2009. Phytochemical and phytotherapeutic evaluation of *Mallotus peltatus* (Geist.) Muell. Arg. var *acuminatus* and *Alstonia macrophylla* Wall ex A. DC: Two ethno medicine of Andaman Islands, India. J. Pharmacog. Phytother. 1, 001-113.
- Asare, G.A., Bugyei, K., Sittie, A., Yahaya, E.S., Gyan, B., Adjei, S., Addo, P., Wiredu, E.K., Adjei, D.N., Nyarko, A.K., 2012. Genotoxicity, cytotoxicity and toxicological evaluation of whole plant extracts of the medicinal plant *Phyllanthus niruri* (Phyllanthaceae). Genet. Mol. Res. 11, 100-111.
- Asharani, P.V., Mun, G.L.K., Hande, M.P., Valiyaveetil, S., 2009. Cytotoxicity and genotoxicity of silver nanoparticles in human cells. ACS nano 3, 279–290.
- Aureli, P., Costantini, A., Zolea, S., 1992. Antimicrobial activity of some plant essential oils against *Listeria monocytogenes*. J. Food Prot. 55, 344–348.
- Bakari, G.G., Max, R.A., Mdegela, H.R., Phiri, E.C., Mtambo, M.M., 2012. Effect of crude extracts from *Commiphora swynnertonii* (Burt) against selected microbes of animal health importance. J. Med. Plants Res. 6, 1795-1799.
- Bastein, J.W., 1983. Pharmacopeia of *Qollahuaya Andeans*. J. Ethnopharmacol. 8, 91-111.

- Bauer, A.W., Kirby, W.M.M., Sherris, J.C., Turck, M., 1966. Antibiotic susceptibility testing by a standardized single disk method. *Am. J. Clin. Pathol.* 45, 493-496.
- Berni, A., Grossi, M.R., Pepe, G., Filippi, S., Muthukumar, S., Papeschi, C., Natarajan, A.T., Palitti, F., 2012. Protective effect of ellagic acid (EA) on micronucleus formation induced by N-methyl-N'-nitro-N-nitrosoguanidine (MNNG) in mammalian cells, in *in vitro* assays and *in vivo*. *Mutation Res/Genetic Toxic. Environ. Mutagenesis* 746, 60–65.
- Bhattacharyya, S.S., Das, J., Das, S., Samadder, A., Das, D., De, A., Paul, S., Khuda-Bukhsh, A.R., 2012. Rapid green synthesis of silver nanoparticles from silver nitrate by a homeopathic mother tincture *Phytolacca Decandra*. *Zhong Xi Yi Jie He XueBao.* 10, 546-54.
- Bibi, G., Haq, I.U., Ullah, N., Mannan, A., Mirza, B., 2011. Antitumor, cytotoxic and antioxidant potential of *Aster thomsonii* extracts. *Afr. J. Pharm. Pharmacol.* 5, 252-258.
- Blatt, C.T.T., Salatino, A., Salatino, M.L.F., 1996. Flavonoids of *Tabebuia caraiba* (Bignoniaceae). *Biochem. Syst. Ecol.* 24, 89.
- Bonacker, D., Stoiber, T., Wang, M., Bohm, K.J., Prots, I., Unger, E., Their, R., Bolt, H.M., Degen, G.H., 2004. Genotoxicity of inorganic mercury salts based on disturbed microtubule function. *Arch. Toxicol.* 78, 575-583.
- Booth, G.M., Malmstrom, R.D., Kipp, E., Paul, A., 2012. Cytotoxicity of selected medicinal and non medicinal plant extracts to microbial and cervical cancer cells. *J. Biomed. Biotech.* 1-4.
- Borris, R.P. 1996. Natural products research: perspectives from a major pharmaceutical company. *J. Ethnopharmacol.* 51, 29–38.
- Bouzidia, L.E., Jamalia, C.A., Bekkouchea, K., Hassanib, L., Wohlmuth, H., Leach, D., Abbad, A., 2013. Chemical composition, antioxidant and antimicrobial activities of essential oils obtained from wild and cultivated Moroccan *Thymus* species. *Ind. Crop. Prod.* 43, 450– 456.
- Braca, A., Sortino, C., Politi, M., 2002. Antioxidant activity of flavonoids from *Licania licaniaeflora*. *J. Ethnopharmacol.* 79, 379-381.

- Brindha, P., Sasikala, P., Purushothaman, K.K., 1981. Pharmacognostic studies on merugan kizhangu. Bull. Med. Eth. Bot. Res. 3, 84-96.
- Burnett, A.R., Thomson, R.H., 1968. Naturally occurring quinones. XII. Extractives from *Tabebuia chrysantha* and other Bignoniaceae. J. Chem. Soc. C, 850–853.
- Buyukleyla, M., Azirak, S., Rencuzogullari, E., Kocaman, A.Y., Ila, H.B., Topaktas, M., Darici, C., 2012. The genotoxic and antigenotoxic effects of tannic acid in human lymphocytes. Drug Chem. Toxicol. 35, 11-19.
- Carvalho, N.C., Angeloni, M.J.F.C., Leffa, D.D., Moreira, J., Nicolau, V., Amaral, P.A.D., Rossatto, A.E., Andrade, V.M.D., 2011. Evaluation of the genotoxic and antigenotoxic potential of *Melissa officinalis* in mice. Genet. Mol. Biol. 34, 290-297.
- Cavalcanti, B.C., Ferreira, J.R.O., Cabral, I.O., Magalhaes, H.I.F., Oliveira, C.C.D., Rodrigues, F.A.R., Rocha, D.D., Barros, F.W.A., da Silva, C.R., Júnior, H.V.N., Canuto, K.M., Silveira, E.R., Pessoa, C., Moraes, M.O., 2012. Genetic toxicology evaluation of essential oil of *Alpinia zerumbet* and its chemoprotective effects against H₂O₂-induced DNA damage in cultured human leukocytes. Food Chem. Toxicol. 50, 4051–4061.
- Chabot, S., Bel-Rhlid, R., Chenevert, R., Piche, Y., 1992. Hyphal growth promotion *in vitro* of the VA mycorrhizal fungus, *Gigaspora margarita* Becker and Hall, by the activity of structurally specific flavonoid compounds under CO₂-enriched conditions. New Phytol. 122, 461–467.
- Chakraborty, R., De, B., Devanna, N., Sen, S., 2012. Antiinflammatory, antinociceptive and antioxidant activities of *Phyllanthus acidus* L. extracts. Asian Pac. J. Trop. Biomed. S953-S961.
- Chang, C.C., Yang, M.H., Wen, H.M., Chern, J.C., 2002. Estimation of total flavonoid content in *Propolis* by two complementary colorimetric methods. J. Food Drug Anal. 10, 178-182.
- Chang, C.J., Tzeng, T.F., Liou, S.S., Chang, Y.S., I-Min Liu., 2012. Absence of genotoxic and mutagenic effects of *Zingiber zerumbet* (L.) Smith (Zingiberaceae) extract. Evid. Based Complement. Alternat. Med. 2012. 406296.

- Chattopadhyay, D., Arunachalam, G., Mandal, A.B., Sur, T.K., Mandal, S.C., Bhattacharya, S.K., 2002. Antimicrobial and anti-inflammatory activity of folklore: *Mallotus peltatus* leaf extract. *J. Ethnopharmacol.* 82, 229–237.
- Chaurasia, S.C., Vyas, K.K., 1977. *In vitro* effect of some volatile oil against *Phytophthora parasitica* var. *piperina*. *J. Res. Indian Med. Yoga Homeopath.* 24-6.
- Cheng, X., Meng, Z., Chen Z., 1998. A pyridine-type alkaloid from *Mallotus apelta*. *Phytochem.* 49, 2193-2194.
- Cheng, X.F., Chen, Z.L., 1999. Two new diterpenoids from *Mallotus apelta* Muell. *Arg. J. Asian Nat. Prod. Res.* 1, 319–325.
- Choi, J., Kim, M.J., Jin, H.H., Kim, J.K., Jin, J.W., Kim, H.K., Kim, E.K., Ok, K.M., 2009. Ameliorative effect of 1,2-benzenedicarboxylic acid dinonyl ester against amyloid beta peptide-induced neurotoxicity. *Amyloid* 16, 15-24.
- Choi, Y., Lee, J., 2009. Antioxidant and antiproliferative properties of a tocotrienol rich fraction from grape seeds. *Food Chem.* 114, 1386-1390.
- Christensen, L., Vivekanandhan, S., Misra, M., Mohanty, A.K., 2011. Biosynthesis of silver nanoparticles using *Murraya koenigii* (curry leaf): An investigation on the effect of broth concentration in reduction mechanism and particle size. *Adv. Mat. Lett.* 2, 429-434.
- Chunyana, W., Valiyaveetil, S., 2013. Correlation of biocapping agents with cytotoxic effects of silver nanoparticles on human tumor cells. *RSC Adv.* 3, 14329-14338.
- Coe, F.G., Dimpi, M., Parikh, J., Johnson, C.A., Anderson, G.J., 2012. The good and the bad: Alkaloid screening and brine shrimp bioassays of aqueous extracts of 31 medicinal plants of eastern Nicaragua. *Pharma. Biol.* 50, 384-392.
- Cohen, M.S., Stern, J.M., Vanni, A.J., Kelley, R.S., Baumgart, E., Field, D., Libertino, J.A., Summerhayes, I.C., 2007. *In vitro* analysis of a nanocrystalline silver-coated surgical mesh. *Surg. Infect.* 8, 397–403.
- Colegate, S.M., Molyneux, R.J., 2007. Bioactive natural products-detection, isolation and structural determination. Second edition, CRC press, Taylor and Francis group.

- Compadre, C.M., Jauregui, J.F., Nathan, P.J., 1982. Isolation of 6-O-(p-coumaroyl)-catalpol from *Tabebuia rosea*. *Planta Med.* 46, 42-4.
- Cook, N.C., Samman, S., 1996. Flavonoids-chemistry, metabolism, cardioprotective effects, and dietary sources. *J. Nutr. Biochem.* 7, 66-76.
- Cook, N.R., Stampfer, M.J., Ma, J., Manson, J.E., Sacks, F.M., Buring, J.E., Hennekens, C.H., 1999. Betacarotene supplementation for patients with low baseline levels and decreased risks of total and prostate carcinoma. *Cancer* 86, 1783-1792.
- Cowan, M.M., 1999. Plant Products as Antimicrobial Agents. *Clinic Microbio. Rev.* 12, 564–582.
- Cragg, G.M., Newmann, D.J., 2005. Plants as a source of anticancer agents. *J. Ethnopharmacol.* 100, 72-79.
- Critchfield, J.W., Butera, S.T., Folks, T.M., 1996. Inhibition of HIV activation in latently infected cells by flavonoid compounds. *AIDS Res. Hum. Retroviruses*, 12, 39-46.
- Das, S., Das, J., Samadder, A., Bhattacharyya, S.S., Das, D., Khuda-Bukhsh, A.R., 2013. Biosynthesized silver nanoparticles by ethanolic extracts of *Phytolacca decandra*, *Gelsemium sempervirens*, *Hydrastis canadensis* and *Thuja occidentalis* induce differential cytotoxicity through G2/M arrest in A375 cells. *Colloids Surf. B.* 101, 325– 336.
- Dasari, N.P., Ganga Rao, B., Sambasiva Rao, E., Mallikarjuna Rao, T., Praneeth D., 2012. Quantification of phytochemical constituents and *in vitro* antioxidant activity of *Synadium grantii*. *Free Radical. Antioxid.* 2, 68-72.
- Dassprakash, M.V., Arun, R., Abraham, S.K., Premkumar, K., 2012. *In vitro* and *in vivo* evaluation of antioxidant and antigenotoxic potential of *Punica granatum* leaf extract. *Pharma. Biol.* 50, 1523-1530.
- Devi, G.K., Manivannan, K., Thirumaran, G., Rajathi, F.A.A., Anantharaman, P., 2011. *In vitro* antioxidant activities of selected seaweeds from southeast coast of India. *Asian Pac. J. Trop. Med.* 4, 205-211.
- Dhanamani, M.S., Devi, L., Kannan, S., 2011. Ethnomedicinal plants for cancer therapy – a review. *Hygeia. J. D. Med.* 3, 1-10

- Dinis, T.C.P., Madeira, V.M.C., Almeida, L.M., 1994. Action of phenolic derivatives (acetoaminophen, salicylate and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers. *Arch. Pharm. Res.* 315, 161-169.
- Dipankar, C., Murugan, S., 2012. The green synthesis, characterization and evaluation of the biological activities of silver nanoparticles synthesized from *Iresine herbstii* leaf aqueous extracts. *Colloids Surf. B.* 98, 112–119.
- Dixit, B.S., Srivastana, S.N., 1992. Flavonoids and carotenoids of *Tecoma argentea* flowers. *Fitoterapia* 63, 272.
- Dixon, R.A., Dey, P.M., Lamb, C.J., 1983. Phytoalexins: enzymology and molecular biology. *Adv. Enzymol.* 55, 1–69.
- Duc, N., Dung, N., Lyun, H.L., Hyang-Bok, L., Dongman, K., Junghyun, S., Eun-ki, K., 2007. Isolation of dioctyl phthalate with high depigmenting effect from Chinese herb *Nigella glandulifera* Freyn. *J. Biotechnol.* 131, S43.
- Duke, J.A., 1985. *Handbook of Medicinal Herbs*. CRC Press, Inc., Boca Raton, Fla.
- Ebrahimzadeh, M.A., Pourmorad, F., Bekhradnia, A.R., 2008. Iron chelating activity screening, phenol and flavonoid content of some medicinal plants from Iran. *Afr. J. Biotechnol.* 7, 3188-3192.
- Escobar, F.M., Cariddi, L.N., Sabini, M.C., Reinoso, E., Sutil, S.B., Torres, C.V., Zanon, S.M., Sabini, L.I., 2012. Lack of cytotoxic and genotoxic effects of *Minthostachys verticillata* essential oil: Studies *in vitro* and *in vivo*. *Food Chem. Toxicol.* 50, 3062–3067.
- Escobar, F.M., Sabini, M.C., Zanon, S.M., Cariddi, L.N., Tonn, C.E., Sabini, L.I., 2011. Genotoxic evaluation of a methanolic extract of *Verbascum thapsus* using micronucleus test in mouse bone marrow. *Nat. Prod. Commun.* 6, 989-91.
- Fenech, J., Morley, A.A., 1985. Measurement of micronuclei in lymphocytes. *Mutat. Res.* 147, 29–36.
- Fenech, M., 2000. The *in vitro* micronucleus technique. *Mutat. Res.* 455, 81-95.
- Fenech, M., 2006. Cytokinesis-block micronucleus assay evolves into a “cytome” assay of chromosomal instability, mitotic dysfunction and cell death. *Mut. Res.* 600, 58-66.

- Feo, V.D., Martino, L.D., Quaranta, E., Pizza, C., 2003. Isolation of phytotoxic compounds from tree-of-heaven (*Ailanthus altissima* Swingle). *J. Agric. Food Chem.* 51, 1177-1180.
- Foldbjerg, R., Dang, D.A., Autrup, H., 2011. Cytotoxicity and genotoxicity of silver nanoparticles in the human lung cancer cell line, A549. *Arch. Toxicol.* 85, 743-750
- Gardner, P.T., White, T.C., Mcphail, D.B., Duthie, G.G., 2000. The relative contributions of vitamin C, carotenoids and phenolics to the antioxidant potential of fruit juices. *Food Chem.* 68, 471-474.
- Geethalakshmi, R., Sarada, D.V.L., 2012. Gold and silver nanoparticles from *Trianthema decandra*: synthesis, characterization, and antimicrobial properties. *Int. J. Nanomed.* 7, 5375–5384.
- Gentry, A.H., 1992. A Synopsis of Bignoniaceae Ethnobotany and Economic Botany, *Annals of Missouri Botanical Garden.* 79, 53-64.
- Girard, M., Kindack, D., Dawson, B.A., Ethier, J.C., Awang, D.V.C., 1988. Naphthoquinone constituents of *Tabebuia* sp. *J. Nat. Prod.* 51, 1023-1024.
- Gonzalez-Coloma, A., Reina, M., Saenz, C., Lacret, R., Ruiz-Mesia, L., Aran, V.J., Sanz, J., Martinez-Diaz, R.A., 2012. Antileishmanial, antitrypanosomal, and cytotoxic screening of ethnopharmacologically selected Peruvian plants. *Parasitol. Res.* 110, 1381–1392.
- Graham, P.R., 1973. Phthalates ester plasticizers – Why and how they are used. *Environ. Health Perspect.* 3, 3-12.
- Gulecha, V., Sivakumar, T., 2011. Anticancer activity of *Tephrosia purpurea* and *Ficus religiosa* using MCF 7 cell lines. *Asian Pac. J. Trop. Med.* 4, 526-9.
- Guo, L., Wu, J.Z., Han, T., Cao, T., Rahman, K., Qin, L.P., 2008. Chemical composition, antifungal and antitumor properties of ether extracts of *Scapania verrucosa* Heeg. and its endophytic fungus *Chaetomium fusiforme*. *Mol.* 13, 2114-2125
- Gurunathan, S., Hana, J.W., Dayem, A.A., Eppakayala, V., Park, J.H., Choa, S.G., Leeb, K.J., Kim, J.H., 2013. Green synthesis of anisotropic silver nanoparticles

- and its potential cytotoxicity in human breast cancer cells (MCF-7). *J. Ind. Eng. Chem.* 19, 1600-1605.
- Gutteridge, J.M.C., Halliwell, B., 2010. Antioxidants: Molecules, medicines and myths. *Biochem. Biophys. Res. Commun.* 393, 561-564.
- Haensel, R., Keller, K., Rimpler, H., 1994. *Hagers Handbuch der Pharm. Praxis* 5. Auflage Band 6 Springer Verlag Berlin, Heidelberg, New York. p 883-90.
- Halliwell, B., 1991. Reactive oxygen species in living systems: source, biochemistry, and role in human disease. *Am. J. Med.* 91, 14S-22S.
- Hamid, A.A., Shah, Z.Md., Muse, R., Mohamed, S., 2002. Characterisation of antioxidative activities of various extracts of *Centella asiatica*. *Food Chem.* 77, 465-469.
- Hamid, K., Sultana, S., Urmi, K.F., Ullahc, M.O., Zulfiker, A.H.M., Hossain, M.A., 2011. *In vitro* free radical scavenging and brine shrimp lethality bioassay of aqueous extract of *Ficus racemosa* seed. *Jordan J. of Bio. Sci.* 4, 51-54.
- Hammami, I., Triki, M.A., Rebai, A., 2011. Chemical compositions, antibacterial and antioxidant activities of essential oil and various extracts of *Geranium sanguineum* L. flowers. *Arch. App. Sci. Res.* 3, 135-144,
- Hartwell, J.L., 1968. Plants used against cancer; a survey. *Lloydia.* 31, 71-170.
- Hirschmann, S.G., Papastergion, F., 2003. Naphthoquinone derivatives and lignans from the Paraguayan crude drug "Tayi pyta" (*Tabebuia heptaphylla*, Bignoniaceae). *Zeitschrift Für Naturforschung.* 7-8.
- Hopp, K.H., Cunningham, L.V., Bromel, M.C., Schermeister, L.J., Wahba Khalil, S.K., 1976. *In vitro* antitrypanosomal activity of certain alkaloids against *Trypanosoma lewisi*. *Lloydia* 39, 375-377.
- Hossain, M.A., Salehuddin, S.M., Ismail, Z., 2006. Rosmarinic acid and methyl rosmarinate from *Orthosiphon stamineus*, Benth. *J. Bang. Acad. Sci.* 30, 167-171.
- Hsin, Y.H., Chen, C.F., Huang, S., Shih, T.S., Lai, P.S., Chueh, P.J., 2008. The apoptotic effect of nanosilver is mediated by a ROS- and JNK- dependent mechanism involving the mitochondrial pathway in nih3t3 cells. *Toxicol. Lett.* 179, 130-139.

- Huang, P.L., Wang, L.W., Lin, C.N., 1999. New triterpenoids of *Mallotus repandus*. J. Nat. Prod. 62, 891–892.
- Hussain, F., Ahmad, B., Ilahi, I., 2010. Allelopathic effects of *Cenchrus ciliaris* L. and *Bothriochloa pertusa* (L.) A. Camus. Pak. J. Bot. 42, 3587-3604.
- Inayatullah, S., Irum, R., Rehman, A., Chaudhary, M.F., Mirza, B., 2007. Biological evaluation of some selected plant species of Pakistan. Pharm. Biol. 45, 397-403.
- Indergit, K.M., Dakshini, M., 1998. Allelopathic interference of chick weed. *Stelaria media* with seedling growth of weed (*Triticum aestivum*). J. Bot. 76, 1317-21.
- Indian Pharmacopoeia., 1996, 4th ed. Ministry of Health and Family Welfare, Govt. of India, New Delhi; Controller of Publications, p. A-80.
- Iravani, S., 2011. Green synthesis of metal nanoparticles using plants. Green Chem. 13, 2638-2650.
- Ishii, R., Horie, M., Saito, K., Arisawa, M., Kitanaka, S., 2002. Prostaglandin E-2 production and induction of prostaglandin endoperoxide synthase-2 is inhibited in a murine macrophage-like cell line, RAW 264.7, by *Mallotus japonicus* phloroglucinol derivatives. Biochim. Biophys. Acta. 1571, 115–123.
- Ishii, R., Horie, M., Saito, K., Arisawa, M., Kitanaka, S., 2003. Inhibition of lipopolysaccharide-induced proinflammatory cytokine expression via suppression of nuclear factor-kappa B activation by *Mallotus japonicus* phloroglucinol derivatives. Biochim. Biophys. Acta. 1620, 108–118.
- Islam, M.S., Akhtar, M.M., Rahman, M.M., Rahman, M.A., Sarker, K.K., Alam, M.F., 2009. Antitumor and phytotoxic activities of leaf methanol extract of *Oldenlandia diffusa* (Willd.) Roxb. Global J. Pharmacol. 3, 99-106.
- Jaberian, H., Piri, K., Nazari, J., 2013. Phytochemical composition and *in vitro* antimicrobial and antioxidant activities of some medicinal plants. Food Chem. 136, 237–244.
- Jacob, S.J.P., Mohammed, H., Murali, K., Kamarudeen, M., 2012. Synthesis of silver nanorods using *Coscinium fenestratum* extracts and its cytotoxic activity against Hep-2 cell line. Colloids Surf. B. 98, 7–11.
- Jacques, E.L., Pohlit, A.M., Nunomura, S.M., Da, A.C., Mustafa, E.V., Reis, S.K., Alecrim, A.M., Brito, B.R., De, C.S., Finney, E.K., Oliveira, E.D., Santos, K.D.,

- Pereira, L.C., Castro, L.D., Rosha, L.F., Andrade, M.M., Henrique, M.C., Santos, M.D., Souza, P.D., Silva, S.G., 2003. Screening of plants in Amazon state for lethality towards brine shrimp. *Acta Amaz.* 33, 93–104.
- Jagtap, U.B., Bapat, V.A., 2012. Biosynthesis, characterization and antibacterial activity of silver nanoparticles by aqueous *Annona squamosa* L. leaf extract at room temperature. *J. Plant Biochem. Biotech.* 22, 434-440.
- Jain, K.K., 2005. Nanotechnology in clinical laboratory diagnostics. *Clin. Chim. Acta.* 358, 37–54.
- Jensen, A., 1978. Chlorophyll and Carotenoids. In: Hallebust JA, Craigie JS. (eds). *Handbook of Physiochemical and Biochemical Methods*. Cambridge University Press, Cambridge, UK, pp. 5-70.
- Jeyaraj, M., Rajesh, M., Arun, R., MubarakAli, D., Sathishkumar, G., Sivanandhan, G., Kapil Dev, G., Manickavasagam, M., Premkumar, K., Thajuddin N., Ganapathi, A., 2013. An investigation on the cytotoxicity and caspase-mediated apoptotic effect of biologically synthesized silver nanoparticles using *Podophyllum hexandrum* on human cervical carcinoma cells. *Colloids Surf. B.* 102, 708–717.
- Jones, G.A., McAllister, T.A., Muir, A.D., Cheng, K.J., 1994. Effects of sainfoin (*Onobrychis viciifolia* scop.) condensed tannins on growth and proteolysis by four strains of ruminal bacteria. *Appl. Environ. Microbiol.* 60, 1374–1378.
- Juss, A., Ayo, R.G., Audu, O.T., Amupitan, J.O., 2007. Physico-chemical characterization and cytotoxicity studies of seed extracts of *Khaya senegalensis* (Desr.). *Afr. J. Biotechnol.* 6, 894-896.
- Kaewpiboon, C., Lirdprapamongkol, K., Srisomsap, C., Winayanuwattikun, P., Yongvanich, T., Puwaprisirisan, P., Svasti, J., Assavalapsakul, W., 2012. Studies of the *in vitro* cytotoxic, antioxidant, lipase inhibitory and antimicrobial activities of selected Thai medicinal plants. *BMC Comp. Alt. Med.* 12, 217.
- Kalaivani, T., Mathew, L., 2010. Free radical scavenging activity from leaves of *Acacia nilotica* (L.) Wild. Ex Delile, and Indian medicinal tree. *Food Chem. Toxicol.* 48, 298-305.
- Kanegusuku, M., Benassi, J.C., Pedrosa, R.C., Yunes, R.A., Filho, V.C., Maia, A.A., Marcia, M., Monache, F.D., Niero, R., 2001. Cytotoxic, hypoglycemic activity

- and phytochemical analysis of *Rubus imperialis* (Rosaceae). *Z Naturforsch.* 57c, 272–276.
- Karou, S.D., Tchacondo, T., Ouattara L., Anani, K., Savadogo, A., Agbonon, A., Attaia, M.B., Souza, C.D., Sakly, M., Simpore, J., 2011. Antimicrobial, antiplasmodial, haemolytic and antioxidant activities of crude extracts from three selected Togolese medicinal plants. *Asian Pac. J. Trop. Med.* 808-813.
- Keating, G.J., Kennedy, R., 1997. The Chemistry and Occurrence of Coumarins, p. 348. In R. O’Kennedy and R. D. Thornes (ed.), *Coumarins: Biology, Applications and Mode of Action*. John Wiley & Sons, Inc., New York, N.Y.
- Khan, A.M., Qureshi, R.A., Ullah, F., Gilani, S.A., 2011b. Phytotoxic effects of selected medicinal plants collected from Margalla Hills, Islamabad Pakistan. *J. Med. Plants Res.* 5, 4671-4675.
- Khan, R.A., Khan, M.R., Sahreen, S., Ahmed, M., 2012. Evaluation of phenolic contents and antioxidant activity of various solvent extracts of *Sonchus asper* (L.) Hill. *Chem. Central J.* 6, 12.
- Khan, R.A., Khan, M.R., Sahreen, S., Bokhari, J., Rashid, U., Jan, S., 2011a. Phytotoxic characterization of various fractions of *Launaea procumbens*. *Afr. J. Biotechnol.* 10, 5377-5380.
- Kiem, P.V., Dang, N.H., Bao, H.V., Huong, H.T., Minh, C.V., Huong, L.M., Lee, J.J., Kim, Y.H., 2005. New cytotoxic benzopyrans from the leaves of *Mallotus apelta*. *Arch. Pharm. Res.* 28, 1131-1134.
- Kikuzaki, H., Nakatani, N., 1993. Antioxidant effects of some ginger constituents. *J. Food Sci.* 58, 1407–1410.
- Kim, H.S., Lim, H.K., Chung, M.W., Kim, Y.C., 2000. Antihepatotoxic activity of bergenin, the major constituent of *Mallotus japonicus*, on carbon tetrachloride-intoxicated hepatocytes. *J. Ethnopharmacol.* 69, 79–83.
- Kirsner, R., Orsted, H., Wright, B., 2001. Matrix metalloproteinases in normal and impaired wound healing: a potential role of nanocrystalline silver. *Wounds* 13, 5-10.

- Kizil, M., Kizil, G., Yavuz, M., Ayetekin, C., 2002. Antimicrobial activity of resins obtained from the roots and stems of *Cedrus libani* And *Abies Cilicia*. *App. Biochem. Microbiol.* 38, 144–146.
- Kocaman, A.Y., Istifli, E.S., Buyukleyla, M., Rencuzogullari, E., Topaktas, M., 2012. *In vitro* evaluation of the protective effects of 4-thujanol against mitomycin-C and cyclophosphamide-induced genotoxic damage in human peripheral lymphocytes. *Toxicol. Ind. Health* 29, 23-27.
- Kohn, M.C., Parham, F., Masten, S.A., 2000. Human exposure estimates for phthalates. *Environ. Health Perspect.* 108, A440-442.
- Kordali, S., Cakir, A., Ozer, H., Cakmakci, R., Kesdek, M., Mete, E., 2008. Antifungal, phytotoxic and insecticidal properties of essential oil isolated from Turkish *Origanum acutidens* and its three components, carvacrol, thymol and p-cymene. *Bioresour. Technol.* 99, 8788-8795.
- Kouvaris, P., Delimitis, A., Zaspalis, V., Papadopoulos, D., Tsipas S.A., Michailidis, N., 2012. Green synthesis and characterization of silver nanoparticles produced using *Arbutus Unedo* leaf extract. *Mater. Lett.* 76, 18–20.
- Koyama, J., Morita, T., Tagahara, K., Hirai, K., 2000. Cyclopentene dialdehydes from *Tabebuia impetiginosa*. *Phytochem.* 53, 869-72.
- Kubik, K.B., Sugisaka, M., 2002. Molecular biology to nanotechnology and Nanomedicine. *Biosystems* 65, 123- 138.
- Kumar, K.M., Sinha, M., Mandal, B.K., Ghosh, A.R., Kumar, G.S., Reddy, P.S., 2012. Green synthesis of silver nanoparticles using *Terminalia chebula* extract at room temperature and their antimicrobial studies. *Spectrochim. Acta, Part A* 91, 228-233.
- Kumbhare, M.R., Guleha, V., Sivakumar, T., 2012. Estimation of total phenolic content, cytotoxicity and in-vitro antioxidant activity of stem bark of *Moringa oleifera*. *Asian Pac. J. Trop. Dis.* 144-150.
- Kwan, K.H.L., Liu, X.L., To, M.K.T., Yeung, K.W.K., Ho, C.M., Wong, K.K.Y., 2011. Modulation of collagen alignment by silver nanoparticles results in better mechanical properties in wound healing. *Nanomed. Nanotechnol. Bio. Med.* 7, 497-504.

- Lala PK, 1993. Lab Manuals of Pharmacognosy, CSI Publishers and Distributors, Calcutta, 5 th (Ed).
- Lee, C.K., Kin, H., Moon, K.H., Shun, K.H., 1998. Screening and isolation of antibiotic resistance inhibitors from herb material-resistance inhibition of volatile components of Korean aromatic herbs. Arch. Pharm. Res. 2, 62-66.
- Lee, J., Hwang, W., Lim, S., 2004. Antioxidant and anticancer activities of organic extracts from *Platycodon grandiflorum* A. De Candolle roots. J. Ethnopharmacol. 93, 409-415.
- Lee, J., Jiang, S., Levine, N., Watson, R., 2000. Carotenoid supplementation reduces erythema in human skin after simulated solar radiation exposure. Proc. Soc. Exp. Biol. Med. 223, 170-174.
- Leffa, D.D., Rosa, R.D., Munhoz, B.P., Mello, A.M.M., Mandelli, F.D., Amaral, P.A., Rossatto, A.E., Andrade, V.M., 2012. Genotoxic and antigenotoxic properties of *Calendula officinalis* extracts in mice treated with methyl methanesulfonate. Adv. Life Sci. 2, 21-28.
- Lemos, O.A., Sanches, J.C.M., Silva, I.E.F., Silva, M.L.A., Vinhólis, A.H.C., Felix, M.A.P., Santos, R.A., Cecchi, A.O., 2012. Genotoxic effects of *Tabebuia impetiginosa* (Mart. Ex DC.) Standl. (Lamiales, Bignoniaceae) extract in Wistar rats. Gen. Mol. Bio. 35, 498-502.
- Likhitwitayawuid, K., Supudompol, B., 2005. A new phloroglucinol dimer from *Mallotus pallidus*. Heterocycl. 65, 161-164.
- Lin, J., Chen, R., Feng, S., Pan, J., Li, Y., Chen, G., 2011. A novel blood plasma analysis technique combining membrane electrophoresis with silver nanoparticle-based SERS spectroscopy for potential applications in noninvasive cancer detection. Nanomed. Nanotechnol. Bio. Med. 7, 655-663.
- Lodhi, M.A.K., 1976. Role of allelopathy as expressed by dominating trees in a low land forest in controlling the productivity and pattern of herbaceous growth. J. Bot. 63, 1-8.
- Logeswari, P., Silambarasan, S., Abraham, J., 2012 Synthesis of silver nanoparticles using plants extract and analysis of their antimicrobial property. J. Saudi Chem. Soc. (in Press).

- Lokina, S., Stephen, V.N., 2011. Synthesis of silver nanoparticles using *Cynodon dactylon* plant extract and evaluation of their antimicrobial activities and cytotoxicity. International Conference on Green Technology and Environmental Conservation (GTEC 2011).
- Loo, C., Lowery, A., Halas, N., West, J., Drezek, R., 2005. Immunotargeted nanoshells for integrated cancer imaging and therapy. *Nano Lett.* 5, 709-711.
- Loo, Y.Y., Chieng, B.W., Nishibuchi, M., Radu, S., 2012. Synthesis of silver nanoparticles by using tea leaf extract from *Camellia sinensis*. *Int. J. Nanomed.* 7, 4263-4267.
- Lu, R., Yang, D., Cui, D., Wang, Z., Guo, L., 2012. Egg white-mediated green synthesis of silver nanoparticles with excellent biocompatibility and enhanced radiation effects on cancer cells. *Int. J. Nanomed.* 7, 2101-2107.
- Lu, Y., Foo, Y., 2000. Antioxidant and radical scavenging activities of polyphenols from Apple pomace. *Food Chem.* 68, 81-85.
- Ma, J., Jones, S.H., Hecht, S.M., 2004. A coumarin from *Mallotus resinusus* mediates DNA cleavage. *J. Nat. Prod.* 67, 1614-1616.
- Magudapathi, P., Gangopadhyay, P., Panigrahi, E.K., Nair, K.G.M., Dhara, S., 2001. Electrical transport studies of silver nanoclusters embedded in glass matrix. *Physical B.* 299, 142-146.
- Mancini, E., Arnold, N.A., Martino, L.D., Feo, V.D., Formisano, C., Rigano, D., Senatore, F., 2009. Chemical composition and phytotoxic effects of essential oils of *Salvia hierosolymitana* Boiss. and *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon. *Mol.* 14, 4725-4736.
- Manners, G., Jurd, L., Wong, R., Palmer, K., 1975. Guayin : An unusual oxalactone dibenzxanthone from *Tabebuia guayacan*. *J.C.S. Chem. Comm.* 711.
- Maria, T., Silva, A.F., Brandao, M., Mesquita, T.S., Fatima, E.D., Junior, A.S., Zani, C.L., 2000. Biological screening of Brazilian medicinal plants. *Rio de Janeiro.* 95, 367-373.
- Marques, E.S., Silva, S., Niero, R., Andrade, S.F., Rosa, P.C.P., Perazzo, F.F., Maistro, E.L., 2012. Genotoxicity assessment of *Garcinia achachairu* Rusby (Clusiaceae) extract in mammalian cells *in vivo*. *J. Ethnopharmacol.* 142, 362-366.

- Mason, C., Vivekanandhan, S., Misra, M., Mohanty, A.K., 2012. Switchgrass (*Panicum virgatum*) extract mediated green synthesis of silver nanoparticles. World J. NanoSci. Eng. 2, 47-52.
- Mason, T. L., Wasserman, B.P., 1987. Inactivation of red beet betaglucan synthase by native and oxidized phenolic compounds. Phytochem. 26, 2197-2202.
- Mathew, S., Abraham, T.E., 2006. *In vitro* antioxidant activity and scavenging effects of *Cinnamomum verum* leaf extract assayed by different methodologies. Food Chem. Toxicol. 44, 198-206.
- Matsuoka, A., Yamazaki, N., Suzuki, T., Hayashi, M., Sofuni, T., 1993. Evaluation of the micronucleus test using Chinese hamster cell line as an alternative to the conventional *in vitro* chromosomal aberration test. Mutat. Res. 272, 223-236.
- Mattana, C.M., Satorres, S.E., Escobar, F., Sabini, C., Sabini, L., Fusco, M., Alcaráz, L.E., 2012. Antibacterial and cytotoxic activities of *Acacia aroma* extracts. Emir. J. Food Agric. 2012. 24, 308-313.
- Matthews, H.B., Lucier, G.W., Fisher, K.D., 1999. Medicinal herbs in the United States: research needs. Environ. Health Perspect. 107, 773-778.
- Mavar, M.H., Haddad, M., Pieters, I., Bacceli, C., Penge, A., Quetin, L.J., 2008. Anti-inflammatory compounds from leaves and root bark of *Alchornea cordifolia* (Schum and Thonn.) Muell.-Arg. J. Ethnopharmacol. 115, 25-29.
- May, F.E., Ash, J.E., 1990. An assessment of the allelopathic potential of *Eucalyptus*. Aust. J. Bot. 38, 245-254.
- Mayer, B.N., Ferrigni, N.R., Putnum, J.E., Jacobsen, L.B., Nichols, D.E., Mclaughlin, J. L., 1982. Brine shrimp: a convenient bioassay for active plant constituents. Plant Medica 45, 31-34.
- McDevitt, J. T., Schneider, D.M., Katiyar, S.K., Edlind, T.D., 1996. Berberine: a candidate for the treatment of diarrhoea in AIDS patients, abstr. 175. In Program and Abstracts of the 36th Interscience Conference on Antimicrobial Agents and Chemotherapy. American Society for Microbiology, Washington, D.C.
- Mclaughlin, J. L., 1990. Bench top bioassay for discovery of bioactive compounds in higher plants. Bethesda, pp.29.

- McLaughlin, J.L., 1991. Crown gall tumors on potato discs and brine shrimp lethality: Two single bioassays for plant screening and fraction. In: Hostetsmann K, ed., Methods in Plant Biochemistry. London, Academic Press, pp. 1-31.
- Middleton, Jr.E., Kandaswami, C., Theoharides, T.C., 2000. The effects of plant flavonoids on mammalian cells: Implication for inflammations, heart disease and cancer. *Pharmacol. Rev.* 52, 673-751.
- Mishra, P.M., Sree, A., 2007. Antibacterial activity and GC-MS analysis of the extract of leaves of *Finlaysonia obovata* (A mangrove plant). *Asian J. Plant Sci.* 6, 168-172.
- Moirangthem, D.S., Talukdar, N.C., Bora, U., Kasoju, N., Das, R.K., 2013. Differential effects of *Oroxylum indicum* bark extracts: antioxidant, antimicrobial, cytotoxic and apoptotic study. *Cytotechnol.* 65, 83-95.
- Moirangthem, D.S., Talukdar, N.C., Kasoju, N., Bora, U., 2012. Antioxidant, antibacterial, cytotoxic, and apoptotic activity of stem bark extracts of *Cephalotaxus griffithii* Hook. f. *BMC Comp. Alt. Med.* 12, 30.
- Mou, X., 2005. Cancer prevention by astaxanthin, a natural carotenoid. *J. Kyoto Prefectural Univ. Med.* 114, 21-29.
- Mou, X., Kesari, S., Wen, P.Y., Huang, X., 2011. Crude drugs as anticancer agents. *Int. J. Clin. Exp. Med.* 4, 17-25.
- Muganza, D.M., Fruth, B.I., Lami, J.N., Mesia, J.K., Kambu, O.K., Tona, G.L., Kanyanga, R.C., Cos, P., Maes, L., Apers, S., Pieters, L., 2012. *In vitro* antiprotozoal and cytotoxic activity of 33 ethnopharmacologically selected medicinal plants from Democratic Republic of Congo. *J. Ethnopharmacol.* 141, 301-308.
- Mushi, N.F., Mbwambo, Z.H., Innocent, E., Tewtrakul, S., 2012. Antibacterial, anti-HIV-1 protease and cytotoxic activities of aqueous ethanolic extracts from *Combretum adenogonium* Steud. Ex A. Rich (Combretaceae). *BMC Compl. Alt. Med.* 12, 163.
- Nabavi, S.F., Nabavi, S.M., Ebrahimzadeh, M.A., Asgarirad, H., 2011. The antioxidant activity of wild medlar (*Mespilus germanica* L.) fruit, stem bark and leaf. *Afr. J. Biotechnol.* 10, 283-289.

- Nagajyothi, P.C., Sreekanth, T.V.M., Lee, K.D., 2012. AgNPs: Green synthesis, characterization, antimicrobial, and cytotoxicity studies of methanol and aqueous extracts of *Pseudocydonia sinensis* (Chinese quince) fruit. Synthesis and reactivity. *Inorg. Metal-Org. Nano-Metal Chem.* 42.
- Nain, P., Kumar, A., Sharma, S., Nain, J., 2011. *In vitro* evaluation of antimicrobial and antioxidant activities of methanolic extract of *Jasminum humile* leaves. *Asian Pac. J. Trop. Med.* 804-807.
- Nakahara, K., Kawabata, S., Ono, H., Ogura, K., Tanaka, T., Ooshima, T., Hamada, S., 1993. Inhibitory effect of oolong tea polyphenols on glucosyltransferases of mutans streptococci. *Appl. Environ. Microbiol.* 59, 968-973.
- Namba, T., Morita, O., Huang, S.L., Goshima, K., Hattori, M., Kakiuchi, N., 1988. Studies on cardio-active crude drugs. I. Effect of coumarins on cultured myocardial cells. *Planta Med.* 54, 277-282.
- Nguta, J.M., Mbaria, J.M., Gakuya, D.W., Gathumbi, P.K., Kabasa, J.D., Kiama, S.G., 2012. Cytotoxicity of antimalarial plant extracts from Kenyan biodiversity to the brine shrimp, *Artemia salina* L. (Artemiidae). *Drug. Therapy Studies.* 2, 12.
- Nguyen, D.T., Nyugen, D.H., Lyun, H.L., Lee, H.B., Shin, J.H., Kim, E.K., 2007. Inhibition of melanogenesis by diocyl phthalate isolated from *Nigella glandulifera* Freyn. *J. Microbio. Biotechnol.* 17, 1585-1590.
- Niki, E., 2010. Assessment of antioxidant capacity *in vitro* and *in vivo*. *Free Radical. Biol. Med.* 49, 503-15.
- Niraimathi, K.L., Sudha, V., Lavanya, R., Brindha, P., 2013. Biosynthesis of silver nanoparticles using *Alternanthera sessilis* Linn. extract and their antimicrobial, antioxidant activities. *Colloids Surf. B.* 102, 288-291.
- Nose, K., 2000. Role of reactive oxygen species in the regulation of physiological functions. *Biol. Pharm. Bull.* 23, 897-903.
- Nurcholis, W., Priosoeryanto, B.P., Purwakusumah, E.D., Katayama, T., Suzuki, T., 2012. Antioxidant, cytotoxic activities and total phenolic content of four Indonesian medicinal plants. *Valensi.* 2, 501-510.
- Okwu, D.E., 2001. Evaluation of the chemical composition of indigenous spices and flavouring agents. *Global J. Pure. Appl. Sci.* 7, 455-459.

- Okwu, D.E., 2004. Phytochemicals and vitamin content of indigenous spices of south Eastern Nigeria. *J. Sustain. Agric. Environ.* 6, 30-37.
- Oloyede, G.K., Oladosu, I.A., Shodia, A.F., Oloyade, O.O., 2010. Cytotoxic effects of *Tabebuia Rosea* Oils (leaf and stem bark). *Arch. App. Sci. Res.* 2, 127-130.
- Omulokoli, E., Khan, B., Chhabra, S.C., 1997. Antiplasmodial activity of four Kenyan medicinal plants. *J. Ethnopharmacol.* 56, 133–137.
- Ottolenghi, A., 1959. Interaction of ascorbic acid and mitochondrial lipids. *Arch. Biochem. Biophys.* 79, 355-358.
- Oudhia, P., Kolhe, S.S., Tripathi, R.S., 1998. Allelopathic effect of *Blumea lacera* L. on rice and common kharif weeds. *Oryza.* 35, 175-177.
- Pandhair, V., Sekhon, B.S., 2006. Reactive oxygen species and antioxidants in plants: An overview. *J. Plant Biochem. Biotech.* 15, 71-80.
- Park, B.S., Lee, H.K., Lee, S.E., 2006. Antibacterial activity of *Tabebuia impetiginosa* against *Helicobacter pylori*. *J. Ethnopharmacol.* 105, 1-2.
- Park, P.S., Lee, K.G., Shibamoto, T., 2003. Antioxidant activity and characterization of volatile constituents of Taheebo (*Tabebuia impetiginosa*). *J. Agric. Food. Chem.* 51, 295-300.
- Park, Y., Noh, H.J., Han, H., Kim, H.S., Kim, Y.J., Choi, J.S., Kim, C.K., Kim, Y.S., Cho, S., 2012. *Artemisia capillaris* extracts as a green factory for the synthesis of silver nanoparticles with antibacterial activities. *J. Nanosci. Nanotech.* 12, 7087-7095.
- Patel, D.M., Kumar, R., Laloo, D., Hemalatha, S., 2011. Evaluation of phytochemical and antioxidant activities of the different fractions of *Hybanthus enneaspermus* (Linn.) F. Muell. (Violaceae). *Asian Pac. J. Trop. Med.* 391-396.
- Patil, R.S., Kokate, M.R., Kolekar, S.S., 2012. Bioinspired synthesis of highly stabilized silver nanoparticles using *Ocimum tenuiflorum* leaf extract and their antibacterial activity. *Spectrochim. Acta, Part A.* 91, 234-238.
- Pelucchi, C., Dal Maso, L., Montella, M., Parpinel, M., Negri, E., Talamini, R., Giudice, A., Franceschi, S., La Vecchia, C., 2008. Dietary intake of carotenoids and retinol and endometrial cancer risk in an Italian case-control study. *Cancer Causes. Control.* 19, 1209-1215.

- Pengsuparp, T., Cai, L., Constant, H., Fong, H.H., Lin, L.Z., Kinghorn, A.D., Pezzuto, J.M., Cordell, G.A., Ingolfssdottir, K., Wagner, H., 1995. Mechanistic evaluation of new plant-derived compounds that inhibit HIV-1 reverse transcriptase. *J. Nat. Prod.* 58, 1024-1031.
- Perez, H., Dian, F., Medina, J.P., 1997. Chemical investigation and *in-vitro* antimalarial activity of *Tabebuia ochracea* ssp. *neochrysantha*. *Int. J. Pharmacog.* 35, 227-231.
- Perkins, E.G., 1967. Characterization of the non-volatile compounds formed during the thermal oxidation of corn oil. II. Phthalate esters. *J. Am. Oil Chem. Soc.* 44, 197-199.
- Phillipson, J. D., O'Neill, M.J., 1987. New leads to the treatment of protozoal infections based on natural product molecules. *Acta Pharm. Nord.* 1, 131-144.
- Pietta, P.G., 2000. Flavonoids as antioxidants. *J. Nat. Prod.* 63, 1035-1042.
- Piller, N.B., 1975. A comparison of the effectiveness of some anti-inflammatory drugs on thermal oedema. *Br. J. Exp. Pathol.* 56, 554-559.
- Prabhu, S., Poulouse, E.K., 2012. Silver nanoparticles: mechanism of antimicrobial action, synthesis, medical applications, and toxicity effects. *Int. Nano Lett.* 2, 32.
- Prakash, L., Singh, R., 1980. Chemical constituents of stem bark and root heartwood of *Tabebuia pentaphylla* (L.) Hemsl. (Bignoniaceae). *Pharmazie.* 35, 813.
- Prieto, P., Pineda, M., Aguilar, M., 1999. Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: specific application to the determination of vitamin E. *Anal. Biochem.* 269, 337-341.
- Proestos, C., Lytoudi, K., Mavromelanidou, O.K., Zoumpoulakis, P., Sinanoglou, V.J., 2013. Antioxidant capacity of selected plant extracts and their essential oils. *Antioxid.* 2, 11-22.
- Rahmat, A., Kumar, V., Fong, L.M., Endrini, S., Sani, H.A., 2003. Determination of total antioxidant activity in three types of local vegetables shoots and the cytotoxic effect of their ethanolic extracts against different cancer cell lines. *Asian Pac. J. Clin. Nutr.* 12, 292-295.

- Raja Chakraborty, De, B., Devanna, N., Sen, S., 2012. Antiinflammatory, antinociceptive and antioxidant activities of *Phyllanthus acidus* L. extracts. Asian Pac. J. Trop. Med. S953-S961.
- Raja Rajeswari, N., Ramalakshmi, S., Muthuchelian, K., 2011. GC-MS analysis of bioactive components from the ethanolic leaf extract of *Canthium dicoccum* (Gaertn.) Teijsm & Binn. J. Chem. Pharm. Res. 3, 792-798.
- Ramalakshmi, S., Edayadulla, N., Ramesh, P., Muthuchelian, K., 2012a. Investigation on cytotoxic, antioxidant, antimicrobial and volatile profile of *Wrightoria tinctoria* (Roxb.) R. Br. flower used in Indian medicine. Asian Pac. J. Trop. Dis. S68-S75.
- Ramalakshmi, S., Muthuchelian, K., 2013. Studies on cytotoxic, phytotoxic and volatile profile of bark extract of important medicinal plant, *Mallotus tetracoccus* (Roxb.) Kurz. Afr. J. Biotechol. 12, 6176-6184.
- Ramalakshmi, S., Muthuchelian, K., 2012b. Evaluation of antioxidant potential and antimicrobial studies of bark extract of medicinal plant, *Mallotus tetracoccus* (Roxb.) Kurz. J. Med. Plants Res. 6, 5156-5165.
- Ramalakshmi, S., Muthuchelian, K., 2012c. Studies on cytotoxicity, phytotoxicity and volatile profile of flower extract of *Tabebuia rosea* (Bertol.) DC. Med. Plants – Int. J. Phytomed. Rel. Ind. 4, 154-161.
- Ramalakshmi, S., Muthuchelian, K., 2011. Cancer and oncogenes- An Overview. Acad. J. Cancer Res. 4,10-17.
- Rao, G., Mahesh kumar, P., Dhandapani, V.S., Ramakrishna, T., Hayashi, T., 2000. Constituents of *Cassia auriculata*. Fitoterapia 71, 82-83.
- Rao, K.J., Paria, S., 2013a. Green synthesis of silver nanoparticles from Aqueous *Aegle marmelos* leaf extract. Mat. Res. Bull. 48, 628-634.
- Rao, M.M., Kingston, D.I., 1982. Plant anticancer agents.xii.1 isolation and structure elucidation of new cytotoxic quinones from *Tabebuia cassinoides*. J. Nat. Prod. 45, 600-604.
- Rao, Y.S., Kotakadi, V.S., Prasad, T.N.V.K.V., Reddy, A.V., Sai Gopal, D.V.R., 2013b. Green synthesis and spectral characterization of silver nanoparticles from

- Lakshmi tulasi (*Ocimum sanctum*) leaf extract. Spectrochim. Acta Part A. 103, 156-9.
- Rastogi, S., Rawat, A. S., 2008. A comprehensive review on bergenin, a potential hepatoprotective and antioxidative phytoconstituent. Pharmacognosy & Ethnopharmacology Divison, 54.
- Reddy, S.N., Navanesan, S., Sinniah, S.K., Wahab, N.A., Sim, K.S., 2012. Phenolic content, antioxidant effect and cytotoxic activity of *Leea indica* leaves. BMC Comp. Alt. Med. 12, 128.
- Rehman, A., Mannan, A., Inayatullah, S., Zaeem Akhtar, M., Qayyum, M., Mirza, B., 2009. Biological evaluation of wild thyme (*Thymus serpyllum*). Pharma. Biol. 47, 628-633.
- Renugadevi, K., Inbakandan, D., Bavanilatha, M., Poornima, V., 2012. *Cissus quadrangularis* assisted biosynthesis of silver nanoparticles with antimicrobial and anticancer potentials. Int. J. Pharm. Bio. Sci. 3, 437-445.
- Repetto, M.G., Llesuy, S.F., 2002. Antioxidant properties of natural compounds used in popular medicine for gastric ulcers. Braz. J. Med. Biol. Res. 35, 523-534.
- Riaz, M., Rasool, N., Bukhari, I.H., Shahid, M., Zahoor, A.F., Gilani, M.A., Zubair, M., 2012. Antioxidant, antimicrobial and cytotoxicity studies of *Russelia equisetiformis*. Afr. J. Microbiol. Res. 6, 5700-5707.
- Rice, E.L., 1984. Allelopathy. 2nd Ed. Academic Press, Orlando, Florida, USA.
- Rinez, A., Ladhari, A., Omezzine, F., Rinez, I., Haouala, R., 2011. Phytotoxicity of *Nicotiana glauca* Graham aqueous extracts, a Tunisian invasive plant. 3rd International Symposium on Weeds and Invasive Plants at Ascona, Switzerland.
- Ripa, F.A., Nahar, L., Haque, M., Monirul Islam, M., 2009. Antibacterial, cytotoxic and antioxidant activity of crude extract of *Marsilea Quadrifolia*. Eur. J. Scient. Res. 33, 123-129.
- Riviere, C., Hong, V.N.T., Pieters, L., Dejaegher, B., Heyden, Y.V., Van, M.C., Leclerc, J.Q., 2009. Polyphenols isolated from antiradical extracts of *Mallotus metcalfianus*. Phytochem. 70, 91-99.

- Roy, P., Amdekar, S., Kumar, A., Singh, V., 2011. Preliminary study of the antioxidant properties of flowers and roots of *Pyrostegia venusta* (Ker Gawl) Miers. BMC Comp. Alt. Med. 11, 69.
- Ruan, H.L., Zhang, Y., Zhang, Y.H., Pi, H.F., Wu, J.Z., 2006. Studies on constituents from roots of *Euphorbia hylonoma*. Zhongguo Zhong Yao Za Zhi. 31, 742-744.
- Safaepour, M., Shahverdi, A.R., Shahverdi, H.R., Khorramizadeh, M.R., Gohari, A.R., 2009. Green synthesis of small silver nanoparticles using geraniol and its cytotoxicity against fibrosarcoma-wehi 164. Avicenna J. Med. Biotechnol. 1, 111-115.
- Saha, K., Lajis, N.H., Israf, D.A., Hamzah, A.S., Khozirah, S., Khamis, S., Syahida, A., 2004. Evaluation of antioxidant and nitric oxide inhibitory activities of selected Malaysian medicinal plants. J. Ethnopharmacol. 92, 263-267.
- Sajeesh, T., Arunachalam, K., Parimelazhagan, T., 2011. Antioxidant and antipyretic studies on *Pothos scandens* L. Asian. Pac. J. Trop. Med. 889-899.
- Salem, A.N.B., Zyed, R., Ali, L.M., Nidhal, S., Souad, S., Mahjoub, A., 2012. Cytotoxic effect of nanoparticles synthesized from *Salvia officinalis* L. and *Ricinus communis* aqueous extracts against vero cell line and evaluation of their antioxidant activities. Afr. J. Biotechnol. 11, 11530-11534.
- Sani, U.M., Pateh, U.U., 2009. Isolation of 1,2-benzenedicarboxylic acid bis (2-ethylhexyl) ester from methanol extract of the variety minor seeds of *Ricinus communis* Linn. (Euphorbiaceae). Nigerian J. Pharma. Sci. 8, 107-114.
- Santos, F.V., Andreo, M., Nasser, A.L.M., Moreira, L.M., Vilegas, W., Cólus, I.M.S., Varanda, E.A., 2013. Absence of mutagenicity of plants used to treat gastrointestinal disorders. Arch. Biol. Sci. 65, 191-195.
- Sastry, V.M.V.S., Rao, G.R.K., 1995. Dioctyl phthalate and antibacterial compound from the marine brown alga *Sargassum wightii*. J. App. Physiol. 7, 185-186.
- Sathishkumar, G., Gobinath, C., Karpagam, K., Hemamalini, V., Premkumar, K., Sivaramakrishnan, S., 2012. Phyto-synthesis of silver nanoscale particles using *Morinda citrifolia* L. and its inhibitory activity against human pathogens. Colloids Surf. B. 95, 235-240.

- Satyavani, K., Gurudeeban, S., Ramanathan, T., Balasubramanian, T., 2011. Biomedical potential of silver nanoparticles synthesized from calli cells of *Citrullus colocynthis* (L.) Schrad. *J. Nanobiotech.* 9, 43.
- Satyavani, K., Gurudeeban, S., Ramanathan, T., Balasubramanian, T., 2012. Toxicity study of silver nanoparticles synthesized from *Suaeda monoica* on Hep-2 cell line. *Avicenna J. Med. Biotech.* 4, 35-9.
- Saxe, T.G., 1987. Toxicity of medicinal herbal preparations. *Am. Fam. Physician.* 35, 135–42.
- Sethi, M.L., 1979. Inhibition of reverse transcriptase activity by benzophenanthridine alkaloids. *J. Nat. Prod.* 42, 187-196.
- Shafaghat, A., 2011. Antioxidant, antimicrobial activities and fatty acid components of flower, leaf, stem and seed of *Hypericum scabrum*. *Nat. Prod. Commun.* 6, 1739-42.
- Sharififar, F., Moshafi, M.H., Shafazand, E., Koochpayeh, A., 2012. Acetyl cholinesterase inhibitory, antioxidant and cytotoxic activity of three dietary medicinal plants. *Food Chem.* 130, 20-23.
- Sharma, P.K., Khanna, R.N., Rohatgi, B.K., Thomson, R.H., 1988. Tecomaquinones III: a new quinone from *Tabebuia pentaphylla*. *Phytochem.* 27, 632-633.
- Shin, S.H., Ye, M.K., Kim, H.S., Kang, H.S., 2007. The effects of nano-silver on the proliferation and cytokine expression by peripheral blood mononuclear cells. *Int. Immunopharmacol.* 7, 1813–1818.
- Shrivastava, S., Bera, T., Roy, A., Singh, G., Ramachandrarao, P., Dash, D., 2007. Characterisation of enhanced antibacterial effects of novel silver nanoparticles. *Nanotech.* 18, 1-9.
- Siddhuraja, R., Becker, K., 2003. Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa olifera* Lam.) leaves. *J. Agri. Food Chem.* 51, 2144-2155.
- Siddhuraju, P., Mohan, P.S., Beaker, K., 2002. Studies on the antioxidant activity of Indian laburnum (*Cassia fistula* L.). A preliminary assessment of crude extracts from stem, bark, leaves and fruit pulp. *Food Chem.* 79, 61-67.

- Sidker, M.A.A., Rahman, M.A., Islam, M.R., Kaisar, M.A., Rahman, M.S., Rashid, M.A., 2010. *In vitro* antioxidant, reducing power, free radical scavenging and membrane stabilizing activities of *Spilanthes calva*. Bang. Pharma. J. 13, 63-67.
- Silva, C.R., Vieira, P.M., Santos, S.C., Chen, L.C., 2012. Assessment of *Duguetia furfuracea* genotoxic and cytotoxic activity in bacteria and mice. Annals. Braz. Acad. Sci. 84, 149-56.
- Singh, C., Baboota, R.K., Naik, P.K., Singh, H., 2012. Biocompatible synthesis of silver and gold nanoparticles using leaf extract of *Dalbergia sissoo*. Adv. Mat. Lett. 3, 279-285.
- SivakamaValli, J, Vaseeharan, B., 2012. Biosynthesis of silver nanoparticles by *Cissus quadrangularis* extracts. Mater. Lett. 82, 171-173.
- Sousa, N.C., de Rezende, A.A.A., da Silva, R.M.G., Guterres, Z.R., Graf, U., Kerr, W.E., Spano, M.A., 2009. Modulatory effects of *Tabebuia impetiginosa* (Lamiales, Bignoniaceae) on doxorubicin-induced somatic mutation and recombination in *Drosophila melanogaster*. Gen. Mol. Bio. 32, 382-388.
- Sowndhararajan, K., Joseph, J.M., Rajendrakumaran, D., Manian, S., 2010. *In vitro* antioxidant characteristics of different parts of *Melothria maderaspatana* (L.) Cogn. Int. J. Pharmacy. Pharm. Sci. 2, 117-123.
- Soyelu, O.T., Masika, P.J., 2012. Antibacterial and antioxidant activities of some selected plants used for the treatment of cattle wounds in the Eastern Cape. Afr. J. Biotechnol. 11, 3476-3481.
- Spandidos, D.A., Siminovitch, 1978. Transfer of the marker for the morphologically transformed phenotype by isolated chromosomes in hamster cells. Nature 271, 259-261.
- Sreena, K.P., Poongothai, A., Sreejith, K., Uthiralingam, M., Annapoorani, S., 2011. *In vitro* radical scavenging efficacy of different organic extracts of *Nerium indicum* leaves. Pharmacologyonline 1, 155-162.
- Srinivasan, G.V., Sharanappa, P., Leela, N.K., Sadashiva, C.T., Vijayan, K.K., 2009. Chemical composition and antimicrobial activity of *Leea indica* (Burm. F) Merr flowers. Nat. Prod. Rad. 8, 488-493.

- Subramanian, V., Suja, S., 2012. Green synthesis of silver nanoparticles using *Coleus amboinicus* Lour, antioxidant activity and *in vitro* cytotoxicity against Ehrlich's Ascite carcinoma. J. Pharm. Res. 5, 1268-1272.
- Sudhalakshmi, G.Y., 2011. Green synthesis of silver nanoparticles from *Cleome Viscosa*: synthesis and antimicrobial activity. International Conference on Bioscience, Biochemistry and Bioinformatics. 5, IACSIT Press, Singapore.
- Suliman, A.O., Ali, D., Alarifi, S., Harrath, A.H., Mansour, L., Alwasel, S.H., 2013. Evaluation of cytotoxic, oxidative stress, proinflammatory and genotoxic effect of silver nanoparticles in human lung epithelial cells. Environ. Toxicol. DOI: 10.1002/tox.21880.
- Supudompol, B., Likhitwitayawuid, K., Houghton, P.J., 2004. Phloroglucinol derivatives from *Mallotus pallidus*. Phytochem. 65, 2589-2594.
- Surh, Y.J., Chun, K.S., 2007. Cancer chemopreventive effects of curcumin. Adv. Exp. Med. Bio. 595, 149-172.
- Suriyakalaa, U., Antony, J.J., Suganya, S., Siva, D., Sukirtha, R., Kamalakkannan, S., Tirupathi Pichiah, P.B., Achiraman, S., 2013. Hepatocurative activity of biosynthesized silver nanoparticles fabricated using *Andrographis paniculata*. Colloids Surf. B. 102, 189-194.
- Tabata, H., Katsube, T., Moriya, K., Utsumi, T., Yamasaki, Y., 2010. Protective activity of components of an edible plant, *Mallotus japonicus*, against oxidative modification of proteins and lipids. Food Chem. 118, 548-553.
- Tadic, V., Bojovic, D., Arsic, I., Dordevic, S., Aksentijevic, K., Stamenic, M., Jankovic, S., 2012. Chemical and antimicrobial evaluation of supercritical and conventional *Sideritis scardica* Griseb. Lamiaceae extracts. Mol. 17, 2683-703.
- Taher, M., Susanti, D., Rezali, M.F., Zohri, F.S., Ichwan, S.J., Alkhamaiseh, S.I., Ahmad, F., 2012. Apoptosis, antimicrobial and antioxidant activities of phytochemicals from *Garcinia malaccensis* Hk.f. Asian Pac. J. Trop. Med. 5, 136-41.
- Tai, Z., Cai, L., Dong, L., Wang, M., Yang, Y., 2011. Antioxidant activity and chemical constituents of edible flowers of *Sophora viciifolia*. Food Chem. 126, 1648-54.

- Tamuly, C., Hazarika, M., Borah, S.C., Das, M.R., Boruah, M.P., 2013. *In situ* biosynthesis of Ag, Au and bimetallic nanoparticles using *Piper pedicellatum* C.DC: Green chemistry approach. *Colloids Surf. B.* 102, 627-634.
- Tanaka, T., Ito, T., Iinuma, M., Takahashi, Y., Naganawa, H., 1998. Dimeric chalcone derivatives from *Mallotus philippensis*. *Phytochem.* 48, 142-1427.
- Taylor, P., Arsenak, M., Abad, M.J., Fernandez, A., Milano, B., Gonto, R., Ruiz, M.C., Fraile, S., Taylor, S., Estrada, O., Michelangeli, F., 2013. Screening of Venezuelan medicinal plant extracts for cytostatic and cytotoxic activity against tumor cell lines, *Phytotherapy Res.* 27, 530-537.
- Thastrup, O., Knudsen, J.B., Lemmich, L., Winther, K., 1985. Inhibitions of human platelet aggregation by dihydropyrano- and dihydrofuranocoumarins, a new class of cAMP phosphodiesterase inhibitors. *Biochem. Pharmacol.* 34, 2137-2140.
- Thompson, W.H., Leege, P.B., Millner, P.D., Watson, M.E., 2001. Test methods for the examination of composting and compost. USCC, and USDA, Eds.
- Thomson, W.A.R. (ed.). 1978. *Medicines from the Earth*. McGraw-Hill Book Co., Maidenhead, United Kingdom.
- Toledo, V.M., Tellez, M.G.O., Sortibr'an, A.N.C., Andrade-Cetto, A., Rodr'iguez-Arnaiz, R., 2008. Genotoxicity testing of *Cecropia obtusifolia* extracts in two *in vivo* assays: The wing somatic mutation and recombination test of *Drosophila* and the human cytokinesis-block micronucleus test. *J. Ethnopharmacol.* 116, 58-63.
- Tsao, R., Romanchuk, F.E., Peterson, C.J., Coats, J.R., 2002. Plant growth regulatory effect and insecticidal activity of the extracts of the tree of heaven (*Ailanthus altissima* L.). *BMC Ecol.* 2, 1.
- Tse, C., Zohdy, M.J., Ye, J.Y., O'Donnell, M., Lesniak, W., Balogh, L., 2011. Enhanced optical breakdown in KB cells labeled with folate-targeted silver-dendrimer composite nanodevices. *Nanomed. Nanotechnol. Bio. Med.* 7, 97-106.
- Tsuboy, M.S., Marcarini, J.C., Luiz, R.C., Barros, I.B., Ferreira, D.T., Ribeiro, L.R., Mantovani, M.S., 2010. *In vitro* evaluation of the genotoxic activity and apoptosis induction of the extracts of roots and leaves from the medicinal plant *Coccoloba mollis* (Polygonaceae). *J. Med. Food.* 13, 503-8.

- Turano, A., Scura, A., Caruso, A., Bonfanti, C., Luzzati, R., Basetti, D., Manca, N., 1989. Inhibitory effect of papaverine on HIV replication *in vitro*. AIDS Res. Hum. Retroviruses 5, 183-191.
- Turk, M.A., Lee, K.D., Tawaha, A.M., 2005. Inhibitory effects of aqueous extracts of black mustard on germination and growth of radish. Res. J. Agri. Bio. Sci. 1, 227-231.
- Turker, A.U., Camper, N.D., 2002. Biological activity of common mullein, a medicinal plant. J. Ethnopharmacol. 82, 117-125.
- Vanaja, M., Annadurai, G., 2013. *Coleus aromaticus* leaf extract mediated synthesis of silver nanoparticles and its bactericidal activity. Appl. Nanosci. 3, 217-223.
- Vankar, P.S., Shukla, D., 2012. Biosynthesis of silver nanoparticles using lemon leaves extract and its application for antimicrobial finish on fabric. Appl. Nanosci. 2, 163-168.
- Venkatesh, G., Kalpana, U., Prasad, M.N.V., Rao, Nandiraju, V.S., 2013. Green synthesis of gold and silver nanoparticles using *Achyranthes aspera* L. leaf extract. Adv. Sci. Eng. Med. 5, 223-228.
- Vijayakumar, M., Priya, K., Nancy, F.T., Noorlidah, A., Ahmed, A.B.A., 2013. Biosynthesis, characterisation and anti-bacterial effect of plant-mediated silver nanoparticles using *Artemisia nilagirica*. Ind. Crops. Prod. 41, 235-240.
- Vijayaraghavan, K., Kamala Nalini, S.P., Udaya Prakash, N., Madhankumar, D., 2012. One step green synthesis of silver nano/microparticles using extracts of *Trachyspermum ammi* and *Papaver somniferum*. Colloids Surf. B. 94, 114-117.
- Villegas, J.R., Amato, S., Castro, I., Jacobson, U., 1995. 4-aryltetralin lignan and furanonaphthoquinones from *Tabebuia palmeri* wood. Fitoterapia 66, 281-282.
- Vishwakarma, R.A., 1990. Stereoselective synthesis of a-arteether from artemisinin. J. Nat. Prod. 53, 216-217.
- Wang, H.K., Lee, K.H., 1998. Plant-derived anticancer agents and their analogs currently in clinical use or in clinical trials. Idrugs. 1, 92-102.
- Warashina, T., Nagatani, Y., Noro, T., 2005. Further constituents from the bark of *Tabebuia impetiginosa*. Phytochem. 66, 589-97.

- Warashina, T., Nagatani, Y., Noro, T., 2006. Constituents from the bark of *Tabebuia impetiginosa*. Chem. Pharm. Bull. 54, 14-20
- Wardlaw, A.C., 1985. Practical Statistics for Experimental Biologists. Chichester: John Wiley and Sons.
- Warrier, P.K., Nambiar, V.P.K., Kuttan, R.C., 1996. Indian Medicinal Plants, Vol 1-5 In: Warrier PK (Ed.) Orient Longman Ltd Chennai.
- Watanbe, H., Miyaji, C., Makino, M., Abo, T., 1996. Therapeutic effects of glycyrrhizin in mice infected with LP-BM5 murine retrovirus and mechanisms involved in the prevention of disease progression. Biotherapy 9, 209-220.
- Wei, H., Wen, D., Liu, X., Tang, R., 1998. Constituents in petroleum ether and ethyl acetate extract fractions of *Dracaena cochinchinensis* (Lour.) S. C Chen, Zhongguo Zhong Yao Za Zhi. 23, 616-618.
- Wei, K., Li, W., Koike, K., Liu, L.J., Fu, X.W., Lin, L.B., Chen, Y.J., Nikaido, T., 2004. Two new galloylglucosides from the leaves of *Mallotus furetianus*. Chem. Pharm. Bull. 52, 776-779.
- Wei, Y.X., Wang, J.X., 2006. Studies on the chemical constituents of hypogeeal part from *Limonium bicolour*, Zhong Yao Cai. 29, 1182-1184.
- www.biotik.org
- www.cancergov.com
- www.frost.com
- Yamaguchi, T., Takamura, H., Matoba, T., Terao, J., 2002. HPLC method for evaluation of the free radical scavenging activity of foods by using 2, 2-diphenyl-1-picryl hydrazyl. Bio. Sci. Biotechnol. Bio. Chem. 62, 1201-1204.
- Zani, C.L., De Oliveira, A.B., De Oliviera, G.G., 1991. Furanonaphthoquinones from *Tabebuia ochracea*. Phytochem. 30, 2379-2381.
- Zayed, M.F., Wael, H., Eisa, A.A., 2012. *Malva parviflora* extract assisted green synthesis of silver nanoparticles. Spectrochim. Acta, Part A. Spec. 98, 423-428.
- Zhao, G.J., Stevens, S.E., 1998. Multiple parameters for the comprehensive evaluation of the susceptibility of *Escherichia coli* to the silver ion. Biometals 11, 27-32.