

LIST OF FIGURES

Fig. No.	Title of the figure	Pg. No.
2.1	Oxidative dehalogenation reaction	31
2.2	Hydrolytic dehalogenation reaction	34
2.3	Hydrolytic dehalogenation reaction	36
2.4	Thiolytic substitutive dehalogenation reaction	37
2.5	Enzymatic and microbial activities responsible for the enhanced remediation in rhizospheric zone	43
2.6	Overview of the enzymology of biological remediation	43
2.7	Generalized mechanism of degradation of aromatic hydrocarbons. Formation of catechol, protocatechuate, or gentisate has been predominant in the degradation of aromatic hydrocarbons	47
2.8	Degradation of hexachlorocyclohexane (HCH), DDT, and Pentachlorophenol (PCP) by different bacteria. Formation of chlorinated products could be noted	48
2.9	Catabolic enzymes designated as peripheral or upper pathway enzymes with their basic structure	52
2.10	Structural genes degrading few pesticides	65
2.11	Regulation of catabolic gene action.	72
3.1	Bacterial isolates used in the study	142-143
3.2	DDT dehydrochlorinase activity of Cell supernatant	146
3.3	DDT dehydrohalogenase activity of Cell Free extract	147
3.4	Gel patterns of induced and uninduced enzyme	147-149
3.5	Sephrose 6B elution profile of DDT-dehydrohalogenase.	149
3.6	SDS-PAGE electrophoresis of DDT-dehydrohalogenase run in Tris- glycine buffer pH 8.3. The gels were stained with coumassiie brilliant blue.	151
3.7	Native-PAGE electrophoresis of DDT-dehydrohalogenase run in Tris-glycine buffer pH 8.3. The gels were stained with coumassiie brilliant blue	151
3.8	Capillary electrophoresis	152
3.9	RP-HPLC of purified DDT-dehydrohalogenase enzyme	152
3.10	UV-Vis spectrum of DDT-dehydrohalogenase enzyme	153

	in 50 mM phosphate buffer 50 mM, pH 7.5 was scanned between 200 and 400 nm.	
3.11	Fluorescence spectrum of DDT-dehydrohalogenase enzyme in 50 mM phosphate buffer 50 mM, pH7.5	154
3.12	CD spectrum of purified DDT-dehydrohalogenase enzyme	154
3.13	Fourier Transform Infra red (FTIR) spectra of DDT dehydrohalogenase was recorded to determine the secondary structural information of enzyme In solid state	155
3.13a	Band assignments : Amide vibrations of DDT dehydrohalogenase	157
3.14	Molecular weight of DDT-dehydrohalogenase by gel filtration on Sepharose 6B. Fig shows the plot of V_e/V_0 vs log M_r of standard proteins and DDT-dehydrohalogenase	161
3.15	Effect of pH on the activity of DDT-dehydrohalogenase	162
3.16	pH stability of DDT-dehydrohalogenase enzyme	163
3.17	Effect of temperature on the activity of DDT-dehydrohalogenase	163
3.18	Stability of DDT-dehydrohalogenase at optimum temperature	164
3.19	LB plot showing the effect of DDT concentration on DDT-dehydrohalogenase activity	167
3.20	Eadie-Hofstee plot showing the effect of DDT concentration on DDT-dehydrohalogenase activity	168
3.21	MALDI-TOF chromatogram of DDT-dehydrohalogenase	170
3A.1	Effect of different concentrations of urea on the activity of DDT-dehydrohalogenase enzyme	188
3A.2	Effect of different concentrations of SDS on the activity of DDT-dehydrohalogenase enzyme	189
3A.3	Effect of different concentrations of GdmCl on the activity of DDT-dehydrohalogenase enzyme	189
3A.4	Effect of different concentrations of urea on the activity of DDT-dehydrohalogenase enzyme	190
3A.5	Effect of different concentrations of SDS on the activity of DDT-dehydrohalogenase enzyme	190
3A.6	Effect of different concentrations of GdmCl on the activity of DDT-dehydrohalogenase enzyme	191

3A.7	Fluorescence spectrum of native enzyme	191
3A.8	The effect of urea on the fluorescence spectrum of DDT dehydrochlorinase	192
3A.9	The effect of SDS on intrinsic emission fluorescence spectrum of DDT-dehydrochlorinase	193
3A.10	The effect of GdmCl on intrinsic emission fluorescence spectrum of DDT-dehydrochlorinase	193
3A.11	CD spectrum of purified DDT-dehydrohalogenase enzyme (native enzyme).	194
3A.12	CD spectrum of Urea treated DDT-dehydrochlorinase enzyme	195
3A.13	CD spectrum of SDS treated DDT-dehydrochlorinase enzyme	195
3A.14	CD spectrum of GdmCl treated DDT-dehydrochlorinase enzyme	196
3B.1	Effect of metal ions on DDT- dhl activity	207
3B.2	Kinetic studies on effect of metal ions on DDT-dehydrohalogenase activity	208-210
3B.3	Fluorescence spectrum of native DDT-dehydrohalogenase enzyme	211
3B.4	Effect of metal ions on fluorescence spectral properties of DDT-dehydrohalogenase enzyme	212
3C. 1	Schematic representation of the biosensor system and enzyme immobilized membrane	223
3C.2	Effect of pH on the activity of DDT-dehydrohalogenase	225
3C.3	Effect of temperature on the activity of DDT-dehydrohalogenase	225
3C.4	Standard graph obtained for KCl in the concentration range 3.55 ppm to 3550 ppm in the ion selective electrode.	226
3C.5	Effect of immobilization on enzyme activity	227
3C.6	Effect of crosslinking agents and stabilizers on enzyme activity	228
3C.7	Effect of substrate addition on enzyme activity- batch type additions	228
3C.8	Effect of substrate addition on enzyme activity- continuous type additions	229
4.1	Vector map of pTZ57R/T	242

4.2	Vector map of pUC18	244
4.3	Vector map of pET28a	245
4.4	Agarose gel electrophoresis of PCR products of genomic DNA	252
4.5	Agarose gel electrophoresis of PCR products of plasmid DNA	252
4.6	Amplification of the gene at different temperatures	253
4.7	Amplification of the gene by optimised PCR conditions	253
4.8	Transformant cells on Luria Bertoni- ampicillin agar	254
4.9	Gel showing the transformed plasmids	255
4.10	Colorimetric assay of DDT dehydrohalogenase enzyme	256
4.11	DDT-dehydrohalogenase positive plates	257
4.12	Western blot hybridization of DDT-dhl1 protein of <i>Pseudomonas putida</i> probed with antibody raised against DDT-dehydrohalogenase enzyme	257
4.13	GC- MS pattern	258
4.14	Southern blot hybridization of genomic DNA of <i>Pseudomonas putida</i> T ₅ probed with DIG labelled T ₅ probe	259
4A.3.1	Sequence analysis of DDT-dehydrohalogenase	275
4A.3.1a	Graphical overview of the alignments	276
4A.3.2a	Multiple sequence alignment of N terminal region of homologous	278
4A.3.2b	Multiple sequence alignment of C terminal region of homologous	279
4A.3.3a	CD DOMAIN RESULTS	281
4A.3.3b	Hphob. / Kyte & Doolittle Plot	282
4A.3.4	Secondary Structure Prediction	283
4A.3.5	Predicted secondary structure and the disorder prediction of the protein	284
4A.3.6	Hydrophobic index of DDT-dehydrohalogenase	286
4A.3.7	3D structure viewed in Accelrys DS Visualizer Software. Stereo view of Cartoon representation of DDT-dehydrohalogenase enzyme	287

4A.3.8	Ribbon model of the modeled protein generated by Phyre2	288
4A.3.9	Ramachandran plot	289
4A.3.10	Ramachandran map of the modeled protein	291
4A.3.11	Surface analysis of DDT-dehydrohalogenase	293
4A.3.12	Rotamer profile of DDT-dehydrohalogenase	294
4A.3.13	Molecular docking of ligand DDT into the active site	295
4A.3.14	Interaction of the ligands with the active site	296
4A.3.15	Docking of glutathione as a cofactor into the active site	299
4A.3.16	Molecular surface representation of the docked complex. Ligand DDT on the left and GSH on the right represented as stick	299
4A.3.17	Ligand DDT contact with Wanderswall force	300
4A.3.18	Phylogenetic tree of DDT-dehydrohalogenase	301