

CONTENTS

CHAPTER	TITLE	Page No
I	Introduction	1
	1.0 Electron Spin Resonance	1
	1.1 Principle of ESR	1
	1.2 Boltzmann Distribution and Larmor Precession	3
	1.3 Sensitivity	5
	1.4 Total Hamiltonian	6
	1.4.1 Electron Zeeman energy	6
	1.4.2 Nuclear Zeeman energy	6
	1.4.3 Nuclear-electron spin coupling	6
	1.5 Hyperfine structure	7
	1.6 Isotropic Spectrum	11
	1.7 Line Positions in Isotropic Spectra	11
	1.8 Anisotropic ESR Spectra	12
	1.9 Relaxation	13
	1.9.1 Spin-Lattice Relaxation	13
	1.9.2 Spin-Spin Relaxation	14
	1.10 Line shapes	14
	1.11 Rotational Correlation time	17
	1.12 Overhauser-enhanced Magnetic Resonance Imaging	18
	1.12.1 Overhauser effect	18
	1.12.2 Phenomenological Description	19
	1.12.3 DNP Theory	22
	1.13 Scope of the Thesis	24
	References	33

CHAPTER	TITLE	Page No
II	Materials and Methods	39
2.1	ESR measurements	39
2.2	Types of ESR spectrometers	39
2.2.1	Continuous Wave ESR spectrometer	40
2.2.2	Pulsed ESR Spectrometer	40
2.3	CW ESR spectrometer	41
2.3.1	Source	41
2.3.2	Resonator	41
2.3.3	Magnetic Field	42
2.3.4	Magnetic field modulation	42
2.3.5	Amplifier system	43
2.3.6	Detector	43
2.3.7	Samples	43
2.3.8	Saturation	44
2.4	ESR Multi frequency Spectrometers	46
2.4.1	X-band ESR measurements	48
2.4.2	L band and low frequency (300 MHz) ESR measurements	48
2.5	Dynamic nuclear polarisation (DNP) measurements	48
2.6	Chemicals	51
	References	52
III	Electron spin resonance spectroscopy studies on reduction process of nitroxyl radicals used in molecular imaging	54
3.1	Introduction	55
3.2	Materials and Methods	56
3.2.1	Chemicals	56
3.2.2	ESR Measurements	57

CHAPTER	TITLE	Page No
3.3	Results and Discussion	57
3.3.1	Line Width	58
3.3.2	Hyperfine Coupling Constant and g-factor	59
3.3.3	Signal Intensity Ratio	59
3.3.4	Rotational Correlation Time	63
3.3.5	Reduction Process and Stability	63
3.3.6	Half-life Time and the Decay Rate	64
3.3.7	Radical Scavenging Activity	66
3.4	Conclusions	66
	References	68
IV	Permeability studies of redox-sensitive nitroxyl spin probes through lipid membranes using an L-band ESR spectrometer	72
4.1	Introduction	73
4.2	Materials and Methods	75
4.2.1	Multilamellar Liposome Preparation	75
4.2.2	Particle Size Determination	76
4.2.3	ESR Measurements	76
4.3	Results and Discussion	77
4.3.1	Line Width	77
4.3.2	Hyperfine Coupling Constant and g-factor	80
4.3.3	Rotational Correlation Time	81
4.3.4	Membrane Permeability and Partition Parameter	82
4.4	Conclusions	83
	References	85

CHAPTER	TITLE	Page No
V	Diffusion studies of redox-sensitive nitroxyl spin probes through bilayer lipid membranes using 300 MHz electron spin resonance spectrometer	88
5.1	Introduction	89
5.2	Materials and Methods	91
5.2.1	Chemicals	91
5.2.2	Preparation of Multilamellar liposomes	91
5.2.3	Particle Size Determination	92
5.2.4	ESR Measurements	92
5.3	Results and Discussion	93
5.3.1	Line Width	93
5.3.2	Hyperfine Coupling Constant and g-factor	95
5.3.3	Rotational Correlation Time	97
5.3.4	Membrane Permeability	98
5.3.5	Partition Parameter	99
5.4	Conclusions	99
	References	101
VI	Rotational correlation time studies on nitroxyl radicals using 300 MHz ESR spectrometer in high viscous liquid	103
6.1	Introduction	104
6.2	Materials and Methods	105
6.2.1	ESR Measurements	105
6.2.2	Viscosity Measurements	107

CHAPTER	TITLE	Page No
6.3	Results and Discussion	107
6.3.1	Line Width	107
6.3.2	Hyperfine Coupling Constant	109
6.3.3	Rotational Correlation Time	109
6.3.4.	ESR signal intensity ratio	113
6.3.5	DNP Parameters	113
6.4	Conclusions	114
	References	115
VII	Dynamic Nuclear Polarization Properties of Nitroxyl Radical in high viscous liquid using Overhauser-enhanced Magnetic Resonance Imaging (OMRI)	118
7.1	Introduction	119
7.1.1	DNP Theory	121
7.2	Materials and Methods	124
7.3	Results and Discussion	126
7.3.1	DNP spectra	126
7.3.2	DNP factor	129
7.3.3	NMR relaxivity	133
7.3.4	ESR line width	134
7.3.5	Leakage factor	136
7.3.6	Maximum enhancement factor (E_{\max})	137
7.3.7	Coupling parameter	138
7.4	Conclusions	139
	References	141
VIII	Summary and Conclusions	144