

References

1. Ako-Nai AK, Adeyemi FM, Aboderin OA, Kassim OO: Antibiotic resistance profile of staphylococci from clinical sources recovered from infants. *African Journal of Biotechnology*. 2005, 4:816-822.
2. Alexander L, Jollick JD: Transfer and expression of *Pseudomonas* plasmid RPI in *Caulobacter*. *J. Gen. Microbiol.* 1977, 99:325-331.
3. Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ: Basic local alignment search tool. *J. Mol. Biol.* 1990, 215:403-410.
4. Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ: Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucl Acids Res.* 1997, 25:3389-3402.
5. Amaya E, Reyes D, Vilchez S, Paniagua M, Möllby R, Nord CE, Weintraub A: Antibiotic resistance patterns of intestinal *Escherichia coli* isolates from Nicaraguan children. *J Med Microbiol.* 2011, 60:216-222.
6. Ambler RP: The structure of beta-lactamases. *Phil. Trans. R. Soc. Lond. B. Biol. Sci.* 1980, 289:321-331.
7. Amikam D, Benziman M: Cyclic diguanylic acid and cellulose synthesis in *Agrobacterium tumefaciens*. *J. Bacteriol.* 1989, 171:6649-6655.
8. Amikam D, Galperin MY: PilZ domain is part of the bacterial c-di-GMP binding protein. *Bioinformatics.* 2006, 22:3-6.
9. Amutha R, Gunasekaran P: Simultaneous saccharification and fermentation of cassava starch using *Zymomonas mobilis*. *Journal of Microbial Biotechnology.* 1994, 9:22-34.
10. Anderson KM, Ashida H, Maskos K, Dell A, Li SC, Li YT: A Clostridial endo- β -galactosidase that cleaves both blood group A and B glycotopes: The

- first member of a new glycoside hydrolase family, GH98. *The Journal of Biological Chemistry*. 2005, 280(9):7720-7728.
11. D'Andrea LD, Regan L: TPR proteins: the versatile helix. *Trends Biochem. Sci.* 2003, 28:655–662.
 12. Andrews JM: Determination of minimum inhibitory concentrations. *J. Antimicrob. Chemother.* 2001, 48:5-16.
 13. Arakawa Y, Ohta M, Kido N, et. al: Chromosomal β -lactamase of *Klebsiella oxytoca*, a new Class A enzyme that hydrolyzes broad spectrum β -lactam antibiotics. *Antimicrob. Agents Chemother.* 1989, 33:63-70.
 14. Attwood TK, Blythe MJ, Flower DR, Gaulton A, Mabey JE, Maudling N, McGregor L, Mitchell AL, Moulton G, Paine K, Scordis P: PRINTS and PRINTS-S shed light on protein ancestry. *Nucleic Acids Res.* 2002, 30:239–241.
 15. Audic S, Robert C, Campagna B, Parinello H, Claverie JM, Raoult D, Drancourt, M: Genome analysis of *Minibacterium massiliensis* highlights the convergent evolution of water-living bacteria. *Plos Genetics*. 2007, 3:1454-1463.
 16. Ausmees N, Jonsson H, Höglund S, Ljunggren H, Lindberg M: Structural and putative regulatory genes involved in cellulose synthesis in *Rhizobium leguminosarum* bv. *Trifolii*. *Microbiology*. 1999, 145:1253–1262.
 17. Bairoch A: The ENZYME data bank. *Nucleic Acids Res.* 1993, 21:3155-3156.
 18. Bairoch A, Apweiler R: The SWISS-PROT protein sequence database and its supplement TrEMBL in 2000. *Nucleic Acids Res.* 2000, 28:45–48.

19. Bannai H, Tamada Y, Maruyama O, Nakai K, Miyano S: Extensive feature detection of N-terminal protein sorting signals. *Bioinformatics*. 2002, 18:298–305.
20. Bansal S, Oberoi HS, Dhillon GS, Patil RT: Production of β -galactosidase by *Kluyveromyces marxianus* MTCC 1388 using whey and effect of four different methods of enzyme extraction on β -galactosidase activity. *Indian J. Microbiol.* 2008, 48:337-341.
21. Baquero F, Martinez JL, Canton, R: Antibiotics and antibiotic resistance in water environments. *Curr. Opin. Biotechnol.* 2008, 19:260–265.
22. Baratti J, Cami B, Gunasekaran P, Karunakaran T, Michel G, Preziosi L: Sucrose metabolism in *Zymomonas mobilis*. In R. Prasad (Ed.), *Yeast Molecular biology and Biotechnology*, Omega scientific publishers, New Delhi. 1991, 207-216.
23. Barile D, Tao N, Lebrilla CB, Coisson JD, Arlorio M, German JB: Permeate from cheese whey ultrafiltration is a source of milk oligosaccharides. *International Dairy Journal*. 2009, 19:524–530.
24. Barker WC, Garavelli JS, McGarvey PB, Marzec CR, Orcutt BC, Srinivasarao GY, Yeh LS, Ledley RS, Mewes HW, Pfeiffer F, Tsugita A, Wu C: The PIR-international protein sequence database. *Nucleic Acids Res.* 1999, 27:39–43.
25. Barrett T *et al*: NCBI GEO: archive for high-throughput functional genomic data. *Nucleic Acids Research*. 2008, 37:D885-D890.
26. Basta T, Keck A, Klein J, Stolz, A: Detection and Characterization of Conjugative Degradative Plasmids in Xenobiotic-Degrading *Sphingomonas* Strains. *Journal of Bacteriology*. 2004, 186:3862–3872.

27. Bateman A, Birney E, Durbin R, Eddy SR, Finn RD, Sonnhammer EL: Pfam 3.1-1313 multiple alignments and profile HMMs match the majority of proteins. *Nucl. Acids Res.* 1999, 27:260–262.
28. Bateman A, Birney E, Cerruti L, Durbin R: The Pfam protein families database. *Nucl. Acids Res.* 2002, 30(1):276–280.
29. Bendtsen JD, Nielsen H, von Heijne G, Brunak S: Improved prediction of signal peptides. SignalP 3.0. *J. Mol. Biol.* 2004, 340:783–795.
30. Benson DA, Karsch-Mizrachi I, Lipman DJ, Ostell J: Genbank. *Nucl. Acids Res.* 2002, 30(1):17–20.
31. Bochner B, Gomez V, Ziman M, Yang S, Brown, SD: Phenotype microarray profiling of *Zymomonas mobilis* ZM4. *Applied Biochemistry and Biotechnology.* 2010, 161:116-123.
32. Bradford PA, Urban C, Mariano N, Projan SJ, Rahal JJ, Bush, K: Imipenem resistance in *Klebsiella pneumoniae* is associated with the combination of ACT-1 a plasmid mediated AmpC β -lactamase and the loss of an outer membrane protein. *Antimicrob. Agents Chemother.* 1997, 41:563-569.
33. Bradford PA: Extended-spectrum beta-lactamases in the 21st century: characterization, epidemiology, and detection of this important resistance threat. *Clin. Microbiol. Rev.* 2001, 14:933-951.
34. Brendel V, Bucher P, Nourbakhsh IR, Blaisdell BE, Karlin S: Methods and algorithms for statistical analysis of protein sequences. *Proc Natl Acad Sci.* 1992, 89(6):2002-2006.
35. Bucher P, Bairoch A: A generalized profile syntax for biomolecular sequences motifs and its function in automatic sequence interpretation. In R. Altman, D.

- Brutlag, P. Karp, and R. Lathrop (Ed.), *ISMB-94, Proceedings 2nd International Conference on Intelligent Systems for Molecular Biology*. 1994, 53–61.
36. Buchholz SE, Dolley MM, Eveleigh DE: Growth of *Zymomonas* on lactose: gene cloning in combination with mutagenesis. *J Ind Microbiol*. 1989, 4:19-27.
37. Bush K, Jacoby JA, Medeiros AA: A functional classification scheme for β -lactamases and its correlation with molecular structure. *Antimicrob. Agents Chemother*. 1995, 39:1211-1233.
38. Cai CZ, Han LY, Ji ZL, Chen X, Chen YZ: SVM-Prot: Web-based support vector machine software for functional classification of a protein from its primary sequence. *Nucleic Acids Res*. 2003, 31(13):3692-3697.
39. Campuzano S, Serra B, Llull D, García JL, García P: Cloning, expression, and characterization of a peculiar choline-binding β -Galactosidase from *Streptococcus mitis*. *Applied and environmental microbiology*. 2009, 75(18):5972–5980.
40. Carey VC, Walia SK, Ingram LO: Expression of a lactose transposon (Tn951) in *Zymomonas mobilis*. *Appl Environ Microbiol*. 1983, 46:1163-1168.
41. Carter RJ, Dubachk I, Holbrook SR: A computational approach to identify genes for functional RNAs in genomic sequences. *Nucleic Acids Research*. 2001, 29(19):3928-3938.
42. Chen W, Chen H, Xia Y, Zhao J, Tian F, Zhang H: Production, purification, and characterization of a potential thermostable galactosidase for milk lactose

- hydrolysis from *Bacillus stearothermophilus*. *J. Dairy Sci.* 2008, 91:1751–1758.
43. Cheng CC, Yu MC, Cheng TC, Sheu DC, Duan KJ, Tai WL: Production of high-content galacto-oligosaccharide by enzyme catalysis and fermentation with *Kluyveromyces marxianus*. *Biotechnol Lett.* 2006, 28:793–797.
44. Conway T, Fliege R, Jones Kilpatrick D, et. al: Cloning, characterization and expression of the *Zymomonas mobilis* eda gene that encodes 2-keto-3-deoxy-6-phosphogluconate aldolase of the Entner-Doudoroff pathway. *Mol. Microbiol.* 1991, 5:2901-2911.
45. Conway T, Sewell GW, Osman YA, Ingram LO: Cloning and sequencing of the alcohol dehydrogenase II gene from *Zymomonas mobilis*. *J Bacteriol.* 1987, 169:2591–2597.
46. Corpet F, Servant F, Gouzy J, Kahn D: ProDom and ProDom-CG: tools for protein domain analysis and whole genome comparisons. *Nucl. Acids Res.* 2000, 28:267–269.
47. Couture F, Lachapelle J, Levesque RC: Phylogeny of LCR-1 and OXA-5 and other class A and D beta-lactamases. *Mol. Microbiol.* 1992, 6:1695–1705.
48. Couvalin P: The Garrod Lecture: evasion of antibiotic action by bacteria. *J Antimicrob Chemother.* 1996, 37:855–69.
49. Da Re S, Ghigo JM: A CsgD-independent pathway for cellulose production and biofilm formation in *Escherichia coli*. *J. Bacteriol.* 2006, 188:3073-3087.
50. De Boks PA, Van Eybergen GC: Continuous ethanol production using cell recycle with a settler. *Biotechnol. Lett.* 1981, 3:577-582.

51. Decousser JW, Poirel L, Nordmann P: Characterization of a chromosomally encoded extended-spectrum class A beta-lactamase from *Kluyvera cryocrescens*. *Antimicrob Agents Chemother*. 2001, 45:3595–3598.
52. Deinema MH, Zevenhuizen, LPTM: Formation of cellulose fibrils by gram-negative bacteria and their role in bacterial flocculation. *Arch. Mikrobiol*. 1971, 78:42-57.
53. Di Gulmi AM, Dessen A, Dideberg O, Vernet T: The glycosyltransferase domain of penicillin binding protein 2a from *Streptococcus pneumoniae* catalyses the polymerization of murein glycan chains. *J. Bacteriol*. 2003, 185:4418-4423.
54. Dogra C, Raina V, Pal R, Suar M, Lal S, *et al*: Organization of lin genes and IS6100 among different strains of hexachlorocyclohexane-degrading *Sphingomonas paucimobilis*: evidence for horizontal gene transfer. *J Bacteriol*. 2004, 186:2225–2235.
55. Domingues L, Lima N, Teixeira JA: *Aspergillus niger* β -galactosidase production by yeast in a continuous high cell density reactor. *Process Biochemistry*. 2005, 40:1151–1154.
56. Donald HM, Scaife W, Amyes SGB, Young HK: Sequence analysis of ARI-1, a novel OXA beta-lactamase, responsible for imipenem resistance in *Acinetobacter baumannii* 6B92. *Antimicrob. Agents Chemother*. 2000, 44:196–199.
57. Dougherty TJ, Koller AE, Tomasz A: Penicillin-binding proteins of penicillin-susceptible and intrinsically resistant *Neisseria gonorrhoeae*. *Antimicrob. Agents Chemother*. 1980, 18:730-737.

58. Falquet L, Pagni M, Bucher P, Hulo N: The PROSITE database, its status in 2002. *Nucl. Acids Res.* 2002, 30:235–238.
59. Fantinatti-Garboggini F, Almeida RD, Portillo VDsA, Barbosa TAP, Trevilato PB, Neto CER, Coêlho RD, Silva DW, Bartoletti LA, Hanna ES, Brocchi M, Manfio, GP: Drug resistance in *Chromobacterium violaceum*. *Genet. Mol. Res.* 2004, 3:134-147.
60. Fein JE, Zawadzki BC, Lawford HG, Lawford GR: Controlling Morphological Instability of *Zymomonas mobilis* Strains in Continuous Culture. *Appl. Environ. Microbiol.* 1983, 45(6):1899-1904.
61. Feller J, Sonnet P, Gerday C: The β -lactamase secreted by the Antarctic psychrophile *Psychrobacter immobilis* A8. *Appl. Microbiol. Biotechnol.* 1995, 61:4474-4476.
62. Fisher JF, Meroueh SO, Mobashery S: Bacterial resistance to β -lactam antibiotics: compelling opportunism, compelling opportunity. *Chem. Rev.* 2005, 105:395–424.
63. Fowler AV, Smith PJ: The active site regions of lacZ and ebg beta-galactosidases are homologous. *J Biol Chem.* 1983, 258:10204-10207.
64. Furuya EY, Lowy FD: Antimicrobial-resistant bacteria in the community setting. *Nature Reviews Microbiology.* 2006, 4:36-45.
65. Gallo DM, Negi M, Neyra CA: Calcofluor- and lectin-binding exocellular polysaccharides of *Azospirillum brasilense* and *Azospirillum lipoferum*. *J. Bacteriol.* 1989, 171:3504–3510.
66. Garcia PG, Silva VL, Diniz CG: Occurrence and antimicrobial drug susceptibility patterns of commensal and diarrheagenic *Escherichia coli* in

- fecal microbiota from children with and without acute diarrhea. *The Journal of Microbiology*. 2011, 49(1):46-52.
67. Gasteiger E, Hoogland C, Gattiker A, Duvaud S, Wilkins MR, Appel RD, Bairoch A: Protein Identification and Analysis Tools on the ExPASy Server. In J.M. Walker (Ed.), *The Proteomics Protocols Handbook*. Humana Press. 2005, 571-607.
68. Genetics Computer Group. (Ed.). *GCG Program Manual for the Wisconsin Package*. Madison, Wisconsin. 1994.
69. Ghuysen J: Serine beta-lactamases and penicillin-binding proteins. *Annu. Rev. Microbiol.* 1991, 45:37–67.
70. Goel A, Sharma RK, Tandon HKL: A comparison of different polymeric gels for entrapment of cells of *Streptococcus thermophilus* containing β -galactosidase. *J Food Sci Technol*. 2006, 43(5):526-531.
71. Gomi M, Sonoyama M, Mitaku S: High performance system for signal peptide prediction: SOSUisignal. *Chem-Bio Informatics Journal*. 2004, 4(4):142-147.
72. Gonnet GH, Cohen MA, Benner SA: Exhaustive matching of the entire protein sequence database. *Science*. 1992, 257:1609–1610.
73. Goodman AE, Strezelecki AT, Rogers PL: Formation of ethanol from lactose by *Zymomonas mobilis*. *J Biotechnol*. 1984, 1:219-228.
74. Grosová Z, Rosenberg M, Gdovin M, Sláviková L, Rebroš M: Production of D-galactose using β -galactosidase and *Saccharomyces cerevisiae* entrapped in poly (vinylalcohol) hydrogel. *Food Chemistry*. 2009, 116:96–100.
75. Guimaraes P, Klein J, Domingues L, Teixeira JA: Fermentation performance of a recombinant lactose-consuming flocculating *Saccharomyces cerevisiae* Strain. *Braz. J. Food Technol*. 2005, 34-39.

76. Gunasekaran P, Kamini NR: High ethanol productivity from lactose by immobilized cells of *Kluyveromyces fragilis* and *Zymomonas mobilis*. *World Journal of Microbiology and Biotechnology*. 1991, 7:551-556.
77. Gunasekaran P, Karunakaran T, Kasthuribai M: Fermentation pattern of *Zymomonas mobilis* strains on different substrates- a comparative study. *Journal of Bioscience*. 1986, 10:81-186.
78. Hamlin RE, Dayton TL, Johnson LE, Johal MS: A QCM study of the immobilization of β -Galactosidase on polyelectrolyte surfaces: effect of the terminal polyion on enzymatic surface activity. *Langmuir*. 2007, 23:4432-4437.
79. Harris AG, Hazell SL, Netting AG: Use of digoxigenin labeled ampicillin in the identification of penicillin-binding proteins in *Helicobacter pylori*. *J. Antimicrob. Chemother.* 2000, 45:591–598.
80. Hatzinikolaou DG, Katsifas E, Mamma D, Karagouni AD, Christakopoulos P, Kekos D: Modeling of the simultaneous hydrolysis–ultrafiltration of whey permeate by a thermostable β -galactosidase from *Aspergillus niger*. *Biochemical Engineering Journal*. 2005, 24:161–172.
81. Henikoff S, Henikoff JG: Amino acid substitution matrices from protein blocks. *Proc. Natl. Acad. Sci.* 1992, 89(22):10915–10919.
82. Henikoff S, Henikoff JG, Pietrokovski S: Blocks p: A non-redundant database of protein alignment blocks derived from multiple compilations. *Bioinformatics*. 1999, 15(6):471–479.
83. Henikoff JG, Greene EA, Pietrokovski S, Henikoff S: Increased coverage of protein families with the blocks database servers. *Nucl. Acids Res.* 2000, 28:228–230.

84. Henrissat B, Bairoch A: New families in the classification of glycosyl hydrolases based on amino acid sequence similarities. *Biochem. J.* 1993, 293:781-788.
85. Herman RE, McKay LL: Cloning and expression of the β -D-galactosidase gene from *Streptococcus thermophilus* in *Escherichia coli*. *Appl. Environ. Microbiol.* 1986, 52:45-50.
86. Higgins D, Thompson J, Gibson T, Thompson JD: CLUSTALW: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position specific gap penalties and weight matrix choice. *Nucl. Acids Res.* 1994, 22:4673–4680.
87. Hildebrandt P, Wanarska M, Kur J: A new cold-adapted β -D-galactosidase from the Antarctic *Arthrobacter* sp. 32c– gene cloning, overexpression, purification and properties. *BMC Microbiology.* 2009, 9(151):1-11.
88. Hiller K, Grote A, Scheer M, Munch R, Jahn D: PrediSi: prediction of signal peptides and their cleavage positions. *Nucleic Acids Res.* 2004, W375-379.
89. Holm L, Sander C: Mapping the protein universe. *Science.* 1996, 273:595–602.
90. Hoyoux A, Jennes I, Dubois P, Genicot S, Dubail F, Francois JM, Baise E, Feller G, Gerday C: Cold-adapted β -galactosidase from the Antarctic psychrophile *Pseudoalteromonas haloplanktis*. *Applied and Environmental Microbiology.* 2001, 67(4):1529–1535.
91. Hsu CA, Lee SL, Chou CC: Enzymatic production of galactooligosaccharides by β -Galactosidase from *Bifidobacterium longum* BCRC 15708. *J. Agric. Food Chem.* 2007, 55:2225-2230.

92. Humeniuk C, Arlet G, Gautier V, Grimont P, Labia R *et al*: Beta-lactamases of *Kluyvera ascorbata*, probable progenitors of some plasmid-encoded CTX-M types. *Antimicrob Agents Chemother*. 2002, 46:3045–3049.
93. Iqbal S, Nguyen TH, Nguyen TT, Maischberger T, Haltrich D: β -Galactosidase from *Lactobacillus plantarum* WCFS1: biochemical characterization and formation of prebiotic galacto-oligosaccharides. *Carbohydr. Res*. 2010, 345(10):1408-1416.
94. Jensen LJ, Gupta R, Staerfeldt HH, Brunak S: Prediction of human protein function according to Gene Ontology categories. *Bioinformatics*. 2003, 19(5): 635-642.
95. Jokar A, Karbassi A: Determination of proper conditions for the production of crude beta-galactosidase using *Lactobacillus delbrueckii* ssp *bulgaricus*. *J. Agric. Sci. Technol*. 2009, 11:301-308.
96. Jung SJ, Lee BH: Production and application of galacto-oligosaccharides from lactose by a recombinant β -galactosidase of *Bifidobacterium infantis* overproduced by *Pichia pastoris*. *Food. Sci. Biotechnol*. 2008, 17(3):514-518.
97. Kaftzik N, Wasserscheid P, Kragl U: Use of ionic liquids to increase the yield and enzyme stability in the β -galactosidase catalysed synthesis of N-Acetylactosamine. *Organic Process Research & Development*. 2002, 6:553-557.
98. Kall L, Krogh A, Sonnhammer EL: A combined transmembrane topology and signal peptide prediction method. *J Mol Biol*. 2004, 338(5):1027-1036.
99. Kamini NR, Gunasekaran P: Simultaneous ethanol production from lactose by *Kluyvermyces fragilis* and *Zymomonas mobilis*. *Current Microbiology*. 1987, 16:153-157.

100. Kamini NR, Gunasekaran P: Ethanol production from lactose by coculture of *Kluyveromyces fragilis* and *Zymomonas mobilis*. *Journal of Fermentation and Bioengineering*. 1989, 68:305-309.
101. Kannan TR, Sangiliyandi G, Gunasekaran P: Improved ethanol production from sucrose by a mutant of *Zymomonas mobilis* lacking sucrases in immobilized cell fermentation. *Enzyme and Microbial Technology*. 1998, 22: 179-184.
102. Karibian D, Starka G: The penicillin-binding proteins of *Zymomonas mobilis* ZM4. *FEMS Microbiol. Letters*. 1987, 41:121-125.
103. Kimura S, Chen HP, Saxena IM, Brown Jr RM, Itoh T: Localization of c-di-GMP-binding protein with the linear terminal complexes of *Acetobacter xylinum*. *J. Bacteriol*. 2001, 183:5668–5674.
104. Kobayashi T, Liu D, Ogawa H, Miwa Y, Nagasaka T, Maruyama S, Li Y, Onishi A, Iwamoto M, Kuzuya T, Kadomatsu K, Uchida K, Nakao A: Removal of blood group A/B antigen in organs by *ex vivo* and *in vivo* administration of endo- β -galactosidase (ABase) for ABO-incompatible transplantation. *Transplant Immunology*. 2009, 20:132–138.
105. Kouvelis VN, Saunders E, Brettin TS, Bruce D, Detter C, Han C, Typas MA, Pappas KM: Complete Genome Sequence of the Ethanol Producer *Zymomonas mobilis* NCIMB 11163. *Journal of Bacteriology*. 2009, 191(22):7140-7141.
106. Kruse H, Sorum H: Transfer of multiple drug resistance plasmids between bacteria of diverse origins in natural microenvironments. *Appl Environ Microbiol*. 1994, 60:4015-4021.
107. Kwon SJ, Jung HC, Pan JG: Transgalactosylation in a water-solvent biphasic reaction system with β -Galactosidase displayed on the surfaces of *Bacillus*

- subtilis* spores. *Applied and environmental microbiology*. 2007, 73(7):2251–2256.
108. Lauretti L, Letizia M, Mazzariol RA, Cornaglia G, Amicosante G, Fontana R, Rossolini GM: Cloning and characterization of bla VIM, a new integron borne metallo- β - lactamase gene from a *Pseudomonas aeruginosa* clinical isolate. *Antimicrob. Agents Chemother*. 1999, 43:1584-1590.
109. Lauro BD, Strazzulli A, Perugino G, Cara FL, Bedini E, Corsaro MM, Rossi M, Moracci M: Isolation and characterization of a new family 42 β -galactosidase from the thermoacidophilic bacterium *Alicyclobacillus acidocaldarius*: Identification of the active site residues. *Biochimica et Biophysica Acta*. 2008, 1784:292–301.
110. Lauro FM, McDougald D, Thomas T, Williams TJ, Egan S, Rice S, DeMaere MZ, Ting L, Ertan H, Johnson J, Ferriera S, Lapidus A, Anderson I, Kyrpides N, Munk AC, Detter C, Han CS, Brown MV, Robb FT, Kjelleberg S, Cavicchiolia R: The genomic basis of trophic strategy in marine bacteria. *PNAS*. 2009, 106:15527–15533.
111. Layer A, Fischer F: Enzymatic *O*-Galactosylation of protected Serine and Threonine by β -Galactosidase employing high lactose concentrations. *Ind. Eng. Chem. Res*. 2006, 45:6619-6621.
112. Lee KY, Park JM, Kim TY, Yun H, Lee SY: The genome-scale metabolic network analysis of *Zymomonas mobilis* ZM4 explains physiological features and suggests ethanol and succinic acid production strategies. *Microbial Cell Factories*. 2010, 9(94):1-12.
113. Levy SB, Salyers AA: Reservoirs of antibiotic resistance (ROAR) Network. <http://www.healthsci.tufts.edu/apua/Roar/roarhome.htm>. 2002.

114. Li Y, Wang H, Lu L, Li Z, Xu X, Xiao M: Purification and characterization of a novel β -Galactosidase with transglycosylation activity from *Bacillus megaterium* 2-37-4-1. *Appl Biochem Biotechnol*. 2008, DOI 10.1007/s12010-008-8310-4.
115. Li Y, Lu L, Wang H, Xu X, Xiao M: Cell surface engineering of a β -Galactosidase for galactooligosaccharide synthesis. *Applied and environmental microbiology*. 2009, 75(18):5938–5942.
116. Li Z, Xiao M, Lu L, Li Y: Production of non-monosaccharide and high-purity galactooligosaccharides by immobilized enzyme catalysis and fermentation with immobilized yeast cells. *Process Biochemistry*. 2008, 43:896–899.
117. Liang CC, Lee WC: Characteristics and transformation of *Zymomonas mobilis* with plasmid pKT230 by electroporation. *Bioprocess Eng*. 1998, 19:81–85
118. Liang WL, Huang HM, Lin RD, et. al: Screening for natural inhibitors of penicillinase by copolymerization of hydrolyzed starch or glycogen in sodium dodecylsulfate polyacrylamide gels for detecting penicillinase activity. *Bot. Bull. Acad. Sin*. 2003, 44:187-191.
119. Lin FC, Brown Jr. RM, Drake Jr. RR, Haley BE: Identification of the uridine 5_-diphosphoglucose (UDP-Glc) binding subunit of cellulose synthase in *Acetobacter xylinum* using the photoaffinity probe 5_-azido-UDP-Glc. *J. Biol. Chem*. 1990, 265:4782–4784.
120. Liu AB, Roffler SR: Anti-CTLA4 scFv, a single-chain antibody, protects the expression of *E. coli*. beta-galactosidase during repeated intramuscular injections in immune-competent mice. *Tzu Chi Med J*. 2006, 18(4):259-265.

121. Livermore DM: Beta-Lactamase-mediated resistance and opportunities for its control. *J Antimicrob Agents*. 1997, 41(suppl. D):25-41.
122. Lodge J, Fear J, Busby S, Gunasekaran P, Kamini NR: Broad host range plasmids carrying the *Escherichia coli* lactose and galactose operons. *FEMS Microbiology Letters*. 1992, 95(2-3):271-276.
123. Lu L, Xiao M, Li Z, Li Y, Wang F: A novel transglycosylating β -galactosidase from *Enterobacter cloacae* B5. *Process Biochemistry*. 2009, 44:232-236.
124. Mahillon J, Chandler M: Insertion sequences. *Microbiol Mol Biol Rev*. 1998, 62:725-774.
125. Mariotti MP, Yamanaka H, Araujo AR, Trevisan HC: Hydrolysis of whey lactose by immobilized β -Galactosidase. *Braz. arch. biol. technol*. 2008, 51(6):1233-1240.
126. Marrakchi M, Dzyadevych SV, Lagarde F, Martelet C, Jaffrezic-Renault N: Conductometric biosensor based on glucose oxidase and beta-galactosidase for specific lactose determination in milk. *Material Science and Engineering C*. 2008, 28:872-875.
127. Massova I, Mobashery S: Kinship and diversification of bacterial penicillin-binding proteins and beta-lactamases. *Antimicrob. Agents Chemother*. 1998, 42:1-17.
128. Matthyse AG, Holmes KV, Gurlitz RH: Elaboration of cellulose fibrils by *Agrobacterium tumefaciens* during attachment to carrot cells. *J. Bacteriol*. 1981, 145:583-595.
129. Matthyse AG, Thomas DL, White AR: Mechanism of cellulose synthesis in *Agrobacterium tumefaciens*. *J. Bacteriol*. 1995, 177:1076-1081.

130. Mayer R, Ross P, Weinhouse H, Amikam D, Volman G, Ohana P, Calhoon RD, Wong HC, Emerick AW, Benziman M: Polypeptide composition of bacterial cyclic diguanylic acid-dependent cellulose synthase and the occurrence of immunologically crossreacting proteins in higher plants. *Proc. Natl. Acad. Sci.* 1991, 88:5472– 5476.
131. Medina I, *et al*: Babelomics: an integrative platform for the analysis of transcriptomics, proteomics and genomic data with advanced functional profiling. *Nucleic Acids Research.* 2010, 1-4.
132. Miller JM: Assays for β -galactosidase. In J.M. Miller (Ed.), *Molecular genetics*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA. 1972, 352–355.
133. Moeini H, Vallian S, Nahvi I: Isolation and identification of yeast strains capable of producing single cell protein from whey in co-cultures with *Saccharomyces cerevisiae*. *Iranian Journal of Biotechnology.* 2004, 2(1):13-18.
134. Moon JH, *et al*: Structures of iron-dependent alcohol dehydrogenase 2 from *Zymomonas mobilis* ZM4 with and without NAD⁺ Cofactor. *J. Mol. Biol.* 2011, 407:413–424.
135. Mottl H, Terpstra P, Keck W: Penicillin-binding protein 4 of *Escherichia coli* shows a novel type of primary structure among penicillin-interacting proteins. *FEMS Microbiological Letters.* 1991, 78:213-220.
136. Mukundan AG, Kannan TR, Gunasekaran P: Cloning and expression of the *Zymomonas mobilis* β -lactamase gene in *Escherichia coli*. *Indian Microbiol.* 1994, 34:187-192.

137. Murzin AG, Brenner SE, Hubbard T, Chothia C: SCOP: a structural classification of proteins database for the investigation of sequences and structures. *J. Mol. Biol.* 1995, 247:536–540.
138. Nakagawa T, Ikehata R, Myoda T, Miyaji T, Tomizuka N: Overexpression and functional analysis of cold-active β -galactosidase from *Arthrobacter psychrolactophilus* strain F2. *Protein Expression and Purification.* 2007, 54:295–299.
139. Nakai K, Horton P: PSORT: a program for detecting sorting signals in proteins and predicting their subcellular localization. *Trends Biochem Sci.* 1999, 24(1):34-36.
140. Nampoothiri KM, Rubex R, Patel AK, Narayanan SS, Krishna S, Das SM, Pandey A: Molecular cloning, overexpression and biochemical characterization of hypothetical β -lactamases of *Mycobacterium tuberculosis* H37Rv. *J Appl Microbiol.* 2008, 105:59-67.
141. Napoli C, Dazzo F, Hubbell D: Production of cellulose microfibrils by *Rhizobium.* *Appl. Microbiol.* 1975, 30:123–131.
142. Needleman SB, Wunsch CD: A general method applicable to the search for similarities in the amino acid sequence of two proteins. *J. Mol. Biol.* 1970, 48:443–453.
143. Nellaiah H, Gunasekaran P: Ethanol production from cassava starch hydrolysate by immobilized *Zymomonas mobilis.* *Indian Journal of Microbiology.* 1992, 32:435-442.
144. Nellaiah H, Karunakaran T, Gunasekaran P: Ethanol fermentation of cassava starch by *Zymomonas mobilis* NRRL-B-4286. *Biomass.* 1988, 15:201-207.

145. Nguyen TH, Splechtina B, Krasteva S, Kneife W, Kulbe KD, Divne C, Haltrich D: Characterization and molecular cloning of a heterodimeric β -galactosidase from the probiotic strain *Lactobacillus acidophilus* R22. *FEMS Microbiol Lett.* 2007, 269:136–144.
146. Ninane G, Joly J, Kraytman M: Bronchopulmonary infection due to *Branhamella catarrhalis*: 11 cases assessed by transtracheal puncture. *British Medical Journal.* 1978, 1:276-278.
147. Nobles DR, Romanovicz DK, Brown Jr, RM: Cellulose in cyanobacteria. Origin of vascular plant cellulose synthase? *Plant Physiol.* 2001, 127:529–542.
148. Numanoğlu Y, Sungur S: β -Galactosidase from *Kluyveromyces lactis* cell disruption and enzyme immobilization using a cellulose–gelatin carrier system. *Process Biochemistry.* 2004, 39:703–709.
149. O'Donovan C, Jesus Martin M, Glemet E, Codani JJ: Removing redundancy in SWISS-PROT and TrEMBL. *Bioinformatics.* 1999, 15:258–259.
150. Oberoi HS, Bansal S, Dhillon GS: Enhanced β -galactosidase production by supplementing whey with cauliflower waste. *International Journal of Food Science and Technology.* 2008, 43:1499–1504.
151. Oda Y, Nakamura K: Production of ethanol from the mixture of beet molasses and cheese whey by a 2-deoxyglucose-resistant mutant of *Kluyveromyces marxianus*. *FEMS Yeast Res.* 2009, 1–7.
152. Oliynyk M, Samborsky M, Lester JB, Mironenko T, Scott N, Dickens S, Haydock SF, Leadlay PF: Complete genome sequence of the erythromycin-producing bacterium *Saccharopolyspora erythraea* NRRL23338. *Nat Biotechnol.* 2007, 25:447-453.

153. Olukoya DV, Olasupo NA: Drug resistance and plasmid profile of diarrhoeagenic bacterial isolated in Nigeria (1988 – 1996). *Nig Ot J Hosp Med.* 1997, 7:29-32.
154. Orengo CA, Michie AD, Jones DT, Swindells MB: CATH—a hierarchical classification of protein domain structures. *Structure.* 1998, 5:1093–1108.
155. Ozmihci S, Kargi F: Kinetics of batch ethanol fermentation of cheese-whey powder (CWP) solution as function of substrate and yeast concentrations. *Bioresource Technology.* 2007, 98:2978–2984.
156. Ozmihci S, Kargi F: Ethanol production from cheese whey powder solution in a packed column bioreactor at different hydraulic residence times. *Biochemical Engineering Journal.* 2008, 42:180–185.
157. Pal R, Bala S, Dadhwal M, Kumar M, Dhingra G, Prakash O, Prabakaran SR, Shivaji S, Cullum J, Holliger C, Lal R: Hexachlorocyclohexane-degrading bacterial strains *Sphingomonas paucimobilis* B90A, UT26 and Sp+, having similar lin genes, represent three distinct species, *Sphingobium indicum* sp. nov., *Sphingobium japonicum* sp. nov. and *Sphingobium francense* sp. nov., and reclassification of *Sphingomonas chungbukensis* as *Sphingobium chungbukense* comb. nov. *International Journal of Systematic and Evolutionary Microbiology.* 2005, 55:1965–19.
158. Panesar R, Panesar PS, Singh RS, Kennedy JF, Bera MB: Production of lactose-hydrolyzed milk using ethanol permeabilized yeast cells. *Food Chemistry.* 2007, 101:786–790.
159. Parkinson H. *et al*: ArrayExpress update—from an archive of functional genomics experiments to the atlas of gene expression. *Nucleic Acids Research.* 2009, 37:D868-D872.

160. Pasquier C, Promponas VJ, Hamodrakas SJ: PRED-CLASS: cascading neural networks for generalized protein classification and genome-wide applications. *Proteins*. 2001, 44(3):361-369.
161. Pearson WR, Lipman DJ: Improved tools for biological sequence comparison. *Proc. Natl. Acad. Sci.* 1988, 85(8):2444–2448.
162. Pearson WR: Rapid and sensitive sequence comparison with FASTP and FASTA. *MethodsEnzymol.* 1990, 183:63–98.
163. Pessela BCC, Dellamora-Ortiz G, Betancor L, Fuentes M, Guis'an JM, Fernandez-Lafuente R: Modulation of the catalytic properties of multimeric β -galactosidase from *E. coli* by using different immobilization protocols. *Enzyme and Microbial Technology.* 2007, 40:310–315.
164. Pessela BCC, Fernández-Lafuente R, Fuentes M, Vián A, Garc'ia JL, Carrascosa AV, Mateo C, Guisán JM: Reversible immobilization of a thermophilic β -galactosidase via ionic adsorption on PEI-coated sepabeads. *Enzyme and Microbial Technology.* 2003, 32:369–374.
165. Pessela BCC, Mateo C, Fuentes M, Vian A, Garc'ia JL, Carrascosa AV, Guisán JM, Fernández-Lafuente R: Stabilization of a multimeric β -Galactosidase from *Thermus* sp. Strain T2 by immobilization on novel heterofunctional epoxy supports plus aldehyde-dextran cross-linking. *Biotechnol Prog.* 2004, 20:388-392.
166. Phillips I, Casewell M, Cox T, De Groot B, Friis C, Jones R, Nightingale C, Preston R, Waddell J: Does the use of antibiotics in food animals pose a risk to human health? A critical review of published data. *J Antimicrob Chemother.* 2004, 53:28-52.

167. Pinto JP, Dias O, Lourenço A, Carneiro S, Ferreira EC, Rocha I, Miguel Rocha: Data Integration Issues in the Reconstruction of the Genome-Scale Metabolic Model of *Zymomonas mobilis*. In J.M. Corchado (Ed.), *IWPACBB 2008, ASC 49*. 2009, 92–101.
168. Placier G, Watzlawick H, Rabiller C, Mattes R: Evolved β -galactosidases from *Geobacillus stearothermophilus* with improved transgalactosylation yield for galacto-oligosaccharide production. *Applied And Environmental Microbiology*. 2009, 75(19):6312–6321.
169. Poirel L, Guibert M, Girlich D: Cloning, sequence analyses, expression and distribution of *ampC-ampR* from *Morganella morganii* clinical isolates. *Antimicrob Agents Chemother*. 1999, 43:769-776.
170. Poirel L, Kampfer P, Nordmann P: Chromosome-encoded Ambler class A beta-lactamase of *Kluyvera georgiana*, a probable progenitor of a subgroup of CTXM extended-spectrum beta-lactamases. *Antimicrob Agents Chemother*. 2002, 46:4038–4040.
171. Poirel L, Naas T, Nicholas D, Collet L, Bellais S, Ca Vallo JD, Nordmann P: Characterization of VIM-2, a carbapenem - hydrolyzing metallo- β -lactamase and its plasmid and integron borne gene from a *Pseudomonas aeruginosa* clinical isolate in France. *Antimicrob. Agents Chemother*. 2000, 44:891-897.
172. Pond JL, Eddy CK, Mackenzie KF, Conway T, Borecky DJ, Ingram LO: Cloning, sequencing and characterization of the principal acid phosphatase, the *phoC1* product, from *Zymomonas mobilis*. 1989, 171:767-774.
173. Rajnish KN, Kishore Choudhary GM, Gunasekaran P: Functional characterization of a putative endoglucanase gene in the genome of *Zymomonas mobilis*. *Biotechnology Letters*. 2008, 30:1461-1467.

174. Rajnish KN, Sheik Asraf S, Manju N: Functional characterization of a putative β -lactamase gene in the genome of *Zymomonas mobilis*. *Biotechnology Letters*. 2011, 33(12):2425-30.
175. Ramos JL, Duque E, Huertas MJ, Har'oudour A: Isolation and expansion of the catabolic potential of a *Pseudomonas putida* strain able to grow in the presence of high concentrations of aromatic hydrocarbons. *J Bacteriol*. 1995, 177:3911–3916.
176. Rech R, Ayub MAZ: Simplified feeding strategies for fed-batch cultivation of *Kluyveromyces marxianus* in cheese whey. *Process Biochemistry*. 2007, 42:873–877.
177. Recouvreux DO, Carminatti CA, Pitlovanciv AK, Rambo CR, Porto LM, Antonio RV: Cellulose biosynthesis by the beta-proteobacterium, *Chromobacterium violaceum*. *Curr Microbiol*. 2008, 57:469–476.
178. Richmond MH, Sykes EB: The Beta-lactamases of Gram negative bacteria and their possible physiological role. *Advances in Microbial Physiology*. 1973, 9:31-88.
179. Rodríguez ÁP, Leiro RF, Trillo MC, Cerdán ME, Siso MIG, Becerra M: Secretion and properties of a hybrid *Kluyveromyces lactis*-*Aspergillus niger* β -galactosidase. *Microbial Cell Factories*. 2006, 5(41):1-13.
180. Rodriguez MM, Power P, Radice M, Vay C, Famiglietti A: Chromosome-encoded CTX-M-3 from *Kluyvera ascorbata*: a possible origin of plasmid-borne CTX-M-1-derived cefotaximases. *Antimicrob Agents Chemother*. 2004, 48:4895–4897.

181. Rojas AL, Nagem RA, Neustroev KN, Arand M, Adamska M, Eneyskaya EV, Kulminskaya AA, Garratt RC, Golubev AM, Polikarpov I: Crystal structures of beta-galactosidase from *Penicillium* sp. and its complex with galactose. *J. Mol. Biol.* 2004, 343:1281–1292.
182. Romano AH: Microbial sugar transport system and their importance in biotechnology. *Trends Biotechnol.* 1986, 4:207-213.
183. Römling U, Sierralta WD, Eriksson K, Normark S: Multicellular and aggregative behavior of *Salmonella typhimurium* strains is controlled by mutations in the *agfD* promoter. *Mol. Microbiol.* 1998, 28:249–264.
184. Rosenberg M, Court D: Regulatory sequences involved in the promotion and termination of RNA transcription. *Annu Rev Genet.* 1979, 13:319–353.
185. Ross P, Weinhouse H, Aloni Y, Michaeli D, Weinberger-Ohana P, Mayer R, Braun S, de Vroom E, van der Marel GA, van Boom JH, Benziman M: Regulation of cellulose synthesis in *Acetobacter xylinum* by cyclic diguanylic acid. *Nature.* 1987, 325:279–281.
186. Ross P, Mayer R, Benziman M: Cellulose biosynthesis and function in bacteria. *Microbiol. Rev.* 1991, 55:35–58.
187. Rost B, Yachdav G, Liu J: The PredictProtein server. *Nucl. Acids Res.* 2004, 32(2):W321–W326.
188. Saad RR: Purification and some properties of β -galactosidase from *Aspergillus japonicus*. *Annals of Microbiology.* 2004, 54(3):299-306.
189. Sambrook, Russell: *Molecular Cloning: A Laboratory Manual*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. 2001.
190. Sambrook J, Fritsch EF, Maniatis T: *Molecular cloning: a laboratory manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. 1989.

191. Sa'nchez-Aparicio MT, Rosas MF, Ferraz RM, Delgui L, Veloso JJ, Blanco E, Villaverde A, Sobrino F: Discriminating foot-and-mouth disease virus-infected and vaccinated animals by use of β -Galactosidase allosteric biosensors. *Clinical and vaccine immunology*. 2009, 16(8):1228–1235.
192. Saxena IM, Brown Jr RM: Identification of a second cellulose synthase gene (*acsAII*) in *Acetobacter xylinum*. *J. Bacteriol.* 1995, 177:5276–5283.
193. Schmidt BF, Adams RM, Requadt C, Power S, Minzer SE: Expression and nucleotide sequence of the *Lactobacillus bulgaricus* β -galactosidase gene cloned in *Escherichia coli*. *J Bacteriol.* 1989, 171:625–635.
194. Seo JS, Chong H, Park HS et. al: The genome sequence of the ethanologenic bacterium *Zymomonas mobilis* ZM4. *Nat Biotechnol.* 2005, 23, 63-68.
195. Shene C, Bravo S: Whey fermentation by *Lactobacillus delbrueckii* subsp. *bulgaricus* for exopolysaccharide production in continuous culture. *Enzyme and Microbial Technology*. 2007, 40:1578–1584.
196. Shrestha A, Dhamwichukorn S, Jenwitheesuk E: Modeling of pyruvate decarboxylases from ethanol producing bacteria. *Bioinformatics*. 2010, 4(8):378-384.
197. Sibold C, Henrichsen J, Konig A, et al: Mosaic *pbpX* genes of major clones of penicillin-resistant *Streptococcus pneumoniae* have evolved from *pbpX* genes of a penicillin-sensitive *Streptococcus oralis*. *Mol. Microbiol.* 1994, 12:1013–1023.
198. Silva VL, Nicoli JR, Nascimento TC, Diniz CG: Diarrheagenic *Escherichia coli* Strains Recovered from Urban Pigeons (*Columba livia*) in Brazil and Their Antimicrobial Susceptibility Patterns. *Current Microbiology*. 2009, 59:302-308.

199. Smith RD, Smith TF: Pattern-induced multi-sequence alignment (PIMA) algorithm employing secondary structure-dependent gap penalties for use in comparative modeling. *Prot. Eng.* 1992, 5(1):35–41.
200. Smith TF, Waterman M: Comparison of biosequences. *Adv. Appl. Math.* 1982, 2:482–489.
201. Splechtna B, Nguyen TH, Haltrich D: Comparison between discontinuous and continuous lactose conversion processes for the production of prebiotic galacto-oligosaccharides using β -Galactosidase from *Lactobacillus reuteri*. *J. Agric. Food Chem.* 2007, 55:6772-6777.
202. Splechtna B, Nguyen TH, Zehetner R, Lettner HP, Lorenz W, Haltrich D: Process development for the production of prebiotic galacto-oligosaccharides from lactose using β -galactosidase from *Lactobacillus* sp. *Biotechnol. J.* 2007, 2:480–485.
203. Splechtna B, Nguyen TH, Steinbock M, Kulbe KD, Lorenz W, Haltrich D: Production of prebiotic galacto-oligosaccharides from lactose using β -Galactosidases from *Lactobacillus reuteri*. *J. Agric. Food Chem.* 2006, 54:4999-5006.
204. Standal R, Iversen TG, Coucheron DH, Fjaervik E, Blatny JM, Valla S: A new gene required for cellulose production and a gene encoding cellulolytic activity in *Acetobacter xylinum* are colocalized with the *bcs* operon. *J. Bacteriol.* 1994, 176:665–672.
205. Staniszewski M, Kujawski W, Lewandowska M: Ethanol production from whey in bioreactor with co-immobilized enzyme and yeast cells followed by pervaporative recovery of product – kinetic model predictions. *Journal of Food Engineering.* 2007, 82:618–625.

206. Staniszewski M, Kujawski W, Lewandowska M: Semi-continuous ethanol production in bioreactor from whey with co-immobilized enzyme and yeast cells followed by pervaporative recovery of product – kinetic model predictions considering glucose repression. *Journal of Food Engineering*. 2009, 91:240–249.
207. Stasinopoulos SJ, Fisher PR, Stone BA, Stanisich VA: Detection of two loci involved in (1→3)-beta-glucan (curdlan) biosynthesis by *Agrobacterium* sp. ATCC31749, and comparative sequence analysis of the putative curdlan synthase gene. *Glycobiology*. 1999, 9:31–41.
208. Strzelecki TA, Goodman AE, Rogers PL: Stability of a *lac* operon in *Zymomonas mobilis* in batch and continuous culture. *J Biotechnol*. 1986, 3:197-205.
209. Tajima M, Takenouchi Y, Sugawara S, et. al: Purification and properties of chromosomally mediated β -lactamase from *Citrobacter freundii* GN7391. *J. Gen Microbiol*. 1980, 121:449-456.
210. Takeuchi M, Hamana K, Hiraishi A: Proposal of the genus *Sphingomonas sensu stricto* and three new genera, *Sphingobium*, *Novosphingobium* and *Sphingopyxis*, on the basis of phylogenetic and chemotaxonomic analyses. *Int. J. Syst. Evol. Microbiol*. 2001, 51:1405–1417.
211. Tari C, Ustok FI, Harsa S: Optimization of the associative growth of novel yoghurt cultures in the production of biomass, β -galactosidase and lactic acid using response surface methodology. *International Dairy Journal*. 2009, 19:236–243.

212. Tigerstrom RG, Boras GJ: Beta-lactamase of *Lysobacter enzymogenes*: induction, purification and Characterization. *Journal of General Microbiology*. 1990, 136:521-527.
213. Tsantili IC, Karim MN, Klapa MI: Quantifying the metabolic capabilities of engineered *Zymomonas mobilis* using linear programming analysis. *Microbial Cell Factories*. 2007, 6(8):1-23.
214. Updegraff DM: Semimicro determination of cellulose in biological materials, *Anal. Biochem*. 1969, 32:420–424.
215. Vaidya VA: Horizontal transfer of antimicrobial resistance by extended-spectrum β Lactamase-producing Enterobacteriaceae. *Journal of Laboratory Physicians*. 2011, 3(1):37-42.
216. Vasconcelos ATR, Almeida DF, Almeida FC, Almeida LGP, Almeida R, Alves-Gomes JA, Andrade EM, Antônio RV, Araripe J, Araújo MFF, Astolfi-Filho S, Azevedo V, Baptista AJ, Bataus LAM, Batista JS, Beló A, van den Berg C, Blamey J, Bogo M, Bonatto S, Bordignon J, Brito CA, Brocchi M, Burity HA, Camargo AA, Cardoso DDP, Carneiro NP, Carraro DM, Carvalho CMB, Cascardo JCM, Cavada BS, Chueire LMO, Creczynski-Pasa TB, Duran N, Fagundes N, Falcão CL, Fantinatti F, Farias IP, Felipe MSS, Ferrari LP, Ferro JA, Ferro MIT, Franco GR, Freitas NSA, Furlan LR, Gazzinelli RT, Gomes EA, Gonçalves PR, Grangeiro TB, Grattapaglia D, Grisard EC, Guimarães CT, Hanna ES, Hungria M, Jardim SN, Laurino J, Leoi LCT, Lima LFA, Loureiro MF, Lyra MCCP, Macedo M, Madeira HMF, Manfio GP, Maranhão AQ, Martins WS, di Mauro SMZ, Medeiros SRB, Meissner RV, Moreira MAM, Nascimento FF, Nicolas MF, Oliveira JG, Oliveira SC, Paixão RFC, Parente JA, Pedrosa FO, Pena SDJ, Pereira JO, Pereira M, Pinto LSRC,

- Pinto LS, Porto JIR, Potrich DP, Ramalho-Neto CE, Reis AMM, Rigo LU, Rondinelli E, Santos EBP, Santos FR, Schneider MPC, Seuanez HN, Silva A MR, Silva ALC, Silva DW, Silva R, Simões IDC, Simon D, Soares CMA, Soares RBA, Souza EM, Souza KRL, Souza RC, Steffens MBR, Steindel M, Teixeira SR, Urmenyi T, Vettore A, Wassem R, Zaha A, Simpson, AJG: Complete genome sequence of *Chromobacterium violaceum* reveals remarkable and exploitable bacterial adaptability. *Proc. Natl. Acad. Sci. USA* 2003, 100:11660-11665.
217. Vian A, Carrascosa AV, García JL, Cortés E: Structure of the β -galactosidase gene from *Thermus* sp. strain T2: expression in *Escherichia coli* and purification in a single step of an active fusion protein. *Appl Environ Microbiol.* 1998, 64:2187–2191.
218. Vingron M, Argos P: A fast and sensitive multiple sequence alignment algorithm. *Comput. Appl. Biosci.* 1989, 5:115–121.
219. Volkov IY, Lunina NA, Berezina OV, Velikodvorskaya GA, Zverlov VV: *Thermoanaerobacter ethanolicus* gene cluster containing the α - and β -Galactosidase genes *mel A* and *lac A* and properties of recombinant LacA. *Molecular Biology.* 2005, 39(6):799–805.
220. von Heijne G: A new method for predicting signal sequence cleavage sites. *Nucleic Acids Res.* 1986, 14(11):4683-4690.
221. Waley SG: A spectrophotometric assay of β -lactamase action on penicillins. *Biochem J.* 1974, 139:789–790.
222. Wallace AC, Laskowski RA, Thornton JM: Derivation of 3D coordinate templates for searching structural databases: application to Ser-His-Asp

- catalytic triads in the serine proteases and lipases. *Prot. Sci.* 1996, 5:1001–1013.
223. Wang Q, Li G, Yu SQ, Zhang CT, Liu YH: A novel metagenome-derived β -galactosidase: gene cloning, overexpression, purification and characterization. *Appl Microbiol Biotechnol.* 2010, 88:155-165.
224. Wang H, Luo H, Bai Y, Wang Y, Yang P, Shi P, Zhang W, Fan Y, Yao B: An acidophilic β -Galactosidase from *Bispora* sp. MEY-1 with high lactose hydrolytic activity under simulated gastric conditions. *J. Agric. Food Chem.* 2009, 57:5535–5541.
225. Wassenaar TM: Use of antimicrobial agents in veterinary medicine and implications for human health. *Crit Rev Microbiol.* 2005, 31(3):155-169.
226. Westbrook J, Feng Z, Jain S, Bhat TN: The Protein Data Bank: unifying the archive. *Nucl. Acids Res.* 2000, 30(1):245–248.
227. Widiastuti H, Kim JY, Selvarasu S, Karimi IA, Kim H, Seo JS, Lee DY: Genome-scale modeling and *in silico* analysis of ethanologenic bacteria *Zymomonas mobilis*. *Biotechnology and Bioengineering.* 2011, 108(3):655-665.
228. Wong HC, Fear AL, Calhoon RD, Eichinger GH, Mayer R, Amikam D, Benziman M, Gelfand DH, Meade JH, Emerick AW, Bruner R, Ben-Bassat A, Tal R: Genetic organization of the cellulose synthase operon in *Acetobacter xylinum*. *Proc. Natl. Acad. Sci.* 1990, 87:8130–8134.
229. Wright GD: The antibiotic resistome: the nexus of chemical and genetic diversity. *Nat Rev Microbiol.* 2007, 5:175–186.

230. Wu JR, Son JH, Kim KM, Lee JW, Kim SK: *Beijerinckia indica* L3 fermentation for the effective production of heteropolysaccharide-7 using the dairy byproduct whey as medium. *Process Biochemistry*. 2006, 41:289–292.
231. Xu Y, Xu D, Gabow HN: Protein domain decomposition using a graph-theoretic approach. *Bioinformatics*. 2000, 16:1091–1104.
232. Yabuuchi E, Yamamoto H, Terakubo S, Okamura N, Naka T, Fujiwara N, Kobayashi K, Kosako Y, Hiraishi A: Proposal of *Sphingomonas wittichii* sp. nov. for strain RW1T, known as a dibenzo-p-dioxin metabolizer. *International Journal of Systematic and Evolutionary Microbiology*. 2001, 51:281–292.
233. Yanase H, Kotani T, Yasuda M, Matsuzawa A, Tonomura K: Metabolism of galactose in *Zymomonas mobilis*. *Appl Microbial Biotechnol*. 1991, 35:364–368.
234. Yang S, Tschaplinski TJ, Engle NL, Carroll SL, Martin SL, Davison BH, Palumbo AV, Rodriguez Jr M, Brown SD: Transcriptomic and metabolomic profiling of *Zymomonas mobilis* during aerobic and anaerobic fermentations. *BMC Genomics*. 2009, 10(34):1-16.
235. Yang S. *et al*: Paradigm for industrial strain improvement identifies sodium acetate tolerance loci in *Zymomonas mobilis* and *Saccharomyces cerevisiae*. *PNAS*. 2010, 107(23):10395–10400.
236. Zhang B, Rychlewski L, Pawlowski K, Fetrow JS: From fold predictions to function predictions: automation of functional site conservation analysis for functional genome predictions. *Prot. Sci*. 1999, 8(5):1104–1115.
237. Zheng B, Tan S, Gao J. *et. al*: An unexpected similarity between antibiotic-resistant NDM-1 and beta-lactamase II from *Erythrobacter litoralis*. *Protein Cell*. 2011, 2:250-258.

238. Zogaj X, Nitz M, Rohde M, Bokranz W, Römling U: The multicellular morphotypes of *Salmonella typhimurium* and *Escherichia coli* produce cellulose as the second component of the extracellular matrix *Mol. Microbiol.* 2001, 39:1452–1463.
239. Zuker M: Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Res.* 2003, 31:3406–3415.