
7. References

1. Abo K. A. (1990), Isolation of ingenol from the lattices of *Euphorbia* and *Elaeophorbia* species, *Fitoterapia*, 61 (5), 462-463.
2. Abola E. E., Manning N. O., Prilusky J., Stampf D. R., Sussman J. L. (1996), The Protein Data Bank: Current Status and Future Challenges, *J. Res. Natl. Inst. Stand. Technol.*, 101 (3), 231-241.
3. Abubakar E. M. (2009), Antibacterial activity of crude extracts of *Euphorbia hirta* against some bacteria associated with enteric infections, *Jour. of Medicinal Plant Res.*, 3(7), 498–505.
4. Adedapo A. A., Abatan M. O., Idowu S. O., Olorunsogo O. O. (2005), Effects of chromatography Fractions of *Euphorbia hirta* on the rat serum biochemistry, *African Jour. of Biomedical Res.*, 8, 185-189.
5. Akharaiyi F. C., Boboye Bolatito (2010), Antibacterial and Phytochemical Evaluation of Three Medicinal Plants, *Jour. of Natural Products*, 3, 27-34.
6. Akhtar M. S., Kaskoos R. A. , Mir S. R., Ali M. (2009), New chromone derivative from *Evolvulus alsinoides* Linn. aerial parts, *Jour. of Saudi Chemical Society*, 13 (2), 191-194.
7. Akujobi C., Anyanwu B. N., Onyeze C., Ibekwe V. I. (2004), Antibacterial Activities and Preliminary Phytochemical Screening of Four Medicinal Plants, *Jour. of Applied Sci.*, 7(3), 4328-4338.
8. Alagesaboopathi C. (2009), Ethnomedicinal Plants and Their Utilization by Villagers in Kumaragiri Hills of Salem District of Tamilnadu, India, *Afr. J. Tradit Complement Altern Med.*, 6(3), 222–227.
9. Alam M., Quader M., Rashid M. (2000), HIV-inhibitory diterpenoid from *Anisomeles indica*, *Fito*, 71, 574-576.
10. Amit R., Shailandra S. (2006), Ethnomedicinal approach in biological and chemical investigation of phytochemicals as antimicrobials, *Indian Jour. of Pharma. Sci.*, 41, 1-13.
11. Andrews J. M. (2001), Determination of minimum inhibitory concentration, *Jour. of Antimicrobial Chemotherapy*, 48 (S1), 5-16.
12. Anonymous (1996), Biological Diversity of Gujarat State, Gujarat Ecological Commission, Vadodara.

13. Anonymous (2003), The Wealth of India, Raw Materials, New Delhi: Publication and Information Directorate, CSIR, 6, 295-296.
14. Anonymous (2003), The Wealth of India: Raw Materials, Publication and Information Directorate, Council for Scientific and Industrial Res., Delhi, India, 4, 233–234.
15. Ant H. M. (2000), Ethnobotanical studies of Angiosperms of Aravalli Hills (District Banaskantha, Gujarat State, Ph. D. Thesis Submitted to The Bhavnagar University, Bhavnagar.
16. Anthoni C., Laukoetter M. G., Rijcken E., Vowinkel T., Mennigen R., Muller S., Senninger N., Russell J., Jauch J., Bergmann J., Granger D. N., Krieglstein C. F. (2006), Mechanisms underlying the anti-inflammatory actions of boswellic acid derivatives in experimental colitis, *Am J Physiol Gastrointest Liver Physiol.*, 290, G1131-G1137.
17. Asolkar L. V., Kakkar K. K., Chakre O. J. (1992), Second Supplement to Glossary of India Medicinal Plants with Active Constituents, NISCAIR, Delhi, India, 1965–1985.
18. Austuin D. F. (2008), *Evolvulus alsinoides* (Convolvulaceae): An American herb in the Old World, *J Ethnopharmacol*, 22, 713.
19. Baborun. T., Soobrattee M. A., Luximon V. R., Arunoma O. I. (2006), Free radicals and antioxidant in cardiovascular health and disease, *Internet Jour. of Medical update*, 1(2), 1-16.
20. Balasundaram A., Rathna Kumari P., John G., Selvakumar B. N. (2011), Antimicrobial Activity of the Leaf Extracts of Two Medicinal Plants Against MRSA (Methicilin Resistant *Staphylococcus aureus*) from Human Urinary Tract Pathogens, *Res. Jour. of Micro.*, 6, 625-631.
21. Barlow D. J., Buriani A., Ehrman T., Bosisio E., Eberini I., Hylands P. J. (2012), *In-silico* studies in Chinese herbal medicines' research: Evaluation of *in-silico* methodologies and phytochemical data sources, and a review of research to date, *Jour. of Ethnopharm.*, 140, 526-534.
22. Baslas R. K., Agarwal R. (1980), Chemical Examination of *E. hirta*, In International Research Congress on National Products as Medicinal Agents, Strasbourg, France. Book of Abstracts II (eds. Michler, E. and Reinhard, E.), 25.

-
23. Baur A. W., Kirby W. M., Sherris J. C., Turck M. (1966), Antibiotic susceptibility testing by a standard single disk method, *Am. J. Clin. Path.*, 45, 493-496.
 24. Behera S. K., Misra M. K. (2005), Indigenous phytotherapy for genito-urinary diseases used by the Kandha tribe of Orissa, India, *J. Ethnopharmacol.*, 102, 319-325.
 25. Benigni R., Bossa C., Netzeva T. I., Worth A. P. (2007). Collection and evaluation of (Q)SAR models for mutagenicity and carcinogenicity, JRC report, EUR 22772 EN.
 26. Bharath E. N., Manjula S. N., Vijaychand A. (2011), *In Silico* Drug Designtool For Overcoming The Innovation Deficit In The Drug Discovery Process, *Int. J. Pharm. Pharm. Sci.*, 3(2), 812.
 27. Bharatham N., Bharatham K., Lee K. W. (2007), P56 LCK Inhibitor Identification by Pharmacophore Modelling and Molecular Docking, *Bull. Korean Chem. Soc.*, 28(2), 200-206.
 28. Bharathi S. G. (1959), A brief account of the flora of Visnagar, North Gujarat and its environs. *J. Bombay nat. Hist. Soc.*, 56, 588-610.
 29. Blanc P., Sacqui-Sonnes G. (1972), Flavonoids of *E. hirta*, *Plant Med. Phytother.*, 6, 106-109.
 30. Blaney J., Dixon J. (1993), A good ligand is hard to find: Automated docking methods, *Perspect. Drug Disc. Des.*, 1, 301-319.
 31. Bonny P., Bharat J. P., Murukesan A., Sunita K., Vinod K. R. (1998), Biological Diversity of Gujarat In: Kotwal, P. C. and Banerjee, S. (eds.), Biodiversity Conservation in managed Forests and Protected areas, Indian Institute of Forest Management, Bophal.
 32. Boobis A., Gundert-Remy U., Kremers P., Macheras P., Pelkonen O. (2002), *In silico* prediction of ADME and pharmacokinetics Report of an expert meeting organised by COST B15, *European Jour. of Pharma. Sci.*, 17, 183–193.
 33. Bylka W., Szauffer-Hajdrych M., Matalawskan I., Goslinka O. (2004), Antimicrobial activity of isocytisoside and extracts of *Aquilegia vulgaris* L., *Lett. Appl. Microbiol.*, 39, 93-97.
-

34. Cassano A., Manganaro A., Martin T., Young., Piclin N., Pintore M., Bigoni D., Benfenati E. (2010), CAESAR models for developmental toxicity, *Chem. Central Jour.*, 4(1), S4.
35. Cervenka F., Vichova P., Kolečkar V., Pour M., Opletal L., Jahodar L. (2006), *Evolvulus alsinoides* L. Phytochemical analysis, Conference Proceedings, DPhG Jahrestagung Joint Meeting, Marburg, Germany, 106.
36. Chakraborty G. S., Aeri V. (2009), Phytochemical and antimicrobial studies of *Chlorophytum borivillianum*, *Int. J. Pharm. Sci. Drug Res.*, 1, 110-112.
37. Champion H. G., Seth S. K. (1968), A Revised Survey of Forest Types of India, Forest Research of India, Dehradun.
38. Chavan A. R., Lal B. (1998), Biodiversity Status of Important Ecosystems of Gujarat, Biodiversity Conservation, Agrobotanica, New Delhi, 66-107.
39. Chen X., Ji Z. L., Chen Y. Z. (2002), TTD: therapeutic target database, *Nucleic Acids Res.*, 30, 412-415.
40. Cheng A., Merz jr. K. (2003), *J. Med. Chem.*, 46, 3572 - 3580.
41. Clark R. D., Strizhev A., Leonard J. M., Blake J. F., Matthew J. B. (2002), Consensus scoring for ligand/protein interactions, *J. Mol. Graph. Model*, 20, 281-295.
42. Cooke T. (1958), Flora of the Bombay Presidency, *Bot. Surv. of Ind. Calcutta*, I, II and III.
43. Cowan M. M. (1999), Plant Products as Antimicrobial Agents, *Clinical Micro. Review*, 12, 564-582.
44. Da Silva C. H., Da Silva V. B., Resende J., Rodrigues P. F., Bononi F. C., Benevenuto C. G., Taft C. A. (2010), Computer-aided drug design and ADMET predictions for identification and evaluation of novel potential farnesyltransferase inhibitors in cancer therapy. *J. Mol. Graph. Model*, 28, 513-523.
45. Dabur R., Gupta A., Mandal T. K., Singh D. D., Bajpai V., Gurav A. M., Lavekar G. S. (2007), Antimicrobial Activity of Some Indian Medicinal Plants, *Afr. J. Trad. CAM*, 4 (3), 313-318.
46. Daisy P., Suveena S., Rajalakshmi M., Lilly V. (2011), Ligand based Virtual screening on natural compounds for discovering active ligands, *Der Pharma Chemica*, 3(3), 51-57.

-
47. Dearden J., Worth A. (2007), *In Silico* Prediction of Physicochemical Properties, JRC European Commission, EUR 23051 EN.
 48. Deore S. L., Khadabadi S. S. (2008), standardisation and pharmaceutical evaluation of chlorophytum borivilianum mucilage, *rasayan j. Chem.*, 1 (4), 887-892.
 49. Deore S. L., Khadabadi S. S. (2010), Isolation and characterization of phytoconstituents from *Chlorophytum borivilianum*, *Pharmacognosy Res.*, 2(6), 343–349.
 50. Dhanalekshmi U. M., Poovi G., Kishore N., Raja M. D., Reddy P. N. (2010), Evaluation of wound healing potential and antimicrobial activity of ethanolic extract of *Evolvulus alsinoides*, *Annals of Biol. Res.*, 1 (2), 49-61.
 51. Dharmasiri M. G., Ratnasooriya W. D., Thabrew M. I. (2003), Water extract of leaves and stems of pre-flowering but not flowering plants of *Anisomeles indica* possesses analgesic and antihyperalgesic activities in Rats, *Pharma. Bio.*, 41(1), 37–44.
 52. Dharmasiri M., Thabrew M., Ratnasooriya W. (2000), Anti-inflammatory effects of *Anisomeles indica*, *Phytomed.*, 7, 97.
 53. Dharmasiri M., Thabrew M., Ratnasooriya W. (2003), Water extract of leaves and stems of *Anisomeles indica* possesses analgesic and antihyperalgesic activities in rats, *Pharma. Bio.*, 41, 37-44.
 54. Dixon S. L., Merz Jr. K. M. M. (2001), *J. Med. Chem*, 44, 3795-3809.
 55. Dixon S. L., Villar H. O. (1999), *J. Comput.-Aided Mol. Design*, 13, 533.
 56. Doddareddy M. R., Choo H., Cho Y. S., Rhim H., Koh H. Y., Lee J., Jeong S., Pae A. N. (2006), *Bioorg.Med. Chem. in Press*, 1-15.
 57. Draughon F. A. (2004), Use of Botanicals as Biopreservatives in Foods, *Food Tech.*, 58(2), 20-28.
 58. Egan W. J., Lauri G. (2002), *Adv. Drug Del. Rev*, 54, 273.
 59. Ekins S., Mestres J., Testa B. (2007), *In silico* pharmacology for drug discovery: methods for virtual ligand screening and profiling, *British Jour. of Pharmacology*, 152(1), 9–20.
 60. Eldridge M. D., Murray C. W., Auton T. R., Paolini G. V., Mee R. P. (1997), Empirical scoring functions: I. The development of a fast empirical scoring function to estimate the binding affinity of ligands in receptor complexes, *J. Comput. Aided Mol. Des.*, 11, 425-445.
-

61. Elizabeth M. W. (2002), Major Herbs of Ayurveda, Churchill Livingstone, China, 64-65.
62. Esimone C. O., Adiukwu M. U., Okonta J. M. (1998), Preliminary Antimicrobial Screening of the Ethanolic Extract from the Lichen *Usnea subfloridans* (L), Jour. of Pharma. Res. and Dev., 3(2), 99-102.
63. Ethan B., Heather B., Theresa D. H., Ivo F., Sadaf H., Jens H., David S., Catherine U. (2004), *Boswellia*: An evidence-based systematic review by the natural standard research collaboration, J Herbal Pharmacother, 4, 63-83.
64. Faparusi F., Bello-Akinosho M. M., Oyede R. T., Adewole A., Bankole P. O., Ali F. F. (2012), Phytochemical Screening and Antibacterial Activity of *Brillantaisia patula* Leaf, Res. Jour. of Phytochemistry, 6, 9-16.
65. Franke R., Gruska A., Giuliani A., Benigni R. (2001). Prediction of rodent carcinogenicity of aromatic amines: a quantitative structure-activity relationships model. Carcinogenesis, 22, 1561-1571.
66. Gerhardt H., Seifert F., Buvari P., Vogelsang H., Repges R. (2001), Therapy of active Crohn disease with *Boswellia serrata* extract H 15. Z Gastroenterol, 39, 11-17.
67. Ghose A. K., Viswanadhan V. N., Wendoloski J. J. (1999), A Knowledge-Based Approach in Designing Combinatorial or Medicinal Chemistry Libraries for Drug Discovery, J. Combin. Chem., 1, 55-68.
68. Ghosh A., Das B. K., Roy A., Mandal B., Chandra G. (2008), Antibacterial activity of some medicinal plant extracts, J. Nat. Med., 62, 259-262.
69. Glaser T., Winter S., Groscurth P., Safayhi H., Sailer E. R., Ammon H. P., Schabet M., Weller M. (1999), Boswellic acids and malignant glioma: induction of apoptosis but no modulation of drug sensitivity, Br. J. Cancer, 80, 756-765.
70. Golbabaee S., Bazl R., Golestanian S., Nabati F., Omrany Z. B., Yousefi B., Hajiaghaee R., Rezazadeh S., Amanlou M. (2013), Urease inhibitory activities of beta-boswellic acid derivatives, DARU Jour. of Pharma. Sci., 21, 2.
71. Gopinathan N., Shrinivasan K. K., Mathew J. E. (2004), Free radical scavenging scavenging properties of the ethanol extract of *Saccharum spmtaneum*, Indian drugs, 41(10), 633-635.

-
72. Goud M. J. P., Komraiah A., Rao K. N., Ragan A., Raju V. S., Charya M. A. S. (2008), Antibacterial Activity of Some Folklore Medicinal Plants from South India, *Afr. J. Tradit. Complement Altern. Med.*, 5(4), 421–426.
 73. Govindarajan R., Vijayakumar M., Singh M., Rao C. H. V., Shirwaikar A., Rawat A. K. S., Pushpangadan P. (2006), Antiulcer and antimicrobial activity of *Anogeissus latifolia*, *J. Ethnopharmacol.*, 106, 57-61.
 74. Goyal P. R., Singh K. P. (2005), Shankhpuspi (*Evolvulus alsinoides* Linn.): a medicinal herb, *Int. Jour. of Mendel*, 22, 124.
 75. Guerin-Fauble V., Muller M. L. D., Vigneulle M., Flandrois J. P. (1996), Application of a modified disc diffusion technique to antimicrobial susceptibility testing of *Vibrio anguillarum* and *Aeromonas salmonicida* clinical isolates, *Veterinary Micro.*, 51, 137-149.
 76. Gupta I., Gupta V., Parihar A., Gupta S., Ludtke R., Safayhi H., Ammon H. P. (1998), Effects of *Boswellia serrata* gum resin in patients with bronchial asthma: results of a double-blind, placebo-controlled, 6-week clinical study, *Eur. J. Med. Res.*, 3, 511-514.
 77. Gupta I., Parihar A., Malhotra P., Gupta S., Ludtke R., Safayhi H., Ammon H. P. (2001), Effects of gum resin of *Boswellia serrata* in subjects with chronic colitis, *Planta Med.*, 67, 391-395.
 78. Gupta I., Parihar A., Malhotra P., Singh G. B., Ludtke R., Safayhi H., Ammon H. P. (1997), Effects of *Boswellia serrata* gum resin in patients with ulcerative colitis, *Eur. J. Med. Res.*, 2, 37-43.
 79. Gupta P., Siripurapu K. B., Ahmad A., Palit G., Arora A., Maurya R. (2007), Anti-stress Constituents of *Evolvulus alsinoides*: An Ayurvedic Crude Drug, *Chem Pharma Bull*, 55, 771.
 80. Habsah M., Amran M., Mackeen M. M., Lajis N. H., Kikuzaki H. (2000), Screening of Zingiberaceae extracts for antimicrobial and antioxidant activities, *J. Ethnopharmacol.*, 72, 403-410.
 81. Han R. (1994), Highlight on the studies of anticancer drugs derived from plants in China. *Stem. Cells*, 12, 53-63.
 82. Han R. (1994), Recent progress in the study of anticancer drugs originating from plants and traditional medicines in China, *Chin. Med. Sci. J.*, 9, 61-69.
-

-
83. Haque R., Saha S., Bera T. (2011), A Peer Reviewed Literature on medicinal activity of *Chlorophytum borivilianum* Commercial Medicinal Plant, Int. J. Ph. Sci., 3(1),1116-1130.
 84. Haque R., Saha S., Bera T. (2011), A Peer Reviewed of General Literature on *Chlorophytum borivilianum* Commercial Medicinal Plant, Int. J. Drug Dev. & Res., 3 (1), 165-177.
 85. Hoernlein R. F., Orlikowsky T., Zehrer C., Niethammer D., Sailer E. R., Simmet T., Dannecker G. E., Ammon H. P. (1999), Acetyl-11-keto-beta-boswellic acid induces apoptosis in HL-60 and CCRF-CEM cells and inhibits topoisomerase I, J. Pharmacol. Exp. Ther., 288, 613-619.
 86. Hore S. K., Ahuja V., Mehta G., Kumar P., Pandey S. K., Ahmad A. H. (2006), Effect of aqueous *Euphorbia hirta* leaf extract on gastrointestinal motility, Fitoterapia, 77, 35-38.
 87. Hryniewicz K., Szczypa K., Sulikowska A., Jankowski K., Betlejewska K., Hryniewicz W. (2001), Antibiotic susceptibility of bacterial strains isolated from urinary tract infections in Poland, Jour. of Antimicro. Chemotherapy, 47, 773–780.
 88. Igoli J. O., Ogaji T. A., Tor-Anyiin, Igoli N. P. (2005), Traditional Medicine Practice Amongst the Igede People of Nigeria, Afri. J. Traditional, Complementary and alternative Medicines, 2(2), 134 –152.
 89. Inuma M., Tsuchiya H., Sato M., Yokoyama J., Ohyama M., Ohkawa Y., Tanaka T., Fujiwara S., Fujii T. (1994), Flavanones with potent antibacterial activity against methicillin-resistant *Staphylococcus aureus*, Jour, of Pharma. Pharmacol., 46, 892-895.
 90. Indu M. N., Hatha A. A. M., Abirosh C., Harsha U., Vivekanandan G. (2006), Antimicrobial activity of some of the South-Indian spice against serotypes of *Escherichia coli*, *Salmonella*, *Listeria monocytogenes* and *Aeromonas hydrophila*. Braz. J. Microbiol., 37, 153-158.
 91. Jain S. K. (1986), Ethnobotany: Interdisciplinary Science Reviews in Jones V. H. (1941), The nature and scope of ethnobotany, Chronica Botanica, 6(10), 219-221.
 92. Jain S. K. (1989), Methods and Approaches in Ethnobotany, Society of Ethnobotanists, Lucknow.
-

-
93. Janssen G., Bode U., Breu H., Dohrn B., Engelbrecht V., Gobel U. (2000), Boswellic acids in the palliative therapy of children with progressive or relapsed brain tumors, *Klin. Padiatr*, 212, 189-195.
 94. Jian-Jun L., Baohua H., Shing C. H. (2006), Acetyl-keto- β -boswellic acid inhibits cellular proliferation through a p21-dependent pathway in colon cancer cells, *Br. J. Pharmacol.*, 148(8), 1099-1107.
 95. Jing Y., Nakajo S., Xia L., Nakaya K., Fang Q., Waxman S., Han R. (1999), Boswellic acid acetate induces differentiation and apoptosis in leukemia cell lines, *Leuk. Res.*, 23, 43-50.
 96. Johnson D. E., Wolfgang G. H. (2000), *Drug Disc. Today*, 5, 445-454.
 97. Johnson P. B., Abdurahman E. M., Tiam E. A., Abdu-Aguye I., Hussaini I. M. (1999), *Euphorbia hirta* leaf extracts increase urine output and electrolytes in rats. *J. Ethnopharm.*, 65, 63-69.
 98. Jones G., Willett P., Glen R. C., Leach A. R., Taylor R. (1997), Development and validation of a genetic algorithm for flexible docking, *J. Mol. Biol.*, 267, 727-748.
 99. Joos S., Rosemann T., Szecsenyi J., Hahn E. G., Willich S. N., Brinkhaus B. (2006), Use of complementary and alternative medicine in Germany- a survey of subjects with inflammatory bowel disease, *BMC Complement Altern Med.*, 6, 19.
 100. Kandalkar A. M., Manjunath K. P., Sholapur H. P., Patel A. M., Darade S. S. (2009), Phytochemical and Pharmacognostic Evaluation of *Euphorbia hirta* Linn. Leaves, *Jour. of Pharmacy Res.*, 2(3), 349-352.
 101. Kandalkar A., Patel A., Darade S., Baviskar D. (2010), Free radical scavenging activity of *Euphorbia hirta* linn. leaves and Isolation of active flavonoid myricitrin, *asian Jour. of pharma. and clinical Res.*, 3(3), 234-237.
 102. Kapetanovic I. M. (2008), computer-aided drug discovery and development (CADD): *in silico*-chemico-biological approach, *Chem Bio. Interact.*, 171(2), 165-176.
 103. Kaushik N. (2005), Saponins of *Chlorophytum* species, *Phytochem. Rev.*, 4, 191-196.
 104. Kensav M. (2011), Studies on Phytochemical Screening and Antibacterial Activities *Oflantana Camara* Linn., *Plant Sci. Feed*, 1 (5), 74-79.
-

-
105. Khond M., Bhosale J. D., Arif T., Mandal T. K., Padhi M. M., Dabur R. (2009), Screening of Some Selected Medicinal Plants Extracts for *In-vitro* Antimicrobial Activity, Middle-East Jour. of Scientific Res., 4 (4), 271-278.
 106. Kiela P. R., Midura A. J., Kuscuoglu N., Jolad S. D., Solyom A. M., Besselsen D. G., Timmermann B. N., Ghishan F. K. (2005), Effects of *Boswellia serrata* in mouse models of chemically induced colitis, Am. J. Physiol. Gastrointest. Liver Physiol., 288, G798-G808.
 107. Kim H., Park S. W., Park J. M., Moon K. H., Lee C. K. (1995), Screening and isolation of antibiotic resistant inhibitors from herb materials I-Resistant Inhibition of 21 Korean Plants, Natural Product Sci., 1, 50-54.
 108. Kimmatkar N., Thawani V., Hingorani L., Khiyani R. (2003), Efficacy and tolerability of *Boswellia serrata* extract in treatment of osteoarthritis of knee: a randomized double blind placebo controlled trial, Phytomed., 10, 3-7.
 109. Kirtikar K. R., Basu B. D. (1999), Indian Medicinal Plants, India: International Book Distributors, 3 (6), 2212-2214.
 110. Kirtikar K. R., Basu B. D. (1999), Indian Medicinal Plants, Sri Satguru Publications, Delhi, India, 3, 1738-1739.
 111. Kitchen D. B., Decornez H., Furr J. R., Bajorath J. (2004), Docking and scoring in virtual screening for drug discovery: methods and applications, Nat Rev Drug Discov., 3(11), 935-949.
 112. Klomparens A. E., Glick M., Davies J. W. (2004), Combination of a naive Bayes classifier with consensus scoring improves enrichment of high-throughput docking results, J. Med. Chem., 47, 4356-4359.
 113. Kokate C. K., Purohit A. P., Gokhle S. B., (2007), Pharmacognosy, nirali prakashan, pune, 37, 105-108.
 114. Kokwaro J. O. (1993), Medicinal Plants in East Africa, East African Literature Bureau, Nairobi, Kenya, 2.
 115. Kouranov A., Xie L., Cruz J., Chen L., Westbrook J., Bourne P. E., Berman H. M. (2006), The RCSB PDB information portal for structural genomics, Nucleic Acids Res., 34, 302-305.
 116. Kumar S., Malhotra R., Kumar D. (2010), Antidiabetic and Free Radicals Scavenging Potential of *Euphorbia hirta* Flower Extract, Indian J. Pharm. Sci., 72(4), 533-537.
-

-
117. Kumar S., Malhotra R., Kumar D. (2010), *Euphorbia hirta*: Its chemistry, traditional and medicinal uses, and pharmacological activities, *Pharmacogn. Rev.*, 4(7), 58–61.
118. Kumaraswamy Y., Cox P. J., Jaspars M., Nahar L., Sarker S. D. (2002), Screening seeds of Scottish plants for antibacterial activity, *J. Ethnopharmacol.*, 83, 73-77.
119. Kunwar R. M, Shrestha K. P, Bussmann R. W. (2010), Traditional herbal medicine in Far-west Nepal: a pharmacological appraisal, *J Ethnobiol Ethnomed.*, 6, 35.
120. Lagunin A. A. , Dearden J. C. , Filimonov D. A. , Poroikov V. V. (2005), Computer-aided rodent carcinogenicity prediction, *Mutation Res.*, 586, 138-146.
121. Lengauer T., Rarey M. (1996), Computational methods for biomolecular docking, *Curr. Opin. Struct. Biol.*, 6 (3). 402–406.
122. Leo A. (1993), Estimating LogPoct from structures, *Chem. Rev*, 5, 1281-1306.
123. Li X. C., Wang D. Z., Yang C. R. (1990), Steroidal saponins from *Chlorophytum malyanese*, *Phytochemistry*, 29, 3893-3898.
124. Lipinski C. A., Lombardo F., Dominy B. W., Feeney P. J. (2001), Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Adv. Drug Del. Rev.* 46, 3–26.
125. Liu J. J., Nilsson A., Oredsson S., Badmaev V., Duan R. D. (2002), Keto- and acetyl-keto-boswellic acids inhibit proliferation and induce apoptosis in Hep G2 cells via a caspase-8 dependent pathway, *Int. J. Mol. Med.*, 10, 501-505.
126. Madusolomuo M. A., Nadro M. S., Wurocheke A. U. (1999), Antihepatotoxic properties of *Cassia sieberiana* in acetaminophen-treated rats. *Nig. J. Biochem. Mol. Biol.*, 14, 21-25.
127. Mahalingam R., Bharathidasan R., Ambikapathy V., Panneerselvam A. (2011), Studies on antibacterial activity of some medicinal plant against Human pathogenic Micro Organism, *Asian Jour. of Plant Sci. and Res.*, 1 (3), 86-90.
128. Mahato S. B., Nandy A. K., Roy G. (1992), Triterpenoid. *Phytochem.*, 31, 2199-2249.
129. Mangathayaru K., Sravan K., Reddy P. K., Kumar M., Sweta B., Reddy U. C. (2007), *In vitro* antioxidant studies on the aerial parts of *Origanum majoram*
-

-
- Linn. and *Artemisia sieversiana* earh, Pharmacognosy Magazine, 3 (10), 90-94.
130. Marjorie C. (1999), Plant Products as Antimicrobial Agents, Clinical Micro. Reviews, 12, 564-582.
131. Mayank T., Dixit V. K. (2008), A review on some important medicinal plants of *Chlorophytum* spp., Plant Rev., 2, 168-172.
132. Mohamed Sham Shihabudeen H., Hansi P. D., Kavitha T. (2010), Antimicrobial activity and phytochemical analysis of selected Indian folk medicinal plants, Inter. Jour. of Pharma. Sci. and Res. (IJPSR), 1(10), 430-434.
133. Morales G., Paredes A., Sierra P., Loyola L. A. (2008), Antimicrobial Activity of Three Baccharis Species Used in the Traditional Medicine of Northern Chile, Molecules, 13, 790-794.
134. Ntiejumokwu S., Alemika T. O. E. (1991), Antimicrobial and Phytochemical Investigation of the Stem bark of *Boswellia dalziella*, West African Jour. of Pharmacology and Drug Res., 10, 100-104.
135. Nweze E. I., Okafor J. I., Njoku O. (2004), Antimicrobial activities of methanolic extracts of *Trema guineensis* (Schumm and Thorn) and *Morinda lucida* Benth used in Nigerian Herbal Medicinal Practice, Jour. of Biological Res. and Biotech., 2(1), 39-46.
136. O'Donnell G., Bucar F., Gibbons S. (2006), Phytochemistry and antimycobacterial activity of *Chlorophytum inornatum*, Phytochemistry, 67, 178-182.
137. Ogueke C. C., Ogbulie J. N., Okoli I. C., Anyanwu B. N. (2007), Antibacterial Activities and Toxicological Potentials of Crude Ethanolic Extracts of *Euphorbia hirta*, Jour. of American Sci., 3(3), 11-16.
138. Okimoto N., Futatsugi N., Fuji H., Suenaga A., Morimoto G., Yanai R., Ohno Y., Narumi T., Taiji M. (2009), High-Performance Drug Discovery: Computational Screening by Combining Docking and Molecular Dynamics Simulations, PLoS Comput. Biol., 5(10), 1000528.
139. Omogbai B. A., Eze F. A. (2011), Phytochemical Screening and Susceptibility of Bacteria Pathogens to Extracts of *Evolvulus alsinoides*, Sci. World Jour., 6 (1), 5-8.
-

-
140. Oprea T. I., Davis A. M., Teague S. J., Leeson P. D. (2001). Is There a Difference between Leads and Drugs? A Historical Perspective, *J. Chem. Inf. Comput. Sci.*, 41 (5), 1308–1315.
 141. Oprea T. I., Tropsha A. (2006), Target, chemical and bioactivity databases – integration is key, *Drug Dis. Today: Tech.*, 3(4), 357-365.
 142. Osadebe P. O., Ukwueze S. E. (2004), A Comparative Study of the Phytochemical and Antimicrobial Properties of the Eastern Nigerian Species of African Mistletoe (*Loranthus micranthus*) sourced from different host trees. *Jour. of Biological Res. and Biotech.*, 2(1), 18-23.
 143. Palombo E. A., Semple S. J. (2001), Antibacterial activity of traditional medicinal plants, *J. Ethnopharmacol.*, 77, 151-157.
 144. Pandey R., Mishra A. (2010), Antibacterial activities of crude extract of *Aloe barbadensis* to clinically isolated bacterial pathogens, *Applied Biochem. Biotechnol.*, 160, 1356-1361.
 145. Panghal M., Kaushal V., Yadav J. P. (2011), *In vitro* antimicrobial activity of ten medicinal plants against clinical isolates of oral cancer cases, *Annals of Clinical Micro. and Antimicrobials*, 10, 21.
 146. Parekh J., Jadeja D., Chanda S. (2005), Efficacy of aqueous and methanol extracts of some medicinal plants for potential antibacterial activity, *Turk. J. Biol.*, 29, 203-210.
 147. Park Y. S., Lee J. H., Harwalkar J. A., Bondar J., Safayhi H., Golubic M. (2002), Acetyl-11-keto-beta-boswellic acid (AKBA) is cytotoxic for meningioma cells and inhibits phosphorylation of the extracellular-signal regulated kinase 1 and 2, *Adv. Exp. Med. Biol.*, 507, 387-393.
 148. Patel K. C. (2002), Floristics and Ethnobotanical Studies on Danta Forest of north Gujarat, Ph.D. thesis submitted to Sardar Patel University, Vallabh Vidyanagar.
 149. Patel K. C., Reddy A. S. (2002), Ethnomedicinal uses of some common plants of Danta forest in North Gujarat, *Adv. Bio. Sci.*, 1(1), 27-29.
 150. Patel N. B., Patel K. C. (2012), Molecular Docking Study on *Anisomeles Indica* Linn. Wild Ethnomedicinal Plant for Therapeutic Purpose, *Life sci. leaflets*, 11, 33-39.
-

-
151. Patel N. B., Patel K. C. (2012), Virtual Screening of Wild Ethnomedicinal Plant *Euphorbia hirta* L. as Anti-Hiv, Anti-Malarial, Anti-Cancer and Anti-Tb Properties, Life sci. leaflets, LSIC2011, 236-243.
152. Patel N. K. (2001), Study of Angiospermic Plants with relation to Phytosociological and Ethnobotanical Study of Danta Taluka (District Banaskantha), Ph. D. Thesis Submitted to The North Gujarat University, Patan.
153. Patel R. S. (2002), Floristics and Ethnobotanical Studies on Ambaji Forest of north Gujarat, Ph.D. thesis submitted to Sardar Patel University, Vallabh Vidyanagar.
154. Pathak P., Vora S. A., Savai J. (2010), *In vitro* Antimicrobial activity and Phytochemical analysis of the Leaves of *Annona muricata*, Inter. Jour. of Pharma Res. and Develop., 2 (5), 1-6.
155. Patil S. B., Naikwade N. S., Magdum C. S. (2009), Review on Phytochemistry and Pharmacological Aspects of *Euphorbia Hirta* Linn., JPRHC, 1 (1), 113-133.
156. Pavithra P. S., Janani V. S., Charumathi K. H., Indumathy R., Srisha P., Rama S. V. (2010), Antibacterial activity of plants used in Indian herbal medicine, International Jour. of Green Pharmacy, 4(1), 22-28.
157. Perumal S., Pillai S., Cai L. W., Mahmud R., Ramanathan S. (2012), Determination of Minimum Inhibitory Concentration of *Euphorbia hirta* (L.) Extracts by Tetrazolium Microplate Assay, Jour. of Natural Products, 5, 68-76.
158. Piparo E. L., Worth A. (2010), Review of QSAR Models and Software Tools for predicting Developmental and Reproductive Toxicity, JRC Sci. and Tech. Reports.
159. Pirzoda Q. R. (2003), International workshop cum training course on natural products, pharmaceutical and nutraceuticals for the benefit of mankind, Karachi, 1-3.
160. Pitchai D., Manikkam R., Rajendran S. R., Pitchai G. (2010), Database on pharmacophore analysis of active principles from medicinal plants, Bioinform., 5(2), 43-45.
161. Polani B., Babu R., Krishnamoorthy P., Deepthi N., Nissi M. (2013), Evaluation of Antioxidants and Molecular Docking Studies of *Helicteres Isora* Fruit Extracts, Jour. of Drug Delivery & Therapeutics, 3(1), 33-35.
-

-
162. Pospieszny T., Malecka I., Paryzek Z. (2010), A practical synthesis and spectroscopic study of new potentially biologically active *S*-lithocholic acid substituted derivatives of 2-thiouracil, *Tetrahedron Letters*, 51, 4166-4169.
163. Prajapati N. D., Purohit S. S., Sharma A. K., Kumar T. (2003), *A Handbook of Medicinal Plants: A Complete Source Book*, Agrobios, 1, 234–235.
164. Premanath R., Devi N. L. (2011), Antibacterial, Antifungal and Antioxidant activities of *Andrographis paniculata* leaves, *Inter. Jour. of Pharma. Sci. and Res. (IJPSR)*, 2(8), 2091-2099.
165. Priscilla I. U, Mariama T. N. S., Luiz C. D. S., Luciano B., Ary F. J. (2007), Antibacterial activity of medicinal plant extracts, *Brazilian Jour. of Micro.*, 38, 717-719.
166. Priyavardhini S., Vasantha K., Tresina Soris P., Mohan V. R. (2012), Efficacy of Phytochemical and Antibacterial activity of *Corallocarpus epigaeus* Hook.f., *Inter. Jour. of Pharm Tech Res.*, 4 (1), 35-43.
167. Prusti A., Mishra S. R., Sahoo S., Mishra S. K. (2008), Antibacterial Activity of Some Indian Medicinal Plants, *Ethnobotanical Leaflets*, 12, 227-230.
168. Rabe T. S. J. (2000), Isolation of an Antimicrobial sesquiterpenoid from *Warbugie salutaris*, *Jour. of Ethnopharmacology*, 93, 171-174.
169. Raja A. F, Ali F., Khan I. A, Shawl A. S, Arora D. S, Shah B. A., Taneja S. C. (2011), Antistaphylococcal and biofilm inhibitory activities of acetyl-11-keto- β -boswellic acid from *Boswellia serrata*, *BMC Micro.*, 11, 54.
170. Raja A. F., Ali F., Khan I. A., Shawl A. S., Arora D. S. (2011), Acetyl-11-keto- β -boswellic acid (AKBA); targeting oral cavity pathogens, *BMC Res. Notes*, 4,406.
171. Rajasekaran S., Rao G., Pai S. P. N. (2010), Synthesis, antitubercular, antibacterial and antioxidant activity of some 2-phenyl-3-substituted quinazolin-4(3*H*)-ones, *Der Pharma Chemica*, 2(5), 153-163.
172. Ramesh K. V., Padmavathi K. (2010), Assessment of Immunomodulatory Activity of *Euphorbia hirta* L. *Indian J Pharm. Sci.*, 72(5), 621–625.
173. Ramesh N., Vishwanathan M. B., Saraswathy A., Balakrishna K., Brindha P., Lakshmanaperumalsamy P. (2001), Phytochemical and antimicrobial studies of *Bridelia crenulata*, *Pharm. Biol.*, 39, 460-464.
-

-
174. Ramya P., Devi N. L. (2011), Antibacterial, Antifungal and Antioxidant activities of *Andrographis paniculata* nees. Leaves, Inter. Jour. of Pharma. Sci. and Res. (IJPSR), 2(8), 2091-2099.
175. Rao S. B., Chetana M., Uma Devi P. (2005), *Centella asiatica* treatment during postnatal period enhances learning and memory in mice, Physiol. Behav., 86, 449–457.
176. Rao Y. K., Lien H. M., Lin Y. H., Hsu Y. M., Yeh C. T., Chen C. C., Lai C. H., Tzeng Y. M. (2012), Antibacterial activities of *Anisomeles indica* constituents and their inhibition effect on *Helicobacter pylori*-induced inflammation in human gastric epithelial cells, Food Chem., 132, 780–787.
177. Rollinger J. M., Stuppner H., Langer T. (2008), Virtual screening for the discovery of bioactive natural products, Prog Drug Res, 65 (211), 213–249.
178. Rydberg P., Gloriam D. E., Zaretski J., Breneman C., Olsen L. (2010), SMARTCyp: A 2D Method for Prediction of Cytochrome P450-Mediated Drug Metabolism, ACS Med. Chem. Lett., 1 (3), 96–100.
179. Safayhi H., Mack T., Ammon H. P. (1991), Protection by boswellic acids against galactosamine/endotoxin-induced hepatitis in mice, Biochem. Pharmacol. 41, 1536-1537.
180. Safayhi H., Mack T., Sabieraj J., Anazodo M. I., Subramanian L. R., Ammon H. P. T. (1992), Boswellic acids: novel, specific, nonredox inhibitors of 5-lipoxygenase, J Pharmacol Exp Ther., 26, 1143-1146.
181. Sahoo K., Dhal N. K., Sahoo S. L., Lenka S. S. (2012), Comparative Phytochemical and Antimicrobial Study of *Morinda Pubescens* Sm. and *Morinda Citrifolia* L., Int J Pharm Pharm Sci., 4 (3), 425-429.
182. Sailer E. R., Subramanian L. R., Rall B., Hoernlein R. F., Ammon H. P. T., Safayhi H. (1996), Acetyl-11-keto- β -boswellic acid (AKBA): structure requirements or binding and 5-lipoxygenase inhibitory activity, Br J Pharmacol., 117, 615-618.
183. Sampathkumar P., Dheeba B., Vidhyasagar V., Arulprakash T., Vinothkannan R. (2008), Potential antimicrobial activity of various extracts of *Bacopa monnieri* (Linn.), Int. J. Pharmacol., 4, 230-232.
184. Samy R. P., Ignacimuthu S. (2000), Antibacterial activity of some folklore medicinal plants used by tribals in Western Ghats in India, J. Ethnopharmacol., 69, 63-71.
-

-
185. Sanghani H. V., Ganatra S. H., Pande R. (2012), Molecular Docking Studies of Potent Anticancer Agent, *J. Comput. Sci. Syst. Biol.*, 5(1), 012-015.
186. Sankaranarayanan S., Bama P., Ramachandran J., Kalaichelvan P. T., Deccaraman M., Vijayalakshimi M., Dhamotharan R., Dananjeyan B., Sathya Bama S. (2010), Ethnobotanical study of medicinal plants used by traditional users in Villupuram district of Tamil Nadu, India, *Jour. of Medicinal Plants Res.*, 4(12), 1089-1101.
187. Saraf A., Mishra M. S., Sharma K. (2011), antibacterial activity of commercial and wild cinnamon species, *Jour. of Phytology*, 3(2), 102-106
188. Saxton W. T. (1922), Additional notes on plants of Northern Gujarat, *Rec. Bot. Surv. India*, 9 (3), 251-262.
189. Saxton W. T., Sedgwick L. J. (1918), Plants of Northern Gujarat, *Rec. Bot. Surv. India*, 6 (7), 207-323.
190. Seifert M. H., Kraus J., Kramer B. (2007), Virtual high-throughput screening of molecular databases, *Current opinion in drug discovery & development*, 10 (3), 298-307.
191. Sethiya N. K., Trivedi A., Patel M. B., Mishra S. H. (2010), Comparative pharmacognostical investigation on four ethanobotanicals traditionally used as Shankpushpi in India, *J Adv Pharm Technol Res*, 1(4), 388-395.
192. Shah G. L. (1978), Flora of Gujarat State Part I and II, Sardar Patel University, Vallabh Vidyanagar.
193. Shao Y., Ho C. T., Chin C. K., Badmaev V., Ma W., Huang M. T. (1998), Inhibitory activity of boswellic acids from *Boswellia serrata* against human leukemia HL-60 cells in culture, *Planta. Med.*, 64, 328-331.
194. Sharma A., Upadhyay J., Jain A., Kharya M. D., Namdeo A., Mahadik K. R. (2011), Antioxidant activity of aqueous extract of *Boswellia Serrata*, *J.Chem.Bio.Phy.Sci.*, 1, 60-71.
195. Sharma A., Verma R., Ramteke P. (2009), Antibacterial Activity of Some Medicinal Plants used by Tribals Against Uti Causing Pathogens, *World Applied Sci. Jour.*, 7 (3), 332-339.
196. Singh A. (2008), Review of Ethnomedicinal Uses and Pharmacology of *Evolvulus alsinoides* Linn., *Ethnobotanical Leaflets*, 12, 734-740.
-

-
197. Singh B., Bhat T. K. (2003), Potential therapeutic applications of some antinutritional plant secondary metabolites, *Jour. of Agricultural & Food Chemistry*, 51, 5579-5597.
198. Singh D., Pokhriyal B., Joshi Y. M., Kadam V. (2012), Phytopharmacological Aspects of *Chlorophytum Borivilianum* (Safed Musli): A Review, *Inter. Jour. of Res. in Phar. and Chem.*, 2(3), 853-859.
199. Singh R. P., Jain D. A. (2011), Evaluation of Antimicrobial Activity of Alcoholic and Aqueous Extracts of Five Plants used in Traditional Medicine in North India, *Int. J. Pharm. Tech. Res.*, 3(1), 376-380.
200. Singh V., Jaryal M., Gupta J., Kumar P. (2012), Antibacterial Activity of Medicinal Plants Against Extended Spectrum Beta Lactamase Producing Bacteria Causing Urinary Tract Infection, *Int. J. Drug Res. Tech.*, 2 (3), 263-267.
201. Singleton P. (1999), *Bacteria in Biology, Biotechnology and Medicine*, 4th edn. John Wiley and Sons Ltd, New York.
202. Sood S. K., Bhardwaj R., Lakhanpal T. N. (2005), *Ethnic Indian Plants in cure of diabetes*, Scientific Publishers, Jodhpur, India, 64-65.
203. Sperandio O., Miteva M. A., Delfaud F., Villoutreix B. O. (2006), Receptor-Based Computational Screening of Compound Databases: The Main Docking-Scoring Engines, *Current Protein and Peptide Sci.*, 7, 5.
204. Stepanovic S., Antic N., Dakic I., Svabic-vlahovic M. (2003), *In vitro* antimicrobial activity of propolis and antimicrobial drugs, *Microbiol. Res.*, 158, 353-357.
205. Streffer J. R., Bitzer M., Schabet M., Dichgans J., Weller M. (2001), Response of radiochemotherapy-associated cerebral edema to a phytotherapeutic agent, H15, *Neurology*, 56, 1219-1221.
206. Sudhakar M., Rao C. V., Rao P. M., Raju D. B., Venkateswarlu Y. (2006), Antimicrobial activity of *Caesalpinia pulcherrima*, *Euphorbia hirta*. and *Asystasia gangeticum*. *J. Fitoterpia*, 77, 378-380.
207. Sukirtha K., Growther L. (2012), Antibacterial, antifungal and phytochemical analysis of selected medicinal Plants, *J. Nat. Prod. Plant Resour.*, 2 (6), 644-648.
-

-
208. Sundaram S., Dwivedi P., Purwar S. (2011), Antibacterial Activities of Crude Extracts of *Chlorophytum borivilianum* to Bacterial Pathogens, Res. Jour. of Medi. Plant, 5, 343-347.
209. Suresh K., Deepa P., Harisaranraj R., Vaira Achudhan V. (2008), Antimicrobial and Phytochemical Investigation of the Leaves of *Carica papaya* L., *Cynodon dactylon* (L.) Pers., *Euphorbia hirta* L., *Melia azedarach* L. and *Psidium guajava* L., Ethnobotanical Leaflets 12, 1184-1191.
210. Syrovets T., Gschwend J. E., Buchele B., Laumonier Y., Zugmaier W., Genze F., Simmet T. (2005), Inhibition of IkappaB kinase activity by acetyl-boswellic acids promotes apoptosis in androgen-independent PC-3 prostate cancer cells *in vitro* and *in vivo*, J. Biol. Chem., 280, 6170-6180.
211. Tamilarasi T., Ananthi T. (2012), Phytochemical Analysis and Anti Microbial Activity of *Mimosa pudica* Linn., Res. J. Chem. Sci., 2(2), 72-74.
212. Tandon M., Shukla Y. N., Thakur R. S. (1992), 4 Hydroxy, 8-11 oxidoheneicosanol and other constituents from *Chlorophytum arundinaceum* roots, Phytochem., 31, 2525-2526.
213. Thakur M., Bhargava S., Dixit V. K. (2007), Immunomodulatory Activity of *Chlorophytum borivilianum* Sant. F, Evid Based Complement Alternat Med., 4(4), 419-423.
214. Tona L., Cimanga R. K., Mesia K., Musamba C. T., de Bruyne T. (2004), *In vitro* antiplasmodial activity of extracts and fractions from seven medicinal plants used in the democratic republic of Congo. J. Ethnopharm., 93, 27-32.
215. Tona L., Kambu K., Ngimbi N., Cimanga K., Vlietinck A. J. (1998), Antiamoebic and phytochemical screening of some Congolese medicinal plants, J. Ethnopharmacol., 61, 57-65.
216. Totrov M., Abagyan R. (1997), Flexible protein-ligand docking by global energy optimization in internal coordinates, Protein. Struct. Funct. Genet., 29, 215-220.
217. Ushir Y. V., Tatiya A. U., Surana S. J., Patil U. K. (2010), Gas chromatography-Mass spectrometry analysis and antibacterial activity of essential oil from aerial parts and roots of *Anisomeles indica* Linn., Int. J. Green Pharm., 4 (2), 98-101.
218. Vaidya A. D. B., Devasagayam T. P. A. (2007), Current Status of Herbal Drugs in India: An Overview, J. Clin. Biochem. Nutr., 41(1), 1-11.
-

-
219. Van de Waterbeemd H., Camenisch G., Folkers G., Raevsky O. A. (1996), *Quant. Struct.-Act. Relat.*, 15 (15), 480-490.
220. Verdonk M. L., Cole J. C., Hartshorn M. J., Murray C. W., Taylor R. D. (2003), Improved Protein-Ligand Docking Using GOLD, *PROTEINS: Structure, Function, and Genetics* 52, 609-623.
221. Verhaar H. J. M., Van L. C., Hermens J. L. M. (1992), Structure-Activity Relationships for Prediction of Aquatic Toxicity, *Chemosphere*, 25(4), 471-491.
222. Verkhivker G. M., Bouzida D., Gehlhaar D. K., Rejto P. A., Arthurs S., Colson A. B., Freer S. T., Larson V., Luty B. A., Marrone T., Rose P. W. (2000), Deciphering common failures in molecular docking of ligand-protein Complexes, *J. Comput. Aided Mol. Des.*, 14, 731-751.
223. Vijaya R. K., Padmavathi K. (2010), Assessment of Immunomodulatory Activity of *Euphorbia hirta* L., *Indian J Pharm Sci.* 72(5), 621-625.
224. Villoutreix B. O., Bastard K., Sperandio O., Fahraeus R., Poyet J. L., Calvo F., Deprez B., Miteva M. A. (2008), *In Silico-In Vitro* Screening of Protein-Protein Interactions: Towards the Next Generation of Therapeutics, *Current Pharma. Biotech.*, 9, 103-122.
225. Vishnu Priya V., Mallika J., Surapaneni K. M., Saraswathi P., Chandra Sada Gopan V. S. (2010), Antimicrobial Activity of Pericarp Extract of *Garcinia mangostana* Linn., *Inter. Jour. of Pharma Sci. and Res. (IJPSR)*, 1(8), 278-281.
226. Walters W. P., Stahl M. T., Murcko M. A. (1998), Virtual screening-an overview, *Drug Discov. Today*, 3 (4), 160-178.
227. Wang Y., Xiao J., Suzek T. O., Zhang J., Wang J., Bryant S. H. (2009), PubChem: a public information system for analyzing bioactivities of small molecules, *Nucl. Acids Res.*, 37, 623-33.
228. Wayne P. A. (1997), National Committee for Clinical Laboratory Standards, Specialty Collection: Susceptibility Testing, NCCLS, SC21-L.M7-A4.
229. Wendakoon C., Calderon P., Gagnon D. (2012), Evaluation of Selected Medicinal Plants Extracted in Different Ethanol Concentrations for Antibacterial Activity against Human Pathogens, 1(2), 60-68.
230. Winking M., Sarikaya S., Rahmanian A., Jodicke A., Boker D. K. (2000), Boswellic acids inhibit glioma growth: a new treatment option, *J. Neurooncol.*, 46, 97-103.
-

-
231. Yadava R. N., Barsainya D. (1998), Chemistry and antimicrobial activity of the Essential oil from *Anisomeles indica* (L.), ancient sci. of life, 18(1), 1-4.
232. Yao J. D. C., Moellering R. C. (1995), Antimicrobial Agents, Manual of Clinical Micro., 7, 1474-1504.
233. Yogi D. V. (1970), A contribution to the flora of North Gujarat, Ph.D. Thesis, S. P. University, Vallabh Vidyanagar.
234. Yoshida T., Namba O., Chen L., Okuda T. (1990), Euphorbin E, a hydrolysable tannin dimmer of highly oxidized structure from *Euphorbia hirta*, Chem. Pharm. Bull, 38(4), 1113-1115.
235. Zablutowicz R. M., Hoagland R. E., Wagner S. C. (1996), Effect of saponins on the growth and activity of rhizosphere bacteria, Adv Exp Med Biol., 405, 83-95.
236. Zaidan M. R. S., Rain Noor A., Badrul A. R., Adlin A., Norazah A., Zakiah I. (2005), *In vitro* screening of five local medicinal plants for antibacterial activity using disc diffusion method, Tropical Biomedicine, 22(2), 165-170.
237. Zaika L. L. (1988), Spices and herbs their antimicrobial activity and its determination, J Food Safety, 9, 97-118.
238. Zhao W., Entschladen F., Liu H., Niggemann B., Fang Q., Zaenker K. S., Han R. (2003), Boswellic acid acetate induces differentiation and apoptosis in highly metastatic melanoma and fibrosarcoma cells, Cancer Detect. Prev., 27, 67-75.
239. Zhu F., Shi Z., Qin C., Tao L., Liu X., Xu F., Zhang L., Song Y., Liu X. H., Zhang J. X., Han B. C., Zhang P., Chen Y. Z. (2012), Therapeutic target database update 2012: a resource for facilitating target-oriented drug discovery, Nucleic Acids Res., 40(D1), 1128-1136.
240. Zhu H., Tropsha A., Fourches D., Varnek A., Papa E., Gramatica P., O'berg T., Dao P., Cherkasov A., Tetko I. V. (2008), Combinational QSAR Model of Chemical Toxicants Tested against *Tetrahymena pyriformis*, Jour. of Chemical Info. and Modeling, 48,766 -784.
-